

**E****Screw Driving Accessories**

Screwdriver Bit Technical Information . . .	E1-3
Insert Bits / Power Bits . . . . .	E4-8
Insert Bits Tamperproof . . . . .	E9
<b>NEW!</b> Torsion-buffer Grooved Bits . . . . .	E10
<b>NEW!</b> Merchandiser / Dispenser . . . . .	E10
Bit Holders / Magnetic . . . . .	E11
<b>NEW!</b> Bit Holders / Magnetic / Specialty . . . . .	E11
Bit Holder / Driver Quick Lock . . . . .	E11
Bit Holder Flexible . . . . .	E11
Nut Setters and Sets . . . . .	E12
Hex Socket Extensions . . . . .	E13
Square Drive Impact Sockets . . . . .	E13
Square Drive Bit Holders . . . . .	E13
Keys - L-Keys, Hex Keys, Sets . . . . .	E14-15

**Screwtech® Screwdrivers & Nut Drivers**

Screwdrivers Quick Change . . . . .	E16-17, 23
Screwdrivers Custom Imprint . . . . .	E16-17
Screwdrivers & Displays . . . . .	E18-19
Nut Drivers & Displays . . . . .	E20
<b>NEW!</b> Wing Nut Drivers . . . . .	E20
Specialty Screwdrivers . . . . .	E21
Hangerbolt Driver . . . . .	E21
Professional Screwdriver Sets . . . . .	E21
<b>NEW!</b> Screwdrivers High-Voltage . . . . .	E22
<b>NEW!</b> Screwdrivers Electrician's . . . . .	E22
Screwdrivers Marine . . . . .	E23
<b>NEW!</b> Screwdrivers Tamperproof . . . . .	E23
Screwdrivers Magnetic . . . . .	E24
Screwdrivers Electronic . . . . .	E24
Screwdriver Bit & Security Bit Sets . . . . .	E25
Ball Hex Drivers . . . . .	E25

**Specialty Tools, Sets & Kits**

Flexible Ratcheting Driver Kit . . . . .	E26
All-Purpose Tool Kit . . . . .	E26
Insert Bit Kits & Dial-A-Bit Dispensers . . . . .	E27
Screwdriver Bit Block Sets . . . . .	E27



## FASTENER AND SCREWDRIVER BITS USAGE BY INDUSTRY


Profile	Phillips®	Square Recess (Robertson®)	Slotted®	Phillips Square-Drive®	Pozidriv®	Torx®	Hex	Torx® w/pin	Tri-Wing®	Hex w/pin	Spanner
Automotive	■		■		■	■	■	■		■	
Aviation	■		■			■	■	■	■	■	
Appliance	■	■	■	■	■	■		■			
Furniture	■	■	■								
Construction/Decking	■	■	■	■	■						
Public Transportation	■		■	■				■			
Electronics	■		■			■		■			
HVAC	■	■	■					■			
Recreation	■		■								
Hobby	■		■								
Marine	■		■								
Security		■						■	■	■	■
Drywall	■										
Subfloor	■										
Machine Tools/Metal						■	■				

• Tri-Wing®, Pozidriv®, ACR®, Phillips Square-Drive® and Phillips® are registered trademarks of the Phillips Screw Company.  
• Torx® is a registered trademark of Acument® Global Technologies.

Screwdriver Inserts and Power Bits are made from Industrial Grade S2 Tool Steel, heat treated to HRC58 – HRC62. ACR® bits have Anti Cam-out Ribs which allow precision fit and resist slippage.

## FINDING THE RIGHT SCREWDRIVER BIT

### INSERT BITS




**Insert Bits** are engineered for use in hand driving applications or with power tools when used with insert bit holder. These compact bits are economical, change over quickly and require less storage space. Available in 1" OAL with 1/4" hex shank and 1-1/4", 1-1/2" OAL with 5/16" shank.

#### Features:

- Compact 1" standard length.
- Wide variety of point sizes to fit many different applications.
- Bits are milled for a precise fit.

### POWER BITS




**Power Bits** are specifically built for the higher torque requirements of power tools. They fit directly into the power tool for improved concentricity and easier clearance. They are 1-15/16" and up OAL with 1/4" hex power shanks.

#### Features:

- Used in high-torque power tools.
- Designed for use in drill chuck and quick change chuck adapter.
- 1/4" hex power shank.
- Wide variety of tip configurations.

### DOUBLE END BITS



**Double End Bits** deliver both speed and convenience by combining screwdriver bits in a one-piece design. These high quality bits are made to withstand the same high torque use as power bits.

#### Features:

- Combine two tip styles in one tool.
- Designed for three jaw chuck.

# Screwdriver Bits Information Chart

## BIT SELECTION CHART

Locate the type and size of screw you will be driving for each type of fastener.  
Then move to the left column to find the point size you need.

### PHILLIPS®



POINT SIZE	WOOD SCREW SIZE			MACHINE SCREW SIZE		SHEET METAL SCREW SIZE
	FLAT, OVAL	ROUND	FLAT, OVAL, BINDING	ROUND, FILLISTER	TRUSS, BRAZIER BUTTON	FLAT, OVAL, ROUND, STOVE, BINDING
0	0, 1	0, 1	0, 1	0, 1	0, 1	0, 1
1	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4	2, 3, 4, 5	2, 3, 4
2	5, 6, 7, 8, 9	5, 6, 7, 8, 9, 10	5, 6, 7, 8, 10	5, 6, 7, 8, 10	6, 8, 10	5, 6, 7, 8, 10
3	10, 12, 14, 16	12, 14, 16	12, 14	12, 1/4", 5/16"	12, 1/4"	12, 14
4	18, 20, 24	18, 20, 24	5/16", 3/8", 7/16", 1/2"	3/8", 7/16", 1/2"	5/16", 3/8", 7/16", 1/2"	—

### SLOTTED®



SLOTTED POINT SIZE	SCREW SLOT WIDTH	
	MINIMUM	MAXIMUM
1 - 2	0.019	0.026
2 - 3	0.023	0.031
3 - 4	0.027	0.035
4 - 5	0.031	0.039
6 - 8	0.035	0.043
8 - 10	0.039	0.048
10 - 12	0.045	0.054
12 - 14	0.056	0.067

### SQUARE RECESS



SQUARE RECESS POINT SIZE	TAPPING SCREW SIZE	WOOD SCREW SIZE	MACHINE SCREW SIZE
0	3, 4	3, 4	3, 4
1	5, 6, 7	5, 6, 7	5, 6
2	8, 10	8, 9, 10	8, 10
3	12, 14	12, 14	12, 14

### HEX



#### SAE Fractional

POINT SIZE	SOCKET HEAD CAP SCREW SIZE	SET SCREW SIZE
5/64"	2, 3	8
3/32"	4, 5	10
7/64"	6	—
1/8"	—	1/4"
5/32"	10	5/16"
3/16"	1/4"	3/8"
7/32"	—	7/16"
1/4"	5/16"	1/2"
5/16"	3/8"	5/8"
3/8"	7/16", 1/2"	3/4"
Metric		
M2.0	M2.3, 2.5, 2.6	M4
M2.5	M3	M5
M3.0	M4	M6
M4.0	M5	M8
M5.0	M6	M10
M6.0	M8	M12, 14

### TORX®



TORX® POINT SIZE	TORX® DIA.
T6	0.065
T7	0.077
T8	0.090
T9	0.097
T10	0.107
T15	0.128
T20	0.151
T25	0.173
T27	0.195
T30	0.216
T40	0.260
T45	0.306
T50	0.346
T55	0.440

### General Information:



#### Nut Setters

Popular for the pre-engineered building industry. For use with Hex Head Screws. 1/4" Hex Shank.



#### Bit Holders

Use in conjunction with insert bits. Magnetic. "Extra heavy duty" bit holders have "C" ring retainers. One or two piece construction.



#### Extensions/ Socket Adapters

Adapts a hand driver or drill into a socket wrench.

# Screwdriver Bits Cross-Reference Chart (Apex® - Alfa Tools)

## PHILLIPS®



Size x OAL	Apex®	Alfa Tools
<b>1/4" Hex Insert Bits</b>		
#1 x 1"	440-1X	HSB15802
#2 x 1"	440-2X	HSB15803
#3 x 1"	440-3X	HSB15804
<b>1/4" Hex Insert Bits - Reduced</b>		
#1 x 1"	446-1X	HSB15806
#2 x 1"	446-2X	HSB15805
<b>ACR® 1/4" Hex Insert Bits</b>		
#1 x 1"	440-1-ACR1X	HSB26110
#2 x 1"	440-2-ACR2X	HSB26111
#3 x 1"	440-ACR3X	HSB26112
<b>ACR® 1/4" Hex Insert Bits - Reduced</b>		
#2 x 1"	440-2-ACR2DX	HSB26113
<b>5/16" Hex Insert Bits</b>		
#1 x 1-1/4"	480-1X	HSB16021
#2 x 1-1/4"	480-2X	HSB16022
#3 x 1-1/4"	480-3X	HSB16023
<b>1/4" Power Bits</b>		
#1 x 1-15/16"	491X	HSB15845
#2 x 1-15/16"	492X	HSB15846
#3 x 1-15/16"	493X	HSB15847
#1 x 2-3/4"	491-AX	HSB15848
#2 x 2-3/4"	492-AX	HSB15849
#3 x 2-3/4"	493-AX	HSB15850
#1 x 6"	491CX	HSB15860
#2 x 6"	492-CX	HSB15861
#3 x 6"	493-CX	HSB15862
<b>ACR® 1/4" Power Bits</b>		
#1 x 1-15/16"	491-ACR1X	HSB26114
#2 x 1-15/16"	491-ACR2X	HSB26115
#3 x 1-15/16"	491-ACR3X	HSB26116

## SLOTTED®



Size x OAL	Apex®	Alfa Tools
<b>1/4" Insert Bits</b>		
6F-8R x 1"	445-2X	HSB15809
8F-10R x 1"	445-3X	HSB15810
10F-12R x 1"	445-4X	HSB15811
<b>5/16" Insert Bits</b>		
6F-8R x 1-1/2"	485-2X	HSB16026
8F-10R x 1-1/2"	485-3X	HSB16027
10F-12R x 1-1/2"	485-3X	HSB16028
<b>1/4" Power Bits</b>		
1F-2R x 1-15/16"	320-000X	HSB16055
2F-3R x 1-15/16"	320-00X	HSB16056
3F-4R x 1-15/16"	320-0X	HSB16057
4F-6R x 1-15/16"	320-1X	HSB16058
6F-8R x 1-15/16"	320-3X	HSB15864
8F-10R x 1-15/16"	320-4X	HSB15865
10F-12R x 1-15/16"	320-5X	HSB15866
12F-14R x 1-15/16"	320-6X	HSB15871

## TORX®



Size x OAL	Apex®	Alfa Tools
<b>1/4" Hex Insert Bits</b>		
T5 x 1"	440-TX-05X	HSB16066
T6 x 1"	440-TX-06X	HSB15820
T7 x 1"	440-TX-07X	HSB15821
T8 x 1"	440-TX-08X	HSB15822
T9 x 1"	440-TX-09X	HSB15823
T10 x 1"	440-TX10X	HSB15824
T15 x 1"	440-TX-15X	HSB15825
T20 x 1"	440-TX-20X	HSB15826
T25 x 1"	440-TX-25X	HSB15827
T27 x 1"	440-TX-27X	HSB15828
T30 x 1"	440-TX-30X	HSB15829
T40 x 1"	440-TX-40X	HSB15830
<b>5/16" Insert Bits</b>		
T30 x 1-1/4"	480-TX-30X	HSB16030
T40 x 1-1/4"	480-TX-40X	HSB16031
T45 x 1-1/4"	480-TX-45X	HSB16032
T47 x 1-1/4"	480-TX-47X	HSB16033
T50 x 1-1/4"	480-TX-50X	HSB16034
<b>1/4" Power Bits</b>		
T10 x 1-15/16"	49-TX-10	HSB15888
T15 x 1-15/16"	49-TX-15	HSB15889
T20 x 1-15/16"	49-TX-20	HSB15890
T25 x 1-15/16"	49-TX-25	HSB15891
T27 x 1-15/16"	49-TX-27	HSB15892
T30 x 1-15/16"	49-TX-30	HSB15893
T40 x 1-15/16"	49-TX-10	HSB15894
T10 x 6"	49-C-TX-10	HSB16081
T15 x 6"	49-C-TX-15	HSB16082
T20 x 6"	49-C-TX-20	HSB16083
T25 x 6"	49-C-TX-25	HSB16084
T27 x 6"	49-C-TX-27	HSB16085
T30 x 6"	49-C-TX-30	HSB16086
T40 x 6"	49-C-TX-40	HSB16087

## TORX® TAMPERPROOF



Size x OAL	Apex®	Alfa Tools
<b>1/4" Hex Insert Bits</b>		
TT10 x 1"	440-TX-10-H	HSB15967
TT15 x 1"	440-TX-15-H	HSB15968
TT20 x 1"	440-TX-20-H	HSB15969
TT25 x 1"	440-TX-25-H	HSB15970
TT27 x 1"	440-TX-27-H	HSB15971
TT30 x 1"	440-TX-30-H	HSB15972
TT40 x 1"	440-TX-40-H	HSB15973
<b>5/16" Hex Insert Bits</b>		
TT45 x 1-15/16"	480-TX-45-H	HSB16980
TT50 x 1-15/16"	480-TX-50-H	HSB16981
TT55 x 1-15/16"	480-TX-55-H	HSB16982

## HEX



Size x OAL	Apex®	Alfa Tools
<b>1/4" Insert Bits</b>		
5/64" x 1"	185-0X	HSB15836
3/32" x 1"	185-1X	HSB15837
7/64" x 1"	185-9X	HSB15838
1/8" x 1"	185-2X	HSB15839
5/32" x 1"	185-3X	HSB15840
3/16" x 1"	185-4X	HSB15841
<b>5/16" Insert Bits</b>		
5/32" x 1-1/4"	315-3X	HSB16045
3/16" x 1-1/4"	315-4X	HSB16046
7/32" x 1-1/4"	315-5X	HSB16047
1/4" x 1-1/4"	315-6X	HSB16048
5/16" x 1-1/4"	315-7X	HSB16049
3/8" x 1-1/4"	315-8X	HSB16051
<b>1/4" Power Bits</b>		
5/64" x 1-15/16"	AM-02-A	HSB16201
3/32" x 1-15/16"	AM-03	HSB16202
1/8" x 1-15/16"	AM-04	HSB16203
5/32" x 1-15/16"	AM-05	HSB16204
3/16" x 1-15/16"	AM-06	HSB16205
7/32" x 1-15/16"	AM-07	HSB16206
1/4" x 1-15/16"	AM-08	HSB15207
5/16" x 1-15/16"	AM-10	HSB15208

## SQUARE RECESS®



Size x OAL	Apex®	Alfa Tools
<b>1/4" Insert Bits</b>		
#0 x 1"	950-0X	HSB15814
#1 x 1"	950-1X	HSB15815
#2 x 1"	950-2X	HSB15816
#3 x 1"	950-3X	HSB15817
<b>1/4" Power Bits</b>		
#1 x 1-15/16"	954-1X	HSB15872
#2 x 1-15/16"	954-2X	HSB15873
#3 x 1-15/16"	954-3X	HSB15874



## MAGNETIC BIT HOLDERS



Size x OAL	Apex®	Alfa Tools
<b>For 1/4" Insert Bits</b>		
1/4" Shank x 2-5/8"	M-490	HSB66695
1/4" Shank x 4"	M-490-4	HSB66697A
1/4" Shank x 6"	M-490-6	HSB66698
<b>For 5/16" Insert Bits</b>		
1/4" Shank x 3-1/2"	M-498	HSB66700
5/16" Shank x 3-1/16"	M-638	HSB66702

• Tri-Wing®, Pozidriv®, ACR®, PhillipsSquare-Driv® and Phillips® are registered trademarks of the Phillips Screw Company.  
 • Torx® is a registered trademark of Acument® Global Technologies.  
 • Apex® is a registered trademark of Cooper Industries.



## Phillips® Insert Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#0	1"	25	HSB15801	HSB15801C
#1	1"	25	HSB15802	HSB15802C
#2	1"	25	HSB15803	HSB15803C
#3	1"	25	HSB15804	HSB15804C
#3	1-1/4"	25	HSB15807	HSB15807C



Reduced Body



## Phillips® Drywall Bits - 1/4" Hex Shank

#1R	1"	25	HSB15806	HSB15806C
#2R	1"	25	HSB15805	HSB15805C



## Phillips® Insert Bits - 5/16" Hex Shank

#1	1-1/4"	25	HSB16021	HSB16021C
#2	1-1/4"	25	HSB16022	HSB16022C
#3	1-1/4"	25	HSB16023	HSB16023C



## Phillips® ACR® Insert Bits - 1/4" Hex

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#1	1"	25	HSB26110	HSB26110C
#2	1"	25	HSB26111	HSB26111C
#3	1"	25	HSB26112	HSB26112C



Reduced Body



## Phillips® ACR® Drywall Bits - 1/4" Hex

#2R	1"	25	HSB26113	HSB26113C
-----	----	----	----------	-----------



## Phillips® ACR® Power Bits - 1/4" Hex

#1	1-15/16"	25	HSB26114	HSB26114C
#2	1-15/16"	25	HSB26115	HSB26115C
#3	1-15/16"	25	HSB26116	HSB26116C

All assortment displays are on page E10



## Phillips® Power Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 1 PER CARD
#1	1-15/16"	25	HSB15845	HSB15845C
#1	2-3/4"	10	HSB15848	HSB15848C
#1	3"	10	HSB15851	HSB15851C
#1	3-1/2"	10	HSB15851A	HSB15851AC
#1	4"	10	HSB15854	—
#1	5"	10	HSB15857	—
#1	6"	10	HSB15860	—
#2	1-15/16"	25	HSB15846	HSB15846C
#2	2-3/4"	10	HSB15849	HSB15849C
#2	3"	10	HSB15852	HSB15852C
#2	3-1/2"	10	HSB15852A	HSB15852AC
#2	4"	10	HSB15855	—
#2	5"	10	HSB15858	—
#2	6"	10	HSB15861	—
#3	1-15/16"	25	HSB15847	HSB15847C
#3	2-3/4"	10	HSB15850	HSB15850C
#3	3"	10	HSB15853	HSB15853C
#3	3-1/2"	10	HSB15853A	HSB15853AC
#3	4"	10	HSB15856	—
#3	5"	10	HSB15859	—
#3	6"	10	HSB15862	—



DSP271



- Drives screw perfectly flush into drywall.
- Prevents dimpling / damaging.
- Use in any 1/4" bit holder.



DST40



## Drywall Stopper - 1/4" Hex Shank

DESCRIPTION	PACK QTY.	STOCK #
#2 Ph x 1" x 1/4"	25	DSP271
T40 x 1" x 1/4"	25	DST40

## Drywall Stopper Power Bit - 1/4" Hex Shank



DSP272



#2 Ph x 2" x 1/4"	25	DSP272
-------------------	----	--------



## SELECT-A-BIT JAR DISPLAY




- Clear plastic jar allows maximum product exposure in minimum space.

CONTENTS	ITEM	QTY.	STOCK #
#2 x 1" Phillips® 1/4" Insert Bits	HSB15803	500	CJ8004
#2R x 1" Phillips® Reduced Body For Drywall, 1/4" Insert Bits	HSB15805	500	CJ8008
#2 x 1-15/16" Phillips® 1/4" Power Bits	HSB15846	250	CJ8022
#2 x 1" Phillips® ACR 1/4" Power Bits	HSB26111	500	CJ8031
#2 x 1" Phillips® x 1/4" Phillips® Stopper	DSP271	250	DSPJ271

1 jar display per box

## PHILLIPS® - SQUARE COMBO WITH ACR®

ACR® Ribbing ensures maximum efficiency



Two most popular tip styles combined with ACR® (anti-cam-out) technology:

- Extends tool life.
- Reduces worker fatigue.
- Eliminates slippage in the screw.
- Has an improved “stick fit”.
- Mostly used for driving deck screws.
- For use with Phillips® Square-Driv® screws.



### Phillips® Square-Driv® Insert Bits 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
PSD2-1	1"	25	HSB16091	HSB16091C



### Phillips® Square-Driv® Power Bits 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
PSD2-2	1-15/16"	25	HSB16092	HSB16092C
PSD2-3	3-1/2"	10	HSB16093	HSB16093C



### SELECT-A-BIT JAR DISPLAY

- Clear plastic jar allows maximum product exposure in minimum space.

All assortment displays are on page E10

## P2-R2 COMBO 2-in-1 BIT



New P2-R2 combo bits' unique design:

- Allows user to drive #2 Phillips® and #2 Robertson® screws with a single bit.
- Mostly used for drywall, cabinet and electrical rough-in installation.



### P2-R2 Combo Insert Bits 1/4" Hex Shank

**NEW!**

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
P2R2-1	1"	25	HSB16095	HSB16095C



### P2-R2 Combo Power Bits 1/4" Hex Shank

**NEW!**

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
P2R2-2	1-1/2"	25	HSB16096	HSB16096C
P2R2-3	2"	25	HSB16097	HSB16097C

CONTENTS	ITEM	QTY.	STOCK #
PSD2-1 x 1" Phillips® - Sq. Driv® with ACR® 1/4" Insert Bits	HSB16091	500	CJ8060
P2R2-1 x 1" P2-R2 Combo 2-in-1 1/4" Insert Bits	HSB16095	500	CJ8061
PSD2-2 x 1-15/16" Phillips®- Sq. Driv® with ACR® 1/4" Power Bits	HSB16092	250	CJ8063
PSD2-3 x 3-1/2" Phillips® - Sq. Driv® with ACR® 1/4" Power Bits	HSB16093	125	CJ8064
P2R2-2 x 1-1/2" P2-R2 Combo 2-in-1 1/4" Power Bits	HSB16096	250	CJ8065
P2R2-3 x 2" P2-R2 Combo 2-in-1 1/4" Power Bits	HSB16097	250	CJ8066

1 jar display per box

• Tri-Wing®, Pozidriv®, ACR®, Phillips Square-Driv® and Phillips® are registered trademarks of the Phillips Screw Company.  
• Torx® is a registered trademark of Acument® Global Technologies.





## Square Recess Insert Bits 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#0	1"	25	HSB15814	HSB15814C
#1	1"	25	HSB15815	HSB15815C
#2	1"	25	HSB15816	HSB15816C
#3	1"	25	HSB15817	HSB15817C



## Square Recess Power Bits 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 1 PER CARD
#1	1-15/16"	25	HSB15872	HSB15872C
#1	3"	10	HSB15875	—
#1	4"	10	HSB15878	—
#1	5"	10	HSB15881	—
#1	6"	10	HSB15884	—
#2	1-15/16"	25	HSB15873	HSB15873C
#2	3"	10	HSB15876	—
#2	4"	10	HSB15879	—
#2	5"	10	HSB15882	—
#2	6"	10	HSB15885	—
#3	1-15/16"	25	HSB15874	HSB15874C
#3	3"	10	HSB15877	—
#3	4"	10	HSB15880	—
#3	5"	10	HSB15883	—
#3	6"	10	HSB15886	—



### SELECT-A-BIT JAR DISPLAY

- Clear plastic jar allows maximum product exposure in minimum space.



CONTENTS	ITEM	QTY.	STOCK #
#2 x 1" Sq. Recess 1/4" Insert Bits	HSB15816	500	CJ8005
#2 x 2" Square Recess 1/4" Power Bits	HSB15873	250	CJ8024

1 jar display per box



## Slotted Insert Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#1 - 2	1"	25	HSB16052	HSB16052C
#2 - 3	1"	25	HSB16053	HSB16053C
#3 - 4	1"	25	HSB16054	HSB16054C
#4 - 5	1"	25	HSB15808	HSB15808C
#6 - 8	1"	25	HSB15809	HSB15809C
#8 - 10	1"	25	HSB15810	HSB15810C
#10 - 12	1"	25	HSB15811	HSB15811C
#12 - 14	1-1/4"	25	HSB15812	HSB15812C

## Slotted Insert Bits 5/16" Hex Shank



#4 - 5	1-1/2"	25	HSB16025	HSB16025C
#6 - 8	1-1/2"	25	HSB16026	HSB16026C
#8 - 10	1-1/2"	25	HSB16027	HSB16027C
#10 - 12	1-1/2"	25	HSB16028	HSB16028C
#12 - 14	1-1/2"	25	HSB16029	HSB16029C



## Slotted ACR® Bits - 1/4" Hex Shank **NEW!**

#1-2	1"	25	HSB15920	HSB15920C
#2-3	1"	25	HSB15921	HSB15921C
#3-4	1"	25	HSB15922	HSB15922C



## Slotted Power Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 1 PER CARD
#1 - 2	1-15/16" 3"	25 10	HSB16055 HSB16059	HSB16055C HSB16059C
#2 - 3	1-15/16" 3"	25 10	HSB16056 HSB16060	HSB16056C HSB16060C
#3 - 4	1-15/16" 3"	25 10	HSB16057 HSB16061	HSB16057C HSB16061C
#4 - 6	1-15/16" 3"	25 10	HSB16058 HSB16062	HSB16058C HSB16062C
#6 - 8	1-15/16" 3"	25 10	HSB15864 HSB16063	HSB15864C HSB16063C
#8 - 10	1-15/16"	25	HSB15865	HSB15865C
#8 - 10	3"	10	HSB15867	HSB15867C
#10 - 12	1-15/16"	25	HSB15866	HSB15866C
#12 - 14	1-15/16"	25	HSB15871	HSB15871C



## Slotted Power Bits with Finder

#6-8	2"	25	HSB15868	HSB15868C
#8-10	2"	25	HSB15869	HSB15869C
#10-12	2"	25	HSB15870	HSB15870C

All assortment displays are on page E10



## Pozidriv® Insert Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#1	1"	25	HSB15832	HSB15832C
#2	1"	25	HSB15833	HSB15833C
#3	1"	25	HSB15834	HSB15834C



## Pozidriv® Insert Bits - 5/16" Hex Shank

#1	1-1/4"	25	HSB16041	HSB16041C
#2	1-1/4"	25	HSB16042	HSB16042C
#3	1-1/4"	25	HSB16043	HSB16043C



## Pozidriv® Power Bits - 1/4" Hex Shank

#1	1-15/16"	25	HSB15896	HSB15896C
#2	1-15/16"	25	HSB15897	HSB15897C
#3	1-15/16"	25	HSB15898	HSB15898C



### SELECT-A-BIT JAR DISPLAY

- Clear plastic jar allows maximum product exposure in minimum space.

CONTENTS	ITEM	QTY.	STOCK #
T27 x 1" Torx® 1/4" Insert Bits	HSB15828	500	CJ8050
T30 x 1" Torx® 1/4" Insert Bits	HSB15829	500	CJ8051
T27 x 1-15/16" Torx® 1/4" Power Bits	HSB15892	250	CJ8053
T30 x 1-15/16" Torx® 1/4" Power Bits	HSB15893	250	CJ8054

1 jar display per box

- Tri-Wing®, Pozidriv®, ACR®, Phillips Square-Drive® and Phillips® are registered trademarks of the Phillips Screw Company.
- Torx® is a registered trademark of Acument® Global Technologies.

All assortment displays are on page E10



## Torx® Insert Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
T4	1"	25	HSB16065	HSB16065C
T5	1"	25	HSB16066	HSB16066C
T6	1"	25	HSB15820	HSB15820C
T7	1"	25	HSB15821	HSB15821C
T8	1"	25	HSB15822	HSB15822C
T9	1"	25	HSB15823	HSB15823C
T10	1"	25	HSB15824	HSB15824C
T15	1"	25	HSB15825	HSB15825C
T20	1"	25	HSB15826	HSB15826C
T25	1"	25	HSB15827	HSB15827C
T27	1"	25	HSB15828	HSB15828C
T30	1"	25	HSB15829	HSB15829C
T40	1"	25	HSB15830	HSB15830C
T45	1"	25	HSB15831	HSB15831C

## Torx® Insert Bits - 5/16" Hex Shank

T30	1-1/4"	25	HSB16030	HSB16030C
T40	1-1/4"	25	HSB16031	HSB16031C
T45	1-1/4"	25	HSB16032	HSB16032C
T47	1-1/4"	25	HSB16033	HSB16033C
T50	1-1/4"	20	HSB16034	HSB16034C
T55	1-1/4"	20	HSB16035	HSB16035C



## Torx® Power Bits - 1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 1 PER CARD
T10	1-15/16"	25	HSB15888	HSB15888C
	3"	10	HSB16067	HSB16067C
	4"	10	HSB16074	—
	6"	10	HSB16081	—
T15	1-15/16"	25	HSB15889	HSB15889C
	3"	10	HSB16068	HSB16068C
	4"	10	HSB16075	—
T20	1-15/16"	25	HSB15890	HSB15890C
	3"	10	HSB16069	HSB16069C
	4"	10	HSB16076	—
T25	1-15/16"	25	HSB15891	HSB15891C
	3"	10	HSB16070	HSB16070C
	4"	10	HSB16077	—
	6"	10	HSB16084	—
T27	1-15/16"	25	HSB15892	HSB15892C
	3"	10	HSB16071	HSB16071C
	4"	10	HSB16078	—
	6"	10	HSB16085	—
T30	1-15/16"	25	HSB15893	HSB15893C
	3"	10	HSB16072	HSB16072C
	4"	10	HSB16079	—
	6"	10	HSB16086	—
T40	1-15/16"	25	HSB15894	HSB15894C
	3"	10	HSB16073	HSB16073C
	4"	10	HSB16080	—
	6"	10	HSB16087	—
T45	4"	10	HSB16080A	—





## Hex Socket Insert Bits

1/4" Hex Shank

Expanded

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
5/64"	1"	25	HSB15836	HSB15836C
3/32"	1"	25	HSB15837	HSB15837C
7/64"	1"	25	HSB15838	HSB15838C
1/8"	1"	25	HSB15839	HSB15839C
5/32"	1"	25	HSB15840	HSB15840C
3/16"	1"	25	HSB15841	HSB15841C



## Double End Insert Bits

1/4" Hex Shank, 1-15/16" OAL

POINT SIZE	STOCK #		
	PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#2 Phillips® #8-10 Slotted	25	HSB15902A	HSB15902AC
#2 Phillips® #10-12 Slotted	25	HSB15903A	HSB15903AC
#2 Phillips® #2 Phillips®	25	HSB15905A	HSB15905AC

## Hex Socket Insert Bits

5/16" Hex Shank



5/32"	1-1/4"	25	HSB16045	HSB16045C
3/16"	1-1/4"	25	HSB16046	HSB16046C
7/32"	1-1/4"	25	HSB16047	HSB16047C
1/4"	1-1/4"	25	HSB16048	HSB16048C
5/16"	1-1/4"	25	HSB16049	HSB16049C
3/8"	1-1/4"	20	HSB16051	HSB16051C



## Double End Power Bits

1/4" Hex Shank, 1-7/8" OAL

• Innovative double end power bits fit most popular impact drivers.

POINT SIZE	STOCK #		
	PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
⊕ #2 Phillips® #6-8 Slotted ⊖	25	HSB15901	HSB15901C
⊕ #2 Phillips® #8-10 Slotted ⊖	25	HSB15902	HSB15902C
⊕ #2 Phillips® #10-12 Slotted ⊖	25	HSB15903	HSB15903C
⊕ #2 Phillips® #1 Phillips® ⊕	25	HSB15904	HSB15904C
⊕ #2 Phillips® #2 Phillips® ⊕	25	HSB15905	HSB15905C
⊕ #1 Phillips® #6-8 Slotted ⊖	25	HSB15906	HSB15906C
⊕ #3 Phillips® #10-12 Slotted ⊖	25	HSB15907	HSB15907C
⊕ #2 Phillips® #2 Sq. Recess ⊖	25	HSB15908	HSB15908C
⊖ #2 Sq. Recess #1 Sq. Recess ⊖	25	HSB15909	HSB15909C

## Hex Socket Insert Bits

1/4" Hex Shank - Metric



2.0	1"	25	HSB16101	HSB16101C
2.5	1"	25	HSB16102	HSB16102C
3.0	1"	25	HSB16103	HSB16103C
4.0	1"	25	HSB16104	HSB16104C
5.0	1"	25	HSB16105	HSB16105C
6.0	1"	25	HSB16106	HSB16106C



## Hex Socket Power Bits

1/4" Hex Shank

NEW!

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
5/64"	1-15/16"	25	HSB16201	HSB16201C
3/32"	1-15/16"	25	HSB16202	HSB16202C
1/8"	1-15/16"	25	HSB16203	HSB16203C
5/32"	1-15/16"	25	HSB16204	HSB16204C
3/16"	1-15/16"	25	HSB16205	HSB16205C
7/32"	1-15/16"	25	HSB16206	HSB16206C
1/4"	1-15/16"	25	HSB16207	HSB16207C
5/16"	1-15/16"	25	HSB16208	HSB16208C
3/8"	1-15/16"	20	HSB16209	HSB16209C

## Double End Power Bits

1/4" Hex Shank, 2-1/2" OAL

⊕ #2 Phillips® #2 Phillips® ⊕	25	HSB15913	HSB15913C
⊕ #2 Phillips® #2 Sq. Recess ⊖	25	HSB15914	HSB15914C
⊕ #2 Phillips® #8 Slotted ⊖	25	HSB15915	HSB15915C
⊖ #2 Sq. Recess #1 Sq. Recess ⊖	25	HSB15916	HSB15916C



## Torx® Tamperproof Insert Bits

1/4" Hex Shank - With Pin

Expanded

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
TT5	1"	25	HSB15962	HSB15962C
TT6	1"	25	HSB15963	HSB15963C
TT7	1"	25	HSB15964	HSB15964C
TT8	1"	25	HSB15965	HSB15965C
TT9	1"	25	HSB15966	HSB15966C
TT10	1"	25	HSB15967	HSB15967C
TT15	1"	25	HSB15968	HSB15968C
TT20	1"	25	HSB15969	HSB15969C
TT25	1"	25	HSB15970	HSB15970C
TT27	1"	25	HSB15971	HSB15971C
TT30	1"	25	HSB15972	HSB15972C
TT40	1"	25	HSB15973	HSB15973C



## Tri-Wing Tamperproof Insert Bits

1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#1	1"	25	HSB15985	HSB15985C
#2	1"	25	HSB15986	HSB15986C
#3	1"	25	HSB15987	HSB15987C
#4	1"	25	HSB15988	HSB15988C
#5	1"	25	HSB15989	HSB15989C
#6	1"	25	HSB15989A	HSB15989AC

## Torx® Tamperproof Insert Bits

5/16" Hex Shank - With Pin

NEW!

TT45	1-1/4"	25	HSB16980	HSB16980C
TT50	1-1/4"	25	HSB16981	HSB16981C
TT55	1-1/4"	20	HSB16982	HSB16982C



## Phillips® Tamperproof Insert Bits

5/16" Hex Shank - With Pin

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#2	1"	25	HSB15940	HSB15940C
#3	1"	25	HSB15941	HSB15941C



## Hex Tamperproof Insert Bits

1/4" Hex Shank - With Pin

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
3/32"	1"	25	HSB15975	HSB15975C
1/8"	1"	25	HSB15976	HSB15976C
9/64"	1"	25	HSB15977	HSB15977C
5/32"	1"	25	HSB15978	HSB15978C
3/16"	1"	25	HSB15979	HSB15979C
7/32"	1"	25	HSB15980	HSB15980C
1/4"	1"	25	HSB15981	HSB15981C
5/16"	1"	25	HSB15982	HSB15982C



## Spanner Tamperproof Insert Bits

1/4" Hex Shank

POINT SIZE	OAL	STOCK #		
		PACK QTY.	BULK IN HANG-UP BOX	CARDED 2 PER CARD
#4	1"	25	HSB15950	HSB15950C
#6	1"	25	HSB15951	HSB15951C
#8	1"	25	HSB15952	HSB15952C
#10	1"	25	HSB15953	HSB15953C
#12	1"	25	HSB15954	HSB15954C
#14	1"	25	HSB15955	HSB15955C

## Spanner Tamperproof Insert Bits

5/16" Hex Shank

#4	1-1/2"	25	HSB15956	HSB15956C
#6	1-1/2"	25	HSB15957	HSB15957C
#8	1-1/2"	25	HSB15958	HSB15958C
#10	1-1/2"	25	HSB15959	HSB15959C
#12	1-1/2"	25	HSB15960	HSB15960C
#14	1-1/2"	25	HSB15961	HSB15961C

• Tri-Wing®, Pozidriv®, ACR®, PhillipsSquare-Driv® and Phillips® are registered trademarks of the Phillips Screw Company.  
• Torx® is a registered trademark of Acument® Global Technologies.

# Torsion-buffer Grooved Bits

## A-2 Steel Anti-Rust Coating

### Features:

- Dual inward grooves on shaft reduces the level of impact from sudden locking.
- Reduces stripping, increases bit life.
- 1/4" hex power shank fits most chucks and adapters.
- Special A-2 steel, heat-treated for higher tensile strength.
- Up to 60% more durable than similar products.



### Phillips® Grooved Bits 1/4" Hex Shank

**NEW!**

POINT SIZE	OAL	PACK QTY.	STOCK #
			BULK
#1	1-3/16"	10	HSB17002
	1-15/16"		HSB17003
#2	1-3/16"	10	HSB17004
	1-15/16"		HSB17005
#3	1-3/16"	10	HSB17006
	1-15/16"		HSB17007



### Square Recess Grooved Bits 1/4" Hex Shank

**NEW!**

POINT SIZE	OAL	PACK QTY.	STOCK #
			BULK
#1	1-3/16"	10	HSB17015
	1-15/16"		HSB17016
#2	1-3/16"	10	HSB17017
	1-15/16"		HSB17018
#3	1-3/16"	10	HSB17019
	1-15/16"		HSB17020

Torsion-buffer Grooved Bits • Cookie Jar Merchandiser

## Cookie Jar Merchandiser

### Features:

- Point-of-purchase counter display with attractive graphics.
- Display includes bit rack and an assortment of 6 jars of screwdriver bits, nutsetters and bit holders.
- Racks have peggable hooks.
- Jars have labels.
- Dimensions: 13"h x 10.5"w x 6"d.



Labeled on back of jar

### Assortment 1

DESCRIPTION	ITEM	QTY	INDIVIDUAL JAR STOCK #	DISPLAY STOCK #
#2 x 1" Phillips®	HSB15803	500	CJ8004	CJM1
#2 x 2" Phillips®	HSB15846	250	CJ8022	
3" Magnetic Bit Holder	HSB66697	60	CJ8040	
1/4" Nutsetter	HSN15934	50	CJ8042	
5/16" Nutsetter	HSN15935	50	CJ8044	
#2 Phillips® Screwstopper	DSP271	200	DSPJ271	

### Assortment 2

DESCRIPTION	ITEM	QTY	INDIVIDUAL JAR STOCK #	DISPLAY STOCK #
#2R x 1" Phillips® Reduced	HSB15805	500	CJ8008	CJM2
#2 x 1" Phillips® ACR®	HSB26111	500	CJ8031	
#2 x 1" Square Recess	HSB15816	500	CJ8005	
PSD2-1 x 1" Phillips®-Sq. Driv® with ACR®	HSB16091	500	CJ8060	
P2-R2-1 x 1" P2-R2 Combo 2-in-1 Bit	HSB16095	500	CJ8061	
T30 x 1" Torx®	HSB15829	500	CJ8051	

### Assortment 3

DESCRIPTION	ITEM	QTY	INDIVIDUAL JAR STOCK #	DISPLAY STOCK #
#2 x 2" Phillips®	HSB15846	250	CJ8022	CJM3
#2 x 2" Square Recess	HSB15873	250	CJ8024	
PSD2-2 x 2" Phillips®-Sq. Driv® with ACR®	HSB16092	250	CJ8066	
P2-R2-1 x 1" P2-R2 Combo 2-in-1 Bit	HSB16095	250	CJ8061	
T27 x 2" Torx®	HSB15892	250	CJ8053	
T30 x 2" Torx®	HSB15893	250	CJ8054	

## MAGNETIC BIT HOLDERS

### Features:

- Magnet retains bit in place for worry-free use.
- 1/4" hex shanks are designed for use in power tools with quick change chucks and adapters.
- Provides added stability when used in standard drill chucks.



STAINLESS STEEL Expanded

LENGTH	DESCRIPTION	PACK QTY.	STOCK #	
			BULK	CARDED 1 PER CARD
<b>1/4" DRIVE FOR 1/4" INSERT BITS</b>				
2-5/8"	Standard Duty	10	HSB66695	HSB66695C
3"	Heavy Duty	10	HSB66696	HSB66696C
3"	Extra Heavy Duty with Retaining Ring	10	HSB66697	HSB66697C
4"	Extra Heavy Duty with Retaining Ring	10	HSB66697A	—
6"	Extra Heavy Duty with Retaining Ring	10	HSB66698	—
<b>1/4" DRIVE FOR 5/16" INSERT BITS</b>				
3-1/2"	Heavy Duty	10	HSB66700	HSB66700C
<b>5/16" DRIVE FOR 5/16" INSERT BITS</b>				
2-1/2"	Extra Heavy Duty with Retaining Ring	10	HSB66701	HSB66701C
3-1/16"	Extra Heavy Duty with Retaining Ring	10	HSB66702	HSB66702C

## QUICK LOCK BIT HOLDER/DRIVER

With a Positive Shake-Proof Lock



By actuating the Sleeve (1), the ball (2) releases the insert (3). Balls snugly nestle into insert grooves (4) providing shakeproof lock.




### Features:

- The Quick-Lock system, developed in Germany, enables fast, easy handling of screwdriver inserts with a positive shakeproof lock.
- The Quick-Lock system is available either as a bit holder or an ergonomic grip driver for direct manual use.
- Uses any 1/4" Hex insert bit.

TYPE	LENGTH	PACK QTY.	STOCK #	
			BULK	CARDED 1 PER CARD
Bit Holder	2-5/16"	12	HSB16012	HSB16012C
Screwdriver	9"	12	HSB16014	HSB16014C

## FLEXIBLE BIT HOLDER







**Features:**  
• Flexible Extensions have heavy duty spiral ring construction that retain flexibility for a longer tool life.

7-1/2" long for 1/4" Hex Inserts  
1 per pack **Stock # HSB16050**

## SPECIALTY MAGNETIC BIT HOLDERS

**NEW!**

LENGTH	DESCRIPTION	MATERIAL	PACK QTY.	STOCK #
<b>1/4" DRIVE FOR 1/4" INSERT BITS</b>				
2"	Driver with Screw Cap & Retaining Ring  Screw cap locks in bits.	Zinc Plated Stainless Steel	1	BH1020
3"			1	BH1030
3"	Driver with Brass Sleeve Guide  Sleeve extends up to 8" on the 5" length sleeve guide to hold screw while fastening.	Aluminum Holder with Brass Tube	1	BH1230
5"			1	BH1250
1-3/4"	Bit Chuck with Quick Release and Lock  Locks in bits. Use with 2" + Power bits only.	Special Tool Steel	1	BH1000
3"	Adjustable Bit Stopper  Use with any 1" insert bits. Adjustable depth prevents over driving screws into material.	Stainless with Aluminum Barrel & Adjustable Ring	1	BS1030



1/4" hex shanks are designed for use in power tools with quick change chucks and adapters.



**POWER SHANK TYPE**

**1/4" HEX SHANK**  
INCH SIZES

Expanded

HEAD SIZE x OAL	STOCK #		
	PACK QTY.	BULK	CARDED 1 PER CARD
<b>MAGNETIC INSERT TYPE</b>			
1/4" x 1-1/16"	10	HSN15911	HSN15911C
5/16" x 1-1/16"	10	HSN15912	HSN15912C
3/8" x 1-1/16"	10	HSN15913	HSN15913C
<b>MAGNETIC POWER SHANK TYPE</b>			
1/4" x 1-3/4"	10	HSN15930	HSN15930C
5/16" x 1-3/4"	10	HSN15931	HSN15931C
3/8" x 1-3/4"	10	HSN15932	HSN15932C
7/16" x 1-3/4"	10	HSN15933	HSN15933C
1/2" x 1-3/4"	10	HSN15933A	HSN15933AC
1/4" x 2-9/16"	10	HSN15934	HSN15934C
5/16" x 2-9/16"	10	HSN15935	HSN15935C
3/8" x 2-9/16"	10	HSN15936	HSN15936C
7/16" x 2-9/16"	10	HSN15937	HSN15937C
1/2" x 2-9/16"	10	HSN15937A	HSN15937AC
1/4" x 4"	10	HSN15938	HSN15938C
5/16" x 4"	10	HSN15939	HSN15939C
3/8" x 4"	10	HSN15940	HSN15940C
7/16" x 4"	10	HSN15941	HSN15941C
1/2" x 4"	10	HSN15942	HSN15942C
1/4" x 6"	10	HSN15943	HSN15943C
5/16" x 6"	10	HSN15944	HSN15944C
3/8" x 6"	10	HSN15945	HSN15945C
7/16" x 6"	10	HSN15946	HSN15946C
1/2" x 6"	10	HSN15947	HSN15947C
<b>NON-MAGNETIC POWER SHANK TYPE</b>			
3/16" x 1-3/8"	10	HSN15920	HSN15920C
1/4" x 1-1/2"	10	HSN15921	HSN15921C
5/16" x 1-1/2"	10	HSN15923	HSN15923C
3/8" x 1-1/2"	10	HSN15925	HSN15925C
7/16" x 1-1/2"	10	HSN15926	HSN15926C
1/4" x 2-9/16"	10	HSN15927	HSN15927C
5/16" x 2-9/16"	10	HSN15928	HSN15928C
3/8" x 2-9/16"	10	HSN15929	HSN15929C



**INSERT TYPE**

**1/4" HEX SHANK**  
METRIC SIZES

HEAD SIZE x OAL	STOCK #		
	PACK QTY.	BULK	CARDED 1 PER CARD
<b>MAGNETIC INSERT TYPE</b>			
6MM x 1-1/8"	10	HSN15950	HSN15950C
7MM x 1-1/8"	10	HSN15951	HSN15951C
8MM x 1-1/8"	10	HSN15952	HSN15952C
10MM x 1-1/8"	10	HSN15953	HSN15953C
<b>MAGNETIC POWER SHANK TYPE</b>			
6MM x 1-3/4"	10	HSN15956	HSN15956C
7MM x 1-3/4"	10	HSN15957	HSN15957C
8MM x 1-3/4"	10	HSN15958	HSN15958C
10MM x 1-3/4"	10	HSN15959	HSN15959C
6MM x 2-9/16"	10	HSN15961	HSN15961C
7MM x 2-9/16"	10	HSN15962	HSN15962C
8MM x 2-9/16"	10	HSN15963	HSN15963C
10MM x 2-9/16"	10	HSN15964	HSN15964C

Nut Setters



**Monolock**  
QUICK CHANGE SYSTEM

**7 PC. NUT SETTER SETS**

CR-VA sandblast finish in folding wallet



HSN666W2



HSN666W3

**MAGNETIC POWER SHANK TYPE**

DESCRIPTION	OAL	STOCK #
Contains one each: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"	1-3/4"	HSN666W2
Contains one each: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"	2-9/16"	HSN666W3

**NON-MAGNETIC POWER SHANK TYPE**

Contains one each: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"	1-3/4"	HSN66698W
---	--------	-----------

1 per pack / 12 per case



HSN66698W



**SELECT-A-BIT JAR DISPLAY**

- Clear plastic jar allows maximum product exposure in minimum space.

CONTENTS	ITEM	QTY.	STOCK #
<b>BIT HOLDERS MAGNETIC</b>			
3" Bit Holder with Retaining Ring	HSB66697	50	CJ8040
<b>NUT SETTERS MAGNETIC POWER SHANK</b>			
1/4" x 2-9/16" Nut Setters	HSN15934	50	CJ8042
5/16" x 2-9/16" Nut Setters	HSN15935	50	CJ8044
3/8" x 2-9/16" Nut Setters	HSN15936	50	CJ8046

1 jar display per box

All assortment displays are on page E10



## PIN / BALL ON MALE SQUARE



PIN TYPE



BALL TYPE

Expanded

HEX SHANK	OAL	LOCK TYPE	PACK QTY.	STOCK #
<b>1/4" SHANK TO FIT 1/4" SQUARE DRIVE</b>				
1/4"	1" 1-3/8"	BALL BALL	10	SE050 SE051
1/4"	2" 2"	PIN BALL	10	SE052 SE053
1/4"	3" 3"	PIN BALL	10	SE054 SE055
1/4"	4" 4"	PIN BALL	10	SE056 SE057
1/4"	6" 6"	PIN BALL	10	SE058 SE059
1/4"	8" 8"	PIN BALL	10	SE058A SE059A
<b>1/4" SHANK TO FIT 3/8" SQUARE DRIVE</b>				
1/4"	1-3/8" 1-3/8"	PIN BALL	10	SE060 SE061
1/4"	2" 2"	PIN BALL	10	SE062 SE063
1/4"	3" 3"	PIN BALL	10	SE064 SE065
1/4"	4" 4"	PIN BALL	10	SE064A SE065A
1/4"	6" 6"	PIN BALL	10	SE064B SE065B
1/4"	8" 8"	PIN BALL	10	SE064C SE065C
<b>1/4" SHANK TO FIT 1/2" SQUARE DRIVE</b>				
1/4"	2" 3"	BALL BALL	10	SE066 SE067
1/4"	4" 5"	BALL BALL	10	SE068 SE069
1/4"	6" 8"	BALL BALL	10	SE075 SE080



SOCKET SIZE	OAL A	BODY DIA. B	NOSE DIA. C	PACK QTY.	STOCK #
<b>MAGNETIC 1/4" SQUARE DRIVE</b>					
3/16"	15/16"	1/2"	3/8"	10	SDS018
1/4"	15/16"	1/2"	7/16"	10	SDS020
5/16"	15/16"	1/2"	1/2"	10	SDS022
3/8"	1"	5/8"	9/16"	10	SDS024
7/16"	1"	11/16"	5/8"	10	SDS026
1/2"	1"	3/4"	3/4"	10	SDS028
<b>MAGNETIC 3/8" SQUARE DRIVE</b>					
1/4"	1-1/4"	3/4"	7/16"	10	SDS030
5/16"	1-1/4"	3/4"	1/2"	10	SDS032
3/8"	1-1/4"	3/4"	9/16"	10	SDS034
7/16"	1-1/4"	3/4"	5/8"	10	SDS036
1/2"	1-1/2"	15/16"	3/4"	10	SDS038
<b>MAGNETIC 1/2" SQUARE DRIVE</b>					
1/4"	1-1/2"	15/16"	7/16"	10	SDS040
5/16"	1-1/2"	15/16"	1/2"	10	SDS042
3/8"	1-1/2"	15/16"	9/16"	10	SDS044
7/16"	1-1/2"	15/16"	5/8"	10	SDS046
1/2"	1-1/2"	15/16"	3/4"	10	SDS048
<b>METRIC – NON MAGNETIC 1/4" SQUARE DRIVE</b>					
4mm	1"	15/32"	5/16"	10	SDS060
5mm	1"	15/32"	5/16"	10	SDS062
6mm	1"	15/32"	25/64"	10	SDS064

Square Drive Sockets & Holders

E

## Square Drive Bit Holders

### Features:

- Suitable for adapting square drive power tools to a variety of insert bits.

### SQUARE DRIVE




SQ. DRIVE SIZE	INSERT BIT HEX SIZE	OVERALL LENGTH	PACK QTY.	STOCK #
1/4"	1/4"	1"	10	SDS050
3/8"	1/4"	1-1/2"	10	SDS052
3/8"	5/16"	1-1/2"	10	SDS054
1/2"	1/4"	1-3/4"	10	SDS056
1/2"	5/16"	1-3/4"	10	SDS058


All assortment displays are on page E10



# L-Keys • L-Key Sets




- Features:**
- Extra torque 8950 chrome nickel alloy.
  - Heat treated for maximum strength.
  - Finished to resist rust.



## HEX-L KEYS, LONG SERIES BOTH END

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
1/16"	3.00"	0.56"	HK15204
5/64"	3.19"	0.61"	HK15205
3/32"	3.38"	0.66"	HK15206
7/64"	3.56"	0.70"	HK15207
1/8"	3.75"	0.75"	HK15208
9/64"	3.94"	0.80"	HK15209
5/32"	4.12"	0.84"	HK15210
3/16"	4.50"	0.94"	HK15212
7/32"	4.88"	1.03"	HK15214
1/4"	5.25"	1.12"	HK15216
5/16"	6.00"	1.25"	HK15220
3/8"	6.75"	1.38"	HK15224
7/16"	7.50"	1.50"	HK15228
1/2"	8.25"	1.63"	HK15232
9/16"	9"	1.75"	HK15236
5/8"	9.75"	1.88"	HK15240
3/4"	11.25"	2.13"	HK15248



25 per pack

## TORX®-L KEYS, SHORT SERIES BOTH END

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
T6	1.59"	0.46"	HK15251
T7	1.64"	0.51"	HK15252
T8	1.74"	0.56"	HK15253
T9	1.88"	0.61"	HK15254
T10	2.00"	0.66"	HK15255
T15	2.13"	0.71"	HK15256
T20	2.25"	0.75"	HK15257
T25	2.38"	0.80"	HK15258
T27	2.00"	0.66"	HK15259
T30	2.13"	0.71"	HK15260
T40	2.25"	0.75"	HK15261
T45	2.25"	0.75"	HK15262
T50	2.25"	0.75"	HK15263

25 per pack

## TORX®-L KEYS, LONG SERIES BOTH END

**NEW!**

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
T6	2.77"	0.46"	HK15271
T7	2.82"	0.51"	HK15272
T8	2.99"	0.56"	HK15273
T9	3.19"	0.61"	HK15274
T10	3.38"	0.66"	HK15275
T15	3.57"	0.71"	HK15276
T20	3.75"	0.75"	HK15277
T25	3.94"	0.80"	HK15278
T27	4.13"	0.85"	HK15279
T30	4.50"	0.94"	HK15280
T40	4.88"	1.03"	HK15281
T45	5.25"	1.13"	HK15282
T50	6.00"	1.25"	HK15283

25 per pack


## TAMPER PROOF HEX-L KEYS, LONG SERIES BOTH END

Expanded

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
3/32"	5.25"	1.00"	*HK90206
1/8"	5.25"	1.00"	*HK90208
5/32"	5.25"	1.20"	*HK90210
3/16"	5.25"	1.20"	*HK90212
7/32"	5.25"	1.20"	*HK90214
1/4"	5.25"	1.38"	*HK90216
5/16"	5.25"	1.38"	*HK90220
3/8"	5.25"	1.38"	*HK90224

25 per pack

\*Note: New stock numbers



## 30 Pc. INCH and METRIC HEX-L KEY SET

Cr-V Steel with Black Finish • In plastic index case

TYPE	SIZES	STOCK #
30 Pc.	LONG ARM, INCH SIZES .028, .035, .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" SHORT ARM, METRIC SIZES 0.7MM, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 10.0	HK10530

1 per pack


## TAMPER PROOF TORX®-L KEYS, LONG SERIES BOTH END

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
TT8	2.99"	0.56"	HK15990
TT9	3.19"	0.61"	HK15991
TT10	3.38"	0.66"	HK15992
TT15	3.57"	0.71"	HK15993
TT20	3.75"	0.75"	HK15994
TT25	3.94"	0.80"	HK15995
TT27	4.13"	0.85"	HK15995A
TT30	4.50"	0.94"	HK15996

25 per pack

# Hex Keys • Hex Key Sets

MADE IN  
  
 U. S. A.



**Features:**

- Extra torque 8950 chrome nickel alloy.
- Heat treated for maximum strength.
- Finished to resist rust.

## BALL HEX-L KEYS, LONG SERIES

TIP SIZE	DIMENSIONS		STOCK #
	LONG ARM	SHORT ARM	
.050	2.84"	0.53"	HK18203
1/16"	3.00"	0.56"	HK18204
5/64"	3.19"	0.61"	HK18205
3/32"	3.38"	0.66"	HK18206
7/64"	3.56"	0.70"	HK18207
1/8"	3.75"	0.75"	HK18208
9/64"	3.94"	0.80"	HK18209
5/32"	4.12"	0.84"	HK18210
3/16"	4.50"	0.94"	HK18212
7/32"	4.88"	1.03"	HK18214
1/4"	5.25"	1.12"	HK18216
5/16"	6.00"	1.25"	HK18220
3/8"	6.75"	1.38"	HK18224

25 per pack



## HEX-L KEY SETS

TYPE	SIZES	STOCK #
<b>13 Pc. HEX</b>	<b>LONG ARM INCH SET</b> .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	HK10213

1 per pack



## BALL HEX-L KEY SETS

Turns 360° at up to 25° angle

TYPE	SIZES	STOCK #
<b>13 Pc. HEX</b>	<b>LONG ARM INCH SET</b> .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	HK13213
<b>9 Pc. HEX</b>	<b>LONG ARM METRIC SET</b> MM 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10	HK13609

1 per pack



## 6" and 9" ARM HEX-T KEYS

Standard grip

SIZE	STOCK #	
	6" ARM	9" ARM
<b>3/32"</b>	HK31606	HK31906
<b>7/64"</b>	HK31607	HK31907
<b>1/8"</b>	HK31608	HK31908
<b>9/64"</b>	HK31609	HK31909
<b>5/32"</b>	HK31610	HK31910
<b>3/16"</b>	HK31612	HK31912
<b>7/32"</b>	HK31614	HK31914
<b>1/4"</b>	HK31616	HK31916
<b>5/16"</b>	HK31620	HK31920
<b>3/8"</b>	HK31624	HK31924

25 per pack



Hex Keys & Sets

## HEX-T KEY SETS

With stand

TYPE	SIZES	STOCK #
<b>10 Pc. HEX</b>	<b>6" ARM INCH SET</b> CUSHION GRIP 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	HK50160
<b>8 Pc. HEX</b>	<b>6" ARM METRIC SET</b> CUSHION GRIP MM 2, 2.5, 3, 4, 5, 6, 8, 10	HK56168

1 per pack



**E**



## CREATE YOUR OWN CUSTOM IMPRINT

- Features:**
- In the 6-IN-ONE assembly, bits reverse in a hex tube. One end is a 5/16" hex nut setter; the other end is a 1/4" hex nut setter. All bits are reversible to create different screwdrivers in one handle. Bits reverse in tube. Tube reverses in handle. Two double bits in each end of tube create four different screwdrivers in one handle.
  - Industrial quality tool steel bits are heat treated, tempered and stress relieved.
  - Heavy duty, extended six flute handle provides a stronger grip with less effort.
  - Handles come in five vibrant colors – RED, BLUE, BLACK, GREEN and ORANGE. Select one color or order a mix – 12 pcs. per color minimum.
  - A great promotional item for any occasion. Put your company name, phone number or other promotional message in bright gold letters.



**Create Your Own Custom Imprint**

**Create Your Own Custom Imprint** Custom imprinting is available for the 4-IN-ONE and the 6-IN-ONE screwdrivers.



### Custom imprinting guidelines

Maximum of 18 characters per line – including spaces and punctuation, with a 3-line limit.  
48 piece minimum – must be same imprint for each piece.

### Custom imprinting charges

One time die charge on orders of less than 72 pieces.  
Nominal imprinting charge per line.

### Packaging

All screwdrivers are packed in counter display (12 units per display).




## CREATE YOUR OWN CUSTOM IMPRINT

## THE PROFESSIONAL

# 6-IN-ONE

## SCREWDRIVER



### 1/4" HEX REPLACEMENT BITS

DESCRIPTION	STOCK #				
	RED	BLUE	BLACK	GREEN	ORANGE
#1 Phillips® x #2 Phillips® 3/16" Slotted x 9/32" Slotted	SCD61	SCD61B	SCD61BL	SCD61G	SCD61O
#1 Phillips® x #2 Phillips® #1 Sq. Recess x #2 Sq. Recess	SCD62	SCD62B	SCD62BL	SCD62G	SCD62O
T15 Torx® x T20 Torx® T25 Torx® x T30 Torx®	SCD63	SCD63B	SCD63BL	SCD63G	SCD63O

12 per countertop display

DESCRIPTION	STOCK #	
	BULK	CARD
#1 Phillips® x #2 Phillips®	SRB61	SRB61C
T25 Torx® x T30 Torx®	SRB62	SRB62C

Bulk 25 per pack Carded 1 per card




## THE CLASSIC

# 4-IN-ONE

## SCREWDRIVER

DESCRIPTION	STOCK #	
	BULK	CARDED
#1 Phillips® x 3/16" Slotted		
#2 Phillips® x 9/32" Slotted		
Red	SCD41R	SCD41RC
Black	SCD42BK	SCD42BKC
Blue	SCD43B	SCD43BC
Green	SCD44G	SCD44GC
Orange	SCD45O	SCD45OC
T15 Torx® x T20 Torx®		
T25 Torx® x T30 Torx®		
Red	SCD47R	—
Black	SCD48BK	—
#1 Phillips® x #2 Phillips®		
#1 Square Recess x #2 Square Recess		
Red	SCD49R	—
Black	SCD50BK	—

12 per countertop display



### 5/16" HEX REPLACEMENT BITS

DESCRIPTION	STOCK #	
	BULK	CARDED
#1 Phillips® x 3/16" Slotted	SRB41	SRB41C
#2 Phillips® x 9/32" Slotted	SRB42	SRB42C
T15 Torx® x T20 Torx®	SRB43	SRB43C
T25 Torx® x T30 Torx®	SRB44	SRB44C
3/16" Slotted x 9/32" Slotted	SRB45	SRB45C
#1 Phillips® x #2 Phillips®	SRB46	SRB46C
#1 Sq. Recess x #2 Sq. Recess	SRB47	SRB47C

Bulk 25 per pack Carded 1 per card



Create Your Own Custom Imprint



Quick Change Screwdrivers

# ScrewTech® Quick Change Ergonomic Screwdrivers

## THE PROFESSIONAL

# 4-IN-ONE

## SCREWDRIVER


NEW!

DESCRIPTION	STOCK #
4-in-ONE Comfort Grip Screwdriver	SCD4ER
4-in-ONE Screwdriver Display Contains 8 Comfort Grip Screwdrivers per countertop / display carton	SCD4ERD

8 per countertop display



- Features:
- Ergonomic grip minimizes slippage and muscle fatigue and maximizes torque.
  - Industrial quality steel bits reverse in tube to create four different screwdrivers in one handle.



SCD4ERD

E

## SCREWDRIVERS CONFORM TO ASME B107.31M – 1997 SPECIFICATIONS



### Features:

- Crystal ergonomic gold grip handles, shock and impact resistant.
- Chrome Vanadium Tool Steel blade, sand blasted, plated, heat treated for durability.
- Precision tips, black oxide finish for perfect fit.
- Comfortable thumb rest.
- Fluted, tapered, large crystal GOLD GRIP for utmost comfort and maximum torque.

Black Oxide  
Precision Tip



Screwdrivers are available  
with plastic hangers.

### PHILLIPS®

Available in popular sizes and tips as listed.  
Special tips and lengths available on request.

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
#1	3/16"	3"	6-1/8"	SCD201	SCD201H
#1	3/16"	6"	9-1/8"	SCD202	SCD202H
#2	1/4"	4"	7-1/2"	SCD203	SCD203H
#2	1/4"	6"	9-1/2"	SCD204	SCD204H
#3	5/16"	6"	10"	SCD205	SCD205H
#4	3/8"	8"	12-5/16"	SCD206	SCD206H
<b>STUBBY PHILLIPS®</b>					
#2	1/4"	1-1/2"	3-1/4"	SCD210	SCD210H
<b>ACR® PHILLIPS®</b>					
#1	1/4"	3-1/2"	7"	SCD112	SCD112H
#2	1/4"	4"	7-1/2"	SCD113	SCD113H
#3	5/16"	6"	10"	SCD114	SCD114H
<b>PHILLIPS® TAMPER PROOF</b>					
#2	1/4"	6"	9-1/2"	SCD116	SCD116H
#3	5/16"	6"	10"	SCD118	SCD118H

12 per pack

### SLOTTED

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
3/16"	3/16"	3"	6-1/8"	SCD120	SCD120H
1/4"	1/4"	4"	7-1/2"	SCD121	SCD121H
1/4"	1/4"	6"	9-1/2"	SCD122	SCD122H
5/16"	5/16"	6"	10"	SCD123	SCD123H
3/8"	3/8"	6"	10"	SCD123A	SCD123AH
3/8"	3/8"	8"	12-3/8"	SCD124	SCD124H
3/8"	3/8"	10"	14-3/8"	SCD125	SCD125H
<b>STUBBY SLOTTED</b>					
1/4"	1/4"	1-1/2"	3-1/4"	SCD127	SCD127H

12 per pack

### SQUARE RECESS

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
#1	1/4"	6"	9-1/2"	SCD130	SCD130H
#2	1/4"	6"	9-1/2"	SCD131	SCD131H
#3	5/16"	6"	9-1/2"	SCD132	SCD132H
#1	1/4"	8"	11-1/2"	SCD133	SCD133H
#2	1/4"	8"	11-1/2"	SCD134	SCD134H
#3	5/16"	8"	12"	SCD135	SCD135H

12 per pack



18 PC. PHILLIPS® DISPLAY STOCK # SCDP18	
Contains 3 each	
#1 x 6-1/8"	SCD201H
#1 x 9-1/8"	SCD202H
#2 x 7-1/2"	SCD203H
#2 x 9-1/2"	SCD204H
#3 x 10"	SCD205H
#4 x 12-5/16"	SCD206H



18 PC. PHILLIPS® & SLOTTED DISPLAY STOCK # SCDPS18	
Contains 3 each	
#1 x 6-1/8"	SCD201H
#2 x 7-1/2"	SCD203H
#3 x 10"	SCD205H
1/4" x 7-1/2"	SCD121H
5/16" x 10"	SCD123H
3/8" x 12-3/8"	SCD124H



18 PC. SLOTTED DISPLAY STOCK # SCDSL18	
Contains 3 each	
3/16" x 6-1/8"	SCD120H
1/4" x 7-1/2"	SCD121H
1/4" x 9-1/2"	SCD122H
5/16" x 10"	SCD123H
3/8" x 12-3/8"	SCD124H
3/8" x 14-3/8"	SCD125H



18 PC. SQUARE RECESS DISPLAY STOCK # SCDSQ18	
Contains 3 each	
#1 x 9-1/2"	SCD130H
#2 x 9-1/2"	SCD131H
#3 x 9-1/2"	SCD132H
#1 x 11-1/2"	SCD133H
#2 x 11-1/2"	SCD134H
#3 x 12"	SCD135H



SCREWDRIVERS CONFORM TO  
ASME B107.31M – 1997 SPECIFICATIONS



Available in popular sizes  
and tips as listed.  
Special tips and lengths  
available on request.

## TORX®

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
T10	3/16"	3"	6-1/8"	SCD142	SCD142H
T15	3/16"	3"	6-1/8"	SCD143	SCD143H
T20	3/16"	3"	6-1/8"	SCD144	SCD144H
T25	3/16"	3"	6-1/8"	SCD145	SCD145H
T27	1/4"	4"	7-1/2"	SCD146	SCD146H
T30	1/4"	4"	7-1/2"	SCD147	SCD147H



18 PC. TORX® DISPLAY STOCK # SCDTX18	
Contains 3 each	
T10 x 6-1/8"	SCD142H
T15 x 6-1/8"	SCD143H
T20 x 6-1/8"	SCD144H
T25 x 6-1/8"	SCD145H
T27 x 7-1/2"	SCD146H
T30 x 7-1/2"	SCD147H

12 per pack

## TORX® TAMPERPROOF

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
TT10	3/16"	3"	6-1/8"	SCD160	SCD160H
TT15	3/16"	3"	6-1/8"	SCD161	SCD161H
TT20	3/16"	3"	6-1/8"	SCD162	SCD162H
TT25	3/16"	3"	6-1/8"	SCD163	SCD163H
TT27	1/4"	4"	7-1/2"	SCD164	SCD164H
TT30	1/4"	4"	7-1/2"	SCD165	SCD165H



18 PC. TORX® TAMPERPROOF DISPLAY – STOCK # SCDTX18T	
Contains 3 each	
T10 x 6-1/8"	SCD160H
T15 x 6-1/8"	SCD161H
T20 x 6-1/8"	SCD162H
T25 x 6-1/8"	SCD163H
T27 x 7-1/2"	SCD164H
T30 x 7-1/2"	SCD165H

12 per pack

## POZIDRIV®

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
#1	3/16"	3"	6-1/2"	SCD170	SCD170H
#2	1/4"	3"	6-1/2"	SCD171	SCD171H
#3	1/4"	3"	6-1/2"	SCD172	SCD172H
#1	1/4"	4"	8"	SCD173	SCD173H
#2	1/4"	4"	8"	SCD174	SCD174H
#3	1/4"	4"	8"	SCD175	SCD175H



18 PC. ACR® PHILLIPS® & POZIDRIV® DISPLAY – STOCK # SCDPP18	
Contains 3 each	
<b>ACR® Phillips®</b>	
#1 x 7"	SCD112H
#2 x 7-1/2"	SCD113H
#3 x 10"	SCD114H
<b>Pozidriv®</b>	
#1 x 8"	SCD173H
#2 x 8"	SCD174H
#3 x 8"	SCD175H

12 per pack

## SPANNER

TIP SIZE	BLADE SIZE	BLADE LENGTH	OAL	STOCK #	
				BULK	W/HANGER
#4	1/4"	3"	6-5/8"	SCD150	SCD150H
#6	1/4"	4"	8"	SCD151	SCD151H
#8	1/4"	4"	8"	SCD152	SCD152H
#10	1/4"	4"	8"	SCD153	SCD153H
#12	1/4"	4"	8"	SCD154	SCD154H
#14	1/4"	4"	8"	SCD155	SCD155H




18 PC. SPANNER DISPLAY STOCK # SCDSP18	
Contains 3 each	
#4 x 6-5/8"	SCD150H
#6 x 8"	SCD151H
#8 x 8"	SCD152H
#10 x 8"	SCD153H
#12 x 8"	SCD154H
#14 x 8"	SCD155H

12 per pack

Each display includes  
wire rack and header card

All ScrewTech® screwdrivers are available  
with plastic hangers for peg hook display.

Plastic hangers show product size,  
style and stock number.





## PROFESSIONAL HOLLOW SHAFT NUT DRIVERS

CR-VA steel • Chrome plated • Heat treated



**Features:**

- Precision made, one piece shaft eliminates tip breakage — assures positive fit and extra long life.
- Hollow shaft accommodates longer bolts and studs.
- Chrome plated to retard rust.
- Large ergonomic handle assures maximum comfort.

### INCH SIZES

NUT SIZE	OAL	SHAFT LENGTH	STOCK #	
			BULK	WITH HANGER
3/16"	6-1/2"	3"	ND180	ND180H
1/4"	6-1/2"	3"	ND182	ND182H
5/16"	6-1/2"	3"	ND185	ND185H
11/32"	6-1/2"	3"	ND187	ND187H
3/8"	6-1/2"	3"	ND189	ND189H
7/16"	7-1/4"	3"	ND191	ND191H
1/2"	7-1/4"	3"	ND193	ND193H
<b>7 Pc. Set in Pouch</b> Contains one each: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"			ND195	

12 per pack



### 18 PC. NUT DRIVER DISPLAY STOCK # ND32

Contains 3 each

3/16" x 6-1/2"	ND180H
1/4" x 6-1/2"	ND182H
5/16" x 6-1/2"	ND185H
3/8" x 6-1/2"	ND189H
7/16" x 7-1/4"	ND191H
1/2" x 7-1/4"	ND193H

*Screwdrivers are available with plastic hangers.*

### METRIC SIZES

NUT SIZE MM	OAL	SHAFT LENGTH	STOCK #	
			BULK	WITH HANGER
5.5	8-1/2"	5"	ND160	ND160H
6.0	8-1/2"	5"	ND161	ND161H
7.0	9-1/2"	5"	ND162	ND162H
8.0	9-1/2"	5"	ND163	ND163H
9.0	9-1/2"	5"	ND164	ND164H
10.0	9-1/2"	5"	ND165	ND165H
11.0	9-3/4"	5"	ND166	ND166H
13.0	9-3/4"	5"	ND167	ND167H

12 per pack



### 24 PC. NUT DRIVER DISPLAY METRIC – STOCK # ND32M

Contains 3 each

5.5mm x 8-1/2"	ND160H
6.0mm x 8-1/2"	ND161H
7.0mm x 9-1/2"	ND162H
8.0mm x 9-1/2"	ND163H
9.0mm x 9-1/2"	ND164H
10.0mm x 9-1/2"	ND165H
11.0mm x 9-3/4"	ND166H
13.0mm x 9-3/4"	ND167H

# ScrewTech® Wing Nut Drivers

U.S. Patent # D379,420




**Features:**


- Specially designed for use on wing nuts.
- Extremely handy for use in coastal areas for fastening safety windows and barriers during the rough hurricane / tornado season.
- Custom imprinting available.

**NEW!**

DESCRIPTION	PACK QTY.	STOCK #
7" OAL Wing Nut Driver with translucent grip	1	ND701
3" OAL Power Driver	1	ND703




12 per pack



12 per pack

## HANGERBOLT DRIVER

Hangerbolt stud driver makes driving hangerbolts quick and easy.





- The driver has internal threads with a pin stop in the barrel.
- The hangerbolt will not tighten inside the driver, allowing the driver to be easily reversed.

THREAD SIZE x OAL	PACK QTY.	STOCK #
		BULK
1/4" - 20 x 2-9/16"	10	HSN16020
5/16" - 18 x 2-9/16"	10	HSN16022
3/8" - 16 x 2-9/16"	10	HSN16021

# ScrewTech® Professional Screwdriver Sets

## CHROME VANDADIUM BLADES






SETS	DESCRIPTION
 <b>6 PC. TORX® SCREWDRIVER SET CRYSTAL GOLD GRIP ERGONOMIC HANDLE</b> In countertop or hang-up display box. Available in popular tip styles. <b>Made in USA</b>	Set contains one each: (Tip size x OAL) <b>TORX®</b>  T10 x 6-1/8", T15 x 6-1/8", T20 x 6-1/8", T25 x 6-1/8", T27 x 7-1/2", T30 x 7-1/2" <b>STOCK # SCD189</b>



SCD189



SETS	DESCRIPTION
 <b>7 PC. SCREWDRIVER SET CRYSTAL GOLD GRIP ERGONOMIC HANDLE</b> In countertop or hang-up display box. Available in popular tip styles. <b>Made in USA</b>	Set contains one each: (Tip size x OAL) <b>SLOTTED</b>  1/4" x 7-1/2", 1/4" x 9-1/2", 5/16" x 10", 3/8" x 10" <b>PHILLIPS®</b>  #1 x 9-1/8", #2 x 7-1/2", #3 x 10" <b>STOCK # SCD188</b>



SCD188

# ScrewTech® High-Voltage Screwdriver

1000V AC • 1500V DC  
INSULATED

**6-IN-ONE**  
SCREWDRIVER

- Features:**
- 6 most-used sizes of hardened industrial bits in handle grip case.
  - Certified for use up to 1000V AC, 1500V DC.
  - Thermoplastic polyester elastomer molded handle grip prevents unintentional slippage.
  - Safe working temperature range -4°F / -20°C to 158°F / 70°C
  - Each screwdriver independently tested up to 10 Kv.
  - Conforms to EN-6090 up to 1000V and meets DIN/ISO standards.



On a Hangup Display Card **NEW!**

DESCRIPTION	STOCK #
Contains one each: Slotted #3, #4; Phillips® #1, #2; Torx® T15, T20	HVD06



# ScrewTech® Electrician's Screwdriver

Ergonomic Handle

Taiwan

Precision Tip  
Hardened, Tempered, Plated

- Features:**
- Insulated handle protects against shock.
  - Ergonomic design for rapid rotation, greater comfort and control.
  - Hardened tip and shaft for maximum work load.



7 Pc. Professional Screwdriver Set

- Features:**
- Includes Electrical tester with an LED light, simply touch the metal cap to operate.



In a plastic case **NEW!**

DESCRIPTION	STOCK #
Contains one each: Slotted 3/16" x 8", 1/4" x 8", 5/16" x 10", Phillips® #1, #2, #3 and 1/8" x 5-1/2" Electronic Tester	SCDE7

Electrician's Screwdrivers

E

TIP SIZE x OAL	STOCK #	
	BULK	CARDED
<b>SLOTTED</b>		
3/16" x 8"	SCDE111	SCDE111C
3/16" x 10"	SCDE113	SCDE113C
17/64" x 8"	SCDE115	SCDE115C
17/64" x 10"	SCDE117	SCDE117C
21/64" x 10"	SCDE119	SCDE119C
17/64" x 3-1/2"	SCDE121	SCDE121C
<b>PHILLIPS®</b>		
#1 x 8"	SCDE131	SCDE131C
#1 x 10"	SCDE133	SCDE133C
#2 x 8"	SCDE135	SCDE135C
#2 x 10"	SCDE137	SCDE137C
#3 x 10"	SCDE139	SCDE139C
#2 x 3-1/2"	SCDE141	SCDE141C
<b>SQUARE RECESS</b>		
#0 x 8"	SCDE167	SCDE167C
#1 x 8"	SCDE169	SCDE169C
#2 x 9"	SCDE171	SCDE171C
#3 x 9"	SCDE173	SCDE173C
<b>TORX®</b>		
T8 x 8"	SCDE143	SCDE143C
T9 x 8"	SCDE145	SCDE145C
T10 x 8"	SCDE147	SCDE147C
T15 x 8"	SCDE149	SCDE149C
T20 x 9"	SCDE151	SCDE151C
T25 x 9"	SCDE153	SCDE153C
T27 x 8"	SCDE155	SCDE155C
T30 x 8"	SCDE157	SCDE157C
T40 x 10"	SCDE159	SCDE159C
T45 x 10"	SCDE161	SCDE161C

Bulk 12 per pack Card 1 per blister card



**18 PC. ELECTRICIAN'S DISPLAY PHILLIPS® and SLOTTED**

DISPLAY STOCK # SCDE18			
Contains 3 cards per size			
Phillips®		Slotted	
#2 x 3-1/2"	SCDE141	17/64" x 3-1/2"	SCDE121
#2 x 8"	SCDE135	3/16" x 8"	SCDE111
#3 x 10"	SCDE139	17/64" x 10"	SCDE117

## MARINE – Stainless Steel Shaft



# 15-IN-ONE SCREWDRIVER

### Features:

- Palm-saving rotating cap.
- Patented Quick Change Bit System.
- Industrial quality double-ended bits for most screwdriving applications.
- High impact Triax housing.
- Rotating balance point collar.
- 1/4" Hex drive.

### Stainless Steel Rust-Resistant Shaft, Electroless Nickel Plated Bits

For maritime and corrosive atmosphere use

DESCRIPTION	STOCK #	DISPLAY
<b>15-IN-1 QUICK CHANGE MARINE SCREWDRIVER INCLUDES 7 DOUBLE END BITS 1/4" HEX x 2" OAL:</b>		
#0 Phillips® - #3 Phillips® #1 Phillips® - #2 Phillips® T10 Torx® x T15 Torx® T20 Torx® x T25 Torx®	#0 Sq. Recess x 3 Sq. Recess #1 Sq. Recess x 2 Sq. Recess #4 Slotted x #6 Slotted 1/4" Hex Nut Driver	MP1500 MP1500D

1 per pack

### DOUBLE END REPLACEMENT BITS NICKEL PLATED – 1/4" HEX x 2" OAL

	#0 Phillips® #3 Phillips®	MP1501		T10 Torx® T15 Torx®	MP1505
	#1 Phillips® #2 Phillips®	MP1502		T20 Torx® T25 Torx®	MP1506
	#0 Sq. Recess #3 Sq. Recess	MP1503		#4 Slotted #6 Slotted	MP1508
	#1 Sq. Recess #2 Sq. Recess	MP1504			

1 per pack

**Weatherproof.  
Rust-Resistant.  
Suitable for  
outdoor /  
marine use.**



MP1500D



Marine & Tamperproof Screwdrivers

## TAMPERPROOF

# 15-IN-ONE SCREWDRIVER

### Features:

- Palm saving rotating cap.
- Patented Quick Change Bit System.
- Industrial quality double-ended bits for most screwdriving applications.
- High impact Triax housing.
- Rotating balance point collar.
- 1/4" Hex drive.



### Alloy Steel Shaft – S2 Steel Bits

**NEW!**

DESCRIPTION	STOCK #	DISPLAY
<b>15-IN-1 QUICK CHANGE TAMPERPROOF SCREWDRIVER INCLUDES 7 DOUBLE END BITS 1/4" HEX x 2" OAL:</b>		
1/8" Hex Pin #6 Spanner #10 Torx® Pin #27 Torx® Pin 9/64" Hex Pin #8 Spanner #15 Torx® Pin #30 Torx® Pin 5/32" Hex Pin #10 Spanner #20 Torx® Pin 1/4" Hex 3/16" Hex Pin #12 Spanner #25 Torx® Pin Nut Driver	MP1510	MP1510D

1 per pack

### DOUBLE END REPLACEMENT BITS – 1/4" HEX x 2" OAL


	1/8" Hex Pin 9/64" Hex Pin	MP1511		#10 Torx® Pin #15 Torx® Pin	MP1515
	5/32" Hex Pin 3/16" Hex Pin	MP1512		#20 Torx® Pin #25 Torx® Pin	MP1516
	#6 Spanner #8 Spanner	MP1513		#27 Torx® Pin #30 Torx® Pin	MP1517
	#10 Spanner #12 Spanner	MP1514			

1 per pack

**Ideal for  
electricians,  
locksmiths,  
telephone  
technicians,  
maintenance  
personnel.**



MP1510D



E

# Magnetic Screwdriver

1/4" & 5/16" Hex Drive



- With insert bit storage handle
- Capacity to store up to 9 insert bits

**MAGNETIC SCREWDRIVER**  
With 5 insert bits in storage handle

HEX SIZE	OAL	BIT SIZES	SHAFT	STOCK #
1/4"	8"	Slotted #6, #8, #10 Phillips® #1, #2	Aluminum Stainless	SCDM100A SCDM100
1/4"	8"	Slotted #4, #6, #8, #10, #12	Aluminum Stainless	SCDM106A SCDM106
1/4"	8"	Torx® T10, T15, T20, T25, T27	Aluminum Stainless	SCDM105A SCDM105
1/4"	8"	Slotted #6, #8 Square #1, #2, #3	Aluminum Stainless	SCDM107A SCDM107
1/4"	8"	Torx® Tamper Proof TT15, TT20, TT25, TT27, TT30	Aluminum Stainless	SCDM108A SCDM108

**MAGNETIC SCREWDRIVER**  
Bits not included

HEX SIZE	OAL	SHAFT TYPE	STOCK #
1/4"	7-1/2"	Aluminum	SCDM101
1/4"	7-1/2"	Stainless steel	SCDM102
5/16"	7-1/2"	Stainless steel	SCDM104

12 per pack

# Electronic Screwdriver

Super Slim  
Chrome Vanadium  
Heat Treated Blades

Taiwan

Chrome Finish, Black Tips

Features:

- The new SUPER SLIM screwdrivers incorporate the features required by the micro electronic industry.
- Ergonomically comfortable handles have revolving centering heads, which allow precision fingertip torque control.



BLADE WIDTH MM	BLADE LENGTH		STOCK #
	MM	IN.	
<b>SLOTTED</b>			
2.0	75	3"	SS488001
2.5	75	3"	SS488002
3.0	100	4"	SS488003
3.5	100	4"	SS488004
4.0	100	4"	SS488005
<b>PHILLIPS®</b>			
#1	100	4"	SS488006
#0	100	4"	SS488007
#00	75	3"	SS488008
#000	75	3"	SS488009
<b>TORX®</b>			
T5	50	2-1/4"	SS487705
T6	50	2-1/4"	SS487706
T7	50	2-1/4"	SS487707
T8	60	2-1/2"	SS487708
T9	60	2-1/2"	SS487709
T10	80	3"	SS487710

12 per pack



**SETS**

Screwdrivers included in sets made of  
Nickel Chrome Molybdenum Alloy Steel

**NEW!**

TYPE	DESCRIPTION	STOCK #
3 Pc.	Contains one each: <b>Slotted: 2mm, 3mm</b> <b>Phillips®: #0, #2</b>	SS48930
6 Pc.	Contains one each: <b>Slotted: 1.4mm, 2mm, 2.4mm, 3mm</b> <b>Phillips®: #0, #1-2</b>	SS48960



# ScrewTech® Screwdriver Bit & Security Bit Sets

Taiwan



In handle bit storage



## 29 PC. SCREWDRIVER BIT SET

A complete screwdriver tool kit in compact tool box.

DESCRIPTION		STOCK #
<b>COMPLETE KIT</b>		
Hand Drive	Magnetic Storage Handle - 8"	HT10103
Bit Holder	1/4" Hex Drive - 1-7/8" Long	
Adapter	1/4" Sq. to 1/4" Hex - 1" Long	
<b>TIP STYLE</b>	<b>TIP SIZES</b>	
Phillips®	#0, #1, #2, #3	
Slotted	4-5, 6-8, 8-10, 10-12, 12-14	
Torx®	T10, T15, T20, T25, T30, T40	
Sq. Recess	#0, #1, #2, #3	
Clutch	5/32", 3/16"	
Hex Socket	5/64", 3/32", 7/64", 1/8", 9/64"	

1 per pack

## 29 PC. SECURITY BIT SET (Tamperproof)

A complete security tool kit in compact tool box.

DESCRIPTION		STOCK #
<b>COMPLETE KIT</b>		
Hand Drive	Magnetic Storage Handle - 8"	HSB16010
Bit Holder	1/4" Hex Drive - 1-7/8" Long	
Adapter	1/4" Sq. to 1/4" Hex - 1" Long	
<b>TIP STYLE</b>	<b>TIP SIZES</b>	
Spanner	#6, #8, #10	
Pozidriv®	#1, #2, #3	
Tri-Wing	#1, #2, #3	
Hex Socket	3/32", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16"	
Torx®	TT8, TT9, TT10, TT15, TT20, TT25, TT27, TT30, TT40	

1 per pack

# ScrewTech® Ball Hex Drivers

## INCH SIZES

HEX SIZE	BLADE LENGTH	PACK QTY.	STOCK #
.050	2.5	1	BD91103
1/16"	2.5	1	BD91104
5/64"	2.5	1	BD91105
3/32"	2.5	1	BD91106
7/64"	2.5	1	BD91107
1/8"	5.0	1	BD91108
9/64"	5.0	1	BD91109
5/32"	5.3	1	BD91110
3/16"	5.3	1	BD91112
7/32"	5.3	1	BD91114
1/4"	5.5	1	BD91116
5/16"	5.5	1	BD91120
3/8"	5.5	1	BD91124
7/16"	7.2	1	BD91128
1/2"	8.0	1	BD91132



Driver turns 360° at up to 35° angle tilt



## METRIC SIZES

HEX SIZE	BLADE LENGTH	PACK QTY.	STOCK #
1.3	2.5	1	BD91602
1.5	2.5	1	BD91603
2.0	2.5	1	BD91604
2.5	2.5	1	BD91605
3.0	5.0	1	BD91606
4.0	5.3	1	BD91608
5.0	5.3	1	BD91610
6.0	5.5	1	BD91612
8.0	5.5	1	BD91616
10.0	5.5	1	BD91620
12.0	8.1	1	BD91624

## 13 Pc. BALL HEX DRIVER SET

In Plastic Pouch

DESCRIPTION	PACK QTY.	STOCK #
Contains one ea: .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	1	BD90113



BD90609

## 9 Pc. BALL HEX DRIVER SET

In Plastic Pouch

DESCRIPTION	PACK QTY.	STOCK #
Contains one ea: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0	1	BD90609

Screwdriver Bit & Security Bit Sets • Ball Hex Drivers

E



## 28 PC. FLEXIBLE RATCHETING DRIVER KIT

In a handy set with a strong, blow-molded plastic storage case



### Features:

- Versatile, strong, flexible ratchet.
- Ergonomic "firm-grip" handle.
- Industrial S-2 steel screwdriver bits.
- Quick Change Monolock® system for fast tooling changes.
- Handy set with a strong, blow-molded plastic storage case.
- Individually sleeved.

### 28 Pc. Kit Contains:

- 1 pc. S22 Ratcheting Driver
- 1 pc. NARO Ratcheting Driver
- 1 pc. 60mm Bit Holder
- 1 pc. 25mm Socket Adaptor
- 15 pcs. Industrial Screw Insert Bits:
  - Phillips®: #1, #2, #3
  - Slotted: 3/16", 1/4", 1/8"
  - Torx®: T15, T20
  - Hex: 1/16", 3/32", 1/8", 3/16", 1/4"
  - Square Recess: #1, #2
- 9 pcs. CR-VA Socket: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 15/32", 1/2"



FRD28

DESCRIPTION	PACK QTY.	STOCK #
Contains one 28 Pc. Kit individually sleeved	1	FRD28

Flexible Ratcheting Driver Kit • All-Purpose Tool Kit

## All-Purpose Tool Kit

### ACCESSORIES FOR CORDLESS POWER TOOLS

## 32 PC. MONOLOCK™ TOOL KIT

In a handy, impact-resistant storage case



Stock # MLK32

**1/4" Hex power shank tool bits for metal, wood and masonry work.**

- High speed steel drill bits for metal.
- Carbide tipped drill bits for masonry.
- CR-VA spade bits for wood.

QTY.	DESCRIPTION
	The kit contains the following:
5	HSS Drill Bits with 1/4" Hex Shank: 1/16", 3/32", 1/8", 5/32", 3/16"
3	Masonry Drill Bits Carbide Tipped with 1/4" Hex Shank: 1/8", 3/16", 1/4"
3	Spade Bits, 4" OAL with 1/4" Hex Shank: CR-VA, 3/8", 1/2", 3/4"
1	Monolock™ Quick Change Chuck
1	2-1/4" Length Bit Holder
1	2" Length 1/4" Drive Socket Adapter
1	90° Countersink with 5 Flute
9	Hex Power Bits CR-VA: 1/4" Hex x 2" OAL Phillips® – #1, #2, #3 (POZI #1, #2, #3) Slotted – 3/16", 9/32" (5mm, 7mm) Torx® – T15, T20 Robertson – R1, R2
7	Nutdrivers – 1/4" Hex Shank 3/16", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"
1	Impact-Resistant Storage Case 5-1/4" x 8" x 2"

Individually boxed

The Monolock quick change system provides a wide range of instant chucking accessories and screwdriving tools.

# ScrewTech® Insert Bit Kits & Dial-A-Bit Dispensers

## Features:

- All bits and nutsetters are heat treated and made of a shock-resistant tool steel.
- Durable plastic containers are easily stored in tool boxes.
- Lid dials to release individual bits.

## 7 PC. DIAL-A-BIT INSERT KIT



DESCRIPTION	STOCK #	
	BULK	1 PER CARD
Contains one ea: #1, #2, #3 Phillips® 6-8, 8-10, 10-12 Slotted 2-5/8" OAL Mag. Bit Holder	HSB66721	HSB66721C

1 per pack

## 19 PC. DIAL-A-BIT INSERT KIT



DESCRIPTION	STOCK #
Contains one ea: #1, #2, #3 Phillips® 3/4", 1/4" Slotted T10, T15, T20, T25, T30 Torx® #1, #2, #3 Sq. Recess 5/64", 3/32", 1/8", 5/32", 3/16" Hex 2-5/8" OAL Magnetic Bit Holder	HSB66734

1 per pack

## 19 PC. DIAL-A-BIT & SOCKET KIT



DESCRIPTION	STOCK #
Contains one ea: #1, #2, #3 Phillips® 3/16", 1/4" Slotted #1, #2, #3 Sq. Recess 5/32", 3/16", 7/32", 1/4" Sq. Drive 9/32", 5/16", 3/8", 7/16", 1/2" Sockets 1" Socket Adapter 2-5/8" OAL Magnetic Bit Holder	HSB66741

1 per pack



## Features:

- Assortments feature the most popular bit styles.
- Bits are always at hand in easy-to-carry compact metal can.
- Attractive point-of-purchase counter display.

## 20 PC. INSERT BIT "CHEW CANS" 1/4" HEX SHANK Insert Bits

BIT SIZE & TYPE	STOCK #
	CHEW CAN
⊕ # 2 x 1" Phillips®	CC15803
⊕ # 2R x 1" Phillips® Reduced	CC15805
⊖ # 2 x 1" Square Recess	CC15816
⊕ # 2 x 1" ACR® Phillips®	CC26110
⊕ # 2R x 1" ACR® Phillips® Reduced	CC26113

16 "chew cans" per display carton



## Features:

- All bits are made of a shock resistant tool steel & heat treated.
- Durable plastic containers are easily stored in tool boxes.
- Lid dials to release individual bits.

## 10 PC. DIAL-A-BIT INSERT KIT

DESCRIPTION	STOCK #
	DIAL-A-BIT
Each kit contains one ea: #1, #2, #3 Phillips® 6-8, 8-10, 10-12 Slotted T10, T15, T20 Torx® 2-5/8" OAL Magnetic Bit Holder	HSB66711

# Screwdriver Bit Block Sets

## 35 PC. BIT BLOCK SET ASSORTMENTS

In honeycomb plastic storage case

- Features:**
- Compact holders for easy selection and storage.
  - Bit Blocks are made of durable PVC.
  - Can hold any 1/4" hex insert.
  - Each set contains one stainless steel magnetic bit holder, which fits snugly in the center cavity of the block.



BBL9001



BBL8001TC

PCS. PER SET	DESCRIPTION	PACK QTY.	STOCK #	
			BULK	1 PER CARD
35 Pc.	⊕ #2 Phillips® Reduced Drywall Bits – 32 each	1	BBL9001	BBL9001C
35 Pc.	⊖ #2 Square Recess Bits – 32 each	1	BBL9002	BBL9002C
35 Pc.	⊕ ⊖ #2 Phillips® Reduced Drywall Bits – 16 each #2 Square Recess Bits – 16 each	1	BBL9003	BBL9003C
35 Pc.	⊕ #2 Phillips® Bits – 32 each	1	BBL9004	BBL9004C
35 Pc.	Professional Assorted Set – 2 ea. of the following: #0, 1, 2, 3 Phillips®; #2 Reduced Phillips®; #6-8, 8-10, 10-12 Slotted; #1, 2, 3 Square Recess; T10, T15, T20, T25, T30 Torx®	1	BBL9005	BBL9005C
35 Pc.	Tamper Proof Set – 1 each of the following: 6mm, 8mm, 10mm Torx®, #4, 6, 8, 10 Spanner; #1, 2, 3, 4 Tri-Wing; 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm Hex, 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" Hex, TT8H, TT10H, TT15H, TT20H, TT25H, TT27H, TT30H, TT35H, TT40H Torx®	1	BBL8001T	BBL8001TC