

Full Line Catalog

LITE IT





Agricultural
Lights



Marine
Lights



Off-Road
Lights



Safety
Lights



Towing
Lights



Work
Lights



Trailer
Lights



Custer Products believes in the relentless pursuit of excellence in everything we do. We take pride in our commitment to quality products and service. We are the Leader in Lights™ for a reason.

Custer Products manufactures and distributes LED lights, towing lights and related lighting products to the trucking, towing, agricultural, off-road and safety industries through a network of distributors in the United States, Canada, Central and South America and Europe. We sell under the Custer, Lite-It and Lite-It Wireless brand names. Founded in 1993, we operate out of a 32,000 square foot facility in Massillon, Ohio.

Contents

LED Marker & Auxiliary Lights	4-7
Mounting Boxes	8
Color Safety Flashers	9
LED Rooftop Light Bars	10-11
Trailer Lights and Kits	12
Agricultural Lights	13
Commercial Tow Lights	14-15
LED Work Light Bars	16-17
LED Work Lights	18-19
Beacons	20-21
LED Strobes	22-23
LED Tow Light Bars	24
Incandescent Tow Light Bars	25
Lite-it-Wireless Bars	26-27
Accessories	28
Plugs, Sockets and Adapters	29
Specialty Products	30
SMV & Conspicuity	31
Incandescent Lights	32
Product Warranty	33
Glossary	34

NEW AT CUSTER PRODUCTS



LED WIRELESS LIGHT DUTY TOW LIGHT
More info on page 26

MINI-EXTREME LED STROBE LIGHTS
More info on page 22



LED 36-WATT DIN MOUNT STROBE BEACON
More info on page 21



LED BUILD-A-BAR
More info on page 17




LED FLOOD LIGHT FOR JOHN DEERE TRACTORS
More info on page 13



LED AMBER/WHITE ROOFTOP STROBE
More info on page 11



ENHANCED AGRICULTURAL LIGHT KITS
More info on page 13



LED AMBER/WHITE STROBE WORK LIGHT KIT
More info on page 18



48-WATT LED PEDESTAL LIGHT
More info on page 18



LED MARKER & AUXILIARY LIGHTS



4" x 0.75" LED NARROW MARKER LAMP

CPL95A Amber Light, 7 LED
CPL95R Red Light, 7 LED

- Built in 2-wire pigtail
- 3" hole mount centers



LED MARKER LIGHTS WITH REFLEX

CPL126A Amber Light, 3 LED
CPL127R Red Light, 3 LED

- Built in 2 wire pigtail
- Reflex lens
- 4" long x 1.5" high



4" x 2" SEALED LED MARKER LIGHTS

CPL120A Amber Light, 16 LED
CPL120R Red Light, 16 LED
G120B-C Chrome Bracket

- Built in 2 wire pigtail
- 3" hole mount centers



2" SEALED LED MARKER LIGHTS

CPL2A Amber light, 10 LED
CPL2R Red light, 10 LED

- Uses G2G rubber grommet
- Standard GP1 2-wire plug



2.5" SEALED LED MARKER LIGHTS

CPL25A Amber Light, 13 LED
CPL25R Red Light, 13 LED
CPL25AR Amber Light, 8 LED with reflex
CPL25RR Red Light, 8 LED with reflex
GP1 2-wire plug
G25G 2.5" rubber grommet
G25G-O Open-back grommet
G25G-CB Closed-back grommet



2.5" x 1.25" SEALED LED MARKER LIGHTS

CPL26A Amber, 3 LED
CPL26R Red, 2 LED
G26G Rubber grommet
G26B-C Chrome (wired) mounting bracket



3.75" x 1.25" SEALED LED LIGHTS

CPL375A Amber light, 4 LED
CPL375R Red light, 4 LED
CPL375RA Red/Amber, 6 LED
G3B-C Wired chrome mount
G3B-B Wired black mount



LED 4" x 2" OBLONG CLEARANCE /SIDE MARKER LIGHTS WITH REFLEX

CPL42A Amber light, 4 LED
CPL42R Red light, 4 LED

- Built in 2 wire pigtail



LED 2 7/8" x 2 1/8" STUD MOUNT SIDE MARKER LIGHT WITH REFLEX

CPL275A Amber light, 6 LED
CPL275R Red light, 6 LED

- Built in 2 wire pigtail



3/4" LED LIGHTS

- CPL1A** Amber light
- CPL1R** Red light
- CPL1W** White light
- CPL1A-CL** Amber light with clear lens
- CPL1R-CL** Red light with clear lens
- CPL1-BEZEL** Chrome bezel
- 3/4" Diameter



3/4" LED LIGHTS WITH BULLET ENDS

- CPL1AH** Amber Light with bullet ends
- CPL1RH** Red Light with bullet ends
- CPL1WH** White light with bullet ends
- 3/4" Diameter



5.5" SEALED RECTANGULAR LED LIGHTS

- CPL55A** Amber turn signal light, 15 LED
- CPL55R** Red stop/tail/turn light, 15 LED
- GP2** 3-wire plug
- G55G** 5.5" rubber grommet



4" SEALED ROUND LED LIGHTS

- CPL4A10** Amber turn signal light, 10 LED
- CPL4R10** Red stop/tail/turn light, 10 LED
- CPL4CL10** Clear light, 10 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



4" SEALED ROUND LED LIGHTS

- CPL4A** Amber turn signal light, 18 LED
- CPL4R** Red stop/tail/turn light, 18 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



4" SEALED LED LIGHTS WITH MIRROR FINISH

- CPL4AM** Amber turn signal light, 24 LED
- CPL4RM** Red stop/tail/turn light, 24 LED
- GP2** 3-wire plug
- G4G** 4" rubber grommet



6.5" SEALED OVAL LED LIGHTS

- CPL65R10** Red stop/tail/turn light, 10 LED
- CPL65CL10** Clear backup light, 10 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



6.5" SEALED OVAL LED LIGHTS

- CPL65A** Amber turn signal light, 20 LED
- CPL65R** Red stop/tail/turn light, 20 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet



6.5" SEALED OVAL LED LIGHTS WITH MIRROR FINISH

- CPL65AM** Amber turn signal light, 24 LED
- CPL65RM** Red stop/tail/turn light, 24 LED
- GP2** 3-wire plug
- G65G** 6.5" rubber grommet

LED MARKER & AUXILIARY LIGHTS



6.5" SEALED OVAL LED AMBER SEQUENCING TURN SIGNAL LIGHTS

CPL65A-SEQ 6.5" Amber


- Dual Function, either trailing arrow or sequencing single arrow
- Uses G65G rubber grommet & GP3 plug



CLEARANCE LED MARKER/UTILITY LIGHTS

CPL27AO Amber Light, 3 LED
CPL27RO Red Light, 3 LED

- High impact acrylic lens
- 2-3/4" center to center holes for mounting
- No plug needed - includes 2-wire pigtail



6.5" SEALED OVAL WHITE LED BACK-UP LIGHTS

CPL65CL 6.5" oval white, 28 LED

- GP2 3-Wire Plug
- G65G 6.5" rubber grommet



4" LED PEDESTAL LIGHTS

CPL4RA-DC 4" Red/Amber LED
CPL4AA-DC 4" Amber/Amber LED
CPL4RCL-4W Red/Clear LED with 4 wires for separate functions

- LED lights with 42 diodes (21 per side) and chrome die cast housings



LED RGB ROCK LIGHTS

RGB4K Multicolored Lights

- Comes with Four 9-Watt Lights, 10 ft. wire from lights, 6.5 ft. from controller
- Lights change to any color - all controlled from free smartphone app
- 10-30V Operation, polycarbonate lens
- Each light-head is 1-3/4" high x 3" wide x 1/2" deep
- *Video Demonstration available on our website!*



6.5" LED AMBER TURN SIGNAL LIGHTS

CPL65A-SMA 6.5" Amber

- Dual Function, either trailing arrow or sequencing single arrow
- Uses G65G rubber grommet & GP2 plug



CLEARANCE LED MARKER LIGHT WITH CHROME BEZEL

CPL50A Amber
CPL50R Red

- 4 LED, Built-in 2-wire



LED 2" ROUND SEALED FLANGE MOUNT CLEARANCE SIDE MARKER LIGHTS

CPL2RF Red light, 2-wire
CPL2AF Amber Light, 2-wire

- Polycarbonate lens and housing
- 10 LEDs per light
- Pigtail wires (no plugs needed)



4" RED QUAD FLASH LED STROBE KIT

CPL4R-STR Red Strobe Kit

- Self-contained flash unit
- Includes 2 lights, grommets and plugs



6.5" AMBER QUAD FLASH LED STROBE KIT

CPL65A-STR Amber Strobe Kit


- Self-contained flash unit
- Includes 2 lights, grommets and plugs



17" IDENTIFICATION LIGHT BARS

CPL65A-STR LED
G26R-3BAR Incandescent

- Mounts on 16" centers
- Includes three 2.5" lights



4-5/8" SQUARE LED RED/AMBER LIGHT

CPL68R Right Side
CPL68L Left Side

- 25 Red LEDs & 25 Amber LEDs
- Double stud pedestal light



LED TAIL, LICENSE, BACKUP LIGHTS

CPL62 Without license light
CPL62L With license light

- Stop/tail/turn light



4" SEALED RED LED ROUND LIGHT WITH FLANGE MOUNT & BEZEL

CPL4R10FB Red light with Bezel

- Flush Mount Design
- 10 LEDs
- Acrylic lens and ABS housing
- Stop/tail/turn
- Built-in pigtail & hardware included



6.5" CLEAR OVAL LED UTILITY LIGHT

CPL65CL10FB Clear Light with Bezel

- Surface Mount Design
- 10 LED clear light
- Built-in pigtail



6.5" SEALED LED OVAL LIGHT WITH FLANGE MOUNT & BEZEL

CPL65A10FB Amber Light with Bezel
CPL65R10FB Red S/T/T light with Bezel

- Flush Mount Design
- 10 LEDs
- Acrylic lens and ABS housing
- Built-in pigtail & hardware included

MOUNTING BOXES



STEEL MOUNTING BOXES

- MT-BOX4** Steel box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- MT-BOX4-2** Steel box for TWO 4" round lights (12.5" L x 6" H x 3.5" D)
- MT-BOX4-3** Steel box for THREE 4" round lights (18.25" L x 6" H x 3.5" D)
- MT-BOX65** Steel box for ONE 6.5" oval light (8.5" L x 4" H x 3.5" D)
- MT-BOX65-2** Steel box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- MT-BOX65-3** Steel box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)

ALUMINUM MOUNTING BOXES

- AL4R** Aluminum box for ONE 4" round light (6.5" L x 6.5" H x 3" D)
- AL4R3** Aluminum box for THREE 4" round lights (18.5" L x 6" H x 3.5" D)
- AL650** Aluminum box for ONE 6.5" oval light (8.5" L x 3.75" H x 3.5" D)
- AL6502** Aluminum box for TWO 6.5" oval lights (16.75" L x 4.25" H x 3.5" D)
- AL6503** Aluminum box for THREE 6.5" oval lights (25" L x 4.25" H x 3.5" D)

BTR-3-R



22" L x 6.75" H x 3.25" D

BTR-2-R



12.5" L x 6.75" H x 3.25" D

BTR-1-R



6.5" L x 6.5" H x 3" D

BTR-3-OV



25" L x 4.25" H x 3.5" D

BTR-2-OV



16.75" L x 4.25" H x 3.5" D

BTR-1-OV



8.5" L x 4.25" H x 3.5" D

POLYETHYLENE MOUNTING BOXES - WILL NOT WARP OR CRACK



CHROME PLATED PLASTIC BEZELS

- CPL1-BEZEL** 1" round chrome plated plastic bezel
- B2** 2" round chrome plated plastic bezel
- B25** 2.5" round chrome plated plastic bezel
- B4** 4" round chrome plated plastic bezel
- B65** 6.5" oval chrome plated plastic bezel

COLOR SAFETY FLASHERS



LED 2 FUNCTION SAFETY FLASHERS WITH HEAVY DUTY MAGNETS

HF18A-PHD	Amber light, 18 LED
HF18R-PHD	Red light, 18 LED
HF18W-PHD	White light, 18 LED
HF18SG-PHD	Green light, 18 LED

COMES WITH 2 MAGNETS - 25 LBS. PULL EACH

These reliable safety flashers feature 18 highly visible, super bright LEDs that can be seen up to 1 mile away! They can be attached securely to the back of a vehicle, truck, car, trailer, emergency vehicle etc. with built in magnets.

The 18 LED lights can be set to flashing or steady lights. Use for any emergency situation - at home or on the road. All weather resistant. Approximate size is 6" wide by 4" high. Will flash for up to 32 hours (or more) with 4 AA alkaline batteries.



LED 2 FUNCTION SAFETY FLASHERS WITH ADJUSTABLE MAGNETIC BASE

HF18A-MB	Amber Light, 18 LED
HF18R-MB	Red light, 18 LED

- 6" wide x 4" high
- Battery-operated - Takes 4 AA batteries
- Can flash or be steady on

ADJUSTABLE, STRONG MAGNETIC BASE WITH 40 LBS. PULL



LED 2 FUNCTION PORTABLE SAFETY LIGHTS

HF24A	Amber Light, 24 LED
HF24R	Red light, 24 LED

- 24 LED diodes
- 7" wide x 3" high
- Takes 4 AA batteries
- Can flash or be steady on
- Dual mounting capability

REMOVABLE 70 LBS. PULL MAGNET



LED ROOFTOP LIGHT BARS



MULTI-FUNCTION 34" LED LIGHT BAR

STR-56

- Permanent mount & hardware included
- 34" long with 56 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right

MULTI-FUNCTION 23" LED LIGHT BAR

STR-40-S Suction mount (pictured)
STR-40 Permanent mount

- Choose between suction mount & permanent mount
- 23" long with 40 powerful amber LEDs
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



MULTI-FUNCTION LED LIGHT BAR

STR51AAC-V2 51 inches long
STR56AAC-V2 56 inches long (pictured)

- Permanent mount with hardware included
- Choose between 51" & 56" long
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right



MULTI-FUNCTION 56" LED LIGHT BAR WITH S/T/T

STR56STT-V2

- Permanent mount with hardware included
- 56" long with 18 amber modules
- 360 degree coverage
- 6 flash patterns including traffic control pattern, center-out, right to left and left to right
- Red modules on rear end of the bar have stop / tail / turn functions
- *Video Demonstration available on our website!*



LED ROOFTOP LIGHT BARS



LED MAGNETIC MINI STROBE BAR

STR13AW-MAG Amber/White (pictured)
STR13A-MAG Amber

- 13" long x 8½" wide x 3¼" high, 13 ft. cord
- 6 bright 10-watt LED's, 360 degree coverage
- 10 flash patterns controlled from the cigarette lighter plug
- 2 strong magnets for mounting
- COB (Chip on Board) light source
- *Video Demonstration available on our website!*



LED MINI STROBE BAR

STR11AWP Amber/White, Permanent mount (pictured)
STR11AP Amber, Permanent mount
STR11AW-MAG Amber/White, Magnetic mount
STR11A-MAG Amber, Magnetic mount

- 11" long x 6½" wide x 1¾" high, 15 ft. cord
- 40 watts, 10-30V operating voltage
- 10 flash patterns controlled from the cigarette lighter plug
- IP67 waterproof rating
- Choose between magnetic mount & permanent mount
- *Video Demonstration available on our website!*

LED AMBER/WHITE STROBE WITH S/T/T & DASHBOARD CONTROLLER

STR-LB56AW



- 56" long Amber/White strobe light bar
- 30 different flash patterns
- Control pad is small and mounts easily in the cab
- 25 ft. cord from light bar to control pad
- LED side marker lights
- LED alley lights with on/strobe option
- LED stop/tail/turn red rear facing lights
- Day/Night mode for 30% less brightness
- LED take down lights with on/strobe option
- Has quiet modem which allows you to use only the front or back or the light bar depending on traffic direction
- Arrow stick / traffic control built in with 7 patterns for each function
- Adjustable mounting brackets with rubber insulators included
- *Video Demonstration available on our website!*

TRAILER LIGHTS & KITS



LED SUBMERSIBLE TRAILER LIGHTS

- CPL001** Trailer light
- CPL002** Trailer light with license light

- 12 LEDs



LED TRAILER LIGHTS

- CPL100** Trailer light
- CPL100L** Trailer light with license light


- 15 LEDs



LED OVER 80" SUBMERSIBLE TRAILER LIGHTS

- CPL001-80** Trailer light
- CPL002-80L** Trailer light with license light

- Acrylic lens / high impact housing
- Stop/Tail/Turn rear and side reflector, side marker and license illuminator



LED OVER 80" WIDE SUBMERSIBLE TRAILER LIGHTS

- CPL83** Trailer light
- CPL83L** Trailer light with license light

- Acrylic lens / polypropylene housing
- 18 gauge wire



INCANDESCENT TRAILER LIGHTS

- TL01** Non-submersible S/T/T light
- TL01L** Non-submersible S/T/T with license light

AGRICULTURAL LIGHTS



INCANDESCENT AGRICULTURAL LIGHT KIT

AG-KIT-MAG AG Kit with magnet kit (pictured)
AG-KIT Standard AG Kit


- 4 amber lights and 2 red lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



LED AGRICULTURAL LIGHT KIT

AG-KIT-LED Standard LED AG Kit (pictured)
AG-KIT-LED-MAG LED AG Kit with magnet kit
AG-KIT-LED-HD LED AG Kit with heavy duty cable
AG-KIT-LED-HD-MAG LED AG Kit with heavy duty cable & magnet kit

- 4 amber LED lights and 2 red LED lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



AGRICULTURAL LIGHT KIT WITH ENHANCEMENT MODULE

AG-KIT-LED-ENH LED (pictured)
AG-KIT-ENH Incandescent

- 4 amber lights and 2 red LED lights per kit
- Kit has turn signal function, tail light and enhanced brake & turn functions
- Lighting enhancement module with 6' lead cord
- 35' bonded cable (wishbone) with 7-pin plug
- Also available with magnet kit and/or heavy duty cable



HEAVY DUTY INCANDESCENT AGRICULTURAL LIGHT KIT

AG-KIT-HD AG Kit with heavy duty cable (pictured)
AG-KIT-HD-MAG AG Kit with heavy duty cable & magnet kit

- 4 amber lights and 2 red lights per kit
- Kit has turn signal function, tail light and brake functions
- 35' bonded cable (wishbone) with 7-pin plug



LED FLOOD LIGHT FOR JOHN DEERE EQUIPMENT

WL12JDF

- Fits in John Deere Equipment
- 12 Watts, 1080 lumens, 2 pin connection
- Four 3-Watt high intensity CREE LED diodes
- IP68 waterproof rating
- Die cast aluminum housing & polycarbonate lens




TRACTOR LIGHT CONTROL BOX

LCB400

- Connect to 12V Battery
- Accepts 7-Round plugs
- Magnet mount
- Controls tail lights, turn signals & emergency flashers

COMMERCIAL TOW LIGHTS



INCANDESCENT ROUND BASE HEAVY-DUTY TOWING LIGHTS

HDTL30B 70# Round magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span

Available with any plug. Just CALL us at 800-490-3158.



LED HEAVY-DUTY TOWING LIGHTS

LED30B-SQ 90# Square Magnets Stock Box
LED30B 70# Round Magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span

Available with any plug. Just CALL us at 800-490-3158.



MAGNETIC TOW LIGHTS

ATL20A Clamshell Packaging

- 20 ft. cord
- 4-flat plug & strong magnets
- 5 ft. span



E-Z MOUNT TOW LIGHTS

EZT20B Clamshell Packaging

- 20 ft. cord
- 4-flat plug
- 5 ft. span



LED HEAVY-DUTY TOWING LIGHTS

LED30CC-SQ 90# Square Magnets Carry case
LED30CC 70# Round Magnets Carry case

- 30 ft. cord
- 4R Plug
- 7 ft. span
- *Carrying case color may vary*

Available with any plug. Just CALL us at 800-490-3158.

INCANDESCENT HEAVY-DUTY TOWING LIGHTS

HDTL30CC 70# Round Magnets Carry case
HD30CC-SQ 90# Square Magnets Carry case
HD30B-SQ 90# Square Magnets Stock Box

- 30 ft. cord
- 4R Plug
- 7 ft. span
- *Carrying case color may vary*

Available with any plug. Just CALL us at 800-490-3158.



SUCTION CUP MOUNTED TOWING LIGHTS IN CASE

HDSC30CC Incandescent
LEDSC30CC LED

- Industrial strength
- 30 ft. cord
- 4R Plug
- *Carrying case color may vary*

Available with any plug. Just CALL us at 800-490-3158.

LED WORK LIGHT BARS



COMBO FLOOD/SPOT LED WORK LIGHT BARS

- WL120WBARCB** 120-watt LED bar with 40 CREE diodes, 8800 lumens
- WL72WBARCB** 72-watt LED bar with 24 CREE diodes, 5280 lumens
- WL36WBARCB** 36-watt LED bar with 12 CREE diodes, 2640 lumens

- 10-30V operation
- IP67 waterproof rating
- Includes "L" shaped end brackets
- Includes adjustable bottom brackets (pictured)
- Die cast aluminum housing
- *Video Demonstration on how to use new mounting brackets available on our website!*

COMBO FLOOD/SPOT LED OFF-ROAD WORK LIGHT BARS

- IP67 waterproof rating
- Polycarbonate lens
- 12-24V operation
- 2 mounting brackets included



WL60WBARC
 • 5,400 lumens
 • 60 Watts



WL100WBARC
 • 9,000 lumens
 • 100 Watts



50" LONG

WL240WBAR-CURV 50" long, curved
WL240WBARC (not pictured) 41½" long, straight
 • 21,600 lumens
 • 240 Watts



51½" LONG

WL288WBAR-CURV 51½" long, curved
 • 26,000 lumens
 • 288 Watts



BUILD-A-BAR

WL30BAB-SPT Spot
WL30BAB-FLD Flood

- Build your own customized light bar!
- Each unit is 7" long
- 30-Watts with CREE diodes
- 3000 lumens
- Easily connects together with included hardware
- Make any length or height you need!
- 10-30V operation
- Polycarbonate lens, IP67



SPOT



FLOOD

WORK LIGHT BAR ACCESSORIES

SNAP-ON LENSES

- | | | |
|----------|----|------------|
| WL6ALENS | 6" | Amber Lens |
| WL6RENS | 6" | Red Lens |
| WL6BLENS | 6" | Black Lens |
| WL8ALENS | 8" | Amber Lens |
| WL8BLENS | 8" | Black Lens |

• For quantities and sizes needed for your work light bar, please find your light bar on our website: www.custerproducts.com



PLUG & PLAY WIRING HARNESSES

HARDT1: Wire harness with 1 DT waterproof connector, one relay and lighted switch

- Will light up one of the following: WL36WBARCB, WL60WBARC, WL72WBARCB, WL100WBARC, & WL120WBARCB

HARDT2: Wire harness with 2 DT waterproof connectors, one relay and lighted switch

- Will light up two of the following: WL36WBARCB, WL60WBARC, WL72WBARCB, WL100WBARC, & WL120WBARCB

HARATP1: Wire harness with 1 ATP waterproof connector, one relay and lighted switch

- Will light up one of the following: WL240WBARC, WL240WBAR-CURV & WL288WBAR-CURV



LED WORK LIGHTS



LED AMBER/WHITE STROBE WORK LIGHT KIT

WL32AW-KIT

- Comes with two light heads and wiring harness with relay and switch
- 16-Watts and 1455 lumens per light head
- 3" high x 3" wide x 3" deep
- IP68 waterproof rating
- Can be steady on or flashing both amber and white
- IP68 waterproof rating
- 10-30V operation
- *Video Demonstration available on our website!*



48-WATT LED PEDESTAL LIGHT

WL48F

- 3840 lumens
- 10-30V operation
- 4 1/4" x 4 1/4" lens
- Stud or surface mount
- IP67 waterproof rating
- Unique diamond cut polycarbonate lens for diffused flood light



18-WATT LED SLIM FLOOD LIGHT

WL19F

- 1320 lumens
- 10-30V operation
- 6 1/2" L x 1 3/4" H x 2 1/2" D
- 90 degree flood
- Die cast aluminum housing
- Polycarbonate lens



22-WATT LED SLIM WORK LIGHT

WL22RCT

- 2850 lumens
- 10-30V operation
- 6" L x 3 3/4" H x 1 1/4" D
- 60 degree flood pattern
- IP67 waterproof rating



15-WATT COMPACT LED LIGHT

WL15SMTM

- 1260 lumens
- 10-30V operation
- 1 3/4" H x 3" L x 1/2" D
- 90 degree flood
- Rubber mounting pads
- Surface or pipe mount



PAR 36 LED RETROFIT 18-WATT LIGHT

- **WL18-HP** Flood
- **WL18HP-TRAP** Trapezoid
- 1500 lumens
- 12-24V operation
- 4.5" diameter
- CREE diodes
- Polycarbonate lens
- Fits in PAR36 Housing (CP2203)



60-WATT LED FLOOD LIGHT

WL6000

- 5400 lumens
- 10-30V operation
- CREE diodes, IP67
- 90 degree flood
- 4.75" H x 5.32" W x 4.8" D

WL6000ALENS



80-WATT LED SPOT / FLOOD LIGHT

WL80FS

- 6720 lumens
- 10-30V operation
- Spot & flood dual light beams
- 7" Diam. x 8 1/2" H x 4 1/2" D
- 16 5-Watt CREE LEDs
- Die cast aluminum housing
- IP69 waterproof rating



27-WATT LED FLOOD LIGHT

WL93FR Round Light
WL93FW Square Light

- 1900 lumens
- 10-30V operation
- Stud or surface mount
- IP67 waterproof rating



24-WATT LED FLOOD LIGHT

WL83FR Round Light
WL83FQ Square Light

- 1680 lumens
- 10-30V operation
- Stud or surface mount
- IP67 waterproof rating



9-WATT LED WIDE FLOOD LIGHT

WL9RCT

- 720 lumens
- 10-30V operation
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 90 degree flood pattern
- IP67 waterproof rating



18-WATT LED FLOOD LIGHT

WL18RCT

- 1350 lumens
- 10-30V operation
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 60 degree flood pattern
- IP67 waterproof rating



20-WATT LED FLOOD LIGHT

WL20WF

- 1800 lumens
- 10-30V operation
- CREE diodes
- Stud or surface mount
- 4 $\frac{3}{8}$ " x 2 $\frac{1}{2}$ " x 2 $\frac{1}{4}$ "
- 90 degree wide flood pattern
- IP67 waterproof rating



10-WATT LED FLOOD LIGHT

WL10F

- 900 lumens
- 10-30V operation
- CREE diodes
- 40 degree flood pattern
- Stud or surface mount
- 2 $\frac{3}{8}$ " x 2 $\frac{3}{8}$ " x 2 $\frac{3}{8}$ "
- IP67 waterproof rating



15-WATT LED FLOOD LIGHT

WL15F

- 1200 lumens
- 10-30V operation
- 4 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " lens
- Less than 1 $\frac{1}{2}$ " thickness
- Stud or surface mount
- IP67 waterproof rating



18-WATT LED FLOOD LIGHT

WL18F

- 1350 lumens
- 10-30V operation
- 4 $\frac{1}{2}$ " diameter lens
- Durable aluminum housing
- Stud or surface mount
- IP67 waterproof rating

BEACONS



LED BATTERY OPERATED ROTATING BEACON MAGNET MOUNT

- LED Rotating Beacon
- 25 lb. pull magnet
- Battery operated (Takes 4 AA Batteries)
- Adjustable rotation speed
- 5" diameter x 4 1/4" high
- Use on farm equipment, warehouse equipment, cars or trucks



LED BATTERY OPERATED FLASHING / ROTATING BEACON MAGNET MOUNT

- Can flash or rotate
- Strong magnetic mount
- Battery operated (Takes 4 AA Batteries)
- IP65 waterproof rating
- Durable polycarbonate lens
- Flashing: 180/minute
- Rotating: 85/minute



3 1/2" AMBER LED BEACON PERMANENT/MAGNET MOUNT

STR30AM

- Can flash or rotate
- Can be permanent or magnet mount
- Battery operated (Takes 4 AA Batteries)
- IP65 waterproof rating
- Durable polycarbonate lens
- Flashing: 180/minute
- Rotating: 85/minute



27-WATT LED CLASS I ROTATING BEACON PERMANENT/MAGNET MOUNT

STR27RFM

- Can be permanent or magnet mount
- Class I
- 10-30V operation
- IP65 waterproof rating
- Can flash or rotate
- Cigarette plug
- Polycarbonate lens
- 5.59" diameter x 4.29" high



QUAD FLASH 120 LED STROBE BEACON
PERMANENT MOUNT

STR-120LED

- Class I
- Permanent mount with rubber base
- 10-30V operation
- 5" diameter x 4¾" high
- 120 bright LEDs



QUAD FLASH 60 LED STROBE BEACON
PERMANENT MOUNT

STR-60LED

- Class I
- Flange mount
- 10-30V operation
- 5" diameter x 5" high
- 60 bright LEDs



36-WATT CLASS I AMBER BEACON LIGHT
PERMANENT MOUNT

STR-36LED

- 36-Watts, Class I
- Polycarbonate lens
- 12-36V operation
- 6½" base diameter x 4¾" lens diameter x 4" high
- Includes 4 flash patterns & 2 rotating patterns
- IP66 waterproof rating



POLE MOUNT AMBER BEACON LIGHT
DIN MOUNT

STR36DIN

- 36-Watts, Class I
- Flexible rubber DIN mount, polycarbonate lens
- 12-36V operation
- 4¾" diameter x 4" high
- Includes 4 flash patterns & 2 rotating patterns
- IP66 waterproof rating



POLE MOUNT ROTATING BEACON LIGHT
DIN MOUNT

STR-DIN-A

- Polycarbonate amber lens
- 55-watt rotating light
- Flexible hard rubber case
- Mounts on standard DIN mount



POLE MOUNT FOR STR36DIN & STR-DIN-A

MNT-DIN

- Mounting bracket for DIN rotating light
- This bracket is a 2-wire hook-up
- Light slides onto this pole for quick mounting
- Threaded to mount 1" hole

LED STROBES



LED SLIM LINE STROBES

- 19 flash patterns
- Can synchronize with other lights
- 10-30V operation
- IP67 waterproof rating
- CREE Diodes
- Weatherproof with vibration resistant design
- 1 3/4" high x 1/2" deep
- 6-watts are 4 1/2" long
- 4-watts are 3 3/4" long

COLORS AVAILABLE IN 6-WATT

STR61A	Amber
STR61B	Blue
STR61W	White
STR61R	Red
STR61AW	Amber/White (pictured)
STR61GA	Green/Amber
STR61GW	Green/White
STR61RB	Red/Blue
STR61RW	Red/White



SUPER LOW-PROFILE FOR DISCREET MOUNTING!



COLORS AVAILABLE IN 4-WATT

STR41A	Amber
STR41W	White
STR41AW	Amber/White (pictured)



LED MINI-EXTREME STROBE LIGHTS

STR-MXA	Amber
STR-MXR	Red
STR-MXW	White

- 17 flash patterns in alternating mode, synchronized mode, or steady on function
- Circuit protection keeps LED cooler by lowering power to extend the life of the LED
- IP67 waterproof rating
- 1" diameter on lens
- 1 1/2" diameter on total light
- 1 3/8" between screw holes
- 10-30V operation
- *Video Demonstration available on our website!*



STR1AW-LED



STR1RW-LED

PAIR OF DOUBLE-COLOR 18-WATT LED STROBE LIGHTS

- Choose between Amber/White & Red/White
- Waterproof connectors
- 6-foot main cable
- 9-feet of cable between lights
- 14 different flash patterns
- Low power consumption LEDs
- 1" diameter when used as hideaway
- 2 3/8" x 2" black bezel
- Can be synchronized with multiple lights



LED HIGH POWER STROBE LIGHT

STR3A	Amber
STR3R	Red
STR3W	White

- 15 flash patterns
- 4 7/8" L x 1 3/4" H x 7/8" D
- Synchronize or stand-alone operation
- 10-30V operation
- Amp draw less than 0.5A
- Available in amber, red & white



10-WATT LED HIDEAWAY STROBES

STR1A-LED	Amber
STR1R-LED	Red
STR1W-LED	White

- 14 flash patterns
- Extremely powerful 10-watt diode
- 1" diameter on lens
- Can be mounted inside headlights & tail lights



LED HIGH POWER STROBE LIGHTS

- Polycarbonate lens
- 4-watt LEDs
- Extremely bright LEDs
- 4.85" L x 2" H
- Self contained strobe
- Polished aluminum base
- 10-30V operation
- 0.5 amp draw
- Flush mount




STRL4A
Amber



STRL4R
Red




STRL4W
White



STRL4G
Green

QUAD FLASH STROBE RELAY FOR LED LIGHTS

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights



MULTI-FUNCTION STROBE RELAY FOR LED LIGHTS

- Hook up to any LED light and make it strobe
- Drives up to 420mA or a pair of "most" LED tail lights
- Several selectable flash patterns



STR8W



STR8R



STR8A



STR8AG



STR8AW

DUAL ROW STROBES

- 15 flash patterns
- Synchronize function with more lights
- 10-30V operation
- Surface mount
- 4½" wide x 3" high x 1¼" deep
- Available in 5 color options

LED TOW LIGHT BARS




- All units have LED side markers
- Cables sold separately
- Rubber strap mounting



25" LONG

BTR-25

- Powered by 4-Pin Socket



36" LONG

BTR-36-SM


- Separate turn and brake signals
- Comes with both 4 and 7 pin sockets



48" LONG

BTR-48-O

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-R

- Separate turn and brake signals
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-RF

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 7 pin heavy duty round socket



48" LONG

BTR-48-R9

- Separate turn and brake signals
- 2 extra 4" brake lights
- Comes with 7 pin heavy duty round socket

HEAVY-DUTY EXTENSIONS


EXT30-4PP 30' cord 4 plug to 4 plug
 EXT60-4PP 60' cord 4 plug to 4 plug



INCANDESCENT TOW LIGHT BARS




- All units have LED side markers
- Cables sold separately
- Rubber strap mounting
- Available in white PVC only



36" LONG

WP36SM

- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

WP480

- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

WP48R


- Separate turn and brake signals
- Comes with 4 and 7 pin sockets



48" LONG

WP48R-F

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 4 and 7 pin sockets



60" LONG

WP60R

- Separate turn and brake signals
- Comes both 4 and 7 pin sockets



60" LONG

WP60R-F

- Separate turn and brake signals
- Includes 2 flashing amber lights that come on with markers
- Comes with 4 and 7 pin sockets

HEAVY-DUTY EXTENSIONS

EXT30-7PP	30'	14/7 cord	7 plug to 7 plug
EXT60-7PP	60'	14/7 cord	7 plug to 7 plug
EXT30-7PP-6	30'	16/6 cord	7 plug to 7 plug
EXT60-7PP-6	60'	16/6 cord	7 plug to 7 plug



LITE-IT (i) wireless

Lite-It Wireless Tow Lights are unsurpassed in durability. Among the many features, our units are individually serialized to protect against loss, theft and prevent cross talk between other units in the vicinity. All Lite-it Wireless tow lights are FCC approved. Each bar or set have full stop, turn signal, tail light and side marker functions. The taillights only come on when they are needed thus saving battery life.

- Auto-grade circuitry
- All connectors are shrink-tube
- All lights are hard wired
- 3 year warranty
- FCC approved
- Individually serialized and programmed to eliminate cross talk between other units
- Lights come with transmitter, 12V charger and port covers
- Run times from 12 to 30 hours
- 1000 foot line of site visibility
- Charge indicator light
- Made in the U.S.A.



36" WIDE WITH AMBER/WHITE STROBES

LIW-36STR-7R

- Two amber/white strobes operated on a separate switch
- Rubber strap mounting
- 7-Pin connection



23" LIGHT DUTY TOW LIGHT

LIW-LDTL

- Magnetic mount
- 4-Pin connection (7-Blade connection also available)



AGRICULTURAL WIRELESS TOW LIGHTS

LIW-AGKIT

- 120# pull rubber coated magnetic mount
- 2½" strobes on front to warn oncoming traffic
- 7-Blade connection (also available in 4 or 6-pin round)



RC-MONITOR KIT

LIW-RC-MON

- Monitors battery strength and status
- 96 dB alarm and red warning light when bar is left behind
- Individually programmed to your light bar
- No additional wiring needed



25" WIDE

LIW-250-4

- Two 105# pull rubber coated magnetic mount
- 4-Pin connection



36" WIDE

LIW-36R-7R

- Rubber strap mounting
- 7-Pin connection



42" WIDE

LIW-42O-7R

- Rubber strap mounting
- 7-Pin connection

48" WIDE

LIW-48R-7R

- Rubber strap mounting
- 7-Pin connection



48" WIDE WITH FLASHERS


LIW-48RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied
- Rubber strap mounting plus ratchet straps
- 7-Pin connection

60" WIDE

LIW-60R-7R

- Rubber strap mounting
- 7-Pin connection



60" WIDE WITH FLASHERS

LIW-60RFS-7R

- Auto delay flasher that turns off when a turn signal or brake is applied
- Rubber strap mounting plus ratchet straps
- 7-Pin connection

ACCESSORIES



RUBBER MOUNTING GROMMETS

G2G	2" Round	G26G	2.5" Rectangular
G25G	2.5" Round	G55G	5.5" Rectangular
G25G-O	2.5" Open Back	G4G	4" Round
G25G-CB	2.5" Closed Back	G65G	6.5" Oval




STEEL MOUNTS FOR LIGHTS

MNT2	Fits 2" grommet & light
MNT25	Fits 2.5" grommet & light
MNT4R	Fits 4" grommet & light
MNT65	Fits 6.5" grommet & light



**4-PIN TO 4-PIN
CABLE UNION**
BTR-4-CU



**7-PIN TO 7-PIN
CABLE UNION**
BTR-7-CU

HEAVY-DUTY EXTENSIONS

EXT30B	30'	4 plug to 4 socket
EXT60B	60'	4 plug to 4 socket



RUBBER BOOTS FOR MAGNETS

MB100 Rubber Boots (pair)

- Protects against scratching
- Fits CP0808 magnet



DUAL PURPOSE MOUNTING BRACKET

MNT-STRL

- Aluminum mounting bracket for STRL lights
- Bracket is pre-drilled for mounting 3 of our CPL1 lights



TOW LIGHT PARTNERS

TLP01 Tow light partners (pair)

- For use with magnets on non-metallic surfaces

BULK TRAILER WIRE

CP39D	16/4 trailer cable
CP39C	16/6 trailer cable
CP39F	14/7 trailer cable
CP39G	14/2 trailer cable



SQUARE MAGNETIC BASE


CP70
• 90# pull



REPLACEMENT MAGNETS

CP0850	35# pull	2 1/8" diameter
CP0865	65# pull	2 3/4" diameter
CP0808	95# pull	3 1/4" diameter
CP0885	110# pull	3 3/8" diameter

PLUGS, SOCKETS & ADAPTERS



- | | | | |
|------------------------|---|---------------------|--|
| 1. PLG4R | 4-round plug with wire guard, die cast, trailer end | 13. KIT-6R-4 | 6-round connector kit, prewired for 4-flat |
| 2. PLG4R-SKT | Receiver socket for 4-round plug, die cast, truck end | 14. 12VBA | 12V battery adapter, battery clips to cigarette plug |
| 3. PLG6R | 6-round plug with wire guard, die cast, trailer end | 15. ADP001 | Adapter, 4-round to 4-flat (1 piece) |
| 4. PLG6R-SKT | Receiver socket for 6-round plug, die cast, truck end | 16. ADP6R-4F | Adapter, 6-round to 4-flat |
| 5. PLG7B | 7-blade plug, no wire guard, ABS, trailer end | 17. ADP7B-6R | Adapter, 7-blade to 6-round |
| 6. PLG7B-SKT | 7-blade receiver socket, ABS, truck end | 18. ADP7B-4F | Adapter, 7-blade to 4-flat |
| 7. PLG7R | 7-round plug with wire guard, ABS, trailer end | 19. ADP7B-5F | Adapter, 7-blade to 5-flat (not pictured) |
| 8. PLG7R-SKT | 7-round receiver socket, ABS truck end | 20. ADP7P-4F | Adapter, 7-round to 4-flat |
| 9. PLG7R-DC | 7-round plug with wire guard, die cast, trailer end | 21. ADP7R-7B | Adapter, 7-round trailer to 7-blade truck end |
| 10. PLG7RSKT-DC | 7-round receiver socket, die cast, trailer end | 22. ADP7B-7R | Adapter, 7-blade to 7-pin (for lights) |
| 11. KIT-7B-4 | 7-blade connector kit, prewired for 4-flat | 23. ADP7R-4R | Adapter, 7-round to 4-round socket |
| 12. KIT-7P-4 | 7-pole connector kit, prewired for 4-flat | | |

SPECIALTY PRODUCTS



3 FT. EXTENSION CORD

EXT3-CIG

- Cigarette plug extension
- Illuminated Switch



BACK-UP ALARM

BK97DB

- 97 dB
- 12-24V Operation
- Surface mount



LED LICENSE LIGHTS

LL-LED-CHR Chrome
LL-LED Black

- 2 wire



FKL6W

- 6-watts
- Blue spotlight with clear lens
- 8 degree spot beam
- IP67 waterproof rating
- Two 3-watt CREE diodes

BLUE SPOT LIGHTS

- Use on agricultural sprayers to increase visibility!
- Use on fork lifts to increase warehouse safety!



FKL8W

- 8-watts
- Blue spotlight with clear lens
- 9-32V operation
- IP68 waterproof rating
- Two 4-watt CREE diodes



GREEN OR RED LED BOAT "BOW" LIGHT

BOW-GR-B Green
BOW-RED-B Red



CLEAR INTERIOR LED LIGHT

CPL33C

- With chrome bezel
- 4 LED
- Built-in 2 wire


SMV & CONSPICUITY



½ MOON REFLECTORS

RFL-HMA Amber
RFL-HMR Red
RFL-HMA-12 Amber (12-pack)
RFL-HMR-12 Red (12-pack)

- Adhesive backs



ADHESIVE REFLECTORS

RFL-12R
RFL-12W

- 12" x 1"
- Adhesive backs & mounting holes

CONSPICUITY / REFLECTIVE TAPE



ROLLS

CTRW-30RL	30' roll	Red/White Reflective
CTRW-150RL	150' roll	Red/White Reflective
CTRW-150RL-DP	150' roll	Red/White Reflective (diamond plate pattern)
CTOR-30RL	30' roll	Fluorescent Orange
CTOR-150RL	150' roll	Fluorescent Orange
CTRED-30RL	30' roll	Red Reflective
CTRED-150RL	150' roll	Red Reflective
CTWHITE-30RL	30' roll	Silver Reflective
CTWHITE-150RL	150' roll	Silver Reflective
CTYELLOW-30RL	30' roll	Yellow Reflective
CTYELLOW-150RL	150' roll	Yellow Reflective


STRIPS

CT-OR	9" strip	Fluorescent Orange
CT-RED	9" strip	Red Reflective
CT-WHITE	9" strip	Silver Reflective
CT-YELLOW	9" strip	Yellow Reflective
CTRW-18	18" strip	Red/White Reflective

EMERGENCY WARNING TRIANGLES

EMT3-KIT-1


- Weighted
- Three in compact case



REFLECTIVE SLOW MOVING VEHICLE (SMV) EMBLEM

EMB20A	Adhesive SMV sticker
EMB20GM	Galvanized metal SMV sign
EMP20P	Plastic backed SMV sign
EMB-HDW-SKT	Mount kit receiver
EMB-HDW-SPD	Mount kit spade

- All SMV signs conform to ASAE S276.5



INCANDESCENT LIGHTS



G119A	4" X 1.5" Amber Lamp w/ Reflex, 1 Wire	G2R-K	2" Round Red Light, Grommet, Plug
G119R	4" x 1.5" Red Lamp w/ Reflex, 1 Wire	G3A	3 13/16" Amber Sealed Clearance/Marker Light
G120A	4" x 2" Amber Sealed Bullseye Light	G3A-K	3 13/16" Amber Light, Mounting Bracket
G120B-C	Chrome Plated Steel Bracket for 120 Series Lights	G3B-B	Black Mounting Bracket for G3A, G3R, CPL375A, CPL375R
G120R	4" x 2" Red Sealed Bullseye Light	G3B-C	Chrome Mounting Bracket for G3A, G3R, CPL375A, CPL375R
G25A	2.5" Round Amber Sealed Clearance/Marker Light	G3R	3 13/16" Red Sealed Clearance/Marker Light
G25A-K	2.5" Round Amber Light, Grommet, Plug	G3RA	3 13/16" Red/Amber Sealed Clearance/Marker Light
G25APC	2.5" Round Amber Sealed Clearance/Marker Light, PC Rated	G3RA-K	3 13/16" Red/Amber Light, Mounting Bracket
G25AR-K	2.5" Round Amber Light w/ Reflex, Grommet, Plug	G3R-K	3 13/16" Red Light, Mounting Bracket
G25B-G	Surface Mount Bracket for 2.5" Lights w/ Grommet	G42A	4" x 2" Amber Oblong Marker Light
G25G	2.5" Round Rubber Grommet	G42R	4" x 2" Red Oblong Marker Light
G25G-CB	2.5" Round Rubber Grommet, Closed Back	G4A	4" Round Amber Sealed Turn Signal Light
G25G-O	2.5" Round Rubber Grommet, Open Back	G4A-K	4" Round Amber Light, Grommet, Plug
G25R	2.5" Round Red Sealed Clearance/Marker Light	G4CL	4" Round Clear Sealed Back-Up Light
G25R-K	2.5" Round Red Light, Grommet, Plug	G4CL-K	4" Round Clear Light, Grommet, Plug
G25RPC	2.5" Round Red Sealed Clearance/Marker Light, PC Rated	G4G	4" Round Rubber Grommet
G25R-R	2.5" Round Red Sealed Clearance/Marker Light, w/ Reflex	G4R	4" Round Red Sealed Stop/Tail/Turn Light
G25RR-K	2.5" Round Red Light w/ Reflex, Grommet, Plug	G4R-K	4" Round Red Light, Grommet Plug
G26A	2.5" x 1.25" Rectangular Amber Clearance/Marker Light	G4R-R	4" Round Red Sealed Stop/Tail/Turn Light, w/ Reflex
G26A-K	2.5" x 1.25" Rectangular Amber Light, Mounting Bracket	G55A	5.5" x 3.5" Amber Sealed Turn Signal Light
G26CL	2.5" x 1.25" Rectangular White Clearance/Marker Light	G55A-K	5.5" x 3.5" Amber Light, Grommet, Plug
G26CL-K	2.5" x 1.25" Rectangular White Light, Mounting Bracket	G55G	5.5" Rectangular Grommet
G26B-C	Chrome Mounting Bracket for G26A, G26R, CPL26A, CPL26R	G55R	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light
G26G	2.5" Rectangular Rubber Grommet	G55RCL	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light w/ Clear Back-Up Light
G26R	2.5" x 1.25" Red Clearance/Marker Light	G55RCL-K	5.5" x 3.5" Red Sealed Stop/Tail/Turn/Back-Up Light, Grommet, Plug
G26R-3BAR	Identification Light Bar w/ 3 G26R Lights	G55R-K	5.5" x 3.5" Red Sealed Stop/Tail/Turn Light, Grommet, Plug
G26R-K	2.5" x 1.25" Rectangular Red Light, Mounting Bracket	G65A	6.5" Oval Amber Sealed Turn Signal Lamp
G275A	2 7/8" x 2 1/8" Amber Marker Light	G65A-K	6.5" Oval Amber Light, Grommet, Plug
G275R	2 7/8" x 2 1/8" Red Marker Light	G65ASMA	6.5" Oval Amber Side Marker Sealed Turn Signal Lamp
G2A	2" Round Amber Sealed Clearance/Marker Light	G65CL	6.5" Oval Clear Sealed Back-Up Light
G2A-K	2" Round Amber Light, Grommet, Plug	G65CL-K	6.5" Oval Clear Light, Grommet, Plug
G2B-G	Surface Mount Bracket for 2" Lights w/ Grommet	G65G	6.5" Oval Rubber Grommet
G2G	2" Round Rubber Grommet	G65R	6.5" Oval Red Sealed Stop/Tail/Turn Lamp
G2R	2" Round Red Sealed Clearance/Marker Light	G65R-K	6.5" Oval Red Light, Grommet, Plug

PRODUCT WARRANTY

All CPL products – 3 Year Limited Warranty*
All WL products – 3 Year Limited Warranty*
All HID products – 1 Year Limited Warranty*
Incandescent Lights – 3 Year Limited Warranty*

All Battery Operated Lights – 2 Year Limited Warranty*
All Battery Operated Lights – 2 Year Limited Warranty*
All Wired Light Bars & Tow Lights – 3 Year Limited Warranty*
All LIW Light Bars – 3 Year Limited Warranty*
(LIW Bars must be registered to receive warranty.)

***Product must be received & inspected prior to credit issuance.**

Returns

Any and All returns must be authorized by Custer Products. Limited Warranty Items will be tested, repaired and returned whenever possible. If the product is deemed defective and within warranty, Custer Products will have the option to replace or credit the lowest product selling price within the warranty period.

Restocking Charge

A 15% restocking charge will be assessed to any non – defective product return

Limited Warranty

Custer Products Ltd. warrants its products to be free from defects in material and workmanship under normal use and services as set forth in this Limited Warranty.

General 1, 2 and 3 Year Limited Warranty

Custer warrants to the original purchaser only each new product made by Custer which proves to be defective in material or workmanship within the limited warranty period from the date of shipment. Custer will, at Custer's option, repair or replace without charge upon return to Custer of the defective product, provided any defect in the product is brought to the attention of Custer within the terms of this limited warranty period. The above limited warranty does not apply, and no warranty, either express or implied shall be applicable (a) to damage resulting from accident, alteration, misuse or abuse; (b) if the product is not installed, operated and maintained according to procedures recommended by Custer; or (c) if the serial number, date code, or other identifying marks affixed to the product by Custer are removed, obliterated or defaced. In no case shall the limited warranty be extended to defects in materials components (including but not limited to bulbs), or services furnished by third parties, nor to the installation of the product performed by third parties. If any repairs are made to any Custer's products, components, or if any parts thereof are replaced or altered, or any attachments are added to any Custer's products or components during the warranty period by anyone other than an authorized Custer distributor in accordance with service manuals, parts, accessories, or attachments, authorized by Custer for use in Custer's products, the purchaser shall pay for such repairs, parts, attachments and alterations without recourse against Custer, and Custer shall be relieved of responsibility for fulfillment of the limited warranty with respect to such affected products or components.

GLOSSARY

Amperage – the strength of a current of electricity expressed in amperes; Amperage can be calculated by using formula: $\text{Watts} \div \text{Volts} = \text{Amps}$.

CREE – market leading lighting manufacturer; known for longevity of 100,000 hour lifetime, brighter LEDs, and less amperage draw.

COB (Chips on Board) – Multi-LED chips are packed together as one lighting module; significantly brighter than standard LED lights; saves energy and has a very long lifespan.

Diode – an electronic device that restricts current flow chiefly to one direction.

Flange – A part used to mount lights to surfaces.

Flood – wide pattern of light; light distribution is done by the lens, used best for short distance.

Incandescent – emitting light as a result of the filament being heated.

IP Rating – used to define levels of sealing effectiveness of electrical enclosures intrusion from foreign bodies (dust, dirt) and moisture.

Joule – the equivalent of one watt of power radiated or dissipated for one second.

LED – Light Emitting Diode.

Lumens – the measure of the total “amount” of visible light emitted by a source; there are about 80 lumens per watt.


PC Rated – means that the light is viewable from a 90 degree angle.

Polycarbonate – tough transparent thermoplastics characterized by high impact strength; up to 10 times more impact-resistant than standard plastic or glass.

Polyethylene – lightweight thermoplastic that is resistant to chemicals and moisture.

Spot – narrow intense beam on a small area.

Watts – the measure of electrical power.



Resources Available on Our Website:

Technical Support

Additional Product Information

Online Ordering for Distributors

Video Demonstrations

LIW Registration

Wiring Schematics

Warranty Information



Follow us on Facebook! @CusterProductsLtd



Subscribe to our channel on YouTube! @Custer Products



MASSILLON, OHIO USA

WWW.CUSTERPRODUCTS.COM

