



Materials/Finishes	Zinc Plated Carbon Steel (8500Z)	T-304 Stainless (8500SS)
	T-316 Stainless (8500SS)	
Variants:	N/A	
Service:	Designed to steady a horizontal run of pipe against a perpendicular section of strut.	
Approvals:	N/A	
Ordering:	Specify figure number, finish and pipe size.	
Notes:	Item numbers specify OD Size. See chart for IPS and CTS equivalent. Thermoplastic insulating liner.	

OD PIPE SIZE	IRON PIPE SIZE	COPPER TUBE SIZE	WGT EACH (LBS)
1/4	-	1/8	0.110
3/8	1/8	1/4	0.110
1/2	1/4	3/8	0.110
5/8	3/8	1/2	0.120
3/4	-	5/8	0.130
7/8	1/2	3/4	0.200
1	3/4	-	0.210
1-1/8	-	1	0.275
1-1/4	-	-	0.292
1-3/8	1	1-1/4	0.310
1-1/2	-	-	0.354
1-5/8	1-1/4	1-1/2	0.400
1-3/4	-	-	0.413
1-7/8	1-1/2	-	0.425
2	-	-	0.454
2-1/8	-	2	0.483
2-3/8	2	-	0.600
2-5/8	-	2-1/2	0.610
2-7/8	2-1/2	-	0.650
3-1/8	-	3	0.630
3-1/2	3	-	0.770
4	3-1/2	-	1.022
4-1/8	-	4	0.900
4-1/2	4	-	1.100
5-5/8	5	-	1.300
6-1/8	-	6	1.300
6-5/8	6	-	1.400

PROJECT INFORMATION			APPROVAL STAMP
Project:			Notes:
Address:			
Contractor:			
Engineer:			
Date:			
Approved	Approved as Noted	Not Approved	