




All grease fitting assortments are standard zinc clear plated unless otherwise noted.




Hydraulic Fittings..... 25
Ideal for applications where greasing is required for proper maintenance.




Metric Fittings..... 27
All of your favorite hydraulic fittings in metric threads, dimensions, and body styles.




Alemite® Fittings..... 29
Authorized volume distributor of Alemite grease fittings. Identified by a red ball check.



British Fittings..... 29
Caution should be used when measuring these threads, as they resemble PTF threads.




Drive Type Fittings..... 29
Installed without needing a threaded hole, decreasing the cost of installation.




Pressure Relief Vents29
Release excessive pressure accumulated during operation of a bearing housing or gearbox.

TYPES OF THREADS




TAPER THREADS

Taper threads run **DIAGONAL** to mating material. They do not seat flush, leaving some threads exposed resulting in less consistently installed heights.




PARALLEL THREADS

Parallel threads run **PARALLEL** to mating material. They seat on the shoulder as a screw would, providing consistently installed heights.




DRIVETYPE FITTINGS

Drive type fittings have a serrated shank. Typical installation requires driving the fitting into a drilled, untapped hole.



PRESSURE RELIEF VENTS

Consists of a spring that controls a pop-up valve that opens when pressure builds. At peak performance, the valve is closed, sealing the bearing.

 Alemite® is a registered trademark of Alemite, LLC, Johnson City, TN, USA.

For detailed specifications and tolerances, visit huyett.com.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2020 G.L. Huyett


Suitable for OEM Applications

Grease Fittings • Zinc Clear

DISP-GF018

18 Pieces • Box Size [2-1/2" x 4-1/4"]

Blister Pack



Part Number	Size	Qty
Drive Type		
H1728Z3	3/16" Drive Fitting	2
H1608Z3	5/16" Drive Fitting	2
PTF		
H1610Z3	1/8"-27 PTF Fitting	2
H1689Z3	1/8"-27 PTF Fitting 45°	2
H1613Z3	1/8"-27 PTF Fitting 90°	2


Part Number	Size	Qty
SAE-LT		
H1641Z3	1/4"-28 SAE-LT Fitting	2
H1637Z3	1/4"-28 SAE-LT Fitting 45°	2
H1911Z3	1/4"-28 SAE-LT Fitting 90°	2
Grease Caps		
H88004	Red Dome Cap	2

Grease Fittings • Zinc Clear

DISP-GF032

32 Pieces • Box Size [5-1/4" x 3-1/4"]

Hanging Assortment



Part Number	Size	Qty
Drive Type		
H1728Z3	3/16" Drive Fitting	4
H1608Z3	5/16" Drive Fitting	4
PTF		
H1610Z3	1/8"-27 PTF Fitting	6
H1689Z3	1/8"-27 PTF Fitting 45°	3
H1613Z3	1/8"-27 PTF Fitting 90°	3


Part Number	Size	Qty
SAE-LT		
H1641Z3	1/4"-28 SAE-LT Fitting	6
H1637Z3	1/4"-28 SAE-LT Fitting 45°	3
H1911Z3	1/4"-28 SAE-LT Fitting 90°	3

Grease Fittings • Zinc Clear

DISP-GF100

100 Pieces • Box Size [7" x 3"]

Stacking Assortment



Part Number	Size	Qty
PTF		
H1610Z3	1/8"-27 PTF Fitting	30
H1688Z3	1/8"-27 PTF Fitting 45°	10
H1613Z3	1/8"-27 PTF Fitting 90°	10

Part Number	Size	Qty
SAE-LT		
H1641Z3	1/4"-28 SAE-LT Fitting	30
H1637Z3	1/4"-28 SAE-LT Fitting 45°	10
H1911Z3	1/4"-28 SAE-LT Fitting 90°	10



**Grease Fittings
DISP-GF018**


18 Piece Assortment
Blister Pack with a Single Hanging Tab

For detailed specifications and tolerances, visit huyett.com.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2020 G.L. Huyett

GREASE FITTINGS

HIGH QUALITY PARTS



Grease Fittings • Zinc Clear


DISP-GF102

102 Pieces • Box Size [8" x 4-1/2"]

Hanging Assortment

Part Number	Size	Qty
Grease Caps		
H88004	Red Dome Cap	10
Drive Type		
H1728Z3	3/16" Drive Fitting	8
H1608Z3	5/16" Drive Fitting	8
PTF		
H1610Z3	1/8"-27 PTF Fitting	10
H1689Z3	1/8"-27 PTF Fitting 45°	5
H1613Z3	1/8"-27 PTF Fitting 90°	5

Part Number	Size	Qty
SAE-LT		
H1641Z3	1/4"-28 SAE-LT Fitting	16
H1637Z3	1/4"-28 SAE-LT Fitting 45°	8
H1911Z3	1/4"-28 SAE-LT Fitting 90°	8
Metric		
H2106Z3	M6x1 Fitting	8
H2107Z3	M6x1 Fitting 45°	8
H2108Z3	M6x1 Fitting 90°	8



Grease Fitting Sampler • Zinc Clear

DISP-GF170

170 Pieces • Box Size [11" x 7"]

Stacking Assortment

Part Number	Size	Qty
Grease Coupler		
H84000	1/8"-27 NPT Narrow Hydraulic Coupler	3
Drive Type		
H1633Z3	3/16" Drive Fitting	15
H1743Z3	1/4" Drive Fitting	10
H1608Z3	5/16" Drive Fitting	6
SAE-LT		
H1641Z3	1/4"-28 SAE-LT Fitting	25
H1652Z3	1/4"-28 SAE-LT Fitting	6
H1637Z3	1/4"-28 SAE-LT Fitting 45°	10
H1911Z3	1/4"-28 SAE-LT Fitting 90°	10
UNEF		
H1631Z3	5/16"-32 UNEF Fitting	6

Part Number	Size	Qty
PTF SAE Short		
H1669Z3	1/8"-27 PTF SAE Short - Long Shank	6
H1627Z3	1/4"-18 PTF SAE Short Fitting	6
PTF Special Short		
H1688Z3	1/8"-27 PTF Spl. Short Fitting 45°	10
H1612Z3	1/8"-27 PTF Spl. Short Fitting 65°	5
H1613Z3	1/8"-27 PTF Spl. Short Fitting 90°	10
PTF Special Extra Short		
H1610Z3	1/8"-27 PTF Spl. Extra Short Fitting	25
H1611Z3	1/8"-27 PTF Spl. Extra Short Fitting 30°	5
H1629Z3	1/4"-18 PTF Spl. Extra Short Fitting 65°	6
NPTF		
H1618Z3	1/8"-27 NPTF Fitting	6




Suitable for OEM Applications

Grease Fittings • Zinc Clear

DISP-GF060

60 Pieces • Box Size [8" x 4"]

Stacking Assortment



Part Number	Size	Qty
H1627Z3	1/4"-18 PTF Fitting	35
H1645	1/4"-18 PTF Fitting 45°	5

Part Number	Size	Qty
H1629	1/4"-18 PTF Fitting 65°	15
H1690	1/4"-18 PTF Fitting 90°	5


Grease Fittings • Stainless Steel

DISP-GFSS50

50 Pieces • Box Size [7" x 3"]



Stacking Assortment



Part Number	Size	Qty
PTF		
H1610S	1/8"-27 PTF Fitting	15
H1689S	1/8"-27 PTF Fitting 45°	5
H1613S	1/8"-27 PTF Fitting 90°	5


Part Number	Size	Qty
SAE-LT		
H1641S	1/4"-28 SAE-LT Fitting	5
H1637S	1/4"-28 SAE-LT Fitting 45°	5
H1911S	1/4"-28 SAE-LT Fitting 90°	15

Grease Fittings • Zinc Clear

DISP-GFM032

30 Pieces • Box Size [5-1/4" x 3-1/4"]

Hanging Assortment



Part Number	Size	Qty
H2106Z3	M6 x 1.00 mm Taper Thread Fitting	6
H2107Z3	M6 x 1.00 mm Taper Thread Fitting 45°	3
H2108Z3	M6 x 1.00 mm Taper Thread Fitting 90°	3
H2103Z3	M8 x 1.00 mm Taper Thread Fitting	6
H2104Z3	M8 x 1.00 mm Taper Thread Fitting 45°	3


Part Number	Size	Qty
H2105Z3	M8 x 1.00 mm Taper Thread Fitting 90°	3
H2109Z3	M10 x 1.00 mm Taper Thread Fitting	2
H2110Z3	M10 x 1.00 mm Taper Thread Fitting 45°	2
H2111Z3	M10 x 1.00 mm Taper Thread Fitting 90°	2

Grease Fittings • Zinc Clear

DISP-GFM100

100 Pieces • Box Size [7" x 3"]

Stacking Assortment



Part Number	Size	Qty
H2106Z3	M6 x 1.00 mm Taper Thread Fitting	30
H2107Z3	M6 x 1.00 mm Taper Thread Fitting 45°	10
H2108Z3	M6 x 1.00 mm Taper Thread Fitting 90°	10
H2103Z3	M8 x 1.00 mm Taper Thread Fitting	20
H2104Z3	M8 x 1.00 mm Taper Thread Fitting 45°	5

Part Number	Size	Qty
H2105Z3	M8 x 1.00 mm Taper Thread Fitting 90°	5
H2109Z3	M10 x 1.00 mm Taper Thread Fitting	10
H2110Z3	M10 x 1.00 mm Taper Thread Fitting 45°	5
H2111Z3	M10 x 1.00 mm Taper Thread Fitting 90°	5

Metric Assortment




Stainless Steel Assortment

For detailed specifications and tolerances, visit huyett.com.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2020 G.L. Huyett

GREASE FITTINGS

HIGH QUALITY PARTS




Grease Fittings • Zinc Clear DISP-GFM140

140 Pieces • Box Size [8" x 4-1/2"]

Hanging
Assortment

Part Number	Size	Qty
H2106Z3	M6 x 1.00 mm Taper Thread Fitting	20
H2107Z3	M6 x 1.00 mm Taper Thread Fitting 45°	10
H2108Z3	M6 x 1.00 mm Taper Thread Fitting 90°	10
H2103Z3	M8 x 1.00 mm Taper Thread Fitting	20
H2104Z3	M8 x 1.00 mm Taper Thread Fitting 45°	10
H2105Z3	M8 x 1.00 mm Taper Thread Fitting 90°	10

Part Number	Size	Qty
H2109Z3	M10 x 1.00 mm Taper Thread Fitting	5
H2110Z3	M10 x 1.00 mm Taper Thread Fitting 45°	5
H2111Z3	M10 x 1.00 mm Taper Thread Fitting 90°	5
Grease Caps		
H88004	Red Dome Cap	45




Grease Fittings • Zinc Clear DISP-GFM370

370 Pieces • Box Size [11" x 7"]

Stacking
Assortment

Part Number	Size	Qty
H2100Z3	M5 x 0.80 mm Taper Thread Fitting	25
H2115Z3	M6 x 0.75 mm Taper Thread Fitting	20
H2106Z3	M6 x 1.00 mm Taper Thread Fitting	60
H2107Z3	M6 x 1.00 mm Taper Thread Fitting 45°	30
H2108Z3	M6 x 1.00 mm Taper Thread Fitting 90°	15
H2118Z3	M8 x 0.75 mm Taper Thread Fitting	10
H2103Z3	M8 x 1.00 mm Taper Thread Fitting	20
H2104Z3	M8 x 1.00 mm Taper Thread Fitting 45°	10
H2105Z3	M8 x 1.00 mm Taper Thread Fitting 90°	10
H2112Z3	M8 x 1.25 mm Taper Thread Fitting	30

Part Number	Size	Qty
H2113Z3	M8 x 1.25 mm Taper Thread Fitting 45°	10
H2114Z3	M8 x 1.25 mm Taper Thread Fitting 90°	10
H2109Z3	M10 x 1.00 mm Taper Thread Fitting	20
H2110Z3	M10 x 1.00 mm Taper Thread Fitting 45°	10
H2111Z3	M10 x 1.00 mm Taper Thread Fitting 90°	10
H2121Z3	M10 x 1.50 mm Taper Thread Fitting	20
H2122Z3	M10 x 1.50 mm Taper Thread Fitting 45°	5
H2123Z3	M10 x 1.50 mm Taper Thread Fitting 90°	5
H2600Z3	1/8"-28 BSPT Taper Thread Fitting	30
H2603Z3	1/4"-19 BSPT Taper Thread Fitting	20



Grease Fittings • Stainless Steel DISP-GFM100SS

100 Pieces • Box Size [7" x 3"]

Stacking
Assortment

Part Number	Size	Qty
H2106S	M6 x 1.00 mm Taper Thread Fitting	30
H2107S	M6 x 1.00 mm Taper Thread Fitting 45°	10
H2108S	M6 x 1.00 mm Taper Thread Fitting 90°	10
H2103S	M8 x 1.00 mm Taper Thread Fitting	20
H2104S	M8 x 1.00 mm Taper Thread Fitting 45°	5

Part Number	Size	Qty
H2105S	M8 x 1.00 mm Taper Thread Fitting 90°	5
H2109S	M10 x 1.00 mm Taper Thread Fitting	10
H2110S	M10 x 1.00 mm Taper Thread Fitting 45°	5
H2111S	M10 x 1.00 mm Taper Thread Fitting 90°	5

Metric Assortment Stainless Steel Assortment

For detailed specifications and tolerances, visit huyett.com.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2020 G.L. Huyett




Suitable for OEM Applications

Alemite Grease Fittings • Zinc Clear

DISP-GFA23651

48 Pieces • Box Size [7" x 3"]

Stacking Assortment



Part Number	Size	Qty
PTF		
A1610	1/8"-27 PTF Fitting	12
A1637	1/8"-27 PTF Fitting 45°	6
A1613	1/8"-27 PTF Fitting 90°	6


Part Number	Size	Qty
SAE-LT		
A1641	1/4"-28 SAE-LT Fitting	12
A1688	1/4"-28 SAE-LT Fitting 45°	6
A1911	1/4"-28 SAE-LT Fitting 90°	6

Alemite Grease Fittings • Zinc Clear

DISP-GFA2371

44 Pieces • Box Size [7" x 3"]

Stacking Assortment



Part Number	Size	Qty
A2106	M6 x 1.00 mm Taper Thread Fitting	10
A2107	M6 x 1.00 mm Taper Thread Fitting 45°	6
A2108	M6 x 1.00 mm Taper Thread Fitting 90°	6


Part Number	Size	Qty
A2103	M8 x 1.00 mm Taper Thread Fitting	6
A2105	M8 x 1.00 mm Taper Thread Fitting 90°	6
A2109	M10 x 1.00 mm Taper Thread Fitting	10

BSP Grease Fittings • Zinc Clear

DISP-GFBSP100

100 Pieces • Box Size [8" x 4"] •

Stacking Assortment



Part Number	Size	Qty
H2600Z3	1/8"-28 BSPT	30
H2601Z3	1/8"-28 BSPT 45°	10
H2602Z3	1/8"-28 BSPT 90°	10

Part Number	Size	Qty
H2603Z3	1/4"-19 BSPT	20
H2604Z3	1/4"-19 BSPT 45°	5
H2605Z3	1/4"-19 BSPT 90°	5

Part Number	Size	Qty
H2606Z3	3/8"-19 BSPT	10
H2607Z3	3/8"-19 BSPT 45°	5
H2608Z3	3/8"-19 BSPT 90°	5

Drive Type Grease Fittings • Zinc Clear

DISP-GFDR100

100 Pieces • Box Size [8" x 4"]

Stacking Assortment



Part Number	Size	Qty
H1728Z3	3/16" Drive	35
H1646Z3	3/16" Drive 65°	10

Part Number	Size	Qty
H1743Z3	1/4" Drive	35
H1744Z3	1/4" Drive 65°	10


Part Number	Size	Qty
H1608Z3	5/16" Drive	7
H1630Z3	5/16" Drive 65°	3

Pressure Relief Vent Fittings • Zinc Clear

DISP-GFPR50

50 Pieces • Box Size [7" x 3"]

Stacking Assortment



Part Number	Size	Qty
H317400Z3	1/8"-27 PTF Top Vent .25-1 psi	20
H47200Z3	1/8"-27 PTF Top Vent 1-5 psi	20

Part Number	Size	Qty
H47640Z3	1/8"-27 PTF Top Vent 7.5-15 psi	4
H47100	1/8"-27 PTF Top Vent 45-80 psi	6

For detailed specifications and tolerances, visit huyett.com.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2020 G.L. Huyett