



# TAPER PINS

HUYETT.COM • 785-392-3017

## DIN 1


## STANDARD – METRIC

### DESCRIPTION

Solid cylindrical pin that has a uniform taper (1 mm per 50 mm) that runs the entire length of the pin. Taper pins are held in place by dry friction making them easy to install and cost effective.

### HOW TO IDENTIFY

1. Verify solid pin with uniform taper (1:50).
2. Measure small end diameter (B).
3. Measure the length (A).
4. Find the part in the chart below.



### PREFIX MATERIAL/FINISH

TPM = CARBON STEEL, PLAIN\*  
 TPMS = AI STAINLESS STEEL, PLAIN  
 Material/finish combinations may not be available in all sizes.

ADDITIONAL SIZES AND FINISHES MAY BE AVAILABLE UPON REQUEST

ITEM NUMBER	(A) OVERALL LENGTH
<b>1.00 mm</b> (B) Outside Diameter: +0.000/-0.040 mm	
	+0.29/-0.29 mm
PREFIX-010-010	10.00 mm
	+0.35/-0.35 mm
PREFIX-010-012	12.00 mm
PREFIX-010-014	14.00 mm
PREFIX-010-016	16.00 mm
	+0.50/-0.50 mm
PREFIX-010-032	32.00 mm
PREFIX-010-036	36.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
<b>1.50 mm</b> (B) Outside Diameter: +0.000/-0.040 mm	
	+0.29/-0.29 mm
PREFIX-015-006	6.00 mm
PREFIX-015-008	8.00 mm
PREFIX-015-010	10.00 mm
	+0.35/-0.35 mm
PREFIX-015-012	12.00 mm
PREFIX-015-014	14.00 mm
PREFIX-015-016	16.00 mm
PREFIX-015-018	18.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
	+0.42/-0.42 mm
PREFIX-015-020	20.00 mm
PREFIX-015-022	22.00 mm
PREFIX-015-024	24.00 mm
PREFIX-015-025	25.00 mm
PREFIX-015-026	26.00 mm
PREFIX-015-028	28.00 mm
PREFIX-015-030	30.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
<b>2.00 mm</b> (B) Outside Diameter: +0.000/-0.040 mm	
	+0.29/-0.29 mm
PREFIX-020-006	6.00 mm
PREFIX-020-008	8.00 mm
PREFIX-020-010	10.00 mm
	+0.35/-0.35 mm
PREFIX-020-012	12.00 mm
PREFIX-020-014	14.00 mm
PREFIX-020-016	16.00 mm
PREFIX-020-018	18.00 mm
	+0.42/-0.42 mm
PREFIX-020-020	20.00 mm
PREFIX-020-022	22.00 mm
PREFIX-020-024	24.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
PREFIX-020-025	25.00 mm
PREFIX-020-026	26.00 mm
PREFIX-020-028	28.00 mm
PREFIX-020-030	30.00 mm
	+0.50/-0.50 mm
PREFIX-020-032	32.00 mm
PREFIX-020-036	36.00 mm
PREFIX-020-040	40.00 mm
PREFIX-020-045	45.00 mm
PREFIX-020-050	50.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
<b>2.50 mm</b> (B) Outside Diameter: +0.000/-0.040 mm	
	+0.29/-0.29 mm
PREFIX-025-006	6.00 mm
PREFIX-025-008	8.00 mm
PREFIX-025-010	10.00 mm
	+0.35/-0.35 mm
PREFIX-025-012	12.00 mm
PREFIX-025-014	14.00 mm
PREFIX-025-016	16.00 mm
PREFIX-025-018	18.00 mm

FOR DETAILED SPECIFICATIONS AND TOLERANCES, VISIT HUYETT.COM.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2022 Huyett

\*Limited warranty for surface finish: 30 days from date of shipment. See page 8 for details.

# TAPER PINS

HUYETT.COM • 785-392-3017

BOX 232 • MINNEAPOLIS, KS • 67467  
SALES@HUYETT.COM • FAX 785-392-2845

## STANDARD – METRIC

DIN I

ITEM NUMBER	(A) OVERALL LENGTH
-------------	-----------------------

### 2.50 mm

(B) Outside Diameter: +0.000/-0.040 mm

+0.42/-0.42 mm	
PREFIX-025-020	20.00 mm
PREFIX-025-022	22.00 mm
PREFIX-025-024	24.00 mm
PREFIX-025-025	25.00 mm
PREFIX-025-026	26.00 mm
PREFIX-025-028	28.00 mm
PREFIX-025-030	30.00 mm
+0.50/-0.50 mm	
PREFIX-025-032	32.00 mm
PREFIX-025-035	35.00 mm
PREFIX-025-036	36.00 mm
PREFIX-025-040	40.00 mm
PREFIX-025-045	45.00 mm
PREFIX-025-050	50.00 mm

### 3.00 mm

(B) Outside Diameter: +0.000/-0.040 mm

+0.29/-0.29 mm	
PREFIX-030-006	6.00 mm
PREFIX-030-008	8.00 mm
PREFIX-030-010	10.00 mm
+0.35/-0.35 mm	
PREFIX-030-012	12.00 mm
PREFIX-030-014	14.00 mm
PREFIX-030-016	16.00 mm
PREFIX-030-018	18.00 mm
+0.42/-0.42 mm	
PREFIX-030-020	20.00 mm
PREFIX-030-022	22.00 mm
PREFIX-030-024	24.00 mm
PREFIX-030-025	25.00 mm
PREFIX-030-026	26.00 mm
PREFIX-030-028	28.00 mm
PREFIX-030-030	30.00 mm
+0.50/-0.50 mm	
PREFIX-030-032	32.00 mm
PREFIX-030-035	35.00 mm
PREFIX-030-036	36.00 mm
PREFIX-030-040	40.00 mm
PREFIX-030-045	45.00 mm
PREFIX-030-050	50.00 mm
+0.60/-0.60 mm	
PREFIX-030-055	55.00 mm
PREFIX-030-060	60.00 mm
PREFIX-030-065	65.00 mm
PREFIX-030-070	70.00 mm
PREFIX-030-080	80.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
-------------	-----------------------

+0.70/-0.70 mm

PREFIX-030-090	90.00 mm
PREFIX-030-100	100.00 mm

### 4.00 mm

(B) Outside Diameter: +0.000/-0.048 mm

+0.29/-0.29 mm	
PREFIX-040-006	6.00 mm
PREFIX-040-008	8.00 mm
PREFIX-040-010	10.00 mm
+0.35/-0.35 mm	
PREFIX-040-012	12.00 mm
PREFIX-040-014	14.00 mm
PREFIX-040-016	16.00 mm
PREFIX-040-018	18.00 mm
+0.42/-0.42 mm	
PREFIX-040-020	20.00 mm
PREFIX-040-022	22.00 mm
PREFIX-040-024	24.00 mm
PREFIX-040-025	25.00 mm
PREFIX-040-026	26.00 mm
PREFIX-040-028	28.00 mm
PREFIX-040-030	30.00 mm
+0.50/-0.50 mm	
PREFIX-040-032	32.00 mm
PREFIX-040-035	35.00 mm
PREFIX-040-036	36.00 mm
PREFIX-040-040	40.00 mm
PREFIX-040-045	45.00 mm
PREFIX-040-050	50.00 mm
+0.60/-0.60 mm	
PREFIX-040-055	55.00 mm
PREFIX-040-060	60.00 mm
PREFIX-040-065	65.00 mm
PREFIX-040-070	70.00 mm
PREFIX-040-080	80.00 mm
+0.70/-0.70 mm	
PREFIX-040-090	90.00 mm
PREFIX-040-100	100.00 mm

### 5.00 mm

(B) Outside Diameter: +0.000/-0.048 mm

+0.29/-0.29 mm	
PREFIX-050-008	8.00 mm
PREFIX-050-010	10.00 mm
+0.35/-0.35 mm	
PREFIX-050-012	12.00 mm
PREFIX-050-014	14.00 mm
PREFIX-050-016	16.00 mm
PREFIX-050-018	18.00 mm
+0.42/-0.42 mm	
PREFIX-050-020	20.00 mm
PREFIX-050-022	22.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
-------------	-----------------------

PREFIX-050-024	24.00 mm
PREFIX-050-025	25.00 mm
PREFIX-050-026	26.00 mm
PREFIX-050-028	28.00 mm
PREFIX-050-030	30.00 mm
+0.50/-0.50 mm	
PREFIX-050-032	32.00 mm
PREFIX-050-035	35.00 mm
PREFIX-050-036	36.00 mm
PREFIX-050-040	40.00 mm
PREFIX-050-045	45.00 mm
PREFIX-050-050	50.00 mm
+0.60/-0.60 mm	
PREFIX-050-055	55.00 mm
PREFIX-050-060	60.00 mm
PREFIX-050-065	65.00 mm
PREFIX-050-070	70.00 mm
PREFIX-050-080	80.00 mm
+0.70/-0.70 mm	
PREFIX-050-090	90.00 mm
PREFIX-050-100	100.00 mm

### 6.00 mm

(B) Outside Diameter: +0.000/-0.048 mm

+0.29/-0.29 mm	
PREFIX-060-010	10.00 mm
+0.35/-0.35 mm	
PREFIX-060-012	12.00 mm
PREFIX-060-014	14.00 mm
PREFIX-060-016	16.00 mm
PREFIX-060-018	18.00 mm
+0.42/-0.42 mm	
PREFIX-060-020	20.00 mm
PREFIX-060-022	22.00 mm
PREFIX-060-024	24.00 mm
PREFIX-060-025	25.00 mm
PREFIX-060-026	26.00 mm
PREFIX-060-028	28.00 mm
PREFIX-060-030	30.00 mm
+0.50/-0.50 mm	
PREFIX-060-032	32.00 mm
PREFIX-060-035	35.00 mm
PREFIX-060-036	36.00 mm
PREFIX-060-040	40.00 mm
PREFIX-060-045	45.00 mm
PREFIX-060-050	50.00 mm
+0.60/-0.60 mm	
PREFIX-060-055	55.00 mm
PREFIX-060-060	60.00 mm
PREFIX-060-065	65.00 mm
PREFIX-060-070	70.00 mm
PREFIX-060-080	80.00 mm

FOR DETAILED SPECIFICATIONS AND TOLERANCES, VISIT HUYETT.COM.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2022 Huyett

\*Limited warranty for surface finish: 30 days from date of shipment. See page 8 for details.



## DIN I

## STANDARD – METRIC

ITEM NUMBER	(A) OVERALL LENGTH
	+0.70/-0.70 mm
PREFIX-060-090	90.00 mm
PREFIX-060-100	100.00 mm
PREFIX-060-110	110.00 mm
PREFIX-060-120	120.00 mm

8.00 mm	
(B) Outside Diameter: +0.000/-0.058 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.35/-0.35 mm
PREFIX-080-016	16.00 mm
	+0.42/-0.42 mm
PREFIX-080-020	20.00 mm
PREFIX-080-022	22.00 mm
PREFIX-080-024	24.00 mm
PREFIX-080-025	25.00 mm
PREFIX-080-026	26.00 mm
PREFIX-080-028	28.00 mm
PREFIX-080-030	30.00 mm
	+0.50/-0.50 mm
PREFIX-080-032	32.00 mm
PREFIX-080-035	35.00 mm
PREFIX-080-036	36.00 mm
PREFIX-080-040	40.00 mm
PREFIX-080-045	45.00 mm
PREFIX-080-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-080-055	55.00 mm
PREFIX-080-060	60.00 mm
PREFIX-080-065	65.00 mm
PREFIX-080-070	70.00 mm
PREFIX-080-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-080-090	90.00 mm
PREFIX-080-100	100.00 mm
PREFIX-080-110	110.00 mm
PREFIX-080-120	120.00 mm

10.00 mm	
(B) Outside Diameter: +0.000/-0.058 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.42/-0.42 mm
PREFIX-100-020	20.00 mm
PREFIX-100-025	25.00 mm
PREFIX-100-028	28.00 mm
PREFIX-100-030	30.00 mm
	+0.50/-0.50 mm
PREFIX-100-032	32.00 mm
PREFIX-100-035	35.00 mm
PREFIX-100-036	36.00 mm
PREFIX-100-040	40.00 mm
PREFIX-100-045	45.00 mm
PREFIX-100-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-100-055	55.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
PREFIX-100-060	60.00 mm
PREFIX-100-065	65.00 mm
PREFIX-100-070	70.00 mm
PREFIX-100-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-100-090	90.00 mm
PREFIX-100-100	100.00 mm
PREFIX-100-110	110.00 mm
PREFIX-100-120	120.00 mm
	+0.80/-0.80 mm
PREFIX-100-140	140.00 mm

12.00 mm	
(B) Outside Diameter: +0.000/-0.070 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.42/-0.42 mm
PREFIX-120-030	30.00 mm
	+0.50/-0.50 mm
PREFIX-120-032	32.00 mm
PREFIX-120-036	36.00 mm
PREFIX-120-040	40.00 mm
PREFIX-120-045	45.00 mm
PREFIX-120-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-120-055	55.00 mm
PREFIX-120-060	60.00 mm
PREFIX-120-065	65.00 mm
PREFIX-120-070	70.00 mm
PREFIX-120-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-120-090	90.00 mm
PREFIX-120-100	100.00 mm
PREFIX-120-110	110.00 mm
PREFIX-120-120	120.00 mm
	+0.80/-0.80 mm
PREFIX-120-140	140.00 mm
PREFIX-120-160	160.00 mm

14.00 mm	
(B) Outside Diameter: +0.000/-0.070 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.50/-0.50 mm
PREFIX-140-036	36.00 mm
PREFIX-140-040	40.00 mm
PREFIX-140-045	45.00 mm
PREFIX-140-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-140-055	55.00 mm
PREFIX-140-060	60.00 mm
PREFIX-140-065	65.00 mm
PREFIX-140-070	70.00 mm
PREFIX-140-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-140-090	90.00 mm
PREFIX-140-100	100.00 mm

ITEM NUMBER	(A) OVERALL LENGTH
PREFIX-140-110	110.00 mm
PREFIX-140-120	120.00 mm
	+0.80/-0.80 mm
PREFIX-140-130	130.00 mm
PREFIX-140-140	140.00 mm
PREFIX-140-150	150.00 mm

16.00 mm	
(B) Outside Diameter: +0.000/-0.070 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.50/-0.50 mm
PREFIX-160-036	36.00 mm
PREFIX-160-040	40.00 mm
PREFIX-160-045	45.00 mm
PREFIX-160-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-160-055	55.00 mm
PREFIX-160-060	60.00 mm
PREFIX-160-065	65.00 mm
PREFIX-160-070	70.00 mm
PREFIX-160-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-160-090	90.00 mm
PREFIX-160-100	100.00 mm
PREFIX-160-110	110.00 mm
PREFIX-160-120	120.00 mm
	+0.80/-0.80 mm
PREFIX-160-130	130.00 mm
PREFIX-160-140	140.00 mm
PREFIX-160-150	150.00 mm
PREFIX-160-160	160.00 mm

20.00 mm	
(B) Outside Diameter: +0.000/-0.084 mm	
ITEM NUMBER	(A) OVERALL LENGTH
	+0.50/-0.50 mm
PREFIX-200-040	40.00 mm
PREFIX-200-045	45.00 mm
PREFIX-200-050	50.00 mm
	+0.60/-0.60 mm
PREFIX-200-055	55.00 mm
PREFIX-200-060	60.00 mm
PREFIX-200-065	65.00 mm
PREFIX-200-070	70.00 mm
PREFIX-200-080	80.00 mm
	+0.70/-0.70 mm
PREFIX-200-090	90.00 mm
PREFIX-200-100	100.00 mm
PREFIX-200-110	110.00 mm
PREFIX-200-120	120.00 mm
	+0.80/-0.80 mm
PREFIX-200-130	130.00 mm
PREFIX-200-140	140.00 mm
PREFIX-200-150	150.00 mm

FOR DETAILED SPECIFICATIONS AND TOLERANCES, VISIT HUYETT.COM.

Prices, materials, dimensions, tolerances, designs, and grades subject to change without notice. © 2022 Huyett

\*Limited warranty for surface finish: 30 days from date of shipment. See page 8 for details.