






## TABLE OF CONTENTS









## Your Productivity Partner

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.















To learn how the collective expertise of our industry leaders can boost you shop's bottom line, visit www.**refinishsolutionsgroup.com** or call 1-800-456-8444 for more information.





An all-new exclusive backing design, Carbo Fire provides extraordinary strength with tear resistance well beyond any flexible paper disc in the market, as much 2-3X. This super-tough, polyester-reinforced D-weight hook & loop backing means exceptional edge adhesion of the grain even in the most demanding automotive sanding applications; so, grain shed is virtually non-existent and the result is outstanding durability.

#### FEATURES & BENEFITS

- Ultra-premium ceramic grain boosts performance with extremely sharp edges
- All-new exclusive backing provides extraordinary strength with tear resistance
- Carbo Dri-Lube water-based stearate coating ensures you get a superior finish
- · Carbo Fire removes over 30% more material with considerably less dust



#### Discs-Grip-On and Clean Air Plus

Carbo Fire starts with the finest design essentials of ultra-premium ceramic grain, proprietary highstrength backing and prevailing anti-clog coating. Then, we add some serious muscle with our mostadvanced vacuum science to deliver the ultimate powerhouse of paper discs.



	6" Grip-On	6" Clean Air Plus
GRIT	PART #	PART #
P80	055395 <b>53425</b>	055395 <b>53420</b>
P120	055395 <b>53426</b>	055395 <b>53421</b>
P150	055395 <b>53427</b>	055395 <b>53422</b>
P180	055395 <b>53428</b>	055395 <b>53423</b>
P220	055395 <b>53429</b>	055305 <b>53424</b>



Ceramic grain / Tear-resistant backing / Superior cut





Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.

#### FEATURES & BENEFITS


- Ceramic grain produces a faster cut rate and is more durable lasting longer, especially in tougher sanding applications
- · Unique fiber reinforced for maximum tear resistance
- · Latex/paper backing is flexible and easy to work with





#### Discs-Stick-On, Grip-On and Clean Air Plus

Discs with high-performance ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites, and aluminum.









#### **Perforated Grip-On Sheet Rolls**

Continuous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.

Econore			
	2-3/4" x 13 yds	2-3/4" x 13 Yd. Clean-Air Plus	
GRIT	PART #	PART #	
P600B	055395 <b>99592</b>	_	
P500B	055395 <b>99591</b>	_	
P400B	055395 <b>99590</b>	055395 <b>53414</b>	
P320B	055395 <b>99564</b>	055395 <b>53413</b>	
P220B	055395 <b>99565</b>	055395 <b>53412</b>	
P180B	055395 <b>99566</b>	055395 <b>53411</b>	
P150B	055395 <b>99567</b>	-	
P120C	055395 <b>99568</b>	055395 <b>53410</b>	
P80C	055395 <b>99570</b>	055395 <b>53409</b>	
PKG/CASE	1/4	1/4	

## CARBO PREMIER RED DRI-LUBE

Ultimate choice for sanding paint and primer





Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.

#### **FEATURES & BENEFITS**

- Premium, P-graded, heat-treated aluminum oxide abrasive for an incredibly fast cut rate and consistent finish
- Red-colored, fiber-reinforced, B-weight, latex-impregnated, paper backing has superior resistance to delamination and tearing and can be used moist
- Advanced bond system with excellent grain adhesion extends the life of the abrasive
- "Anti-load" stearate exhibits superior load resistance



#### Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.

	5"	6"	8"	6" x 6 hole Vac
GRIT	PART #	PART #	PART #	PART #
P1500B	_	055395 <b>20294</b> +	_	_
P1200B	_	055395 <b>20295</b> +	_	_
P1000B	_	055395 <b>20296</b> +	_	_
P800B	055395 <b>18101</b>	055395 <b>18162</b>	_	_
P600B	055395 <b>18104</b>	055395 <b>18163</b>	_	055395 <b>15297</b>
P500B	055395 <b>63779</b>	055395 <b>63780</b>	_	_
P400B	055395 <b>18105</b>	055395 <b>18164</b>	_	055395 <b>15298</b>
P320B	055395 <b>18106</b>	055395 <b>18165</b>	055395 <b>61102</b>	055395 <b>15300</b>
P280B	055395 <b>18107</b>	055395 <b>18166</b>	_	_
P240B	055395 <b>18108</b>	055395 <b>18167</b>	_	055395 <b>15304</b>
P220B	055395 <b>18109</b>	055395 <b>18168</b>	_	055395 <b>15311</b>
P180B	055395 <b>18110</b>	055395 <b>18169</b>	055395 <b>61106</b>	055395 <b>15312</b>
P150B	055395 <b>18111</b>	055395 <b>18170</b>	_	055395 <b>15313</b>
P120B	055395 <b>18112</b>	055395 <b>18171</b>	055395 <b>61108</b>	055395 <b>15315</b>
P100B	055395 <b>18113</b>	055395 <b>18172</b>	055395 <b>61109</b>	055395 <b>15316</b>
P80B	055395 <b>18114</b>	055395 <b>18173</b>	055395 <b>61110</b>	055395 <b>15317</b>
PKG/CASE	100/400	100/400	100/400	100/400

<sup>\* 6&</sup>quot; P1000 – P1500 are individual discs



#### **Grip-On Discs**

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

2					
00000	3"	5"	6"	5" x 5 hole Vac	6" x 6 hole Vac
GRIT	PART #				
P1500B	055395 <b>69927</b>	055395 <b>20252</b>	055395 <b>20270</b>	_	_
P1200B	_	055395 <b>20253</b>	055395 <b>20271</b>	_	_
P1000B	055395 <b>69926</b>	055395 <b>20254</b>	055395 <b>20272</b>	_	055395 <b>20318</b>
P800B	055395 <b>70022</b>	055395 <b>20255</b>	055395 <b>20274</b>	_	055395 <b>20319</b>
P600B	_	055395 <b>20256</b>	055395 <b>20275</b>	055395 <b>20305</b>	055395 <b>20320</b>
P500B	_	055395 <b>63781</b>	055395 <b>63782</b>	_	055395 <b>63784</b>
P400B	055395 <b>99430</b>	055395 <b>20257</b>	055395 <b>20276</b>	055395 <b>20306</b>	055395 <b>20321</b>
P320B	055395 <b>70021</b>	055395 <b>20258</b>	055395 <b>20277</b>	055395 <b>20307</b>	055395 <b>20322</b>
P280B	_	055395 <b>20259</b>	055395 <b>20278</b>	_	055395 <b>20323</b>
P240B	_	055395 <b>20260</b>	055395 <b>20282</b>	_	055395 <b>20324</b>
P220B	055395 <b>99429</b>	055395 <b>20262</b>	055395 <b>20283</b>	055395 <b>20310</b>	055395 <b>20325</b>
P180B	055395 <b>70020</b>	055395 <b>20263</b>	055395 <b>20284</b>	055395 <b>20311</b>	055395 <b>20326</b>
P150B	055395 <b>99428</b>	055395 <b>20264</b>	055395 <b>20285</b>	055395 <b>20312</b>	055395 <b>20328</b>
P120B	055395 <b>99427</b>	055395 <b>20266</b>	055395 <b>20287</b>	_	055395 <b>20329</b>
P100B	_	055395 <b>20267</b>	055395 <b>20288</b>	055395 <b>20314</b>	055395 <b>20330</b>
P80B	055395 <b>70019</b>	055395 <b>20269</b>	055395 <b>20289</b>	055395 <b>20315</b>	055395 <b>20331</b>
PKG/CASE	50/200	100/400	100/400	100/400	100/400





#### 2-3/4" Stick-On Sheet Rolls

25

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.

		2-3/4"
GRIT	YARDS	PART #
P400B	45	055395 <b>20332</b>
P320B	45	055395 <b>20333</b>
P240B	45	055395 <b>20334</b>
P220B	45	055395 <b>20335</b>
P180B	45	055395 <b>20336</b>
P150B	45	055395 <b>20337</b>
P120B	30	055395 <b>20338</b>
P100B	30	055395 <b>20339</b>

055395**20340** 

P80B **PKG/CASE** 



#### **Body File Strips**

These body file sheets are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.

	Town	
	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"
GRIT	PART #	PART #
P220B	055395 <b>20470</b>	-
P180B	055395 <b>20471</b>	055395 <b>20459</b>
P150B	055395 <b>20472</b>	_
P120B	055395 <b>20473</b>	055395 <b>20461</b>
P100B	055395 <b>20474</b>	_
P80B	055395 <b>20475</b>	055395 <b>20463</b>
PKG/CASE	50/500	50/500



#### 9" x 11" Sheet

Ultimate choice for dry sanding old paint, primer, primer surfacer, and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

	9" x 11"
GRIT	PART #
P1000B	055395 <b>20527</b>
P800B	055395 <b>14148</b>
P600B	055395 <b>20528</b>
P500B	055395 <b>63785</b>
P400B	055395 <b>20529</b>
P320B	055395 <b>20530</b>
P280B	055395 <b>20531</b>
P240B	055395 <b>20532</b>
P220B	055395 <b>20533</b>
P180B	055395 <b>20534</b>
P150B	055395 <b>20535</b>
P120B	055395 <b>20536</b>
P100B	055395 <b>20537</b>
P80B	055395 <b>20538</b> +
PKG/CASE	100/500 +50/250

## CARBO PREMIER RED COARSE GRITS

Heavy-duty / Tough / Zirconia Alumina grain





Ultimate choice for sanding body filler, sanding bare metal and stripping paint.


#### FEATURES & BENEFITS

- Premium zirconia alumina abrasive is self-sharpening grain for super fast cut and long life
- Full phenolic resin bond system plus latex is tough yet flexible and yields excellent grain adhesion
- · Red colored, E-weight latex paper backing resists tearing and shredding for a longer life



#### Stick-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.





#### **Grip-On Discs**

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.

Sociate.	6"	8"	8" x 8 hole
GRIT	PART #	PART #	PART #
80-E	055395 <b>21315</b>	055395 <b>21318</b>	055395 <b>21324</b>
40-E	055395 <b>21316</b>	055395 <b>21319</b>	055395 <b>21325</b>
36-E	_	055395 <b>21320</b>	_
PKG/CASE	25/100	25/100	25/100



#### **Body File Sheets**

Premier Red body file sheets come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.

		COURTON.		Commi
	Stick-On 2-3/4" x 16-1/2"	Grip-On 2-3/4" x 16-1/2"	Clip-On 2-3/4" x 17-1/2"	Grip-On Vac 2-3/4" x 16"
GRIT	PART #	PART #	PART #	PART #
80-E	055395 <b>21336</b>	055395 <b>21342</b>	055395 <b>21348</b>	055395 <b>21345</b>
40-E	055395 <b>21337</b>	055395 <b>21343</b>	055395 <b>21349</b>	_
36-E	055395 <b>21338</b>	055395 <b>21344</b>	055395 <b>21350</b>	_
PKG/CASE	50/250	25/125	50/250	25/125





Ideal for sanding paint and primer.

#### FEATURES & BENEFITS

- P-graded premium aluminum oxide abrasive produces a fast cut, consistent finish and longer life
- Water-based "anti-load" stearate has excellent load resistance
- Durable B-weight backing is flexible and conformable and has high tear resistance



#### Stick-On Disc Rolls & Tab Discs

Pressure Sensitive Adhesive (PSA) backing.

	5" Disc Roll	6" Disc Roll	6" Disc Roll	6" Tab Disc
GRIT	PART #	PART #	PART #	PART #
P800B	_	055395 <b>70581</b>	-	_
P600B	_	055395 <b>70580</b>	_	_
P400B	055395 <b>70554</b>	055395 <b>70563</b>	055395 <b>99370</b>	055395 <b>70572</b>
P320B	055395 <b>70553</b>	055395 <b>70562</b>	055395 <b>99371</b>	055395 <b>70571</b>
P240B	_	055395 <b>70561</b>	_	055395 <b>70570</b>
P220B	055395 <b>70551</b>	055395 <b>70560</b>	055395 <b>99372</b>	055395 <b>70569</b>
P180B	055395 <b>70550</b>	055395 <b>70559</b>	055395 <b>99373</b>	055395 <b>70568</b>
P150B	_	055395 <b>70558</b>	_	055395 <b>70567</b>
P120B	055395 <b>70548</b>	055395 <b>70557</b>	_	055395 <b>70566</b>
P100B	055395 <b>70547</b>	055395 <b>70556</b>	_	055395 <b>70565</b>
P80B	055395 <b>70546</b>	055395 <b>70555</b>	055395 <b>99376</b>	055395 <b>70564</b>
PKG/CASE	100/400	100/400	25/100	100/400



#### **Grip-On Discs**

Hook and loop backing provides extra cushioning and air flow for a cooler cut plus extended disc life.

òcomo	6"
GRIT	PART #
P800B	055395 <b>99413</b>
P600B	055395 <b>99414</b>
P400B	055395 <b>99416</b>
P320B	055395 <b>99417</b>
P220B	055395 <b>99418</b>
P180B	055395 <b>99419</b>
P150B	055395 <b>99420</b>
P120B	055395 <b>99421</b>
P80B	055395 <b>99422</b>
PKG/CASE	50/200



#### **Discs**

Carbo White Lighting tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.

			Course	Other
	6" Stick-On	8" Stick-On	6" Grip-On	8" Grip-On
ODIT				P -
GRIT	PART #	PART #	PART #	PART #
P80E	055395 <b>99464</b>	055395 <b>99467</b>	055395 <b>53326</b>	666233 <b>53328</b>
P40E	055395 <b>99463</b>	055395 <b>99466</b>	055395 <b>53327</b>	666233 <b>53329</b>
P36E	055395 <b>99462</b>	055395 <b>99465</b>	_	_
PKG/CASE	25/125	25/125	25/100	25/100

## CARBO WHITE LIGHTNING AND MERIT

Great performance at a great price





#### Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board, or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.



	2-3/4" x 25 yds	
GRIT	PART #	
P400B	055395 <b>99343</b>	
P320B	055395 <b>99344</b>	
P220B	055395 <b>99345</b>	
P180B	055395 <b>99346</b>	
P150B	055395 <b>99347</b>	
P120B	055395 <b>99348</b>	
P80B	055395 <b>99349</b>	
PKG/CASE	1/5	



#### **Body File Sheets**

Carbo White Lightning resists tearing and extends product life. Ideal for sanding body filler.

	O COLUMN		
	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"	
GRIT	PART #	PART #	
P220B	055395 <b>99473</b>	_	
P180B	055395 <b>99472</b>	_	
P80B	055395 <b>99469</b>	_	
P80E	055395 <b>53330</b>	055395 <b>99395</b>	
P40E	_	055395 <b>99394</b>	
P36E	_	055395 <b>99393</b>	
PKG/CASE	25/125	25/125	

<sup>\*</sup> Non-Stock

## CARBO MIRROR FINISH

Premium grain / Specially-treated backing





Ultimate choice for wet sanding to remove surface imperfections.

#### FEATURES & BENEFITS

- Premium grain for automotive applications produces a consistent, fast cut
- Flexible backing resists wrinkling, tearing and cracking
- Specially treated waterproof paper backing does not require soaking, is curl resistant and will not deteriorate




#### **Waterproof Sheets**

The MirrorFinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper, go ahead because MirrorFinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, MirrorFinish is ideal for water and color sanding.

		_
	5-1/2" x 9"	9" x 11"
GRIT	PART #	PART #
2000B	666233 <b>63869</b>	666233 <b>63877</b>
1500B	666233 <b>63870</b>	666233 <b>63878</b>
1200B	666233 <b>63871</b>	666233 <b>63879</b>
1000B	666233 <b>63872</b>	666233 <b>63880</b>
P800B	_	666233 <b>63881</b>
P600B	_	666233 <b>63882</b>
P400B	_	666233 <b>63884</b>
P320B	_	666233 <b>63885</b>
P240B	-	666233 <b>63887</b>
P220B	_	666233 <b>63888</b>
PKG/CASE	50/250	50/250







Good choice for dry sanding old paint, primer, primer surfacer and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

#### FEATURES & BENEFITS

- P-graded aluminum oxide abrasive has a ood cut and good life with a consistent finish
- Water-based "anti-load" stearate has good load resistance
- B-weight backing is flexible and conformable as well as tear resistant

#### Merit PB273 9" x 11" Sheets



	9 X 11	
GRIT	PART #	
P400B	666233 <b>11870</b>	
P320B	666233 <b>11871</b>	
P240B	666233 <b>11879</b>	
P220B	666233 <b>11873</b>	
P180B	666233 <b>11874</b>	
P150B	666233 <b>11875</b>	
P120B	666233 <b>11876</b>	
P100B	666233 <b>11877</b>	
P80B	666233 <b>11878</b> +	
PKG/CASE	100/500 +50/250	







A perfect combination of science technology and industry knowledge brings this new design to the market. A strong, thin film backing with premium aluminum oxide abrasive and a patented resin technology sands flat, resists loading, lasts long and cuts consistently for a finish that's faster to buff out.

#### FEATURES & BENEFITS

- Patented resin technology for excellent grain adhesion generates a consistent cut and resists loading to extend disc life and eliminate pigtails
- Ultra-thin film backing for maximum flexibility creates an even surface and can conform to irregular surfaces
  resulting in a very consistent finish that is easier to buff out
- R&D integral design of film backing and unique resin system for discs that stay flat for a superior surface finish
- Consistent, water-based stearate application for the ultimate anti-loading properties



#### Mirror Finish Film Finishing Grip-On Discs

		•		
GRIT	COLOR	3" PART #	6" Part #	
P1500	Blue	055395 <b>00596</b>	055395 <b>00608</b>	
P1200	Green	055395 <b>00595</b>	055395 <b>00607</b>	
P1000	Red	055390 <b>05594</b>	055395 <b>00606</b>	
P800	Black	055390 <b>05593</b>	055395 <b>00605</b>	
Back-Up Pad		055390 <b>55457</b>	055395 <b>42089</b>	
PKG/CASE		50/250	50/250	

### **Medalist Foam Finishing Disc - Moist**

Medalist Foam Finishing Discs, used moist, will produce a semi-polished surface that greatly reduces buffing time.

#### FEATURES & BENEFITS

- Integrated foam backing is conformable to contours eliminating pigtails and costly re-work
- Open mesh design allows for qqual pressure distribution for quicker sanding and an uniform scratch pattern
- Produces a semi-polished finish with quick and easy to buff out











#### Carbo Finish

#### **FEATURES & BENEFITS**

- Water soluble, VOC compliant solution is very easy to clean up
- 1 polish, 3 pads is a simple system that's easy to use with the polish matching the cut of the pad for optimal
  performance reducing inventory
- Premium micro-fine abrasives removes swirl marks and haze and sand scratches quickly



#### Carbo Finish Extra-Cut Polish

Carbo Finish Extra-Cut is easy to use and cleans up with just water. One polish and three pads virtually eliminates the chance of cross contamination.

DESCRIPTION	PART #	PART #
Quart	055395 <b>01209</b>	=
Gallon	_	055395 <b>47329</b>
PKG/CASE	1/4	1/2



#### Carbo Finish Ultra-Fine Machine Glaze

Use on its own for fine scratch removal or as Step 3 in place of Carbo Finish Extra-Cut to eliminate swirl marks and produce a high gloss finish. Ideal for dark-colored vehicles.

DESCRIPTION	PART #	
Quart	055395 <b>99381</b>	
PKG/CASE	1/4	





#### Carbo Finish Clean-Up/Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with the EZ Wipe Microfiber Cloth.

DESCRIPTION	PART #	PART #
32 oz. Spray Bottle	055395 <b>70533</b>	-
EZ Wipe Microfiber Cloth	_	055395 <b>64024</b>
PKG/CASE	1/4	5/20





#### 3" Pads

Engineered to work with Carbo Finish Extra-Cut polish or Mothers® compounds and polish, the 3" pads are perfect for quick spot repairs.

DESCRIPTION	PART #	PART #
Grip-On Back-Up Pad (5/16"-24)	055395 <b>99306</b>	_
Natural Wool Pad – Step 1	_	055395 <b>01881</b>
Medium Yellow Foam Pad – Step 2	_	055395 <b>69934</b>
Soft Black Foam Pad – Step 3	_	055395 <b>69935</b>
PKG/CASE	10/10	10/40



#### **Buffing/Polishing Pads**

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.

DESCRIPTION	PART #	PART #
Grip-On Back-Up Pad (5/8"-11)	055395 <b>70414</b>	-
8" Super Cut Wool Pad	=	055395 <b>70411</b>
9" Yellow Cutting Foam Pad	=	055395 <b>70412</b>
9" Black Finishing Foam Pad	=	055395 <b>70413</b>
PKG/CASE	1/3	1/6



#### **Buffing/Polishing Waffle Pads**

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.

			' '	
	DESCRIPTION	PART #	PART #	
	<b>DESCRIPTION</b> Grip-On Back-Up Pad (5/8"-11)	055395 <b>70414</b>		
	8" Orange Waffle	_	055395 <b>99460</b>	
Control of the Contro	8" Yellow Waffle	_	055395 <b>99461</b>	
	8" Black Waffle	_	055395 <b>99468</b>	
	PKG/CASE	1/3	1/6	
	T KO/CASE		170	
			The second second	
			THE RESERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS	1
TO AN ADDRESS OF THE PARTY OF T				
			The second of the second	1/ 1/ 1/
			The same of the same	ST 19 1 19 1
				120
				1
			<b>经验的</b>	
			Alexander and the second	
		1111111		图 图 图
				2 7
		1111	4 4 4 1	100
		the state of		
		15 11 15	Notes   Moreon   More	
				1
		Alexander of the second	Street has not not a	
	The second secon	MAY BE	STIDS -	
			CART	A STATE OF
	and the second			





Consistent cut with no wild scratches.

#### FEATURES & BENEFITS

- Non-woven nylon impregnated with abrasive grain easily conforms to irregular surfaces andresists tearing and can be used wet or dry
- Advanced coating process for a consistent coverage of grain throughout pad
- · Perforated for easy pad re-sizing

#### Maroon (320/400)

- · Quick and aggressive cut
- Tear-resistant

#### Gray (800/1000)

- Quick cut,uniform finish
- Incredibly flexible yet tear-resistant
- · Works with or without Scuff Gel

#### Gold (1000/1200)

- · Ideal for pearls and metallics
- · Works with or without Scuff Gel



#### Fibratex Hand Pads

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep, or a gold pad for pearls and metallics.

		6" x 9" Pad	6" x 9" Pad	
DESCRIPTION	COLOR	PART #	PART #	
Primer Prep	Maroon	055395 <b>10890</b>	_	
Color Prep	Gray	055395 <b>10891</b>	_	
Clear Blend Prep	Gold	_	055395 <b>30893</b>	
Non Abrasive	White	055395 <b>10892</b>	_	
PKG/CASE		20/60	10/30	



#### Thin-Flex Scuff Pads and Discs

An incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces.

		4-1/2' x 9" Pad	6" Disc	6" Back-up Pad	
DESCRIPTION	COLOR	PART #	PART #	PART #	
Primer Prep	Maroon	055395 <b>99425</b>	055395 <b>53389</b>	_	
Color Prep	Gray	055395 <b>99426</b>	055395 <b>53390</b>	_	
Clear Blend Prep	Gold	662611 <b>21524</b> +	662611 <b>21523</b> +	_	
Back-up Pad		_	_	055395 <b>99323</b>	
PKG/CASE		25/100 +10/4	25/100 +10/10	1/1	



#### **Perforated Scuff Rolls and Thin-Flex Scuff Rolls**

Tear the rolls to the exact length needed to get the job done quickly and correctly. Perforations are every 3". Plastic wrapped rolls dispense easily and keep the product clean. The Thin-Flex roll is also offered in a boxed option.

		4" x 30' Scuff-Plastic Wrap	4" x 30' Thin-Flex-Plastic Wrap	4" x 30' Thin-Flex Boxed
DESCRIPTION	COLOR	PART #	PART #	PART #
Primer Prep	Maroon	055395 <b>53397</b>	055395 <b>53400</b>	055395 <b>53402</b>
Color Prep	Gray	055395 <b>53396</b>	055395 <b>53401</b>	055395 <b>53403</b>
PKG/CASE	•	1/1	1/1	1/3



#### **Scuff Discs**

DESCRIPTION

Primer Prep

Color Prep

Back-up Pad PKG/CASE

For use on a D/A with a hook and loop back-up pad for faster scuffing.

10/40



1/1



#### Foam-Rolls

Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82', are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".



	4-1/2 X 02	
GRIT	PART #	
P320	055395 <b>99438</b>	
P400	055395 <b>99439</b>	
P500	055395 <b>99440</b>	
P600	055395 <b>99441</b>	
P800	055395 <b>99442</b>	
P1000	055395 <b>99443</b>	
PKG/CASE	1/2	

Grit	Application
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



#### **EZTouch Sponges**

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

#### **FEATURES & BENEFITS**

- Abrasive grain coated on a sponge backing that can be used wet or dry and eliminates finger marks generating a uniform finish
- Grit printed on the back of each sponge to easily identify the right product to use
- Highly conformable which is ideal for bumpers, jambs and small parts and great on contours and edges



4-1/2" x	5-1	/2"	x 3/	16"

DESCRIPTION	PART #
Medium	055395 <b>70121</b>
Fine	055395 <b>70122</b>
Super Fine	055395 <b>70123</b>
Ultra Fine	055395 <b>70124</b>
Micro Fine	055395 <b>70125</b>
PKG/CASE	20/80

<b>Grit Designation</b>	<b>Finish Generated</b>	Application
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects

## CARBO FIRE SURFACE CONDITIONING

Extra-coarse ceramic grain / Aggressive cut





Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas.

#### FEATURES & BENEFITS

- Open web construction resists loading and is a great alternative to wire brushes and effective on sharp, jagged surfaces
- Synthetic web impregnated with ceramic abrasive produces a very fast, aggressive cut amd will not rust
- · Thick and durable extending the product life



#### Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



	4" TR+	Back-Up Pad		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	666233 <b>29282</b>	=	8,000	
Back-Up Pad	_	055395 <b>22538</b>	_	
CASE	5	1		



#### Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut, and two washers.



	4" x 1/4" Hole	Mandrei		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	776960 <b>39321</b>	_	6,000	
Mandrel with 3-1/16 x 1/4" shank	_	055395 <b>51776</b>	-	
PKG/CASE	5/25	1/1		



#### Carbo Fire Flex-Loc TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



	3" TR	Back-Up Pad		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	666233 <b>29280</b>	662610 <b>55105</b>	12,000	
PKG/CASE	10/10	10/1		

#### Fiberglass reinforced



Ultimate choice for cutting out imperfections in autobody panels.

#### FEATURES & BENEFITS

- Blend of high performance ceramic alumina and zirconia alumina abrasive for super fast and cool cutting action producing 3 times the life of conventional abrasive wheels
- · High performance resin bond for a long wheel life
- · Fiberglass reinforcement maintains structural integrity



#### **Cut-Off Wheels**

Premier Red is the ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.


The 1/32" and 1/16" Premier Red wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

Value cut-off wheels are good for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.

	rieillei neu	GAIDU FIIE	Value	
SIZE	PART #	PART #	PART #	RPM
3" x 1/32" x 3/8"	055395 <b>03861</b>	662528 <b>38447</b>	_	25,465
3" x 1/16" x 3/8"	055395 <b>03863</b>	662528 <b>38448</b>	055395 <b>01132</b>	25,465
3" x 3/16" x 3/8"	055395 <b>04270</b>	662533 <b>71229</b>	_	25,465
PKG/CASE	5/50	5/50	5/50	
Do not use on tool without a guard				







Carbo Premier Red Mini Flap Discs eliminate the conventional 2-step process in grinding, removal, and blending. The abrasive technology used in the Carbo mini-flap discs combined with the layered flap design wear away evenly, producing a high quality and consistent finish.

#### FEATURES & BENEFITS

- High performance zirconia alumina abrasive provides maximum cut rate and life
- High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity
- 2" and 3" diameter discs get into hard to reach areas and allow for easy storage while maintaining required cut and life
- Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that
  require less effort, while delivering better results



#### TR Mini Flap Discs

	2"	3"	
GRIT	PART #	PART #	
120	776960 <b>90128</b>	776960 <b>90138</b>	
80	776960 <b>90126</b>	776960 <b>90136</b>	
80 60	776960 <b>90124</b>	776960 <b>90134</b>	
40	776960 <b>90122</b>	776960 <b>90132</b>	
36	776960 <b>90120</b>	776960 <b>90130</b>	
PKG/CASE	10	10	

# **FILE BELTS**Premium abrasive grain





#### **Portable File Belts**

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 grit belts for weld dressing and refinement.

	1/2" x 18" Medalist	1/2" x 18" Aluminum Oxide	3/8" x 13" Aluminum Oxide
GRIT	PART #	PART #	PART #
80	055395 <b>54669</b>	055395 <b>54663</b>	055395 <b>54648</b>
60	055395 <b>54668</b>	055395 <b>54662</b>	055395 <b>54647</b>
40	055395 <b>54666</b>	_	_
PKG/CASE	1/10	1/10	1/10



#### Non-Woven Portable File Belts

		1/2" x 18" Non-Woven	
GRIT	COLOR	PART #	
Coarse	Brown	055395 <b>54479</b>	
Medium	Maroon	055395 <b>54480</b>	
Very Fine	Blue	055395 <b>54481</b>	
PKG/CASE		1/12	





Ideal for fast stock removal in a small area.

#### FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating produces burn free grinding of heat-sensitive materialsfor longer life and minimal loading
- · Heavy-duty backing extends life and reduces edge wear



#### Carbo Fire Flex-Loc TR Discs

Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

	(©)	
	2" TR	3" TR
GRIT	PART #	PART #
80	055395 <b>99383</b>	055395 <b>99387</b>
50	055395 <b>99385</b>	055395 <b>99389</b>
36	055395 <b>99386</b>	055395 <b>99390</b>
CASE	25	25

#### **Zirconia Flex-Loc TR Discs**





Π



#### Fibratex Flex-Loc TR Surface Blending Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. Advanced resin system will not smear.

		2" TR	3" TR	
GRIT	COLOR	PART #	PART #	
Very Fine – 320	Blue	055395 <b>12506</b>	055395 <b>12509</b>	
Medium – 120	Maroon	055395 <b>12507</b>	055395 <b>12510</b>	
Coarse – 80	Brown	055395 <b>12508</b>	055395 <b>12512</b>	
CASE		50	25	



#### Carbo Fire Flex-Loc TR Surface Blend Discs

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces and will not smear. Carbo Fire Surface Blend can also be used to remove seam sealer and undercoating without loading. The discs are thin enough to get into tight spots but durable enough to last. Carbo Fire ceramic grain ensures a fast cut with long life. Surface Blend TR can be used on the face, side, and back.

	2" TR	3" TR	
DESCRIPTION	PART #	PART #	
Carbo Fire	055395 <b>53332</b>	055395 <b>53333</b>	
CASE	10	10	



#### Flex-Loc TR Back-Up Pads


Flex-Loc TR are compatible with similar competitive attachment systems.

	1" Back-up Pad	2" Back-up Pad	3" Back-up Pad	
DESCRIPTION	PART #	PART #	PART #	
Flex-Loc TR	088341 <b>64037</b>	662610 <b>55103</b>	662610 <b>55105</b>	
CASE	1	10	10	



#### **Carbo-Cut Grinding Discs**

Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" quick change mandrel is for use on automotive drills.



## 5" - 7" GRINDING DISCS


Premium performance / Rugged backing for extended life



For grinding applications requiring aggressive cutting action, such as grinding welds, rust, and bare metal, and stripping paint.

#### FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating for minimal loading and reduced heat
- · Heavy fiber backing provides strength and tear resistance for a longer life



#### **Merit Grinding Discs**

High performance ceramic grain is engineered for cool, rapid stock removal with a fast initial cut rate. Superb on stainless steel and steel alloys. Zirconia alumina grain is great on stainless steel and tough jobs. Aluminum Oxide grain is a general purpose disc good for small jobs removing welds and imperfections.

	•	0	0	0	0	0
	5" Ceramic	5" Zirconia	5" A/0	7" Ceramic	7" Zirconia	7" A/0
GRIT	PART #					
50	666233 <b>55599</b>	666233 <b>57292</b>	666233 <b>57278</b>	666233 <b>55595</b>	666233 <b>57297</b>	666233 <b>57285</b>
36	666233 <b>55598</b>	666233 <b>57291</b>	666233 <b>57277</b>	666233 <b>55594</b>	666233 <b>57296</b>	666233 <b>57284</b>
24	666233 <b>55597</b>	666233 <b>57290</b>	666233 <b>57276</b>	666233 <b>55578</b>	666233 <b>57295</b>	666233 <b>57283</b>
CASE	25	25	25	25	25	25



#### **Zirconia Alumina Grinding Discs**

Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

	•		
GRIT	5" Part #	7" Part #	
80	055395 <b>20055</b>	055395 <b>20076</b>	
50	055395 <b>10711</b>	055395 <b>10720</b>	
36	055395 <b>10712</b>	055395 <b>10721</b>	
24	055395 <b>10713</b>	055395 <b>10722</b>	
CASE	25	25	



#### **Back-Up Pads for Grinding Discs**

Discs are held in place by Retainer Nut # 05539512568.

	•	•	
	5" x 7/8"	7" x 7/8"	
GRIT	PART #	PART #	
Medium	055395 <b>12033</b>	055395 <b>12032</b>	
CASE	1	1	

## **MASKING PRODUCTS** - MASKING TAPE

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



#### Foam Masking Tape

Foam masking tape fills gaps and produces a soft paint edge. Easy application reduces masking time. The 20mm premium foam tape split design and offset adhesive allows for use on both fixed and moving parts. The 13mm foam tape is for use on fixed parts.

	13mm (1/2")	20mm (3/4")
DESCRIPTION	PART #	PART #
50m Roll	055395 <b>99363</b>	055395 <b>99362</b>
CASE	1	1



#### **Premium Perforated Trim Masking Tape**

Trim masking tape is designed to lift the molding away from the surface to be painted and protect the molding from paint and overspray. Trim tape provides full paint coverage without paint "bridging" to the molding. Eliminate the cost of removing and installing moldings by simply protecting them properly during the painting process.

	50mm (2") American brand TrimFast	
DESCRIPTION	PART #	
10m Roll	077922 <b>00268</b>	
CASE	6	



#### **Cloth Duct Tape**

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general purpose repair applications.

	2" x 60 yds	
DESCRIPTION	PART #	
IPG Duct Tape AC20	077922 <b>74977</b>	
CASE	24	

## **MASKING PRODUCTS** - MASKING PAPER

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



#### White "Paint Check" Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through, and has a built-in "Paint Check" for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

	6"	12"	18"	24"	36"
DESCRIPTION	PART #	PART #	PART #	PART #	PART #
750' Roll	055395 <b>70582</b>	055395 <b>70583</b>	055395 <b>70584</b>	055395 <b>99424**</b>	055395 <b>70585</b>
CASE	1	1	1	1	1

Each 750' boxed case is a 36" log. Dimensions are approximate.

<sup>\*\* 24&</sup>quot; is a single 24" log.



#### Mobile Masker

The premium white paper, while incredibly strong, is thinner than standard blue paper and fits perfectly on the masker. The top two tiers can hold up to 12" and the bottom two tiers can hold up to 18".

DESCRIPTION	PART #
Stand	662610 <b>89212</b>
CASE	1







One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for quick application.

#### **FEATURES & BENEFITS**

- Tri-layer paintable sheeting is easy to handle fast application and clings, even after repositioning
- · Corona-treated so paint won't flake off
- 3-ply resin .4 mil thick resists tearing
- Plastic is resistant to solvents resulting in no bleed-through



#### EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge. Tri-layer plastic is .4 mil thick.

	12' x 400'	16' x 350'	20' x 350'
DESCRIPTION	PART #	PART #	PART #
EZ Sheet	055395 <b>63770</b>	055395 <b>63769</b>	055395 <b>63895</b>
CASE	1	1	1



#### **Overspray Sheeting**

"Value" paintable overspray sheeting is a medium-density, corona-treated plastic.

	12° X 400°	16" X 400"	
DESCRIPTION	PART #	PART #	
Overspray Sheeting	055395 <b>70530</b>	055395 <b>06728</b>	
CASE	1	1	



#### **Anchor® Brand Hand Mask**

IPG's Anchor® brand Hand Mask is a pre-folded, high density polyethylene masking film designed for multiple transportation applications. The thick and durable 12 micron film is corona treated to resist overspray flaking during paint applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking. Solvent resistant; no bleed-through and clings to surface. Designed to work with multiple hand dispensers and the 1" core fits most masking machines.

Width Roll Height	24" 5.35"	48" 8.78"	72" 9.57"	99" 13.0"
DESCRIPTION	PART #	PART #	PART #	PART #
54.9m (180') Roll	087143 <b>00214</b>	087143 <b>00216</b>	_	_
27.4m (90') Roll	_	_	087143 <b>00217</b>	087143 <b>00218</b>
CASE	12	12	12	12





#### **EZ Wrap Protective Plastic - Wheel Maskers**

Tri-layer plastic. Paintable – NO Flaking. Fully covers both sides of the wheel. Covers wheels up to 17".

DESCRIPTION	PART #
Wheel Maskers (50/roll) Paintable	055395 <b>68511</b>
CASE	1



#### EZ Wrap Protective Plastic - Self-Adhesive Weather Barrier

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days. Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	PART #
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	055395 <b>68509</b>
CASE	1



#### EZ Wrap Protective Plastic - Bucket Seat Covers

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll.

DESCRIPTION	PART #
Bucket Seat Covers (125/roll) Non-Slip	055395 <b>68510</b>
CASE	1



#### **EZ Wrap Protective Plastic - Floor Mats**

Will not slip or tear. Protects floor from dirt, grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21"

DESCRIPTION	PART #
Floor Mats (125/roll) Non-Slip	055395 <b>68512</b>
CASE	1

## ADHESIVES, SEALERS, AND COATINGS

**VOC Compliant / High Quality** 



Protecting a vehicle against the elements is part of a quality repair. Sealing out wind, water and noise is no easy task, but VOC compliant, high quality products from the Carborundum line of Adhesives, Sealers, and Coatings are up to the challenge.

#### FEATURES & BENEFITS

- High quality components match OEM color or texture with ultra-fast application and dry time and highstrength bond
- · Complete line with multiple applications with minimal inventory
- . V.O.C. compliant for a safer work environment



### **V**voc

#### **Urethane Windshield Sealer**

A one-part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	PART #
Urethane Windshield Sealer	11 oz / Net 10.5 oz	055395 <b>99447</b>
CASE		12



#### **V**vnc

#### Zinc-Rich Weld-Through Primer

Aerosol primer for use on bare metal parts before welding. This zinc rich primer provides excellent conductivity to minimize weld spatter. It is fast drying, resists sags and settling, is water resistant after 15 minutes, and may be topcoated, if desired. Heat resistant up to 500°F. Apply to metal surface either before or after welding to restore OEM zinc corrosion protection. It is formulated to be V.O.C. compliant in California.

DESCRIPTION	SIZE	PART #
Zinc-Rich Weld-Through Primer	16 oz / Net 13.75 oz	055395 <b>99452</b>
CASE		12



#### VVOC

#### **Urethane Seam Sealer**

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior automotive and RV body joints and seams and duplicates OEM appearance. Can be smoothed to a featheredge and/or brushed and will not shrink or crack. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	SIZE	PART #
Urethane Seam Sealer	10.3 oz	055395 <b>99450</b>
CASE		6



#### **Application Gun for 99450**

Designed for use with Carborundum Urethane Seam Sealer (#99450). This is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

DESCRIPTION	PART #
Application Gun for 99450	076607 <b>82786</b>
CASE	1

## ADHESIVES, SEALERS, AND COATINGS

Match OEM Textures / Increase productivity



#### VVOC

#### **Panel and Adhesive Cleaner**

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

DESCRIPTION	SIZE	PART #
Panel and Adhesive Cleaner	32 oz	055395 <b>99459</b>
CASE		12



## **√**voc

## Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion resistant protective coating that can be varied to match OEM textures found on rocker panels and valances. Paintable in 60 minutes. Highly chip resistant.

DESCRIPTION	SIZE	PART #	
Rocker-Panel Texture Coat (White)	16 oz / Net 13 oz	055395 <b>99453</b>	
Rocker-Panel Texture Coat (Black)	16 oz / Net 13 oz	055395 <b>99454</b>	
CASE		6	



### **✓voc**

#### **Premium Rubberized Undercoat - Paintable**

Paintable and fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks, and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture.

DESCRIPTION	SIZE	PART #
Premium Rubberized Undercoat – Paintable	24 oz / Net 17.75 oz	055395 <b>99455</b>
CASE		6



#### **✓**voc

#### Rubberized Undercoat

Seals out rust, fumes, heat and cold, while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Engineered to protect underbody areas from moisture and abrasion while deadening sound. Fast drying and economical.

DESCRIPTION	SIZE	PART #
Rubberized Undercoat	20 oz / Net 16 oz	055395 <b>99456</b>
CASE		6



#### VVOC

#### Carbon Black Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties, and other repair components.

DESCRIPTION	SIZE	PART #
Carbon Black Guide Coat	16 oz / Net 10.5 oz	055395 <b>99457</b>
CASE		6

## ADHESIVES, SEALERS, AND COATINGS

Pressure-sensitive bonding



#### VVOC

#### **Black Power Guide Coat**

Ideal for identifying imperfections in primer and body filler that need to be sanded out to ensure a flat finish. Simply apply the applicator with the Black Powder Guide Coat over the area to be sanded, and continue sanding until the powder is no longer visible on the surface. This product does not have a dry time and can be sanded immediately, and it can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	PART #
Black Powder Guide Coat	100 grams	055395 <b>53346</b>
CASE		6



#### **Premium Automotive Attachment Tape**

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass,, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Remains flexible at low temperatures

	1/4"	1/2"	7/8"
DESCRIPTION	PART #	PART #	PART #
20 Yard Roll .045" Thick	055395 <b>67381</b>	055395 <b>67378</b>	055395 <b>67379</b>
CASE	12	12	12



#### **Attachment Tape Adhesion Promoter**

Carbo Attachment Tape Adhesion Promoter is a liquid primer to improve the adhesion of Carbo automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.). The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion.

	4oz. Dauber
DESCRIPTION	PART #
Attachment Tape Adhesion Promoter	055395 <b>53395</b>
CASE	6





Designed to enhance autobody applications.

#### FEATURES & BENEFITS

- High-quality, durable components for long life
- Cost effective
- Ergonomic design minimize fatigue



#### **Carborundum Autobody Utility Cabinet**

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes, and chemicals, while keeping them clean, dry, and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	PART #
Automotive Utility Cabinet	31-1/2" w x 26" h x 12-1/2" deep	055395 <b>33867</b>
CASE		1



#### **Adhesives and Sealers Cabinet**

Heavy-gauge steel will hold all of the Carborundum adhesives and sealers, keeping them clean, dry, and secure.

DESCRIPTION	SIZE	PART #	
Adhesives and Sealers Cabinet	30" w x 26" h x 10" deep	055395 <b>99365</b>	
CASE		1	



#### Carbo Cart

The Carbo Cart is made of heavy gauge steel painted "Carbo" red. The front panel is a "hook" design to attach all "hook and loop" products. Pre-drilled holes in the back panel allow attachment of all Carbo dispenser systems.

DESCRIPTION	SIZE	PART #
Carbo Cart	31" h x 22" l x 14-1/4" deep	055395 <b>20486</b>
CASE		1



#### **Automotive Disc Roll and Sheet Roll Dispensers**

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. They are versatile, for use with any 5" or 6" disc roll or 2-3/4" sheet roll. They can be attached to a wall, mounted on a Carborundum Utility Cabinet or Cart or stacked upon other Carborundum dispensers.

DESCRIPTION	PART #
Single Disc Roll Dispenser	055395 <b>20361</b>
Double Disc Roll Dispenser	055395 <b>20299</b>
Sheet Roll Dispenser	055395 <b>20523</b>
CASE	1



#### **Ergonomic Sanding Blocks**

#### Stick-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

#### Stick-On - Firm

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

#### Grip-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

#### Grip-On — Firm

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.


	S 100000	Sociono.	Some.	Somoon .
	2-3/4" x 5"	2-3/4" x 7-3/4"	<del>2-3/4" x</del> 5"	2-3/4" x 7-3/4"
DESCRIPTION	PART #	PART #	PART #	PART #
Soft – PSA	055395 <b>70401</b>	_	_	_
Firm – PSA	055395 <b>70402</b>	055395 <b>70405</b>	_	_
Soft – Grip-On	_	_	055395 <b>70403</b>	_
Firm – Grip-On	_	_	055395 <b>70404</b>	055395 <b>70406</b>
CASE	5	5	5	5



#### **Ergonomic Hand Sanding Block for 6" Discs**

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

		Outun
DESCRIPTION	PART #	PART #
For 6" Stick-On Discs	055395 <b>63898</b>	_
For 6" Grip-On Discs	_	055395 <b>63897</b>
CASE	5	5



#### **Dual Density Wet Sanding Sof-Block**

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Sof-Block	055395 <b>63899</b>
CASE	12



#### **EZ Block**

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole patter side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
EZ Block	055395 <b>63900</b>
CASE	8



#### Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

DESCRIPTION	PART #
Stick-On Body File Sanding Board	055395 <b>12013</b>
CASE	6



#### **Grip-On Sanding Board**

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop sheets.

DESCRIPTION	PART #
Grip-On Body File Sanding Board	055395 <b>12014</b>
CASE	5



#### Grip-On Air File Shoe

The Grip-On Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.

DESCRIPTION	PART #
Grip-On Air File Shoe	055395 <b>12015</b>
CASE	1



#### 3" Back-Up Pad

For spot removal or buffing, the Grip-On faced pad works perfectly with our wool and foam polishing pads and all 3" Grip-On discs.

DESCRIPTION	PART #
Grip-On Back-Up Pad (5/16"-24)	055395 <b>99306</b>
CASE	10

## **ACCESSORIES**

A consistent surface for increased productivity when sanding



#### Carbo Back-Up Pads

Two back-up pad profiles and two densities give you all the options you need for any sanding job. Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools. Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.

## Define the Job, Then Pick the Pad

JOB TYPE:	COARSE TO MEDIL	JM GRIT SANDING	COARSE TO MEDI	UM GRIT SANDING	MEDIUM TO FINE	GRIT SANDING	
PAD TYPE:	Tapered Edge, Med	dium Density	Low Profile, Medium Density		Low Profile, Soft I	Low Profile, Soft Density	
	(Flexible edge, eas	y to reach small contours)	(Hard edge)	·	(Soft, thicker foam	for contours)	
GRIT RANGE:	320 and Coarser	,	320 and Coarser		320 and Finer	,	
MAX. RPM:	15,000 RPM		15,000 RPM		12,000 RPM		
		SUU OUT		800000		OUTUNE.	
	PSA	Grip-On	PSA	Grip-On	PSA	Grip-On	
DESCRIPTION	PART #	PART #	PART #	PART #	PART #	PART #	
5" Plain Face	055395 <b>99317</b>	055395 <b>99321</b>	055395 <b>99309</b>	055395 <b>99313</b>	055395 <b>99304</b>	055395 <b>99307</b>	
6" Plain Face	055395 <b>99319</b>	055395 <b>99323</b>	055395 <b>99311</b>	055395 <b>99315</b>	055395 <b>99305</b>	055395 <b>99308</b>	
5" Vacuum	055395 <b>99318</b>	055395 <b>99322</b>	055395 <b>99310</b>	055395 <b>99314</b>	_	_	
6" Vacuum	055395 <b>99320</b>	055395 <b>99324</b>	055395 <b>99312</b>	055395 <b>99316</b>	-	-	
CASE	5	5	5	5	5	5	

Most popular SKUs are shown in red Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.





#### 8" Back-Up Pads

All pads have 5/8-11 threaded shank.

			Comm	COULT
DESCRIPTION	RPM	PART #	PART #	PART #
8" x 1/2" Stick-On	6,000	055395 <b>12023</b>	_	_
8" x 1/2" Grip-On	4,800	_	055395 <b>12030</b>	_
8" VAC/Non-VAC Grip-On 5 Screw	1,500	_	_	636425 <b>43712</b>
8" VAC/Non-VAC Grip-On 6 Screw	1,500	_	_	636425 <b>43714</b>
CASE		5	5	1



#### Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

		O O O O O O	Commi	COURTE
DESCRIPTION	THICKNESS	PART #	PART #	PART #
3" Thin Interface Pad	1/2"	636425 <b>05457</b>	_	_
6" Thin Interface Pad	1/2"	_	636425 <b>42089</b>	_
5" Foam Interface Pad	3/4"	_	_	055395 <b>20521</b>
6" Foam Interface Pad	3/4"	_	_	055395 <b>20520</b>
PKG/CASE		10/10	5/5	2/20



#### **Disc Hand Pads**

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

	- Comm
DESCRIPTION	PART #
6" x 3/8" Thick Soft Foam Grip-On with strap	636425 <b>00906</b>
6" Half Moon Grip-On	636425 <b>00904</b>
CASE	10



#### Carbo CleanAir Back-Up Pads

Innovative design optimized for maximum air flow and powerful dust extraction. The medium pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face. The soft pad is packed with a Festo adapter, two threaded bolts: M8 and 5/16"-24 and three fiber ring spacers. The soft pad is only for use on extreme contours using Grip-On 320 grit and finer.

		O O O O	$\sigma_{0000}$
		6"	6"
DENSITY	RPM	PART #	PART #
Medium	15,000	636425 <b>06160</b>	_
Soft	7,700	=	055395 <b>99338</b>
CASE		1/5	1



#### Pin Stripe Removal Wheel

This wheel is designed to remove pinstripes, decals and molding adhesive without damage to the underlying surface. Tan colored, it is 4" diameter, 5/8" thick with a 1/16" step and has a 5/16"-24 attached threaded mandrel.

DESCRIPTION	RPM	PART #	PART #
4" x 5/8" x 5/16"-24 Mandrel	4,000	055395 <b>67390</b>	_
3/8" Drill Adapter for #67390		_	055395 <b>60773</b>
CASE		5	1



## POWER IN PARTNERSHIP

The Refinish Solutions Group delivers an integrated products and services network represented by Saint-Gobain while maintaining the product and technical expertise of the network partners. This unique alliance of industry leaders is committed to helping collision shops optimize their refinish processes and outcomes to improve shop profitability.

The ICAR training and operational best practices provided by the solutions group partners

ensures your technicians are up-to-date with the latest technologies and process advancements. Refinishing operations that utilize our training and best practices can lower costs and boost critical CSI scores while improving procedural consistency of all technicians.

#### **CORE COMPETENCIES**

The Refinish Solutions Group manufacturers bring focused expertise and know-how to deliver a single, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.



METAL PANEL BONDING






























To learn how the collective expertise of our industry leaders can boost you shop's bottom line, visit www.refinishsolutionsgroup.com or call 1-800-456-8444 for more information







### For the best finish, get the best start.

For more than 50 years, the American name has been recognized for innovative and high-quality tape. Proudly made in the USA by Intertape Polymer Group, American brand tapes are engineered from quality materials designed to withstand heat, solvents and waterborne materials typical of refinishing operations.



#### American® Brand Orange Mask®

American® brand Orange Mask® (OM) is a high performance masking tape developed to provide superior adhesion, UV resistance for up to 3 days. OM fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver clean crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	54.8M (60YD) ROLL	
DESCRIPTION	PART #	CASE
6mm (.25in)	087143 <b>00579</b>	38
12mm (.50in)	087143 <b>00577</b>	72
18mm (.70in)	087143 <b>00306</b>	48
24mm (.94in)	087143 <b>00307</b>	36
36mm (1.41in)	087143 <b>00308</b>	24
48mm (1.88in)	087143 <b>00309</b>	24
72mm (2.83in)	087143 <b>00690</b>	16



#### American® Brand PG

American® brand PG is a high quality masking tape with good quick stick and holding properties and excellent cornering. PG is designed for clean and easy removal from a variety of hot or cold surfaces. UV resistance for 3 days. PG fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	54.8M (60YD) ROLL	
DESCRIPTION	PART #	CASE
6mm (.25in)	087143 <b>00587</b>	36
12mm (.50in)	087143 <b>00586</b>	72
18mm (.70in)	087143 <b>00310</b>	48
24mm (.94in)	087143 <b>00311</b>	36
36mm (1.41in)	087143 <b>00312</b>	24
48mm (1.88in)	087143 <b>00313</b>	24
72mm (2.83in)	087143 <b>00581</b>	16



#### American® Brand AM

American® brand AM is the cost-effective solution designed for clean and easy removal. UV resistance for 3 days. AM tape has a controlled unwind, is good for cornering and is resistant to temperatures up to 225°F (107°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through and resists paint flaking. Superior for wet sanding applications.

	54.8M (60YD) ROLL	
DESCRIPTION	PART #	CASE
18mm (.70in)	087143 <b>00314</b>	48
24mm (.94in)	087143 <b>00315</b>	36
36mm (1.41in)	087143 <b>00316</b>	24
48mm (1.88in)	087143 <b>00317</b>	24
72mm (2.83in)	087143 <b>00580</b>	16







#### American® Brand MP

Capable of withstanding oven temperatures up to 250°F (121°C) for one hour, MP provides higher temperature resistance versus most general purpose masking tapes. MP provides controlled unwind, good cornering, excellent adhesion to backing when layered, and is superior for wet sanding, and resists paint flaking. MP is also UV resistant for up to 3 days with clean removal. Moisture- and stain-resistant, its specially designed adhesive sticks firmly and securely to most surfaces and removes cleanly.

	54.8M (60YD) ROLL	
DESCRIPTION	PART #	CASE
18mm (.70in)	087143 <b>00499</b>	48
24mm (.94in)	087143 <b>00500</b>	36
36mm (1.41in)	087143 <b>00501</b>	24
48mm (1.88in)	087143 <b>00502</b>	24



#### American® Brand UG

An economical, yet very reliable masking tape to meet the needs of most collision repair and refinish shops. UG offers an excellent balance of quick stick, panel adhesion and holding properties. Under normal temperature conditions, UG is the tape of choice for fast, basic service, including wet-stripping. UG provides good cornering, temperature resistance up to 175°F (80°C) for 30 minutes, UV resistance for up to 3 days, excellent adhesion to backing when layered, controlled unwind, clean removal; stain resistant; resists bleed-through, and resists paint flaking.

	50M ROLL		
DESCRIPTION	PART #	CASE	
18mm (.70in)	077922 <b>88400</b>	48	
24mm (.94in)	077922 <b>88401</b>	36	
36mm (1.41in)	077922 <b>88402</b>	24	
48mm (1.88in)	077922 <b>88403</b>	24	



#### American® Brand FM35 Blue Fine Line

The American® brand FM35 fine line tape offers superior conformability, secure laydown and consistently straight lines. The fine line FM35 tape is ideal for detailed design work, striping, two-tone paint schemes and masking around critical areas such as headlights. The FM35 is preferred for medium to high temperature applications, where a sharp fine line is required including composite and fiberglass (gelcoat) fabrication. It's designed to offer a high degree of conformability, solvent — resistance and is waterproof with an operating temperature range of 40°F to 280°F (4.4°C to 138°C). From basic paint jobs to detailed designs, American® brand FM35 fine line masking tape is your solution!

	e range of 40°F to 280°F (4.4°C to 13 N35 fine line masking tape is your sol	
	32.9M (36YD) ROLL	
DESCRIPTION	PART #	CASE
3.17mm (1/8in)	662611 <b>82688</b>	15
6.35mm (1/4in)	662611 <b>82686</b>	14
12.7mm (1/2in)	662611 <b>82685</b>	13



#### American® Brand Premium Masking Film featuring PG21 Masking Tape

Stain resistant, temperature resistant, PG21 paper masking tape combined with strong, corona-treated HDPE film for industrial, marine and automotive painting. The solvent and moisture resistant film permits worry-free wet sanding preparation and allows for easy cornering and masking of curved surfaces. Repositionable, heat resistant rubber based pressure-sensitive adhesive provides a secure hold to and clean removal from most surfaces in both warm and cold environments. Film is pre-taped and pre-folded for easy use. One person can apply then extend the film to desired length to protect surfaces, reducing masking time and waste.

JOINI (110F1) KULL	
PART #	CASE
699573 <b>18100</b>	40
699573 <b>18101</b>	20
699573 <b>18102</b>	20
699573 <b>18103</b>	12
	699573 <b>18100</b> 699573 <b>18101</b> 699573 <b>18102</b>








#### Discover the Dynabrade difference.

Founded in 1969, Dynabrade has earned a reputation for excellence and a position of leadership in the innovative design and manufacturing of unique portable abrasive power tools and related accessories. Their expansive portfolio of high-quality tools and source capture equipment, they are able to meet the specific needs of the automotive aftermarket. The Dynabrade products are used in grinding, deburring, filing, sanding, and polishing applications on a variety of materials such as metal, glass, rubber, and composites.

Color-coded handles provide easy identification of sanding action.









#### Dynorbital-Spirit® - Non-Vacuum

- Includes low profile, premium urethane weight-mated PSA sanding pad
- Optional vacuum conversion kits available, to easily convert non-vacuum tool to self-generated or central vacuum tool

	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	37E7 (5 mm)	3/32" (2 ma)
	3/8" Orbital (Orange)	3/16" Orbital (Gray)	3/32" Orbital (Black)
DESCRIPTION	PART #	PART #	PART #
6" Non-Vacuum (Hook Face Pad included)	616026 <b>21060</b>	616026 <b>21061</b>	616026 <b>21062</b>
CASE	1	1	1



#### Dynorbital-Spirit® - Self-Generating Vacuum

• Includes low profile, premium urethane weight-mated PSA sanding pad

		375° pr mm)	3327 (2 mm)
	3/8" Orbital (Orange)	3/16" Orbital (Gray)	3/32" Orbital (Black)
DESCRIPTION	PART #	PART #	PART #
6" Self-Generating Vacuum (PSA Pad included)	616026 <b>21016</b>	616026 <b>21036</b>	616026 <b>21056</b>
CASE	1	1	1



#### Dynorbital-Spirit® - Central Vacuum

- Includes low profile, premium urethane weight-mated PSA sanding pad
- Has 1" outside diameter vacuum port, for easy connection to Dynabrade Raptor Vac Pack or any source capture system

	3/8" Orbital (Orange)	3/16" Orbital (Gray)	3/32" Orbital (Black)
DESCRIPTION	PART #	PART #	PART #
6" Central Vacuum (Hook Face Pad included)	616026 <b>21063</b>	616026 <b>21064</b>	616026 <b>21065</b>
CASE	1	1	1







#### Dynabrade® 8" Electric Rotary Buffer

- · Rotary orbit for cutting, polishing and buffing
- Handle rotates 180°
- Variable speed trigger with adjustable RPM roller dial
- Rubberized side handle mounts in three positions

DESCRIPTION	PART #	RPM
120 V (AC), 11-amp	616026 <b>51580</b>	3,000
CASE	1	



#### Dynabrade® AutoFile II - Abrasive Belt Tool

- Includes 11206 Contact Arm for 3/4" x 18" long coated abrasive and non-woven nylon belts. 1/2" x 18" long belts also fit.
- Remove spot welds faster than using bits
- Easily remove door skins
- Grind, sand and debur in tight areas
- .5 hp gearless air motor

DESCRIPTION	PART #	RPM
File Belt Tool	616026 <b>18100</b>	20,000
CASE	1	



#### 2" TR Back-up Pad

DESCRIPTION	PART #
2" TR Back-Up Pad	616026 <b>51345</b>
CASE	1



#### **Red-Tred Eraser Wheel**

RED-TRED® eraser wheel erases with NO PAINT DAMAGE!

DESCRIPTION	PART #
Red-Tred® Eraser Wheel	616026 <b>92255</b>
CASE	1



#### **Red-Tred Eraser Wheel with hub**

RED-TRED® eraser wheel erases with NO PAINT DAMAGE!

DESCRIPTION	PART #
Red-Tred® Eraser w/hub	616026 <b>92257</b>
CASE	1



#### Wire Wheel

Dynabrade DynaZip® Wire Wheels work on sealants, rust and paint.

, , ,	•
DESCRIPTION	PART #
DynaZip® Wire Wheel	616026 <b>92245</b>
CASE	1







#### Crash Tested. OEM Approved.

Fusor's product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading metal and plastic bonding solutions combined with the product portfolio and strong sales team of the Refinished Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.

PART #	DESCRIPTION	WORK TIME	HANDLING / CLAMP TIME	PAINT TIME	FULL CURE	SUBSTRATES	CHEMISTRY	COLOR
808498 <b>10035</b> 808498 <b>10007</b>	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 to 8 min	Immediately when mechanically fastened / 15 to 20 min	_	2 hours	Steel and aluminum	Acrylic 2K	Green
808498 <b>10005</b> 808498 <b>10006</b>	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 to 50 min	Immediately when mechanically fastened / 1.5 to 2 hours	_	3 to 4 hours	Steel and aluminum	Acrylic 2K	Green
808498 <b>10036</b> 808498 <b>10008</b>	Fusor 112B/113B Metal Bonding Adhesive (Slow)	70 to 80 min / 35 to 40 min at 90°F (32°C)	Immediately when mechanically fastened / 3 hours	-	8 hours	Steel and aluminum	Acrylic 2K	Gray
808498 <b>10175</b>	Fusor 208B Panel Bonding Adhesive (Slow)	90 min	Immediately when mechanically fastened / 4 hours / 30 min @ 140°F (60°C)	Immediately	24 hours / 1 hour @ 140°F (60°C)	Steel, aluminum and SMC/FRP	Ероху 2К	Gray
808498 <b>10172</b>	Fusor 2098 Crash Durable Structural Adhesive (Slow)	90 min	Immediately when mechanically fastened / 6 hours / 30 min @ 140°F (60°C)	24 hours / 30 min @ 140°F (60°C)	24 hours / 2 hours @ 140°F (60°C)	Steel, aluminum, SMC/FRP and Metton®	Ероху 2К	Blue

Technical data reported @ 70°F (21°C) unless noted.



#### Metal Bonding Adhesive (Fast) | BARE METAL

**Applications:** Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches

#### Features & Benefits:

- · Super fast cure
- No welding required
- · Guaranteed corrosion protection

#### OEM Approvals:

GM: Panel bonding per GM aftermarket

spec GM6449G

Nissan: Patch panel and corrosion repair

SIZE	FUSOR #	PART #	CASE
7.6 oz (225 mL)	110B	808498 <b>10035</b>	6
1.7 oz (50 mL)	111B	808498 <b>10007</b>	12



#### Metal Bonding Adhesive (Medium) | BARE METAL

**Applications:** Panel bonding, rivet bonding and weld bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

#### Features & Benefits:

- Six to eight times faster than typical panel bonders
- No welding required
- Guaranteed corrosion protection
- Excellent for rivet bonding and weld bonding applications

#### **OEM Approvals:**

Chrysler, Ford: Weld bonding GM: Panel bonding per GM aftermarket

spec GM6449G

Mazda, Nissan: Corrosion repair

SIZE	FUSOR #	PART #	CASE
7.6 oz (225 mL)	108B	808498 <b>10005</b>	6
1.7 oz (50 ml.)	109B	80849810006	12







#### Metal Bonding Adhesive (Slow) | BARE METAL

**Applications:** Panel bonding and weld bonding of quarter panels, rear body panels, roof panels, door skins, van side

#### **Features & Benefits:**

- Long open time for large panel replacement
- Ideal for hot temperature conditions
- Guaranteed corrosion protection

#### **OEM Approvals:**

**OEM Approvals:** 

bonding spec MSCD507

Chrysler: Weld bonding. Meets aftermarket metal bonding spec MSCD507

Chrysler: Weld bonding. Meets aftermarket metal

SIZE	FUSOR #	PART #	CASE
7.6 oz (225 mL)	112B	808498 <b>10036</b>	6
1.7 oz (50 mL)	113B	808498 <b>10008</b>	12



#### Panel Bonding Adhesive (Slow) | BARE METAL

Applications: Weld bonding, rivet bonding and bonding of replacement non-structural auto body panels

#### **Features & Benefits:**

- Paint and sand with no need to remove adhesive squeeze out
- No odor/ No tack
- Bonds metal and plastic
- Excellent corrosion protection

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	208B	808498 <b>10175</b>	6



#### Crash Durable Structural Adhesive (Slow) | BARE METAL

**Applications:** Weld bonding, rivet bonding and bonding of replacement structural and non-structural auto body panels

#### **Features & Benefits:**

- Higher impact strength performance
- Lifetime corrosion protection
- · Versatile and easy to use
- · Adheres to all steel and aluminum
- · Weld immediately

**SIZE** 6.59 oz (195 mL)

#### **OEM Approvals:**

2098

Fiat, GM, PSA Peugeot, Tesla

80849810172

0.00 (	02 (130 IIIL)	2000 000 1	0
Use Fus	Tor 420 Mixing Tip.		





PART #	DESCRIPTION	WORK TIME	CLAMP TIME	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
808498 <b>10168</b> 808498 <b>10169</b>	Fusor 132/133 Plastic Repair Adhesive (Super Fast)	1 min	10 min	10 min	Immediately after sanding	All types of plastic, SMC or fiberglass, ecoat, primed, painted metals	Urethane 2K	Black
808498 <b>10029</b> 808498 <b>10030</b>	Fusor 142/143 Plastic Repair Adhesive (Fast)	1 min, 30 sec	10 min	20 min	30 min	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
808498 <b>10106</b> 808498 <b>10107</b>	Fusor 152/153 Plastic Repair Adhesive (Medium)	3 to 5 min	30 min / 5 min at 140°F (60°C)	90 min / 3 min at 140°F (60°C)	2 hours / 60 min with heat cure	All plastic bumpers, Metton®, SMC or fiber- glass panels, ecoat, primed, painted metals	Urethane 2K	Black
808498 <b>10167</b> 808498 <b>10166</b>	Fusor 114LG/114SM Plastic Finishing Adhesive (Fast)	1 to 2 min	-	15 to 20 min	60 min	Finishing adhesive for all plastics including PP, fiberglass, Metton®, Telene®, SMC, TEO, urethane and carbon fiber	Ероху 2К	Red
808498 <b>10049</b>	Fusor 102 Plastic Cosmetic Repair Adhesive (Fast)	1 to 2 min	-	15 to 20 min	60 min	Repair scratches and gouges on rigid plastics, SMC, fiberglass and GTX	Ероху 2К	Beige
808498 <b>10043</b> 808498 <b>10001</b>	100EZ/101EZ Plastic Repair Adhesive (Heat Set)	40 min	3 hours / 10 min @ 180°F (82°C)	60 min @ 180°F (82°C)	60 min @ 180°F (82°C)	All types of rigid body plastics such as SMC, GTX, fiberglass, Metton® and carbon fiber	Ероху 2К	Beige
808498 <b>10034</b> 808498 <b>10015</b>	Fusor 141/140 Clear Plastic Bonding Adhesive (Fast)	1 min, 30 sec	5 min	30 min	30 min	Plastics, primed and painted metals, glass, wood and other surfaces	Urethane 2K	Clear
808498 <b>10042</b> 808498 <b>10016</b>	Fusor 147/148 Plastic Bonding Adhesive (Medium)	5 to 7 min	60 to 90 min / 15 min @ 140°F (60°C)	-	90 min / 15 min @ 140°F (60°C)	SMC, fiberglass, Metton®, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Brown
808498 <b>10039</b>	Fusor 127EZ Plastic Bonding Adhesive (Slow)	50 to 60 min	4 to 5 hours / 30 min @ 140°F (60°C)	-	4 hours / 30 min @ 140°F (60°C)	SMC, fiberglass, Metton®, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Off White
808498 <b>10165</b>	Fusor 120/T20 Composite Adhesive (Slow)	45 min	4 hours / 15 to 20 min @ 180°F (82°C)	60 min @ 180°F (82°C)	60 min @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Ероху 2К	Gray
808498 <b>10038</b>	Fusor T21 Composite Adhesive (Slow)	45 min	4 hours / 15 to 20 min @ 180°F (82°C)	60 min @ 180°F (82°C)	60 min @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Ероху 2К	Gray
808498 <b>10060</b>	Fusor T19 Truck Plastic Bonding Adhesive (Super Fast)	3 to 5 min	30 min / 10 min @ 140°F (60°C)	-	_	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
808498 <b>10050</b>	Fusor T22 Truck Plastic Bonding Adhesive (Fast)	5 to 8 min	60 min / 15 min @ 140°F (60°C)	_	_	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
808498 <b>10033</b>	Fusor T23 Truck Plastic Bonding Adhesive (Medium)	20 to 30 min	2 to 3 hours / 22 min @ 140°F (60°C)	_	_	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige

Technical data reported @ 70°F (21°C) unless noted.



#### Plastic Repair Adhesive (Super Fast) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs and bonding

#### **Features & Benefits:**

#### **OEM Approvals:**

• No need for plastic identification with use of Fusor 602EZ

GM, Ford, Chrysler: Collision/warranty repair

- Sand and paint in 10 minutes
- Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	132	808498 <b>10168</b>	6
1.7 oz (50 mL)	133	808498 <b>10169</b>	12





6

12



#### Plastic Repair Adhesive (Fast) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs and bonding

#### **Features & Benefits:**

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- · Sandable in minutes

10.1 oz (300 mL)

1.7 oz (50 mL)

 No need for plastic identification with use of Fusor 602EZ

OEM	Ap	pro	oval	S

**OEM Approvals:** 

Ford: Used for in-plant repair

GM, Ford: Collision/warranty repair

80849810029

80849810030

GM: Meets plastic bonding/sealing specs



#### Plastic Repair Adhesive (Medium) | SANDABLE

**Applications:** Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs and bonding

142

143

#### **Features & Benefits:**

- Enough work time for larger repairs; ideal for hot temperature conditions
- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- Sandable in minutes
- No need for plastic identification with use of Fusor 602EZ
- . On demand cure with heat

on domand odro with node			
SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	152	808498 <b>10106</b>	6
1.7 oz (50 mL)	153	808498 <b>10107</b>	12



#### Plastic Finishing Adhesive (Fast) | SANDABLE

**Applications:** Finishing adhesive for all plastic bumpers and body panels and snowmobile hoods

#### **Features & Benefits:**

- No plastic identification is required
- No adhesion promoters needed
- Epoxy formula sands to a perfect feather edge in 20 minutes or less
- Use with or without mixing tip

0EM	Approv	als:
GM (	Chrysler:	Coll

GM, Chrysler: Collision repair including carbon fiber

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	114LG	808498 <b>10167</b>	6
1.7 oz (50 ml.)	114SM	80849810166	12



#### Plastic Cosmetic Repair Adhesive (Fast) | SANDABLE

**Applications:** Repair scratches and gouges on body panels, hoods, decks and doors

- Sandable in 15 to 20 minutes
- No bull's-eyes, read-throughs or halos
- · Super strength epoxy formula

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	102	808498 <b>10049</b>	6







#### Plastic Repair Adhesive (Heat Set) | SANDABLE

Applications: Structural and cosmetic repair of body panels, hoods, decks and doors

#### **Features & Benefits:**

• One product for all body panels

• Easily sands to a feather edge to provide undetectable repairs

• No bull's-eyes, read-throughs or halos

#### **OEM Approvals:**

Ford: Collision/warranty repair

GM, Chrysler: Collision/ warranty repair including

carbon fiber

Nissan: Warranty repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	100EZ	808498 <b>10043</b>	6
1.7 oz (50 mL)	101EZ	808498 <b>10001</b>	12





#### Clear Plastic Bonding Adhesive (Fast) | SANDABLE

**Applications:** Bumper tabs, emblems, body side moldings, rocker panel claddings and moldings, plastic backer panels, decorative vents, wheel opening moldings, acrylic sun visors, rear wind deflectors, medallions, door edge guards and ground effects

#### **Features & Benefits:**

- · Clear urethane, non-yellowing structural adhesive
- · Super fast cure
- · High-strength, flexible bond

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	141	808498 <b>10034</b>	6
1.7 oz (50 mL)	140	808498 <b>10015</b>	12



#### Plastic Bonding Adhesive (Medium) | SANDABLE

**Applications:** Installation and bonding of small body panels, spoilers, ground effects and headlight buckets

#### **Features & Benefits:**

- · High-strength structural adhesive
- Easy to gun, urethane non-sag formula
- Provides faster cure time for smaller body panels

#### **OEM Approvals:**

Chrysler: SMC bonding TSBs; Windnoise

sealing TSBs

Ford, GM, Honda: Meets SMC bonding specs; SMC bonding TSBs

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	147	808498 <b>10042</b>	6
1.7 oz (50 mL)	148	808498 <b>10016</b>	12



#### Plastic Bonding Adhesive (Slow) | SANDABLE

**Applications:** Plastic body panels, spoilers and ground effects; excellent for cab extenders, glass, wood and other surfaces

#### **Features & Benefits:**

- High-strength urethane structural adhesive
- Provides enough work time for bonding large body panels
- Easy to gun, non-sag formula

#### **OEM Approvals:**

GM: Plastic bonding per GM6448G

aftermarket spec

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	127EZ	808498 <b>10039</b>	6



#### Composite Adhesive (Slow) | STRUCTURAL/SANDABLE

**Applications:** Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

#### **Features & Benefits:**

- One product bonds and finishes all plastic panels
- OEM epoxy formula
- · Great for heavy-duty truck repair
- · Incredible strength
- Excellent gap-filling properties

#### **OEM Approvals:**

GM: Plastic bonding and warranty repair per GM6448G aftermarket spec

SIZE	FUSOR #	PART #	CASE
12.8 oz (380 mL)	120/T20	808498 <b>10165</b>	6
Use Fusor 420 Mixing Tip.			







#### Composite Adhesive (Slow) | SANDABLE

**Applications:** Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

#### **Features & Benefits:**

- One product bonds and finishes all plastic panels
- · OEM epoxy formula
- · Great for heavy-duty truck repair
- Incredible strength

10.1 oz (300 mL)

Use Fusor 420 Mixing Tip.

• Excellent gap-filling properties

UEIM	Appro	ovais
CMAL	Diantia	handi

GM: Plastic bonding and warranty repair per GM6448G aftermarket spec

Ford, Paccar, Navistar, Mack/Volvo/White

80849810038

	J.ORD	
т	19	
	410 (2000)	

#### Truck Plastic Bonding Adhesive (Super Fast) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

T21

#### **Features & Benefits:**

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives
- · Great for heavy duty truck repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	T19	808498 <b>10060</b>	6



#### Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

#### **Features & Benefits:**

- · Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives
- · Great for heavy duty truck repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	T22	808498 <b>10050</b>	6



#### Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL

**Applications:** Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives
- · Great for heavy duty truck repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	T23	808498 <b>10033</b>	6





PART #	DESCRIPTION	WORK TIME	SKIN TIME	FULL EXPANSION	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
808498 <b>10041</b> 808498 <b>10037</b>	Fusor 123/126 Non-Sag Seam Sealer (Fast)	3 to 5 min	_	_	_	Immediately or within 24 hours without a scuff	Bare metal or over 2K primers	Urethane 2K	Bright White
808498 <b>10045</b> 808498 <b>10013</b>	Fusor 123EZ/126EZ Non-Sag Seam Sealer (Medium)	10 to 15 min / 5 to 10 min @ 90°F (32°C)	_	_	30 min	30 min	Apply over 2K primers	Ероху 2К	Blue
808498 <b>10179</b> 808498 <b>10180</b>	Fusor 123SL/126SL Non-Sag Seam Sealer (Slow)	45 min	_	_	_	Immediately or within 24 hours without a scuff	Bare metal or over 2K primers	Urethane 2K	Bright White
808498 <b>10149</b>	Fusor 019 Bare Metal Brushable Seam Sealer (Medium)	6 to 8 min	_	_	10 min	10 min (Paint within 24 hours)	Bare metals	Acrylic 2K	Green Gray
808498 <b>10075</b>	Fusor 129 Controlled Flow Seam Sealer (Fast)	5 to 8 min	-	_	30 min	30 min	Bare metal or over 2K primers	Ероху 2К	Off White
808498 <b>10010</b>	Fusor 122EZ Self-Leveling Seam Sealer (Medium)	8 to 9 min	-	_	30 min	30 min	Apply over 2K primers	Ероху 2К	Light Blue
808498 <b>10170</b> 808498 <b>10171</b>	Fusor 800DT- M/803DTM Direct-To-Metal Adhesive/Sealant	_	15 to 45 min	_	_	Immediately or up to 30 days without a scuff	Cold rolled steel, ecoat and aluminum	Silane Terminat- ed Polymer 1K	Beige/Black
808498 <b>10158</b> 808498 <b>10159</b> 808498 <b>10160</b> 808498 <b>10161</b>	Fusor 802HD/804HD/ 805HD/806HD High Definition Spraya- ble Sealer	_	20 to 45 min	_	_	Immediately or up to 30 days without a scuff	Bare or primed metal, SMC and fiberglass, over epoxy and urethane primers	Silane Terminat- ed Polymer 1K	White/Gray/ Black/Beige
808498 <b>10058</b> 808498 <b>10011</b>	Fusor 121/124 Flexible Foam (Super Fast)	5 to 10 seconds	_	2 to 3 min	_	10 min	Apply over 2K primers	Urethane 2K	Black
808498 <b>10129</b>	Fusor 130 Rigid Foam (Super Fast)	10 to 25 seconds	-	3 to 4 min	_	10 min	Apply over 2K primers	Urethane 2K	Black

Technical data reported @ 70°F (21°C) unless noted.



#### Non-Sag Seam Sealer (Fast) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired

#### **Features & Benefits:**

- Duplicates factory appearance
- Gets the job done in 10 minutes
- · Bright white color

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	123	808498 <b>10041</b>	6
1.7 oz (50 mL)	126	808498 <b>10037</b>	12



#### Non-Sag Seam Sealer (Medium) | FULL BODIED

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired

#### **Features & Benefits:**

**OEM Approvals:** GM, Ford: Collision/warranty repair

Duplicates factory appearance

Longer work time

Sandable

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	123EZ	808498 <b>10045</b>	6
1.7 oz (50 mL)	126EZ	808498 <b>10013</b>	12







#### Non-Sag Seam Sealer (Slow) | FULL BODIED

**Applications:** Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered

#### **Features & Benefits:**

- Duplicates factory appearance
- · Longer work time
- · Bright white color

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	123SL	808498 <b>10179</b>	6
1.7 oz (50 mL)	126SL	808498 <b>10180</b>	12



#### Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER

Applications: Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required

#### **Features & Benefits:**

- · Reduces cycle time
- Acrylic formula provides corrosion protection
- Perfect match to OEM brushed appearance

SIZE	FUSOR #	PART #	CASE
7.6 oz (225 mL)	019	808498 <b>10149</b>	6



#### Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW

Applications: Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams

#### **Features & Benefits:**

- Epoxy formula provides smooth continuous beads with no gun lines
- · No tooling required for factory look
- Sandable

OEIVI	wh	μιι	JVO	113.
Chryc	lor	$\Gamma$	Hic	sior

**OEM Approvals:** 

sealing requirements

**OEM Approvals:** 

Chrysler: Collision/warranty repair

Chrysler: Collision/warranty repair GM: Used for in-plant repair

Ford: Collision/warranty repair per roof ditch

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	129	808498 <b>10075</b>	6



#### Self-Leveling Seam Sealer (Medium) | FLOWABLE

Applications: Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck

- Perfectly matches factory flow-grade seams
- No tooling required
- · Permanently flexible
- Sandable
- · Color changes to indicate cure

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	122EZ	808498 <b>10010</b>	6



Nissan, Ford: Collision/warranty repair





#### Direct-To-Metal Adhesive/Sealant | BARE METAL

**Applications:** Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required

#### **Features & Benefits:**

#### Available in neutral and black

- Single component direct-to-metal; no substrate primer required
- Non-sag/superior adhesive strength for trim bonding
- · Holds brush marks without die back
- Weld-thru with no burn back

SIZE	FUSOR #	PART #	CASE
9.5 oz (281 mL)	800DTM (neutral)	808498 <b>10170</b>	12
9.5 oz (281 mL)	803DTM (black)	808498 <b>10171</b>	12



#### High Definition Sprayable Sealer | BARE METAL

**Applications:** Creates flexible textured seams on floor pans, trunk pans, strut towers, exterior and truck bed seams; restore rocker panel chip guard texture and trunk area texture. Duplicates weld-thru sealing

#### **Features & Benefits:**

- Available in gray, beige, white and black
- Perfectly duplicates OEM textured seams
- Extremely flexible won't crack or peel
- Perfectly matches all OEM seams and textures with use of Fusor 312 Dispensing Gun
- · Weld-thru with no burn back

0EM	Approvals:
-----	------------

**OEM Approvals:** 

Chrysler, GM: Collision repair Ford: Collision/warranty repair

SIZE	FUSOR #	PART #	CASE
9.5 oz (281 mL)	802HD	808498 <b>10158</b>	12
9.5 oz (281 mL)	804HD	808498 <b>10159</b>	12
9.5 oz (281 mL)	805HD	808498 <b>10160</b>	12
9.5 oz (281 mL)	806HD	808498 <b>10161</b>	12



#### Flexible Foam (Super Fast) | FLEXIBLE

**Applications:** Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area

#### **Features & Benefits:**

- Matches OEM sound deadening foams
- · Retains its memory with no shrinkage
- Expands to 10 times its size
- · Will not oil can
- Will not absorb moisture or cause corrosion

0EM	Approvals:
Ford	CM. Collision/

Ford, GM: Collision/warranty repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	121	808498 <b>10058</b>	6
1.7 oz (50 mL)	124	808498 <b>10011</b>	12



#### Rigid Foam (Super Fast) | RIGID

**Applications:** Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors

#### **Features & Benefits:**

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size
- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 3 minutes

#### **OEM Approvals:**

Ford, Chrysler: Collision/ warranty repair

SIZE	FUSOR #	PART #	CASE
10.1 oz (300 mL)	130	808498 <b>10129</b>	6







#### **Clear Double-Sided Tape**

**Applications:** Excellent adhesion of exterior/interior trim including emblems, side molding and bumper cover trim

#### **Features & Benefits:**

- Longer-sized roll for multiple jobs
- 33% stronger than competitive tapes
- UV, water and solvent resistant
- · Clear, non-detectable
- Repositionable
- Increased strength when used over Fusor 602EZ

#### **Substrates:**

Bonds metal, glass and plastic

#### **OEM Approvals:**

Chrysler: MS-CH59 Ford: WSB-M3G138-B GM: GM 3802M

SIZE	FUSOR #	PART #	CASE
7/8" x 60' x 0.045" (22.2 mm x 18.3 m x 1.14 mm)	180	808498 <b>10132</b>	6
1/2" x 60' x 0.045" (12.7 mm x 18.3 m x 1.14 mm)	181	808498 <b>10133</b>	6
1/4" x 60' x 0.045" (6.4 mm x 18.3 m x 1.14 mm)	182	808498 <b>10134</b>	6



#### Surface Modifier

**Applications:** Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes

#### **Features & Benefits:**

- Open time from 10 minutes to 24 hours
- · California compliant
- When used with Fusor 132/133, 142/143, 152/153 or 141/140, no need for plastic identification
- Increases adhesion when used with Fusor 180/181/182

_			
С.,	hst		-
- 511	usi	ГИІ	H.S.

FUSOR #

602F7

All plastic bumper covers, emblems, moldings and primed or painted metals

#### **OEM Approvals:**

GM, Ford: Collision/warranty repair

PART #

80849810121



#### Reinforcing Mesh

SIZE

9 oz (255 mL)

**Applications:** Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers. Use with Fusor 132/133, 142/143, 152/153, 141/140

SIZE	FUSOR #	PART #	CASE
4" x 12' (101 6 mm x 3 7 m)	700	808498 <b>10023</b>	12



#### Fiberglass Cloth

**Applications:** Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels. Helps eliminate bull's-eyes in SMC repair. Use with Fusor 100EZ, 120/T20, T21

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	702	808498 <b>10025</b>	12







#### Adhesion Prep/Cleaner

**Applications:** Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels

SIZE	FUSOR #	PART #	CASE
32 oz (946.3 mL)	703	808498 <b>10026</b>	12



#### Saturation Roller

**Applications:** Use with Fusor 700 and 702 for maximum adhesive saturation. Ideal for building SMC patch panel repairs. Helps compact the surface for strong repairs

#### **Features & Benefits:**

• 3" (76.2 mm) anodized aluminum

SIZE	FUSOR #	PART #	CASE
3" (76.2 mm) Roller	704	808498 <b>10027</b>	6



#### Manual 50 mL Dispensing Gun

#### **Features & Benefits:**

- For use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip
- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact
- Fusor 517 replacement plungers available for Fusor 300 gun

SIZE	FUSOR #	PART #	CASE
50 mL Dispensing Gun	300	808498 <b>10019</b>	1
Replacement Plunger	517	808498 <b>10120</b>	6



#### Manual 300/225 mL Dispensing Gun

#### **Features & Benefits:**

- For use with 10.1/7.6 oz (300/225 mL) cartridges
- Dispenses 1:1 and 2:1 cartridges with easy conversion
- · Features tempered, built-in nozzle cutter for easy controlled custom bead sizing
- 10:1 thrust ratio

SIZE	FUSOR #	PART #	CASE
300/225 mL	301	808498 <b>10020</b>	1



#### High Performance Manual 300/225 mL Dispensing Gun

- For use with 10.1/7.6 oz (300/225 mL) cartridges
- Dispenses 1:1 and 2:1 cartridges with easy conversion
- · Features tempered, built-in nozzle cutter for easy controlled custom bead sizing
- Sturdy, high-quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- Improved cartridge stabilization

300/225 mL 302 808498 <b>10177</b> 1	SIZE	FUSOR #	PART #	CASE
	300/225 mL	302	808498 <b>10177</b>	1







#### Pneumatic 380 mL Dispensing Gun

#### **Features & Benefits:**

- For use with GM-approved Fusor 120/T20 12.8 oz (380 mL) coaxial cartridges
- Convertible from 1:1 to 2:1
- Includes air hose, regulator, 2 retaining nuts and 2 valve handles
- Rates for 100 psi (0.69 MPa) of dispensing pressure
- Super high-performance tool

SIZE	FUSOR #	PART #	CASE
380 mL	303	808498 <b>10078</b>	1



#### Pneumatic 300/225 mL Dispensing Gun

#### **Features & Benefits:**

- For use with 10.1/7.6 oz (300/225 mL) cartridges
- For use with 1:1 and 2:1 cartridges
- For fast and easy application of long beads

SIZE	FUSOR #	PART #	CASE
300/225 mL	304	808498 <b>10079</b>	1



#### Sprayable Seam Sealer Gun

#### **Features & Benefits:**

- For use with Fusor HD sealers
- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- · Material and air flow adjustment controls allow for factory match seams

SIZE	FUSOR #	PART #	CASE
	312	808498 <b>10111</b>	1



#### One-Component Manual Seam Sealer Gun

#### **Features & Benefits:**

- For use with Fusor 2098 and Fusor DTM sealers
- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants especially handy for thicker materials and in cold weather

SIZE	FUSOR #	PART #	CASE
	313	808498 <b>10146</b>	1



#### **Pneumatic One-Component Caulking Gun**

- Rod driven pneumatic dispenser
- True air regulator controls flow, allowing for continuous bead application
- Includes quick change aluminum barrel, safety valve in handle, and air dump valve to instantly stop flow
- Rates for 0-100 psi (0.69 MPa) of dispensing pressure
- For use with Fusor 2098 and Fusor DTM sealers

SIZE	FUSOR #	PART #	CASE
	314	808498 <b>10178</b>	1







#### Red Power 50 mL Cartridges Mixing Tips

#### **Features & Benefits:**

- 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount
- For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun

SIZE	FUSOR #	PART #	CASE
Standard Pack	400	80849810076	12
Economy Pack	416	808498 <b>10066</b>	144



#### Red Power 300 mL Cartridges Mixing Tips

#### **Features & Benefits:**

- 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)
- For use with all 1:1 and 2:1, 10.1 oz (300 mL) and 7.6 oz (225 mL) cartridges

SIZE	FUSOR #	PART #	CASE
Standard Pack	401	808498 <b>10145</b>	12
Economy Pack	417	808498 <b>10067</b>	144



#### Nozzle For 800 Series Sealer

#### **Features & Benefits:**

- Threaded replacement nozzles for caulking tubes
- For use with Fusor DTM sealers

SIZE	FUSOR #	PART #	CASE
	412	808498 <b>10130</b>	12



#### **Red Power Mixing Tips**

- 0.42" x 6.8" x 24-element (10.7 mm x 172.7 mm x 24-element)
- For use with Fusor 120/T20, T21 and 2098

SIZE	FUSOR #	PART #	CASE
	420	808498 <b>10073</b>	12







#### **Cabinet**

- Allows easy accessibility, stocking and storage of Fusor adhesives and accessories
- Keeps Fusor products dust free
- Makes evaluating inventory easier
- 20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m) with shelf, mixer container and hanging racks for opened and unopened cartridges

SIZE	FUSOR #	PART #
20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)	907	808498 <b>10105</b>
Available in black		









#### There's no shine like Mothers®.

Mothers® started in 1971 when tire dealer, Al Holloway, and a chemist friend invented a polish to remove oxidation from that era's then-new "mag" wheels. It was an instant hit with car enthusiasts. And the business blossomed from that single item to a comprehensive line of more than 40 new-appearance care products on the market today. Still owned and operated by the Holloway family, the company has pioneered new appearance car technologies based on its passion for painstaking research and superior quality.



#### **Heavy Duty Rubbing Compound**

Quickly removes 1200 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove heavy oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE
32 oz./946mL	078175 <b>81232</b>	6
1 gallon/3.785L	078175 <b>81238</b>	4



#### **Rubbing Compound**

Quickly removes 1500 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove light oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 <b>08612</b>	6
32 oz./946mL	078175 <b>81132</b>	6
1 gallon/3.785L	078175 <b>81138</b>	4



#### Finishing Polish/Foam Pad Polish

Recommended for removal of compounding swirl marks from all types of refinish or factory-applied automotive paints. Also recommended to enhance color and add depth. Use with a foam pad.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 <b>08712</b>	6
32 oz./946mL	078175 <b>83432</b>	6
1 gallon/3 785l	078175 <b>83438</b>	4



#### **Professional Dispenser Bottle**

Dispense polishes and compounds with ease with Mothers® Professional Refillable Dispenser Bottle. It features a self-cleaning pop top to prevent clogging, keeping you focused on the task at hand, all while distributing the perfect amount of product every time. Buy in bulk, and dispense with ease with this high-quality dispenser bottle.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 <b>80000</b>	12



#### Instant Detailer

Instant Detailer is a silicone-free, body shop safe, paintable product that provides unparalleled depth and clarity. This unique formula is easy-to-use and completely safe on all types of paints, including clearcoats. Simply the fastest way to prep and shine any vehicle's paint in any body shop environment.

#### techtip

Use Instant Detailer with a clean microfiber towel during and after compounding and polishing, for a quick and easy cleanup.

DESCRIPTION	PART #	QTY/CASE
24 oz./710mL	078175 <b>85624</b>	6
1 gallon/3.785L	078175 <b>85638</b>	4
5 gallon/18.925L	078175 <b>85645</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>85632</b>	12







#### Machine Glaze

This high-quality polishing glaze quickly removes compound haze, fine scratches and swirl marks from all types of refinish or factory-applied automotive paints. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE	
32 oz /0/16ml	078175 <b>82332</b>	6	



#### Hand Glaze

Recommended for added shine and protection, Professional Hand Glaze may be used after Professional Finishing Polish / Foam Pad Polish to achieve unparalleled depth and clarity. Hand Glaze is easy-to-use and completely safe on all types of paints.

DESCRIPTION	PART #	QTY/CASE
32 oz./946mL	078175 <b>84532</b>	6



#### **Professional Metering Unit**

The Mothers® Professional Metering Unit is the most efficient and precise way to ensure that Mothers® product concentrates are being diluted correctly for their specified use; at the push of a button. The unit is easy-to-install, easy-to-use, and it dilutes up to six different Mothers® product concentrates.

DESCRIPTION	PART #	QTY/CASE	
Metering Unit	078175 <b>05986</b>	1	



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW METERING UNIT ASSEMBIY



#### Auto Wash (Concentrate)

Carefully crafted concentration of soaps and detergents that cleans away grease and grime with ease. This pH balanced, non-toxic, environmentally friendly, and biodegradable formula will not streak paint or remove existing wax. Can be used as a wet sanding solution when diluted 1/2 oz. per gallon of water.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>80138</b>	4
5 gallon/18.925L	078175 <b>80145</b>	1
55 gallon/208.19L	078175 <b>80155</b>	1



#### All-Purpose Cleaner (Concentrate)

A highly-concentrated, biodegradable, multi-purpose cleaning solution for a wide variety of surfaces. Combining highly effective cleaners with a combination of water miscible solvents and surfactants, this All-Purpose Cleaner breaks down dirt and grease with ease. Perfect for cleaning carpets, fabrics, vinyl upholstery, engine compartments, fender wells, door jambs, and more. At higher concentrations, All-Purpose Cleaner is great for cleaning wheels, tires, whitewalls, and pre-spotting carpets before shampooing.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>87138</b>	4
5 gallon/18.925L	078175 <b>87145</b>	1
55 gallon/208.19L	078175 <b>87155</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>87132</b>	12



#### Water-Based Degreaser (Concentrate)

Features a safe but effective blend of grease cutting surfactants and biodegradable solvents which lift away carbon and baked-on grime from a variety of surfaces. This non-toxic, super-concentrate is tough on tenacious filth, but will not stain paint or harm aluminum engine components.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>87538</b>	4
5 gallon/18.925L	078175 <b>87545</b>	1
55 gallon/208.19L	078175 <b>87555</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>87532</b>	12







#### Glass Cleaner (Concentrate)

Mothers® Professional Glass Cleaner is a cost-effective and versatile cleaning concentrate formulated for all glass and virtually any surface. Ideal for use in high volume detail shops and car washes to remove tough grime, dirt, oily film, and fingerprints. Also great around the house, car, boat, or motor home, even on tinted window surfaces. It dries quickly and leaves behind a sparkling clean, streak-free shine, even in cold weather.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>87638</b>	4
5 gallon/18.925L	078175 <b>87645</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>87632</b>	12



#### Wheel Cleaner (Concentrate)

Mothers® Professional Wheel Cleaner is a biodegradable cleaning concentrate for factory/OEM wheels and hubcaps, including painted, clearcoated, color coated and chrome. Professional Wheel Cleaner does not contain hydrofluoric, sulfuric or phosphoric acids, making it safer than conventional acid cleaners.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>87938</b>	4
5 gallon/18.925L	078175 <b>87945</b>	1
55 gallon/208.19L	078175 <b>87955</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>87932</b>	12



#### Silicone-Free Dressing Concentrate

Mothers® Silicone-Free Dressing Concentrate is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

	· · · · · · · · · · · · · · · · · · ·	
DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>88638</b>	4
5 gallon/18.925L	078175 <b>88645</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>88632</b>	12



#### Silicone-Free Dressing

Silicone-Free Dressing is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>88538</b>	4
5 gallon/18.925L	078175 <b>88545</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>88532</b>	12



#### **Vinyl & Rubber Dressing**

This product is extremely versatile, and can be used on all vinyl, rubber and plastic surfaces, even engine compartments. Protects all these surfaces from the elements, and leaves a non-greasy, "like-new" finish that will not attract dust. This white silicone emulsion features a thick, creamy consistency that is easily sprayed or wiped onto any surface, and dries to a medium-high shine. Does not contain soaps, glycerin, or other extenders.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 <b>88138</b>	4
5 gallon/18.925L	078175 <b>88145</b>	1
32 oz. Chemical Resistant Sprayer	078175 <b>88132</b>	12



#### Spigot For 5 Gallon Container

Dispensing liquids from our Professional 5 gallon containers has never been easier. With a simple twist, our spigot allows for a quick and easy fill, ideal for our 32 ounce OSHA compliant secondary spray bottles. Made from chemical resistant High Density Polyethylene (HDPE), our 3/4" spigot will thread right into our 5 gallon container's lid.

DESCRIPTION	PART #	QTY/CASE
Spigot	078175 <b>80005</b>	6







#### Protect. Save. Renew.

Solar Gard window and body film act as body armor helping to guard the vehicle from damaging elements. The advanced design of tough, clear polymer creates an invisible layer of protection to the covered surface keeping the vehicle in like-new condition and eliminating 95% of ultraviolet rays for many years.



#### Window Film

Solar Gard® NR Supreme is a non-reflective, color-stable window film made from manufacturing technology that produces optimum heat- and glare-rejection from a non-metal film. NR Supreme provides superior optical clarity and complements factory glass with its protective qualities.

	20"	40"	60"
DESCRIPTION	PART #	PART #	PART #
NR Supreme™ 8	776960 <b>90285</b>	776960 <b>90286</b>	776960 <b>90287</b>
NR Supreme™ 15	776960 <b>90288</b>	776960 <b>90289</b>	776960 <b>90290</b>
NR Supreme™ 28	776960 <b>90291</b>	776960 <b>90292</b>	776960 <b>90293</b>
NR Supreme™ 40	776960 <b>90294</b>	776960 <b>90295</b>	776960 <b>90296</b>
NR Supreme™ 50	776960 <b>90297</b>	776960 <b>90298</b>	776960 <b>90299</b>
ROLL/CASE	1	1	1



#### **Paint Protection Film**

Clearshield Pro is a tough, clear barrier that acts like body armor for paint. It's an invisible layer that helps protect paint against chips, scratches and stains caused by road debris, insects and more.

	12"	18"	24"	30"	36"	60"
DESCRIPTION	PART #					
Clearshield Pro	776960 <b>90300</b>	776960 <b>90301</b>	776960 <b>90302</b>	776960 <b>90303</b>	776960 <b>90304</b>	776960 <b>90305</b>
ROLL/CASE	1	1	1	1	1	1



#### **Door Edge Guard**

The Clearshield Pro Door Edge Guard protects the door edges of a vehicle from potential scratches and chips, is as easy as a pinstripe to install. It is an invisible 8 mil door edge protector that is removable if needed warrantied against yellowing, cracking or peeling. (1) 1/2" x 100' roll yields up to (10) 4-door cars.

	1/2" x 100'	
DESCRIPTION	PART #	
Clearshield Pro Door Edge Guard	776960 <b>90306</b>	
OTV/DACV	1	

### PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE								
055390 <b>05593</b>	13	055395 <b>18111</b>	6	055395 <b>20315</b>	6	055395 <b>21320</b>	8	055395 <b>53402</b>	16
55390 <b>05594</b>	13	055395 <b>18112</b>	6	055395 <b>20318</b>	6	055395 <b>21324</b>	8	055395 <b>53403</b>	16
55390 <b>55457</b>	13	055395 <b>18113</b>	6	055395 <b>20319</b>	6	055395 <b>21325</b>	8	055395 <b>53409</b>	5
55395 <b>00595</b>	13	055395 <b>18114</b>	6	055395 <b>20320</b>	6	055395 <b>21336</b>	8	055395 <b>53410</b>	5
55395 <b>00596</b>	13	055395 <b>18162</b>	6	055395 <b>20321</b>	6	055395 <b>21337</b>	8	055395 <b>53411</b>	5
55395 <b>00605</b>	13	055395 <b>18163</b>	6	055395 <b>20322</b>	6	055395 <b>21338</b>	8	055395 <b>53412</b>	5
55395 <b>00606</b>	13	055395 <b>18164</b>	6	055395 <b>20323</b>	6	055395 <b>21342</b>	8	055395 <b>53413</b>	5
55395 <b>00607</b>	13	055395 <b>18165</b>	6	055395 <b>20324</b>	6	055395 <b>21343</b>	8	055395 <b>53414</b>	5
55395 <b>00608</b>	13	055395 <b>18166</b>	6	055395 <b>20325</b>	6	055395 <b>21344</b>	8	055395 <b>54479</b>	20
55395 <b>01132</b>	19	055395 <b>18167</b>	6	055395 <b>20326</b>	6	055395 <b>21345</b>	8	055395 <b>54480</b>	20
55395 <b>01209</b>	14	055395 <b>18168</b>	6	055395 <b>20328</b>	6	055395 <b>21348</b>	8	055395 <b>54481</b>	20
55395 <b>12568</b>	23	055395 <b>18169</b>	6	055395 <b>20329</b>	6	055395 <b>21349</b>	8	055395 <b>61102</b>	6
55395 <b>01881</b>	15	055395 <b>18170</b>	6	055395 <b>20330</b>	6	055395 <b>21350</b>	8	055395 <b>61106</b>	6
55395 <b>03861</b>	19	055395 <b>18171</b>	6	055395 <b>20331</b>	6	055395 <b>22538</b>	18	055395 <b>61108</b>	6
55395 <b>03863</b>	19	055395 <b>18172</b>	6	055395 <b>20332</b>	7	055395 <b>30893</b>	16	055395 <b>61109</b>	6
55395 <b>04270</b>	19	055395 <b>18173</b>	6	055395 <b>20333</b>	7	055395 <b>33867</b>	31	055395 <b>61110</b>	6
55395 <b>06728</b>	26	055395 <b>10175</b>	23	055395 <b>20334</b>	7	055395 <b>42089</b>	13	055395 <b>63769</b>	26
	21		23		7		14		26
55395 <b>09760</b>		055395 <b>20076</b>		055395 <b>20335</b>		055395 <b>47329</b>		055395 <b>63770</b>	
55395 <b>09767</b>	21	055395 <b>20252</b>	6	055395 <b>20336</b>	7	055395 <b>50000</b>	5	055395 <b>63779</b>	6
55395 <b>09768</b>	21	055395 <b>20253</b>	6	055395 <b>20337</b>	7	055395 <b>50001</b>	5	055395 <b>63780</b>	6
55395 <b>10711</b>	23	055395 <b>20254</b>	6	055395 <b>20338</b>	7	055395 <b>50002</b>	5	055395 <b>63781</b>	6
55395 <b>10712</b>	23	055395 <b>20255</b>	6	055395 <b>20339</b>	7	055395 <b>50003</b>	5	055395 <b>63782</b>	6
55395 <b>10713</b>	23	055395 <b>20256</b>	6	055395 <b>20340</b>	7	055395 <b>50004</b>	5	055395 <b>63784</b>	6
55395 <b>10720</b>	23	055395 <b>20257</b>	6	055395 <b>20361</b>	31	055395 <b>50005</b>	5	055395 <b>63785</b>	7
55395 <b>10721</b>	23	055395 <b>20258</b>	6	055395 <b>20459</b>	7	055395 <b>50006</b>	5	055395 <b>63889</b>	22
5395 <b>10722</b>	23	055395 <b>20259</b>	6	055395 <b>20461</b>	7	055395 <b>50007</b>	5	055395 <b>63890</b>	22
5395 <b>10890</b>	16	055395 <b>20260</b>	6	055395 <b>20463</b>	7	055395 <b>50008</b>	5	055395 <b>63891</b>	22
5395 <b>10891</b>	16	055395 <b>20262</b>	6	055395 <b>20470</b>	7	055395 <b>50009</b>	5	055395 <b>63893</b>	22
55395 <b>10892</b>	16	055395 <b>20263</b>	6	055395 <b>20471</b>	7	055395 <b>50010</b>	5	055395 <b>63895</b>	26
55395 <b>12013</b>	33	055395 <b>20264</b>	6	055395 <b>20472</b>	7	055395 <b>51776</b>	18	055395 <b>63897</b>	32
55395 <b>12014</b>	33	055395 <b>20266</b>	6	055395 <b>20473</b>	7	055395 <b>53326</b>	9	055395 <b>63898</b>	32
55395 <b>12015</b>	33	055395 <b>20267</b>	6	055395 <b>20474</b>	7	055395 <b>53327</b>	9	055395 <b>63899</b>	32
55395 <b>12032</b>	23	055395 <b>20269</b>	6	055395 <b>20475</b>	7	055395 <b>53330</b>	10	055395 <b>63900</b>	32
55395 <b>12033</b>	23	055395 <b>20270</b>	6	055395 <b>20486</b>	31	055395 <b>53332</b>	22	055395 <b>64024</b>	14
55395 <b>12506</b>	22	055395 <b>20271</b>	6	055395 <b>20523</b>	31	055395 <b>53333</b>	22	055395 <b>67378</b>	30
55395 <b>12507</b>	22	055395 <b>20271</b>	6	055395 <b>20527</b>	7	055395 <b>53334</b>	5	055395 <b>67379</b>	30
55395 <b>12507</b>	22	055395 <b>20272</b>	6	055395 <b>20527</b>	7	055395 <b>53335</b>	5	055395 <b>67381</b>	30
55395 <b>12509</b>	22	055395 <b>20275</b>	6	055395 <b>20529</b>	7	055395 <b>53336</b>	5	055395 <b>68511</b>	27
55395 <b>12510</b>	22	055395 <b>20276</b>	6	055395 <b>20530</b>	7	055395 <b>53337</b>	5	055395 <b>69471</b>	21
55395 <b>12512</b>	22	055395 <b>20277</b>	6	055395 <b>20531</b>	7	055395 <b>53338</b>	5	055395 <b>69472</b>	21
55395 <b>14148</b>	7	055395 <b>20278</b>	6	055395 <b>20532</b>	7	055395 <b>53339</b>	5	055395 <b>69473</b>	21
55395 <b>15297</b>	6	055395 <b>20282</b>	6	055395 <b>20533</b>	7	055395 <b>53340</b>	5	055395 <b>69926</b>	6
55395 <b>15298</b>	6	055395 <b>20283</b>	6	055395 <b>20534</b>	7	055395 <b>53341</b>	5	055395 <b>69927</b>	6
5395 <b>15300</b>	6	055395 <b>20284</b>	6	055395 <b>20535</b>	7	055395 <b>53342</b>	5	055395 <b>69934</b>	15
55395 <b>15304</b>	6	055395 <b>20285</b>	6	055395 <b>20536</b>	7	055395 <b>53343</b>	5	055395 <b>69935</b>	15
55395 <b>15311</b>	6	055395 <b>20287</b>	6	055395 <b>20537</b>	7	055395 <b>53344</b>	5	055395 <b>70019</b>	6
5395 <b>15312</b>	6	055395 <b>20288</b>	6	055395 <b>20538</b>	7	055395 <b>53346</b>	30	055395 <b>70020</b>	6
55395 <b>15313</b>	6	055395 <b>20289</b>	6	055395 <b>21300</b>	8	055395 <b>53350</b>	5	055395 <b>70021</b>	6
5395 <b>15315</b>	6	055395 <b>20294</b>	6	055395 <b>21301</b>	8	055395 <b>53377</b>	13	055395 <b>70022</b>	6
5395 <b>15316</b>	6	055395 <b>20295</b>	6	055395 <b>21302</b>	8	055395 <b>53381</b>	13	055395 <b>70121</b>	17
5395 <b>15317</b>	6	055395 <b>20296</b>	6	055395 <b>21303</b>	8	055395 <b>53382</b>	13	055395 <b>70122</b>	17
5395 <b>18101</b>	6	055395 <b>20299</b>	31	055395 <b>21304</b>	8	055395 <b>53383</b>	13	055395 <b>70123</b>	17
5395 <b>18104</b>	6	055395 <b>20305</b>	6	055395 <b>21305</b>	8	055395 <b>53389</b>	16	055395 <b>70124</b>	17
5395 <b>18105</b>	6	055395 <b>20306</b>	6	055395 <b>21309</b>	8	055395 <b>53390</b>	16	055395 <b>70125</b>	17
539518106	6	055395 <b>20307</b>	6	055395 <b>21311</b>	8	055395 <b>53395</b>	30	055395 <b>70401</b>	32
539518107	6	055395 <b>20310</b>	6	055395 <b>21311</b>	8	055395 <b>53396</b>	16	055395 <b>70401</b>	32
									_
55395 <b>18108</b>	6	055395 <b>20311</b>	6	055395 <b>21316</b>	8	055395 <b>53397</b>	16	055395 <b>70403</b>	32
5395 <b>18109</b>	6	055395 <b>20312</b>	6	055395 <b>21318</b>	8	055395 <b>53400</b>	16	055395 <b>70404</b>	32
55395 <b>18110</b>	6	055395 <b>20314</b>	6	055395 <b>21319</b>	8	055395 <b>53401</b>	16	055395 <b>70405</b>	32

## PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
055395 <b>70406</b>	32	055395 <b>99343</b>	10	055395 <b>99461</b>	15	077922 <b>00268</b>	24	087143 <b>00580</b>	37
055395 <b>70411</b>	15	055395 <b>99344</b>	10	055395 <b>99462</b>	9	077922 <b>74977</b>	24	087143 <b>00581</b>	37
055395 <b>70412</b>	15	055395 <b>99345</b>	10	055395 <b>99463</b>	9	077922 <b>88400</b>	38	087143 <b>00586</b>	37
055395 <b>70413</b>	15	055395 <b>99346</b>	10	055395 <b>99464</b>	9	077922 <b>88401</b>	38	087143 <b>00587</b>	37
055395 <b>70414</b>	15	055395 <b>99347</b>	10	055395 <b>99465</b>	9	077922 <b>88402</b>	38	087143 <b>00690</b>	37
055395 <b>70530</b>	26	055395 <b>99348</b>	10	055395 <b>99466</b>	9	077922 <b>88403</b>	38	088341 <b>64037</b>	22
055395 <b>70533</b>	14	055395 <b>99349</b>	10	055395 <b>99467</b>	9	078175 <b>08612</b>	55	553955 <b>53420</b>	4
055395 <b>70546</b>	9	055395 <b>99362</b>	24	055395 <b>99468</b>	15	078175 <b>08712</b>	55	553955 <b>53421</b>	4
055395 <b>70547</b>	9	055395 <b>99363</b>	24	055395 <b>99469</b>	10	078175 <b>80000</b>	55	553955 <b>53422</b>	4
055395 <b>70548</b>	9	055395 <b>99365</b>	31	055395 <b>99472</b>	10	078175 <b>80005</b>	57	553955 <b>53423</b>	4
055395 <b>70550</b>	9	055395 <b>99370</b>	9	055395 <b>99473</b>	10	078175 <b>81132</b>	55	553955 <b>53424</b>	4
055395 <b>70551</b>	9	055395 <b>99371</b>	9	055395 <b>99488</b>	5	078175 <b>81138</b>	55	553955 <b>53425</b>	4
055395 <b>70553</b>	9	055395 <b>99372</b>	9	055395 <b>99489</b>	5	078175 <b>81232</b>	55	553955 <b>53426</b>	4
055395 <b>70554</b>	9	055395 <b>99373</b>	9	055395 <b>99490</b>	5	078175 <b>81238</b>	55	553955 <b>53427</b>	4
055395 <b>70555</b>	9	055395 <b>99376</b>	9	055395 <b>99491</b>	5	078175 <b>82332</b>	56	553955 <b>53428</b>	4
055395 <b>70556</b>	9	055395 <b>99381</b>	14	055395 <b>99492</b>	5	078175 <b>83432</b>	55	553955 <b>53429</b>	4
055395 <b>70557</b>	9	055395 <b>99383</b>	21	055395 <b>99493</b>	5	078175 <b>84532</b>	56	616026 <b>18100</b>	40
055395 <b>70558</b>	9	055395 <b>99385</b>	21	055395 <b>99494</b>	5	078175 <b>85624</b>	55	616026 <b>51345</b>	40
055395 <b>70559</b>	9	055395 <b>99386</b>	21	055395 <b>99495</b>	5	078175 <b>85632</b>	55	616026 <b>51580</b>	40
055395 <b>70560</b>	9	055395 <b>99387</b>	21	055395 <b>99496</b>	5	078175 <b>85638</b>	55	616026 <b>92245</b>	40
055395 <b>70561</b>	9	055395 <b>99389</b>	21	055395 <b>99497</b>	5	078175 <b>85645</b>	55	616026 <b>92255</b>	40
055395 <b>70562</b>	9	055395 <b>99390</b>	21	055395 <b>99498</b>	5	078175 <b>87632</b>	57	616026 <b>92257</b>	40
055395 <b>70563</b>	9	055395 <b>99393</b>	10	055395 <b>99499</b>	5	078175 <b>87638</b>	57	662528 <b>38447</b>	19
055395 <b>70564</b>	9	055395 <b>99394</b>	10	055395 <b>99500</b>	5	078175 <b>87645</b>	57	662528 <b>38448</b>	19
055395 <b>70565</b>	9	055395 <b>99395</b>	10	055395 <b>99501</b>	5	078175 <b>87932</b>	57	662533 <b>71229</b>	19
055395 <b>70566</b>	9	055395 <b>99413</b>	9	055395 <b>99502</b>	5	078175 <b>87938</b>	57	662610 <b>55103</b>	22
055395 <b>70567</b>	9	055395 <b>99414</b>	9	055395 <b>99503</b>	5	078175 <b>87945</b>	57	662610 <b>55105</b>	18, 22
055395 <b>70568</b>	9	055395 <b>99416</b>	9	055395 <b>99504</b>	5	078175 <b>87955</b>	57	662610 <b>89212</b>	25
055395 <b>70569</b>	9	055395 <b>99417</b>	9	055395 <b>99505</b>	5	078175 <b>88132</b>	57	662611 <b>21523</b>	16
055395 <b>70570</b>	9	055395 <b>99418</b>	9	055395 <b>99506</b>	5	078175 <b>88138</b>	57	662611 <b>21524</b>	16
055395 <b>70571</b>	9	055395 <b>99419</b>	9	055395 <b>99507</b>	5	078175 <b>88145</b>	57	662611 <b>82685</b>	38
055395 <b>70572</b>	9	055395 <b>99420</b>	9	055395 <b>99508</b>	5	078175 <b>88532</b>	57	662611 <b>82686</b>	38
055395 <b>70580</b>	9	055395 <b>99421</b>	9	055395 <b>99509</b>	5	078175 <b>88538</b>	57	662611 <b>82688</b>	38
055395 <b>70581</b>	9	055395 <b>99422</b>	9	055395 <b>99511</b>	5	078175 <b>88545</b>	57	666233 <b>11870</b>	12
055395 <b>70582</b>	25	055395 <b>99423</b>	5	055395 <b>99512</b>	5	078175 <b>88632</b>	57	666233 <b>11871</b>	12
055395 <b>70583</b>	25	055395 <b>99424</b>	25	055395 <b>99513</b>	5	078175 <b>88638</b>	57	666233 <b>11873</b>	12
055395 <b>70584</b>	25	055395 <b>99425</b>	16	055395 <b>99514</b>	5	078175 <b>88645</b>	57	666233 <b>11874</b>	12
055395 <b>70585</b>	25	055395 <b>99426</b>	16	055395 <b>99515</b>	5	087143 <b>00214</b>	26	666233 <b>11875</b>	12
055395 <b>99304</b>	34	055395 <b>99427</b>	6	055395 <b>99516</b>	5	087143 <b>00216</b>	26	666233 <b>11876</b>	12
055395 <b>99305</b>	34	055395 <b>99428</b>	6	055395 <b>99517</b>	5	087143 <b>00217</b>	26	666233 <b>11877</b>	12
055395 <b>99306</b>	15, 33	055395 <b>99429</b>	6	055395 <b>99518</b>	5	087143 <b>00218</b>	26	666233 <b>11878</b>	12
055395 <b>99307</b>	34	055395 <b>99430</b>	6	055395 <b>99519</b>	5	087143 <b>00306</b>	37	666233 <b>11879</b>	12
055395 <b>99308</b>	34	055395 <b>99438</b>	17	055395 <b>99520</b>	5	087143 <b>00307</b>	37	666233 <b>29280</b>	18
055395 <b>99309</b>	34	055395 <b>99439</b>	17	055395 <b>99521</b>	5	087143 <b>00308</b>	37	666233 <b>29282</b>	18
055395 <b>99310</b>	34	055395 <b>99440</b>	17	055395 <b>99522</b>	5	087143 <b>00309</b>	37	666233 <b>53328</b>	9
055395 <b>99311</b>	34	055395 <b>99441</b>	17	055395 <b>99523</b>	5	087143 <b>00310</b>	37	666233 <b>53329</b>	9
055395 <b>99312</b>	34	055395 <b>99442</b>	17	055395 <b>99524</b>	5	087143 <b>00311</b>	37	666233 <b>55578</b>	23
055395 <b>99313</b>	34	055395 <b>99443</b>	17	055395 <b>99525</b>	5	087143 <b>00312</b>	37	666233 <b>55594</b>	23
055395 <b>99314</b>	34	055395 <b>99444</b>	5	055395 <b>99526</b>	5	087143 <b>00313</b>	37	666233 <b>55595</b>	23
055395 <b>99315</b>	34	055395 <b>99447</b>	28	055395 <b>99564</b>	5	087143 <b>00314</b>	37	666233 <b>55597</b>	23
055395 <b>99316</b>	34	055395 <b>99450</b>	28	055395 <b>99565</b>	5	087143 <b>00315</b>	37	666233 <b>55598</b>	23
055395 <b>99317</b>	34	055395 <b>99452</b>	28	055395 <b>99566</b>	5	087143 <b>00316</b>	37	666233 <b>55599</b>	23
055395 <b>99318</b>	34	055395 <b>99453</b>	29	055395 <b>99567</b>	5	087143 <b>00317</b>	37	666233 <b>57276</b>	23
055395 <b>99319</b>	34	055395 <b>99454</b>	29	055395 <b>99568</b>	5	087143 <b>00499</b>	38	666233 <b>57277</b>	23
055395 <b>99320</b>	34	055395 <b>99455</b>	29	055395 <b>99570</b>	5	087143 <b>00500</b>	38	666233 <b>57278</b>	23
055395 <b>99321</b>	34	055395 <b>99456</b>	29	055395 <b>99590</b>	5	087143 <b>00501</b>	38	666233 <b>57283</b>	23
055395 <b>99322</b>	34	055395 <b>99457</b>	29	055395 <b>99591</b>	5	087143 <b>00502</b>	38	666233 <b>57284</b>	23
055395 <b>99323</b>	16, 34	055395 <b>99459</b>	29	055395 <b>99592</b>	5	087143 <b>00577</b>	37	666233 <b>57285</b>	23
055395 <b>99324</b>	34	055395 <b>99460</b>	15	076607 <b>82786</b>	28	087143 <b>00579</b>	37	666233 <b>57290</b>	23
30000000000		000000000000000000000000000000000000000	10	51 3001 <b>321 00</b>		001 1 1000013		00020001200	

## PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

666233 <b>57292</b>	23
00020001202	
	23
666233 <b>57295</b>	23
666233 <b>57296</b>	23
666233 <b>57297</b>	23
666233 <b>63869</b>	11
666233 <b>63870</b>	11
666233 <b>63871</b>	11
666233 <b>63872</b>	11
666233 <b>63877</b>	11
666233 <b>63878</b>	11
666233 <b>63879</b>	11
666233 <b>63880</b>	11
666233 <b>63881</b>	11
666233 <b>63882</b>	11
666233 <b>63884</b>	11
666233 <b>63885</b>	11
666233 <b>63887</b>	11
666233 <b>63888</b>	11
699573 <b>18100</b>	38
699573 <b>18101</b>	38
699573 <b>18102</b>	38
699573 <b>18103</b>	38
776960 <b>39321</b>	18
776960 <b>90120</b>	20
776960 <b>90122</b>	20
776960 <b>90124</b>	20
776960 <b>90126</b>	20

DADT NUMBER	DAGE
776960 <b>90128</b>	PAGE 20
77696090128	20
776960 <b>90132</b>	20
776960 <b>90134</b>	20
776960 <b>90136</b>	20
776960 <b>90138</b>	20
776960 <b>90285</b>	58
776960 <b>90286</b>	58
776960 <b>90287</b>	58
776960 <b>90288</b>	58
776960 <b>90289</b>	58
776960 <b>90290</b>	58
776960 <b>90291</b>	58
776960 <b>90292</b>	58
776960 <b>90293</b>	58
776960 <b>90294</b>	58
776960 <b>90295</b>	58
776960 <b>90296</b>	58
776960 <b>90297</b>	58
776960 <b>90298</b>	58
776960 <b>90299</b>	58
776960 <b>90300</b>	58
776960 <b>90301</b>	58
776960 <b>90302</b>	58
776960 <b>90303</b>	58
776960 <b>90304</b>	58
776960 <b>90305</b>	58
776960 <b>90306</b>	58

PART NUMBER	PAGE
808498 <b>10001</b>	43, 45
808498 <b>10005</b>	41
808498 <b>10006</b>	41
808498 <b>10007</b>	41
808498 <b>10008</b>	41-42
808498 <b>10010</b>	47-48
808498 <b>10011</b>	47, 49
808498 <b>10013</b>	47
808498 <b>10015</b>	43, 45
808498 <b>10016</b>	43, 45
808498 <b>10019</b>	51
808498 <b>10020</b>	51
808498 <b>10023</b>	50
808498 <b>10025</b>	50
808498 <b>10026</b>	51
808498 <b>10027</b>	51
808498 <b>10029</b>	43-44
808498 <b>10030</b>	43-44
808498 <b>10033</b>	43, 46
808498 <b>10034</b>	43, 45
808498 <b>10035</b>	41
808498 <b>10036</b>	41-42
808498 <b>10037</b>	47
808498 <b>10038</b>	43, 46
808498 <b>10039</b>	43, 45
808498 <b>10041</b>	47
808498 <b>10042</b>	43, 45
808498 <b>10043</b>	43, 45

PART NUMBER	PAGE	PART NUMBER	PAGE
808498 <b>10001</b>	43, 45	808498 <b>10045</b>	47
808498 <b>10005</b>	41	808498 <b>10049</b>	43-44
808498 <b>10006</b>	41	808498 <b>10050</b>	43, 46
808498 <b>10007</b>	41	808498 <b>10058</b>	47, 49
808498 <b>10008</b>	41-42	808498 <b>10060</b>	43, 46
808498 <b>10010</b>	47-48	808498 <b>10066</b>	53
808498 <b>10011</b>	47, 49	808498 <b>10067</b>	53
808498 <b>10013</b>	47	808498 <b>10073</b>	53
808498 <b>10015</b>	43, 45	808498 <b>10075</b>	47-48
808498 <b>10016</b>	43, 45	808498 <b>10076</b>	53
808498 <b>10019</b>	51	808498 <b>10078</b>	52
808498 <b>10020</b>	51	808498 <b>10079</b>	52
808498 <b>10023</b>	50	808498 <b>10105</b>	54
808498 <b>10025</b>	50	808498 <b>10106</b>	43-44
808498 <b>10026</b>	51	808498 <b>10107</b>	43-44
808498 <b>10027</b>	51	808498 <b>10111</b>	52
808498 <b>10029</b>	43-44	808498 <b>10120</b>	51
808498 <b>10030</b>	43-44	808498 <b>10121</b>	50
808498 <b>10033</b>	43, 46	808498 <b>10129</b>	47, 49
808498 <b>10034</b>	43, 45	808498 <b>10130</b>	53
808498 <b>10035</b>	41	808498 <b>10132</b>	50
808498 <b>10036</b>	41-42	808498 <b>10133</b>	50
808498 <b>10037</b>	47	808498 <b>10134</b>	50
808498 <b>10038</b>	43, 46	808498 <b>10145</b>	53
808498 <b>10039</b>	43, 45	808498 <b>10146</b>	52
808498 <b>10041</b>	47	808498 <b>10149</b>	47-48
808498 <b>10042</b>	43, 45	808498 <b>10158</b>	47, 49
808498 <b>10043</b>	43, 45	808498 <b>10159</b>	47, 49

PART NUMBER	PAGE
808498 <b>10160</b>	47, 49
808498 <b>10161</b>	47, 49
808498 <b>10165</b>	43, 45
808498 <b>10166</b>	43-44
808498 <b>10167</b>	43-44
808498 <b>10168</b>	43
808498 <b>10169</b>	43
808498 <b>10170</b>	47, 49
808498 <b>10171</b>	47, 49
808498 <b>10172</b>	41-42
808498 <b>10175</b>	41-42
808498 <b>10177</b>	51
808498 <b>10178</b>	52
808498 <b>10179</b>	47-48
808498 <b>10180</b>	47-48

## **NOTES**



### Total Inventory Management

## OPTIMIZE YOUR REPAIR MATERIALS. IMPROVE YOUR BOTTOM LINE.



#### **TRADEMARKS**

Carborundum logo, Carbo CleanAir, Carbo Fire, Dri-Lube, Fibratex, Grip-On, Medalist, Merit, and SolarGard are registered trademarks to Saint-Gobain.

Carbo Cart, Carbo Cut, Carbo Finish, Carbo Gold, Carbo Premier Red, Carbo White Lightning, Carbo Clean Air Plus, Clip-On, EZ Block, EZ Repair, EZ Sheet, EZ Touch, EZ View, EZ Wipe, EZ Wrap, Flex-Loc, Legendary Innovation, Legendary Performance, Mirror Finish, Paint Check, ScuffGel, Sof-Block, Stick-On, Surface Prep, Surface Strip, "The Definition of Performance", Thin-Flex are trademarks of Saint-Gobain.

The American logo, Orange Mask, and Anchor are registered trademarks and TrimFast is a trademark of Intertape Polymer Group®, Inc.

The Dynabrade logo, AutoFile, Dynafile, DynaZip, Red-Tred are registered trademarks of Dynabrade®, Inc.

The Mothers logo is a registered trademark of Mothers® Polishes • Waxes • Cleaners, Inc.

The Pliogrip logo is a registered trademark of Ashland® Inc.

DeVilbiss is a registered trademark DeVilbiss Automotive Refinishing.

Fusor is a registered trademark of LORD Corporation.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.

\* Always wear protective gear. Photos in this brochure are for illustrative purposes only.

# POWERED BY PARTNERSHIP























FUSOR Repair Adhesives



MOTHERS

Polishes•Waxes•Cleaners





## With Nothing To Lose And Everything To Gain... Take Carborundum for a Cost-Savings Test Drive today!

Carborundum is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. There has never been a better time to take Carborundum for a Test Drive!

## **CARBO**

## 6 36425 80014 9

#### the definition of **DIFFERENT**®

www.facebook.com/carboauto | www.youtube.com/carboauto | www.carbo.com

**CUSTOMER SERVICE:** 

USA Toll Free: 1 (877) 447-5359 Canada Toll Free: 1 (800) 263-6565 FORM #CA5000 REV. 02/18

© Saint-Gobain February 2018. The Carborundum logo is a registered trademark; "The Definition of Different" is a trademark of Saint-Gobain Abrasives.





A Saint-Gobain Brand

