



In partnership with  SAINT-GOBAIN

SUNBURST®

Abrasive Radial Bristle Discs




SAFER • CLEANER • FASTER • BETTER

than



WIRE • NYLON • NON-WOVEN • FLAP WHEELS • RUBBER

on

METALS • PLASTICS • WOODS • CERAMICS




WORLD'S LARGEST SELECTION • LIMITLESS APPLICATIONS



Dedeco®, has been a leading manufacturer of specialty abrasives since 1937. From their inception they have constantly advanced their manufacturing know-how from classic rubberized abrasives, primarily for the dental & jewelry industries to now include their SUNBURST® range with unlimited industrial applications.

Dedeco® is proud to join with Saint-Gobain in marketing SUNBURST® to our distributors in North America. As you'll see, the SUNBURST® range includes numerous unique models with sizes ranging from 1/2" through 12".

WHAT IS SUNBURST®



Dedeco®'s trademark for their range of thermoplastic-bonded abrasives for deburring, finishing, cleaning and polishing metals, plastics, woods, ceramics, acrylics and composites.



Introductory Video



snbr.st/hi

Grits

Aluminum Oxide
Silicon Carbide
Pumice
Diamond
Plastic

Shapes

Discs
Brushes
Points/Pins
Bands
SR Cutters

Sizes

2mm
↑
↓
12"

Works with MOTO-TOOL® and Dremel-type handheld rotary tools, bench and pedestal grinders as well as CNC and automated manufacturing machines - where consistency and durability are valued.

Available individually and in handy assortments.

LIMITLESS APPLICATIONS



Industrial - Deburr, clean, finish and polish across grit sizes ranging from 36 to 2000. From heavy removal to blending and mirror-like polishing, in manufacturing and maintenance operations, SUNBURST® covers virtually all applications.



Medical - Our unique silicon carbide range is the preferred choice to avoid contamination in manufacturing medical instruments.



Woodworking - Superior to sandpaper, flap wheels and other types of sanders, brushes and abrasive wheels. Ideal for cleaning detailed areas and texturing for woodcarvers & woodworkers.



Automated Manufacturing - From deburring of turbine engine components to polishing airfoils after milling, using SUNBURST® on robotic finishing systems for the aerospace and power generation industries reduces or eliminates manual labor, lowers unit costs and achieves new levels of consistency.

Industries

- 3D Print Postprocessing
- Aerospace
- Automated Manufacturing
- Automotive Aftermarket
- Beauty
- Castings / Forgings
- Coin Polishing
- Construction Equipment
- Custom Fabrication
- Electronics
- Energy
- Engine Rebuild
- Facility Maintenance
- Firearms / Gunsmithing
- Hardware
- Hobbyists
- Knives / Blades
- Locksmiths
- Machine Shops
- Maker
- Marine
- Medical Instruments
- Metal Fabrication
- Mold Making
- MRO
- Musical Instruments
- Plumbing Fixtures
- Research & Development
- Robotics
- Shipbuilding / Repair
- Tool & Die
- Welding
- Woodworking

Applications

- Cleans & Removes:
 - Mill Scale / Corrosion
 - Weld Discoloration
 - Burn Marks
 - Coatings
 - Firescale
 - Oxidation
 - Rust
 - Grinding Marks
 - Sealant
- Industrial Finishing & Deburring
- Paint Preparation
- Polishing
- Texturing
- Wood - Sanding, Defuzzing & Denibbing


HELLO, RADIAL DISCS GOODBYE, WIRE BRUSHES

SUNBURST® radial bristle discs and brushes are the preferred alternative to wire, nylon and non-woven abrasives. Experience improved performance without threat of injury.

- **Safer** - Danger from high-velocity needle-like flying wire is eliminated.
- **Gentle** - Will not scratch or gouge the underlying surface.
- **Better** - Works faster and more efficiently than wire brushes. Easily achieve a consistent, quality finish with light pressure. Non-loading.
- **Sterilizable** - Essential benefit where health concerns are paramount.
- **Cool Running** - Open structure generates minimal heat reducing potential damage or distortion to the work surface.
- **Dust Free** - Durable, dust-free alternative to non-woven abrasives.
- **Long-lasting** - Uniformly blended bristles guarantee extended wear life and a consistent, uniform finish.
- **Operating Speeds** - Lower speeds allow a softer touch, greater flexibility and more subtle results. Higher speeds provide more aggressive material removal. Using the tips of the bristles with light pressure maximizes disc life.
- **Conformability** - Flexible bristles conform to contours, cracks and corners while working equally well on flat surfaces.
- **Modular** - Use a single disc for tight areas like slots and grooves. For larger surface areas stack them as high & wide as your imagination, machinery and equipment will permit. (See chart, next page).



Abrasive-filled throughout



COMPARE TO TRADITIONAL ALTERNATIVES

	CONFORMABILITY	DURABILITY	CONSISTENCY	SAFETY CLEANLINESS	PERFORMANCE	OVERALL
 WIRE	Minimal conformability; heavy pressure required	Long lasting but loses shape quickly	Inconsistent - finish varies from part to part	Ejects high velocity, needle-like wires (messy and dangerous)	Unreliable - inconsistent material removal	OK
 NYLON	Moderately conformable	Short life	Inconsistent - performance drops off quickly	Used fiber debris may plug dust collectors (hard to clean up)	Good finish and cut. Short life.	Good
 NON-WOVEN	Very conformable	Short life	Consistent finish	Used fiber debris may plug dust collectors (hard to clean up)	Good finish, low cut performance, short life	Better
 SUNBURST	Very conformable; Minimal pressure required; Operator preferred	Long lasting - uniform performance throughout product life	Consistent finish - uniformly blended bristles assure quality finish	Safe, clean & easy to use	Good finish, consistent material removal, long life	Best

MANDREL/ADAPTER GUIDE


Stack individual discs to customize the thickness you need

SUNBURST® DISCS		MANDREL/ADAPTER		
DISC Ø	ARBOR Ø	ITEM	SHANK Ø	MAX DISCS
9/16" / 14.3mm 5/8" / 15.8mm	1/16" 1.6mm	7928183 1347	3mm	5
		7928183 5425	3/32"	6
		7928183 0261	1/8"	4
		7928183 1364	1/4"	12
3/4" / 19.1mm 7/8" / 22.2mm		7928183 1347	3mm	4
		7928183 5425	3/32"	5
		7928183 0261	1/8"	3
		7928183 1364	1/4"	10
1" / 25.4mm	1/8" 3.18mm	7928183 1360	3/32"	3
		7928183 1363	1/8"	6
		7928183 1348	6mm	4
		7928183 1365	1/4"	10
2" / 50.8mm	3/8" 9.5mm	7928183 1349	6mm	16
7928183 1366		1/4"		
3" / 76.2mm		7928183 1349	6mm	TC 15 TA 12 TC 15 TA 12
		7928183 1366	1/4"	
4" / 101.6mm		7928183 1349	6mm	15
		7928183 1366	1/4"	
2" / 50.8mm 3" / 76.2mm 4" / 101.6mm	3/8" 9.5mm	7928183 1361	Left Spindle Adapter	12
		7928183 1362	Right Spindle Adapter	




How to
Assemble
Video

snbr.st/stack



BRISTLE DISC GUIDE

TC and TA must rotate with the radius of the bristles



TC - Curved, thinner bristles for greater conformability than **TA** and **TS**.

TA - Angled, thicker bristles for greater aggressiveness but less conformability than **TC**.

TS - Straight bristles for aggressive bidirectional cleaning and deburring.

COLOR-CODE & APPLICATIONS



	Remove		Smooth		Finish		Polish		
Aluminum Oxide	36	50	80	120	220	400	6μ	1μ	Metal, Wood, Plastic
Pumice							600		Remove stains on hard surfaces
Diamond							1μ		Metals & Composites
Silicon Carbide	90		240		400		1000		Metals - Medical, Aero, Food Grade

6μ ≈ 800 Grit | 1μ ≈ 2000 Grit

OPERATORS' TOOL GUIDE


MODEL	MANUAL GRINDERS / TOOLS					AUTOMATED MACHINES
	Rotary*	Die	Bench	Angle	Burnishing	Custom/Robot/CNC
Pins	X					X
Points	X					X
Bands	X					X
Discs < 1"	X					X
Discs 2", 3", 4"		X	X	X		X
4" x 4" Brushes					X	
Discs 6", 7-5/8", 8"		X	X	X		X
Discs 10", 12"						X
E-Z Loc® Brushes				X		X
E-Z Loc® TA Discs		X	X			X

* MOTO-TOOL®, Dremel®-type rotary tool, pencil grinder, micromotor, flex shaft, eFile

SR (Sealant Removal) CUTTERS

For fast, effective aircraft seam sealant removal without damage to the underlying surface.

TOP VIEW




ITEM	DESCRIPTION	QTY
79281831838	3/8" (9.53mm) Ideal for use in hard-to-reach areas and tight corners	50
79281831839	3/4" (19.1mm) Features an internal cavity for fitting directly over standard fasteners and rivets	50

Max. RPM 1,000



Designed to replace messy chemical solvents and slow & inefficient hand scraping. SR Cutters' sharp resin-bonded blades quickly remove the usually thick coatings of polysulfide and polythioether material applied to the seams of wing panels and fuel tanks without damage to the substrate.

SR Cutters have a 1/4"-28 mandrel which threads directly into a right angle drill.



Use with right angle drill


SHAPES, SIZES, ABRASIVES & ASSEMBLIES UNIQUE TO SUNBURST®

ABRASIVES

SILICON CARBIDE | DIAMOND


PATENTED MODELS

TC DUAL DISCS



Double Thickness,
Staggered Bristles


TC KNIFE-EDGE




Thin yet stable for
cleaning slots, threads
and other tight channels

Cool-running, dust-free, longer lasting
alternative to traditional rubber wheels.

- A. 2mm Pins
3mm Pins
- B. Points - Shapes 12, 14, 15
- C. Jumbo Points
Shapes C and D
- D. 1/2" x 1/2" Bands
- E. 1/2" Snap-On Discs
- F. 1" TS Discs
- G. 4" TC Discs
- H. 4" x 4" TC Brushes
- I. 10" TS Discs
- J. 12" TS Discs



QUICK CHANGE | PRE-ASSEMBLED | MOUNTED



Increases productivity!

GENERAL APPLICATIONS					
		REMOVE		SMOOTH	
INDUSTRY		36 (A/O)	50 (A/O)	80 (A/O)	
MANUFACTURING - 3D Print Postprocess - Aerospace - Automation / Robotics - Automotive - Building / Construction - Collision Repair - Electronics - Engine Rebuild - Firearms / Gunsmith - Maintenance / MRO - Medical Instruments - Metal Fabrication - Shipbuilding - Tool & Die / Mold - Welding	Excellent on aluminum, steel, iron and non-ferrous metals like copper & brass. 3D - Deflash plastic & metal parts. Aerospace & Electronics - light deburring on aluminum & copper parts. Automotive - surface conditioning and gasket removal. Tire adhesive removal. Welding - clean seams, discoloration and splatter.	CLEANING & SURFACE CONTAMINANT REMOVAL			
		AGGRESSIVE	HEAVY DUTY	STANDARD	
		Adhesives / Glues • Rust • Coatings • Sealant • Coatings Stains • Oxidation • Varnish • Paint • Weld Burrs			
		LIGHT GRIND/REDUCE	BLEND		
		DEBURR			
		AGGRESSIVE	HEAVY DUTY	LIGHT DUTY	
			MILL SCALE REMOVAL		
			HEAVY DUTY	LIGHT DUTY	
			Aluminum • Steel • Non-Ferrous		
		WELD CLEAN & PREP			
		AGGRESSIVE	HEAVY DUTY	STANDARD	
Clean	Clean/Prep				
SURFACE ROUGHNESS VALUE (Ra μinch / μm)	ALUMINUM 6061	Ra 122 / 3	Ra 99 / 2.5	Ra 85 / 2.1	
	STAINLESS STEEL 303	Ra 41 / 1	Ra 34 / .85	Ra 28 / .7	
WOODWORKING REC. RPM for WOOD <1" - 6" ~500-5,000 7-5/8" - 12" ~500-1,000	Sand, defuzz, denib & shape detail grooves, patterns and other hard-to-reach areas with no distortion.	CUT/CARVE			
		AGGRESSIVE	HEAVY DUTY	REMOVE/SET GRAIN	
				CLEAN UP	
SPECIALTY PRECISION SILICON CARBIDE & DIAMOND RANGES		REMOVE	SMOOTH	FINISH	
		90 (S/C)	240 (S/C)	400 (S/C)	
Aerospace Food Service Medical	Preferred for numerous precision medical and aerospace applications. More heat-resistant and durable alternative to traditional silicone polishers.	Universal silicone polishers for removing metal, ceramic, acrylic & composite.	Soft, flexible polishers for smoothing precious metal alloys.	Soft, flexible polishers for high-lustre on precious metal alloys.	Soft, flexible polishers for high-lustre on precious metal alloys.

	FINISH		POLISH		
120 (A/O)	220 (A/O)	400 (A/O)	600 (Pumice)	6µ (A/O)	1µ (A/O)
LIGHT DUTY		PRE-POLISH		POLISH	HIGH POLISH
BRUSHED FINISH		FINE BRUSHED FINISH			
YOUTUBE LEARN AND GET INSPIRED WITH OUR VIDEOS AND CURATED PLAYLISTS. SNBR.ST/YT					
SAND/BURNISH		PRE-POLISH	POLISH	HIGH POLISH	
FINE		VERY FINE	ON BURNISHED SURFACES		
DEBURR		LIGHT DEBURR			
POLISH		SMOOTH	POLISH		How do <u>YOU</u> use SUNBURST? We'd love to see it. Send images, videos or links to: service@dedeco.com
1000 (S/C)		400 Diamond	1µ Diamond		
Soft, flexible polishers highest-lustre on precious metal alloys.		Smooth composite, semi-precious and precious metals	High-polish composite, semi-precious and precious metals		

POPULAR ASSORTMENTS

ITEM 79281831208



DELUXE PRECISION ASSORTMENT 133pc

This ALL-IN-ONE set includes:
7/8" dual & knife-edge discs, 1/2" bands, 1/2" snap-on,
5/8" & 7/8" discs, 2mm & 3mm polishing pins and points
in all grit textures plus 3/32", band, snap-on,
2mm & 3mm mandrels

Perfect for every workbench!

ITEM 79281831209

FAVORITES ASSORTMENT DISCS, PINS & POINTS 116pc



This favorites set includes:
1/2" snap-on, 5/8" &
7/8" discs, 2mm & 3mm
polishing pins and points in
all grit textures plus 3/32",
snap-on, 2mm & 3mm
mandrels

ITEM 79281831210

DISC ASSORTMENT 5/8", 7/8" & 1" 83pc



This popular set includes:
4 each 5/8", 7/8" & 1" discs
in pumice and all aluminum
oxide grit textures plus 3/32"
& 1/8" mandrels

TRY 'EM SETS



Simple and inexpensive way to **TRY SUNBURST®** and select your preferred aluminum oxide & pumice grit models.



ITEM	DESCRIPTION	QTY
79281831701	1/2" TC Snap-On TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8



79281831840	1/2" x 1/2" Band TRY 'EM SET 1 each in all 8 grit textures plus 3/32" mandrel	9
-------------	---	---




79281831703	5/8" TC Knife-Edge TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
-------------	---	---



79281831704	7/8" TC Dual Disc TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
-------------	--	---



79281831705	7/8" TC Knife-Edge TRY 'EM SET 1 each in all 7 grit textures plus 3/32" mandrel	8
-------------	---	---



79281831706	Silicon Carbide TRY 'EM SET 1 each of 4 models in all 4 grit textures plus 3/32" mandrel	17
-------------	--	----

POINT ASSORTMENTS

3/32" (2.35mm) Shanks | OAL 1 3/4"



INDIVIDUAL POINTS

		SHAPE 12 		SHAPE 14 		SHAPE 15 	
Grit	Size	12/box	72/box	12/box	72/box	12/box	72/box
Aluminum Oxide	80	79281831401	79281831402	79281831413	79281831414	79281831425	79281831426
	120	79281831403	79281831404	79281831415	79281831416	79281831427	79281831428
	220	79281831405	79281831406	79281831417	79281831418	79281831429	79281831430
	400	79281831407	79281831408	79281831419	79281831420	79281831431	79281831432
	6μ	79281831409	79281831410	79281831421	79281831422	79281831433	79281831434
	1μ	79281831411	79281831412	79281831423	79281831424	79281831435	79281831436
Silicon Carbide	90	79281832321	79281832322	79281832329	79281832330	79281832337	79281832338
	240	79281832323	79281832324	79281832331	79281832332	79281832339	79281832340
	400	79281832325	79281832326	79281832333	79281832334	79281832341	79281832342
	1000	79281832327	79281832328	79281832335	79281832336	79281832343	79281832344
		1/unit		1/unit		1/unit	
Diamond	400	79281831056		79281831058		79281831060	
	1μ	79281831057		79281831059		79281831061	

REMOVE

SMOOTH



FINISH

POLISH

NEW

JUMBO POINT ASSORTMENTS

1/8" (3.18mm) Shanks | OAL 2"



ITEM 79281832900

**ALUMINUM OXIDE
JUMBO POINT ASSORTMENT**
16pc

1 each in all 8 grit textures
each grit texture in shapes C & D



ITEM 79281832976

**SILICON CARBIDE
JUMBO POINT ASSORTMENT**
8pc

1 each in all 4 grit textures
each grit texture in shapes C & D

INDIVIDUAL JUMBO POINTS

		SHAPE C 3/4" X 1/2" 	SHAPE D 3/4" X 3/8" 
Grit	Size	5 / box	5 / box
Aluminum Oxide	36	79281832903	79281832904
	50	79281832913	79281832914
	80	79281832923	79281832924
	120	79281832933	79281832934
	220	79281832943	79281832944
	400	79281832953	79281832954
	6μ	79281832963	79281832964
	1μ	79281832973	79281832974
Silicon Carbide	90	79281832979	79281832980
	240	79281832984	79281832985
	400	79281832989	79281832990
	1000	79281832994	79281832995

2mm (OAL 20mm) & 3mm (OAL 24mm) PINS

ITEM	DESCRIPTION	QTY
79281831370	2mm Pin Assortment 8 each in all 6 grit textures plus 3/32" mandrel	49

79281831371	Coarse 80 Grit	100
79281831372	Medium 120 Grit	100
79281831373	Standard 220 Grit	100
79281831374	Fine 400 Grit	100
79281831375	Extra-Fine 6 Micron	100
79281831376	Ultra-Fine 1 Micron	100



ITEM	DESCRIPTION	QTY
79281831367	2mm Diamond Pin Assortment 2 each in 2 grit textures plus 3/32" mandrel	5

79281831368	Fine 400 Grit	6
79281831369	Ultra-Fine 1 Micron	6

ITEM	DESCRIPTION	QTY
79281831377	3mm Diamond Pin Assortment 2 each in 2 grit textures plus 3/32" mandrel	5

79281831378	Fine 400 Grit	6
79281831379	Ultra-Fine 1 Micron	6

ITEM	DESCRIPTION	QTY
79281831380	3mm Pin Assortment 8 each in all 6 grit textures plus 3/32" mandrel	49

79281831381	Coarse 80 Grit	100
79281831382	Medium 120 Grit	100
79281831383	Standard 220 Grit	100
79281831384	Fine 400 Grit	100
79281831385	Extra-Fine 6 Micron	100
79281831386	Ultra-Fine 1 Micron	100



Truing Block 79281835400



1" x 1/2" x 1/2"

Ideal for sharpening pins.
Quickly opens structure
and restores shape.

1/2" TC SNAP-ONS

ITEM	DESCRIPTION	QTY
79281831200	1/2" TC Diamond Snap-On Assortment 5 each in 2 grit textures plus RA mandrel	11



79281831201	Fine 400 Grit	15
79281831202	Ultra-Fine 1 Micron	15



79281831350	1/2" TC Snap-On Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43
-------------	---	----




79281831351	Coarse 80 Grit	30
79281831352	Medium 120 Grit	30
79281831353	Standard 220 Grit	30
79281831354	Fine 400 Grit	30
79281831355	Fine 600 Grit (Pumice)	30
79281831356	Extra-Fine 6 Micron	30
79281831357	Ultra-Fine 1 Micron	30



1/2" x 1/2" BANDS

Smooth Edges | Polish IDs



ITEM	DESCRIPTION	QTY
79281831840	1/2" x 1/2" Band Assortment 1 each in all 8 grit textures plus 3/32" mandrel	9



79281831841	Ultra-Coarse 36 Grit	12
79281831842	Extra-Coarse 50 Grit	12
79281831843	Coarse 80 Grit	12
79281831844	Medium 120 Grit	12
79281831845	Standard 220 Grit	12
79281831846	Fine 400 Grit	12
79281831847	Extra-Fine 6 Micron	12
79281831848	Ultra-Fine 1 Micron	12



Durable alternative to arbor bands

NEW

— 9/16" TC RADIAL DISCS —

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
79281833740	9/16" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86



79281833741	Coarse 80 Grit	12
79281833742		48



79281833743	Medium 120 Grit	12
79281833744		48



79281833745	Standard 220 Grit	12
79281833746		48



79281833747	Fine 400 Grit	12
79281833748		48



79281833749	Fine 600 Grit (Pumice)	12
79281833750		48



79281833751	Extra-Fine 6 Micron	12
79281833752		48



79281833753	Ultra-Fine 1 Micron	12
79281833754		48

— 5/8" TC RADIAL DISCS —

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
79281831220	5/8" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86



79281831221	Coarse 80 Grit	12
79281831222		48



79281831223	Medium 120 Grit	12
79281831224		48



79281831225	Standard 220 Grit	12
79281831226		48



79281831227	Fine 400 Grit	12
79281831228		48



79281831229	Fine 600 Grit (Pumice)	12
79281831230		48



79281831231	Extra-Fine 6 Micron	12
79281831232		48



79281831233	Ultra-Fine 1 Micron	12
79281831234		48

Compare to 3M® 9/16" (14mm) discs

NEW

5/8" TC KNIFE-EDGE

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
79281831751	5/8" TC Knife Assortment 8 each in all 7 grit textures plus 3/32" mandrel	57



79281831752	Coarse 80 Grit	12
79281831753		48



79281831754	Medium 120 Grit	12
79281831755		48



79281831756	Standard 220 Grit	12
79281831757		48



79281831758	Fine 400 Grit	12
79281831759		48



79281831760	Fine 600 Grit (Pumice)	12
79281831761		48



79281831762	Extra-Fine 6 Micron	12
79281831763		48



79281831764	Ultra-Fine 1 Micron	12
79281831765		48

3/4" TC RADIAL DISCS

1/16" (1.6mm) Arbor

ITEM	DESCRIPTION	QTY
79281833840	3/4" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86



79281833841	Coarse 80 Grit	12
79281833842		48



79281833843	Medium 120 Grit	12
79281833844		48



79281833845	Standard 220 Grit	12
79281833846		48



79281833847	Fine 400 Grit	12
79281833848		48



79281833849	Fine 600 Grit (Pumice)	12
79281833850		48



79281833851	Extra-Fine 6 Micron	12
79281833852		48



79281833853	Ultra-Fine 1 Micron	12
79281833854		48

Compare to 3M® 3/4" (19mm) discs

7/8" TC RADIAL DISCS

1/16" (1.6mm) Arbor



7/8" TC 4-PLY MOUNTED

3/32" (2.35mm) Shanks



ITEM	DESCRIPTION	QTY
79281831240	7/8" TC Assortment 12 each in all 7 grit textures plus 3/32" & 1/8" mandrels	86



79281831241	Coarse 80 Grit	12
79281831242		48



79281831243	Medium 120 Grit	12
79281831244		48



79281831245	Standard 220 Grit	12
79281831246		48



79281831247	Fine 400 Grit	12
79281831248		48



79281831249	Fine 600 Grit (Pumice)	12
79281831250		48



79281831251	Extra-Fine 6 Micron	12
79281831252		48



79281831253	Ultra-Fine 1 Micron	12
79281831254		48



ITEM	DESCRIPTION	QTY
79281831260	7/8" TC 4-Ply Assortment 1 each in all 7 grit textures	7

79281831261	Coarse 80 Grit	6
79281831262	Medium 120 Grit	6
79281831263	Standard 220 Grit	6
79281831264	Fine 400 Grit	6
79281831265	Fine 600 Grit (Pumice)	6
79281831266	Extra-Fine 6 Micron	6
79281831267	Ultra-Fine 1 Micron	6

— 7/8" TC DUAL DISCS —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281831920	7/8" TC Dual Disc Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43

79281831921	Coarse 80 Grit	12
79281831922		48
79281831923	Medium 120 Grit	12
79281831924		48
79281831925	Standard 220 Grit	12
79281831926		48
79281831927	Fine 400 Grit	12
79281831928		48
79281831929	Fine 600 Grit (Pumice)	12
79281831930		48
79281831931	Extra-Fine 6 Micron	12
79281831932		48
79281831933	Ultra-Fine 1 Micron	12
79281831934		48

— 7/8" TC KNIFE-EDGE —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281831940	7/8" TC Knife-Edge Assortment 6 each in all 7 grit textures plus 3/32" mandrel	43

79281831941	Coarse 80 Grit	12
79281831942		48
79281831943	Medium 120 Grit	12
79281831944		48
79281831945	Standard 220 Grit	12
79281831946		48
79281831947	Fine 400 Grit	12
79281831948		48
79281831949	Fine 600 Grit (Pumice)	12
79281831950		48
79281831951	Extra-Fine 6 Micron	12
79281831952		48
79281831953	Ultra-Fine 1 Micron	12
79281831954		48

NEW

1" TC RADIAL DISCS

1/8" (3.18mm) Arbor



ITEM	DESCRIPTION	QTY
79281831741	1" TC Assortment 8 each in all 8 grit textures plus two 1/8" mandrels	66

79281831271	Ultra-Coarse 36 Grit	12
79281831272		48
79281831273	Extra-Coarse 50 Grit	12
79281831274		48
79281831275	Coarse 80 Grit	12
79281831276		48
79281831277	Medium 120 Grit	12
79281831278		48
79281831279	Standard 220 Grit	12
79281831280		48
79281831281	Fine 400 Grit	12
79281831282		48
79281831742	Extra-Fine 6 Micron	12
79281831743		48
79281831744	Ultra-Fine 1 Micron	12
79281831745		48

1" TC 4-PLY DISCS

1/8" (3.18mm) Shanks



ITEM	DESCRIPTION	QTY
79281831780	1" TC 4-Ply Assortment 1 each in all 8 grit textures	8

79281831781	Ultra-Coarse 36 Grit	5
79281831782	Extra-Coarse 50 Grit	5
79281831783	Coarse 80 Grit	5
79281831784	Medium 120 Grit	5
79281831785	Standard 220 Grit	5
79281831786	Fine 400 Grit	5
79281831787	Extra-Fine 6 Micron	5
79281831788	Ultra-Fine 1 Micron	5

1" TS RADIAL DISCS

1/8" (3.18mm) Arbor




ITEM	DESCRIPTION	QTY
79281832210	1" TS Assortment 8 each in all 8 grit textures plus two 1/8" mandrels	66

79281832211	Ultra-Coarse 36 Grit	12
79281832212		48
79281832213	Extra-Coarse 50 Grit	12
79281832214		48
79281832215	Coarse 80 Grit	12
79281832216		48
79281832217	Medium 120 Grit	12
79281832218		48
79281832219	Standard 220 Grit	12
79281832220		48
79281832221	Fine 400 Grit	12
79281832222		48
79281832223	Extra-Fine 6 Micron	12
79281832224		48
79281832225	Ultra-Fine 1 Micron	12
79281832226		48

1" TS 6-PLY DISCS


1/8" (3.18mm) Shanks



ITEM	DESCRIPTION	QTY
79281832853	1" TS 6-Ply Assortment 1 each in all 8 grit textures	8


79281832836	Ultra-Coarse 36 Grit	5
79281832837	Extra-Coarse 50 Grit	5
79281832838	Coarse 80 Grit	5
79281832839	Medium 120 Grit	5
79281832840	Standard 220 Grit	5
79281832841	Fine 400 Grit	5
79281832842	Extra-Fine 6 Micron	5
79281832843	Ultra-Fine 1 Micron	5

Long-lasting, dust-free alternative to 3M Scotch-Brite®




2" TC 6-PLY DISCS MOUNTED

1/4" (6.35mm) Shanks / 1/4" Thick



ITEM	DESCRIPTION	QTY
79281832249	Ultra-Coarse 36 Grit	1
79281832250	Extra-Coarse 50 Grit	1
79281831807	Coarse 80 Grit	1
79281831808	Medium 120 Grit	1
79281831809	Standard 220 Grit	1
79281831813	Fine 400 Grit	1
79281831811	Extra-Fine 6 Micron	1
79281831812	Ultra-Fine 1 Micron	1



2" TC RADIAL DISCS



ITEM	DESCRIPTION	ARBOR	QTY
79281832360	2" TC 6-Ply Assortment 1 each in all 8 grit textures	1/4"	8


79281832245	Ultra-Coarse 36 Grit	1/4"	1
79281832246	Extra-Coarse 50 Grit	1/4"	1
79281831311	Coarse 80 Grit	1/4"	1
79281831312	Medium 120 Grit	1/4"	1
79281831313	Standard 220 Grit	1/4"	1
79281831314	Fine 400 Grit	1/4"	1
79281831315	Extra-Fine 6 Micron	1/4"	1
79281831316	Ultra-Fine 1 Micron	1/4"	1

79281832350	2" TC 3-Ply Assortment 1 each in all 8 grit textures	1/4"	8
-------------	--	------	---

79281832243	Ultra-Coarse 36 Grit	1/4"	1
79281832244	Extra-Coarse 50 Grit	1/4"	1
79281831301	Coarse 80 Grit	1/4"	1
79281831302	Medium 120 Grit	1/4"	1
79281831303	Standard 220 Grit	1/4"	1
79281831304	Fine 400 Grit	1/4"	1
79281831305	Extra-Fine 6 Micron	1/4"	1
79281831306	Ultra-Fine 1 Micron	1/4"	1

Individual Discs / Self Assembly

79281832241	Ultra-Coarse 36 Grit	3/8"	12
79281832242	Extra-Coarse 50 Grit	3/8"	12
79281831291	Coarse 80 Grit	3/8"	12
79281831292	Medium 120 Grit	3/8"	12
79281831293	Standard 220 Grit	3/8"	12
79281831294	Fine 400 Grit	3/8"	12
79281831295	Extra-Fine 6 Micron	3/8"	12
79281831296	Ultra-Fine 1 Micron	3/8"	12



3" TC 6-PLY DISCS MOUNTED


1/4" (6.35mm) Shanks / 1/4" Thick



ITEM	DESCRIPTION	QTY
79281832259	Ultra-Coarse 36 Grit	1
79281832260	Extra-Coarse 50 Grit	1
79281831829	Coarse 80 Grit	1
79281831830	Medium 120 Grit	1
79281831831	Standard 220 Grit	1
79281831832	Fine 400 Grit	1
79281831833	Extra-Fine 6 Micron	1
79281831834	Ultra-Fine 1 Micron	1



3" TC RADIAL DISCS



ITEM	DESCRIPTION	ARBOR	QTY
79281832380	3" TC 6-Ply Assortment 1 each in all 8 grit textures	1/4"	8

79281832255	Ultra-Coarse 36 Grit	1/4"	1
79281832256	Extra-Coarse 50 Grit	1/4"	1
79281831341	Coarse 80 Grit	1/4"	1
79281831342	Medium 120 Grit	1/4"	1
79281831343	Standard 220 Grit	1/4"	1
79281831344	Fine 400 Grit	1/4"	1
79281831345	Extra-Fine 6 Micron	1/4"	1
79281831346	Ultra-Fine 1 Micron	1/4"	1

79281832370	3" TC 3-Ply Assortment 1 each in all 8 grit textures	1/4"	8
-------------	--	------	---

79281832253	Ultra-Coarse 36 Grit	1/4"	1
79281832254	Extra-Coarse 50 Grit	1/4"	1
79281831331	Coarse 80 Grit	1/4"	1
79281831332	Medium 120 Grit	1/4"	1
79281831333	Standard 220 Grit	1/4"	1
79281831334	Fine 400 Grit	1/4"	1
79281831335	Extra-Fine 6 Micron	1/4"	1
79281831336	Ultra-Fine 1 Micron	1/4"	1

Individual Discs / Self Assembly

79281832251	Ultra-Coarse 36 Grit	3/8"	12
79281832252	Extra-Coarse 50 Grit	3/8"	12
79281831321	Coarse 80 Grit	3/8"	12
79281831322	Medium 120 Grit	3/8"	12
79281831323	Standard 220 Grit	3/8"	12
79281831324	Fine 400 Grit	3/8"	12
79281831325	Extra-Fine 6 Micron	3/8"	12
79281831326	Ultra-Fine 1 Micron	3/8"	12

E-Z Loc® 2" & 3" BRUSHES



Designed for safer thick coating removal than traditional wire brushes, nylon brushes and surface conditioning discs. Achieve a consistent finish with light pressure without damaging the workpiece.




Quick release standard TR attachment enables fast and easy brush change.



ITEM	DESCRIPTION	DIA	QTY
79281831860	Ultra-Coarse 36 Grit	1"	10
79281831861		2"	10
79281831862		3"	10




ITEM	DESCRIPTION	DIA	QTY
79281831863	Extra-Coarse 50 Grit	1"	10
79281831866		2"	10
79281831869		3"	10



ITEM	DESCRIPTION	DIA	QTY
79281831864	Coarse 80 Grit	1"	10
79281831867		2"	10
79281831870		3"	10



ITEM	DESCRIPTION	DIA	QTY
79281831865	Medium 120 Grit	1"	10
79281831868		2"	10
79281831871		3"	10



ITEM	DESCRIPTION	DIA	QTY
79281831791	Standard 220 Grit	1"	10
79281831793		2"	10
79281831795		3"	10



ITEM	DESCRIPTION	DIA	QTY
79281831792	Fine 400 Grit	1"	10
79281831794		2"	10
79281831796		3"	10

E-Z Loc® brush bristle trim: 1" 5/8"; 2" & 3" 5/8" tapered

REMOVE

SMOOTH



FINISH

POLISH

E-Z Loc[®] BRUSHES



Quick release standard TR attachment enables fast and easy brush change




Safe & Efficient

GENERAL GUIDELINES FOR E-Z LOC[®] BRUSHES & TA DISCS

GENERAL GUIDELINES FOR E-Z LOC® BRUSHES & TA DISCS					
		36 (A/O)	50 (A/O)	80 (A/O)	120 (A/O)
METAL	IRON				
				STEEL	
				ALUMINUM	
				NON-FERROUS	
TASK	CLEANING & SURFACE CONTAMINANT REMOVAL				
	AGGRESSIVE		HEAVY DUTY		STANDARD
	Adhesives • Coatings • Corrosion • Glue • Oxidation • Paint • Rust Sealant • Stains • Varnish • Weld Burns • Weld Discoloration				
			MILL SCALE REMOVAL		
			HEAVY DUTY		LIGHT DUTY
		Aluminum • Steel • Non-Ferrous			
COMMON USE CASES	Welding			Auto Repair/Restoration	
	- Clean and prep surface - Removal of weld burn, splatter and discoloration			- Surface conditioning, blend out scratches and defects - Gasket removal - Tire adhesive removal	

QUICK CHANGE




Use on right angle grinders, CNC and robotic applications



E-Z Loc[®] 4½" BRUSHES



The preferred choice for removing paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants from large areas quickly with minimal pressure. 5/8" - 11 thread.



ITEM	DESCRIPTION	QTY
79281831849	Ultra-Coarse 36 Grit	5
79281831850	Extra-Coarse 50 Grit	5
79281831851	Coarse 80 Grit	5
79281831852	Medium 120 Grit	5

3" TA **E-Z Loc** DISCS

Use with E-Z Loc® accessory 4017




ITEM	DESCRIPTION	QTY
79281831859	Ultra-Coarse 36 Grit	10



ITEM	DESCRIPTION	QTY
79281831875	Extra-Coarse 50 Grit	10



ITEM	DESCRIPTION	QTY
79281831876	Coarse 80 Grit	10



ITEM	DESCRIPTION	QTY
79281831877	Medium 120 Grit	10

E-Z Loc ACCESSORIES

Sets include 1/4" & 6mm mandrels



1" BACK-UP PAD SET

79281834017



2" BACK-UP PAD SET


79281834018



3" BACK-UP PAD SET


79281834019

Fast screw on/off for maximum efficiency. No tools required.
E-Z Loc® brushes are compatible with Norton® Speed Lok® TR attachments.




3" TA RADIAL DISCS


3/8" Arbor




ITEM	DESCRIPTION	QTY
79281831858	Ultra-Coarse 36 Grit	10



ITEM	DESCRIPTION	QTY
79281831872	Extra-Coarse 50 Grit	10



ITEM	DESCRIPTION	QTY
79281831873	Coarse 80 Grit	10



ITEM	DESCRIPTION	QTY
79281831874	Medium 120 Grit	10

REMOVE

SMOOTH



SUNBURST®

FINISH

POLISH

NEW**4" x 4" TC BRUSHES**


5/8" - 11 thread.



ITEM	DESCRIPTION	QTY
79281832391	Ultra-Coarse 36 Grit	1
79281832392	Extra-Coarse 50 Grit	1
79281832393	Coarse 80 Grit	1
79281832394	Medium 120 Grit	1
79281832395	Standard 220 Grit	1
79281832396	Fine 400 Grit	1
79281832397	Extra-Fine 6 Micron	1
79281832398	Ultra-Fine 1 Micron	1

4" x 1/2" TC RADIAL DISCS


1/4" Arbor



ITEM	DESCRIPTION	QTY
79281832271	Ultra-Coarse 36 Grit	1
79281832272	Extra-Coarse 50 Grit	1
79281832273	Coarse 80 Grit	1
79281832274	Medium 120 Grit	1
79281832275	Standard 220 Grit	1
79281832276	Fine 400 Grit	1
79281832277	Extra-Fine 6 Micron	1
79281832278	Ultra-Fine 1 Micron	1

4" TC RADIAL DISCS



3/8" Arbor




ITEM	DESCRIPTION	QTY
79281832261	Ultra-Coarse 36 Grit	12
79281832262	Extra-Coarse 50 Grit	12
79281832263	Coarse 80 Grit	12
79281832264	Medium 120 Grit	12
79281832265	Standard 220 Grit	12
79281832266	Fine 400 Grit	12
79281832267	Extra-Fine 6 Micron	12
79281832268	Ultra-Fine 1 Micron	12

6" x 1/2" TC RADIAL DISCS

Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"





ITEM	DESCRIPTION	QTY
79281832281	Ultra-Coarse 36 Grit	1
79281832282	Extra-Coarse 50 Grit	1
79281831878	Coarse 80 Grit	1
79281831879	Medium 120 Grit	1
79281831880	Standard 220 Grit	1
79281831881	Fine 400 Grit	1
79281831882	Extra-Fine 6 Micron	1
79281831883	Ultra-Fine 1 Micron	1



6" TC RADIAL DISCS

2" Arbor




ITEM	DESCRIPTION	QTY
79281832283	Ultra-Coarse 36 Grit	40
79281832284	Extra-Coarse 50 Grit	40
79281831884	Coarse 80 Grit	40
79281831885	Medium 120 Grit	40
79281831886	Standard 220 Grit	40
79281831887	Fine 400 Grit	40
79281831888	Extra-Fine 6 Micron	40
79281831889	Ultra-Fine 1 Micron	40

Use with flange & telescope adapter 1991

6" x 1/2" TA RADIAL DISCS


Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
79281831890	Ultra-Coarse 36 Grit	1
79281831891	Extra-Coarse 50 Grit	1
79281831892	Coarse 80 Grit	1

6" TA RADIAL DISCS

2" Arbor



ITEM	DESCRIPTION	QTY
79281831893	Ultra-Coarse 36 Grit	40
79281831894	Extra-Coarse 50 Grit	40
79281831895	Coarse 80 Grit	40

Use with flange & telescope adapter 1991

ACCESSORIES FOR 6", 7⁵/₈" & 8"



ITEM	DESCRIPTION	QTY
79281831991	6" Flange & Telescope Adapter	1
79281831992	7 ⁵ / ₈ " and 8" Flange & Telescope Adapter	1
79281831837	Tapered Spindle Hub for Discs with 1" Arbor	1

BENCH MOTOR DEBURRING OF 6"-8" WHEELS


Aluminum
extrusions; metal
tubing; sheared
panels medical
instruments,
builders hardware;
piston rings;
threaded parts

COMFORMABLE BRISTLES

Easily deburr
contoured and
detailed parts

BALANCED


Discs remain
balanced and do
not require dressing



Bench Grinder

7⁵/₈" x 1" TC RADIAL DISCS


Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
79281831896	Coarse 80 Grit	1
79281831897	Medium 120 Grit	1
79281831898	Standard 220 Grit	1
79281831899	Fine 400 Grit	1

7⁵/₈" TC RADIAL DISCS

3.5" Arbor



ITEM	DESCRIPTION	QTY
79281831900	Coarse 80 Grit	70
79281831901	Medium 120 Grit	70
79281831902	Standard 220 Grit	70
79281831903	Fine 400 Grit	70

Use with flange & telescope adapter 1992

Expands to 8" when running at recommended RPM

REMOVE

SMOOTH




SUNBURST®

FINISH

POLISH

8" x 1" TS RADIAL DISCS



Adaptable arbor 1/2", 5/8", 3/4", 7/8" & 1"



ITEM	DESCRIPTION	QTY
79281831918	Ultra-Coarse 36 Grit	1
79281831904	Extra-Coarse 50 Grit	1
79281831905	Coarse 80 Grit	1
79281831906	Medium 120 Grit	1
79281831910	Standard 220 Grit	1
79281831911	Fine 400 Grit	1

8" TS RADIAL DISCS

3.5" Arbor




ITEM	DESCRIPTION	QTY
79281831919	Ultra-Coarse 36 Grit	70
79281831907	Extra-Coarse 50 Grit	70
79281831908	Coarse 80 Grit	70
79281831909	Medium 120 Grit	70
79281831912	Standard 220 Grit	70
79281831913	Fine 400 Grit	70

Use with flange & telescope adapter 1992

10" TS RADIAL DISCS


4.625" Arbor



ITEM	DESCRIPTION	QTY
79281831396	Ultra-Coarse 36 Grit	70
79281831397	Extra-Coarse 50 Grit	70
79281831398	Coarse 80 Grit	70
79281831399	Medium 120 Grit	70

12" TS RADIAL DISCS

4.625" Arbor



ITEM	DESCRIPTION	QTY
79281831976	Ultra-Coarse 36 Grit	70
79281831977	Extra-Coarse 50 Grit	70
79281831978	Coarse 80 Grit	70
79281831979	Medium 120 Grit	70

CUSTOM PRODUCTION


Since our inception in 1937, Dedeco®'s policy has been to customize abrasive products to address customer needs not satisfied by our standard range.

We are proud to extend this policy to now include our versatile SUNBURST® technology.

Let us know how we can help.

POWERFUL

DURABLE



PORTABLE

LIGHTWEIGHT

BRUSHLESS | 35K RPM

3/32" (2.35mm) & 1/8" (3.18mm) Handpieces

The preferred choice of technicians, carvers and makers.

EASY TO USE		
Specially designed for		
Works with all standard rotary tool accessories		
Digital RPM display supports safe use		
Minimal Vibration • Whisper Quiet		
CONTROL BOX		
Switch:	Forward/Reverse	Bi-directional
Battery:	Li - Ion	Rechargeable
Operating Time:	~ 10 hrs	Long-lasting
Charge Time:	5 hours	Quick
Dimensions:	5.4" x 2.7" x 1.1"	Compact
Weight:	8.7 oz	Lightweight
HANDPIECES		
Design:	Slim	Ergonomic
Motor:	Brushless	Modern
Speed:	0-35,000 RPM	Fast
Dimensions:	.75" x 5.1"	Pencil Grip
Weight:	4.4 oz	Lightweight

ITEM	DESCRIPTION	QTY
1000	Set with 3/32" Handpiece	1
1001	Handpiece 3/32"	1
1002	Set with 1/8" Handpiece	1
1003	Handpiece 1/8"	1
Sets include control box, handpiece, belt clip and charger.		



FUN FACT:

MOTO-TOOL used to be a registered trademark of DREMEL®

FOR USE WITH ALL MODELS UP TO & INCLUDING 1"

Caution: Always wear safety goggles when operating power tools

SILICON CARBIDE DISCS

In response to popular demand, SUNBURST® offerings now include silicon carbide grit models – preferred for numerous precision medical & aerospace applications.

ITEM 79281831797

ALL-IN-ONE SILICON CARBIDE ASSORTMENT

78pc

This comprehensive set includes:
4 each 5/8" & 7/8" Knife-Edge Discs,
7/8" Radial Discs, 7/8" Dual Discs and
12 Points in all shapes and grit textures
plus two 3/32" mandrels.



7/8" TC 4-PLY MOUNTED

3/32" (2.35mm) Shanks



ITEM	DESCRIPTION	QTY
79281831770	7/8" TC 4-Ply Assortment 1 each in all 4 grit textures	4

79281831771	Coarse 90 Grit	6
79281831772	Medium 240 Grit	6
79281831773	Fine 400 Grit	6
79281831774	Extra-Fine 1000 Grit	6

— 5/8" TC KNIFE-EDGE —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281837141	Coarse 90 Grit	12
79281837142		48
79281837191	Medium 240 Grit	12
79281837192		48
79281837241	Fine 400 Grit	12
79281837242		48
79281837291	Extra-Fine 1000 Grit	12
79281837292		48

— 7/8" TC RADIAL DISCS —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281837143	Coarse 90 Grit	12
79281837144		48
79281837193	Medium 240 Grit	12
79281837194		48
79281837243	Fine 400 Grit	12
79281837244		48
79281837293	Extra-Fine 1000 Grit	12
79281837294		48

— 7/8" TC KNIFE-EDGE —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281837147	Coarse 90 Grit	12
79281837148		48
79281837197	Medium 240 Grit	12
79281837198		48
79281837247	Fine 400 Grit	12
79281837248		48
79281837297	Extra-Fine 1000 Grit	12
79281837298		48

— 7/8" TC DUAL DISCS —

1/16" (1.6mm) Arbor



ITEM	DESCRIPTION	QTY
79281837145	Coarse 90 Grit	12
79281837146		48
79281837195	Medium 240 Grit	12
79281837196		48
79281837245	Fine 400 Grit	12
79281837246		48
79281837295	Extra-Fine 1000 Grit	12
79281837296		48

Heat-resistant and durable alternative to silicone polishers

SILICON CARBIDE POINTS

3/32" (2.35mm) Shanks | OAL 1¾"



	 SHAPE 12		 SHAPE 14		 SHAPE 15	
Size	12/box	72/box	12/box	72/box	12/box	72/box
90	7928183 2321	7928183 2322	7928183 2329	7928183 2330	7928183 2337	7928183 2338
240	7928183 2323	7928183 2324	7928183 2331	7928183 2332	7928183 2339	7928183 2340
400	7928183 2325	7928183 2326	7928183 2333	7928183 2334	7928183 2341	7928183 2342
1000	7928183 2327	7928183 2328	7928183 2335	7928183 2336	7928183 2343	7928183 2344

NEW

SILICON CARBIDE JUMBO POINTS

1/8" (3.18mm) Shanks | OAL 2"

**ITEM 79281832976**

SILICON CARBIDE JUMBO POINT ASSORTMENT 8pc

1 each in all 4 grit textures
each grit texture in shapes C & D

Grit	Size	SHAPE C  3/4" X 1/2"	SHAPE D  3/4" X 3/8"
		5/box	5/box
Silicon Carbide	90	79281832979	79281832980
	240	79281832984	79281832985
	400	79281832989	79281832990
	1000	79281832994	79281832995

DIAMOND POINTS

SUNBURST® diamond-filled points are the preferred choice for maximum durability and superior results. Suitable for use on virtually all materials. Outstanding performance at all speeds. Minimal pressure required.

ITEM 79281831055	POINTS 3/32" (2.35MM) SHANKS OAL 1 3/4"					
DIAMOND POINT ASSORTMENT 6pc 3 each in 2 grit textures each grit texture in shapes 12,14 & 15.	1/unit					
						
	Shape 12	Shape 14	Shape 15	Shape 12	Shape 14	Shape 15
	Fine			Ultra-Fine		
	79281831056	79281831058	79281831060	79281831057	79281831059	79281831061

Fine = 400 Grit **Ultra-Fine** = 1μ (≈ 2000 Grit)

MANDRELS

ITEM	DESC	SHANK	QTY
 79281835431	Snap-On Mandrels	3/32"	3
 79281837081	2mm Pin Mandrel	3/32"	1
 79281837083	3mm Pin Mandrel	3/32"	1
 79281831835	Arbor Band Mandrels	3/32"	1
79281831836		1/8"	1
 79281831358	EZ-LOC Backup Pad Mandrels	1/4"	1

ITEM	DESC	SHANK	PIN	QTY
 79281835425	Disc Mandrels	3/32"	1/16"	12
 79281831360		3/32"	1/8"	1
 79281831347		3mm	1/16"	6
 79281830261		1/8"	1/16"	6
 79281831316		1/8"	1/8"	1
 79281831364		1/4"	1/16"	1
 79281831365		1/4"	1/8"	1

CONVERSION CHART		
INCHES		MM
1/16	0.0625	1.6
3/32	0.0938	2.4
1/8	0.125	3.2
1/4	0.25	6.4
3/8	0.375	9.4
1/2	0.5	12.7
9/16	0.5625	14.3
5/8	0.625	15.8
3/4	0.75	19.1
7/8	0.875	22.2
15/16	0.9375	23.8
1	1	25.4
2	2	50.8
3	3	76.2
4	4	101.6
6	6	152.4
7 5/8	7.63	193.7
8	8	203.2
10	10	254
12	12	304.8

ACCESSORIES FOR 1/4" & 3/8" ARBORS

ITEM	DESC	SHANK	PIN	QTY
 79281830264	Disc Mandrels	1/4"	1/4"	1
79281831366		1/4"	3/8"	1

ITEM	DESC	ARBOR	QTY
 79281831361	Radial Disc Spindle Adapter (Left)	3/8"	1
 79281831362	Radial Disc Spindle Adapter (Right)	3/8"	1

Specially designed for use with 2", 3" & 4" radial discs with 3/8" arbor



SUNBURST®

MANUFACTURING AUTOMOTIVE MANUFACTURING REPAIR & AFTERMARKET BEAUTY CASTINGS
INGS COIN POLISHING CUSTOM FABRICATION DESIGN ELECTRONICS MANUFACTURING
REBUILD FIREARMS / GUNSMITHING HOBBYISTS INDUSTRIAL OPERATIONS KNIVES
S LOCKSMITHS MACHINE SHOPS MAINTENANCE FACILITY MAKER MARINE MEDICAL
UMENTS METAL FABRICATION MOLD MAKING MRO GENERAL MAINTENANCE & REPAIR
JMS MUSICAL INSTRUMENTS RESEARCH & DEVELOPMENT ROBOTICS SHIPBUILDING
IR TOOL & DIE WELDING WOODWORKING 3D PRINT POSTPROCESSING AEROSPACE
MANUFACTURING, MAINTENANCE & REPAIR AUTOMATED MANUFACTURING AUTOMOTIVE
FACTURING, REPAIR & AFTERMARKET BEAUTY CASTINGS & FORGINGS COIN POLISHING
M FABRICATION DESIGN ELECTRONICS MANUFACTURING ENGINE REBUILD FIREARMS
GUNSMITHING HOBBYISTS INDUSTRIAL OPERATIONS KNIVES & BLADES LOCKSMITHS



Products distributed by Saint-Gobain Abrasives.

To order, please contact Saint-Gobain Abrasives.

1-800-551-4413

NAcustomerservice@saint-gobain.com

Questions about the products, please contact Dedeco: service@dedeco.com.

FORM #8934 REV. 09/21



Dedeco International, Inc.

11617 State Route 97, Long Eddy, New York 12760-0244

Phone: (845) 887-4840 • service@dedeco.com • www.dedeco.com



YouTube

Learn and get inspired with our videos and curated playlists.

[snbr.st/yt](https://www.youtube.com/snbr.st/yt)

Send us your  **SUNBURST®** videos

Norton and Speed-Lok are registered trademarks of Saint-Gobain Abrasives.
DREMEL is a registered trademark of Robert Bosch Tool Corporation.
3M, Scotch-Brite, Roloc and Sof-Lex are registered trademarks of 3M.
Dedeco, SUNBURST, E-Z Loc and MOTO-TOOL are registered trademarks of Dedeco International, Inc.
© 2023 Dedeco International, Inc.



Proud supporter of S.T.E.A.M. programs and trade schools.

WARNING!

Exceeding maximum operating speed can cause product to break apart and may cause injury.
Always wear approved and appropriate eye, face, ear, hand and body protections.