

EMERGENCY PREPAREDNESS



ARE YOU
READY FOR
TOMORROW

?



ORS•Nasco

TABLE OF CONTENTS

Adjustable Wrench Sets	9	Nail Puller Pry Bars	9
Air Movers	15	Pails	19
Bandannas	12	Paints, Marking	3
Batteries	3	Plastic Sheeting	10
Boots	11	Pliers	
Brooms	15-16	Multi-Purpose Locking Set	8
Cleaning Products Accessories	16	Plier, Sets	9
Coolers & Chests	10	Rainwear	10-11
Coveralls & Overalls	10	Rakes	
Cups, Foam	10	Landscape, Rakes	7
Cylinder, Propane	6	Lawn, Rakes	8
Dishwashing Liquids	16	Rope, Line & Twine	
Disinfectants	16	Cords, Nylon	9
Bleach	16	Cords, Sash	9
Bleach Wipes	16	Safety Cans	19
Duct Tapes	3	Safety Glasses	11
Extension Cords	4	Safety Barrier Tapes	15
Fire Extinguisher	14	Scrapers, Sidewalk & Ice	8
First Aid Kits	13-14	Shovels & Spades	7-8
Flashlights & Flood Lights		Scoops, ABS	8
Headlamp, Flashlights	5-6	Scoops, Aluminum	7-8
Industrial, Flashlights	4	Scoops, Steel	8
LED, Flashlights	4	Square Point, Shovels	8
Mag-Lite, Flashlights	5	Sledge Hammers	6
Penlight, Flashlights	5-6	Soldering/Brazing Torches	6
Work Light	6	Sprayers	6
Funnels	9	Squeegees	17
Glass Cleaners	18	Curved, Squeegees	18
Gloves	11-12	Straps & Bungee Cords	
Hand Cleaners	17-18	Ratchet, Straps	9
Hard Hats & Caps	12	Rubber, Straps	9
Insect Repellents & Sunscreens	14	Sweat Bands	12
Knife Blades, Utility	6	Tarps	6
Knives, Utility	7	Towels, Roll	18-19
Ladders		Trash Cans	18
Ladders, Extension	19	Trash Can Liners	18
Ladders, Step	19	Vacuums	18
Mops	16	Wheelbarrows	8
Mop Buckets	17		
Mop Heads	16		

PRODUCTS CANNOT BE ORDERED THROUGH THIS CATALOG

The information contained in this catalog is for information purposes only and should not be used by consumers to make final buying decisions. Information is subject to change at any time without notice.

This catalog is to be used as general advertising material. Latest pricing, product information, and Prop 65 warnings are included at point of sale.

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****

WHEN DISASTER STRIKES BE READY TO RESPOND!



Quik-Mark™ APWA Solvent-Based Inverted Marking Paints

- High solids formulation for bold, bright, visible markings.
- Fast-drying.
- Penetrates and adheres to hot surfaces.
- Convenient Spray-Thru™ cap, non-clogging spray tip.
- VOC compliant, free-of-lead hazards.

Application Temp. Range: 50°F - 90°F

Dry Heat Resistance: <150 °F

Applicable Materials: Concrete; Grass; Asphalt; Brick



SKU	Capacity Vol.	Color
425-A03621007*	17 oz	Blue
425-A03611007	17 oz	Red

*Longer lead times may apply.



Quik-Mark™ Fluorescent Inverted Marking Paints

- High solids formulation for bold, bright, visible markings.
- Fast-drying.
- Penetrates and adheres to hot surfaces.
- Convenient Spray-Thru™ cap, non-clogging spray tip.
- VOC compliant, free-of-lead hazards.
- One-coat coverage.

Application Temp. Range: 70 Degrees F - 80 Degrees F

Dry Heat Resistance: 150 °F

Applicable Materials: Concrete; Grass; Asphalt; Brick



SKU	Capacity Vol.	Color	Base Type
425-A03702007	17 oz	Fluorescent Orange	Solvent
425-A03700004	17 oz	Fluorescent Orange	Water
425-A03612004	17 oz	Fluorescent Pink	Water



General Purpose Duct Tapes

- To package, patch, seal, hold, color code, splice, seam, protect, bundle: HVAC, plumbing, carpet and asbestos abatement applications.
- 12 month shelf life if stored in a cool, dry area away from sunlight and heat.

Thickness: 9 mil

Temp. Range: 200° F

Adhesion to Steel: 45 oz/in

Tensile Strength: 22 lb/in

SKU	Series	Color	Width	Length
689-208479	PC 600	Silver	2 in	60 yd

DURACELL®



Duracell® Procell® Batteries

- Date coded to ensure freshness.
- Lasts up to 10 times longer than super heavy duty and carbon zinc batteries in power demanding applications.
- Engineered for intermittent use.
- Economically packaged for professional applications.
- Contains no added mercury.

Battery Type: Non-Rechargeable Dry Cell Alkaline

SKU	Batt. Size	Voltage	Quantity
243-PC1604BKD	9V	9V	12 per pack
243-PC1500BKD	AA	1.5 V	24 per pack
243-PC2400BKD	AAA	1.5 V	24 per pack
243-PC1400	C	1.5 V	12 per pack
243-PC1300	D	1.5 V	1 per pack



Polar/Solar® Extension Cords

- Reinforced blades help prevent accidental bending or breaking.
- Heavy-duty strain relief protects electrical connections resulting in longer cord life.
- Outer jacket is flame retardant and water resistant.



Test & Approvals: OSHA; UL

No. of Outlets: 1

Conductor Size: 12/3 AWG

Amps: 15 A

SKU	Length	Voltage
172-01687	25 ft	125 VAC
172-01688	50 ft	125 VAC



Vinyl Extension Cords

- Vinyl jackets offer great abrasion, moisture and sunlight resistance.
- Molded plugs and heavy duty strain relief prolongs the life of the cord.
- Reinforced blades prevent bending and breaking.
- Outer jacket won't mark floors or walls.



Test & Approvals: OSHA; UL

No. of Outlets: 1

SKU	Length	Voltage	Color	Conductor Size	Amps
172-02307	25 ft	125 VAC	Orange	16/3 AWG	13 A
172-02308	50 ft	125 VAC	Orange	16/3 AWG	13 A
172-02588-0002	50 ft	125 VAC	Yellow	12/3 AWG	15 A
172-02589-0002	100 ft	125 VAC	Yellow	12/3 AWG	15 A



Outdoor Round Vinyl Extension Cords

- Solid molded plugs.
- Made with stranded and cabled copper conductors.
- Resists deterioration from moisture and abrasion.



No. of Outlets: 1

Color: Orange

Conductor Size: 12/3 AWG

Amps: 15 A

SKU	Length	Voltage
860-529	50 ft	300 V



The Bright Star® Industrial Flashlights



- Faceted reflector.
- Patented lens ring stand offs.
- Switch Guard.
- Unbreakable Tuflexx® lens.
- Sure-grip ribbed, crush-resistant case.
- Anti-roll design.
- Spare bulb holder.
- Switch guard.
- Lens ring accepts snap-in wand.
- Spare bulb holder.

Batt. Type: Alkaline

Beam Concentration (MBCP): 1407 cd

Modes: On/Off

Lamp Life: 15 h

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
120-10500	2	D	50	200 hrs



LED D-Cell Flashlight




- Great for home, auto and outdoor use.
- Powerful projecting LED beam.
- "Spot-to-Flood" adjustable LED beam.
- Anodized for corrosion resistance and durability.
- Rugged, machined aluminum case.
- Intelligent Energy Source Management--continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life.

Batt. Type: Alkaline

Beam Concentration (MBCP): 42,533 cd

Modes: On/Off

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
459-ST3D016	3	D	168	80 h



Mag-Lite® Standard Flashlight

- High-intensity adjustable light beam (Spot to Flood).
- Recessed, pushbutton, self-cleaning, three-position switch.
- Rugged, machined aluminum construction with knurled design.
- Anodized inside and out for improved corrosion resistance.
- Spare lamp safely secured inside the tailcap.

Batt. Type: Alkaline

Beam Concentration (MBCP): 10,627 cd

Modes: On/Off

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
459-S2D016	2	D	27	8 h 30 min High - 10 h



Mini Maglite® AA Flashlight

- High-intensity light beam.
- 1/2 turn, twist focus, spot-to-flood.
- Patented candle mode.
- Spare lamp.
- O-ring sealed for water resistance.
- Vented tailcap.

Batt. Type: Alkaline

Beam Concentration (MBCP): 6,613 cd

Modes: On/Off

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
459-M2A016	2	AA	272	2 h 30 min High; 6 h



Mini Maglite® AAA Flashlight

- High-intensity light beam.
- Twist focus, spot-to-flood.
- Innovative extended key lead.
- Spare lamp.
- High-strength aluminum alloy case.
- O-Ring.
- Vented tailcap.

Batt. Type: Alkaline

Beam Concentration (MBCP): 3,387 cd

Modes: On/Off

Includes: Flashlight; Pocket Clip; Batteries

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
459-M3A016	2	AAA	87	3 h - 5 h High



Enduro® LED Headlamp

- One of the lightest and most comfortable headlamps.
- Elastic headstrap and visor clip that attaches to the brim of your hat, coat, or car visor.
- High/Low modes.
- Easy to use push button "on-off".
- Impact resistant ABS construction and IPX7 waterproof.
- Powered by 2 "AAA" alkaline batteries (included).

Test & Approvals: CE

Beam Concentration (MBCP): 850 cd

Modes: High; Low

Lamp Life: 100,000 h

Includes: Batteries; Visor Clip; Elastic/Rubber Strap

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
683-61400	2	AAA	14.5 - High; 6 - Low	24 h - Low; 6 h - High



MicroStream® LED Flashlights

- Compact, slim, machined aluminum flashlight.
- Proprietary micro-optical system optimizes output and run time.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 360 cd

Modes: On/Off

Lamp Life: 30,000 h

Includes: Batteries; Lanyard

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
683-66318	1	AAA	35	2 h 15 m



Septor® LED Headlamps

- Provides a soft, wide beam when you need a hands-free flood light for close-up tasks or tasks at arm's length.
- High/Medium/Low modes.
- 90° tilting head prevents neck fatigue.
- Push button switch is easy to use when wearing gloves.
- Adjustable elastic head strap, rubber hard hat strap and batteries included.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 900 cd

Modes: 1 LED; 3 LEDs; 7 LEDs

Lamp Life: 100,000 h

Includes: Batteries; Elastic & Rubber Hard Hat Straps

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
683-61052	3	AAA	13 @ 1 LED; 45 @ 3 LEDs; 120 @ 7 LEDs	150 h - 1 LED



Stylus Pro® LED Flashlights

Compact, slim, machined aluminum flashlight.

- Proprietary micro-optical system optimizes output and run time.
- Rotary switch with a 1/4 in high actuator.

Test & Approvals: CE

Batt. Type: Alkaline

Beam Concentration (MBCP): 690 cd

Modes: On/Off

Lamp Life: 30,000 h

Includes: Batteries; Pocket Clip

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
683-66118	2	AAA	65	Up to 7.5 h



Trident® Headlamps

- Offers the versatility of switching between either a bright light to illuminate objects at a distance, or a soft flood light for tasks at arm's length.
- 90 degree tilting head prevents neck fatigue.
- Push button switch is easy to use when wearing gloves.
- IPX4 rated for water resistance and 2 meter impact resistance tested.



Test & Approvals: CE

Batt. Type: Alkaline

Modes: Xenon; 1 LED; 3 LEDs

Lamp Life: 100,000 h

Includes: Batteries; Elastic & Rubber Hard Hat Straps

SKU	No. of Batteries	Batt. Size	Lumens	Run Time
683-61050	3	AAA	24 3-LEDs, 12 Xenon, 9 1-LED	150 h - 1 LED



Double Halogen Flood Lights

- Heavy-duty, die-cast frame.
- Shadow Fighter® Grills for maximum light output.
- Tempered high heat glass lens.



Test & Approvals: UL/cUL

Cord Length: 5 ft

Guard Material: Metal

Wt.: 13.75 lb

SKU	Bulb Type	Voltage	Lumens	Conductor Size
172-L14SLED	Quartz Halogen	125 V	20,000 lm	18/3 AWG



Multiple Use Tarps

- Sun- and fade-resistant.
- Rot-and rust-proof.
- Reinforced hem.
- Heat-sealed seams.
- Grommets every 3 ft.



Material: Polyethylene

SKU	Length	Width	Thickness	Wt.
101-0810	10 ft	8 ft	5 mm	2 1/2 lb
101-1012	12 ft	10 ft	5 mm	3.42 lb
101-1216	16 ft	12 ft	5 mm	3 1/2 lb
101-2020-TARP	20 ft	20 ft	5 mm	11 1/2 lb
101-0608	8 ft	6 ft	5 mm	1.37 lb



Trigger Start Micro Torches

- Micro flame butane torch for light, detailed work.
- Trigger start for ease of use.
- Refillable for convenience.

Process: Soldering



SKU	Gas Type	Includes
189-ST2200T	Butane	Electrical Soldering Tip



Propane Cylinders

- Ideal for general soldering.
- Reliable.

Capacity Vol.: 16.40 oz

Wt.: 2.2 lb



SKU	Type	Gas Type
189-327774	Refillable Cylinder	Propane



SureSpray Poly Sprayers

- Adjustable poly cone nozzle.
- Poly extension wand.
- Anti-clog filter.
- Translucent tank with pressure relief valve.
- Excellent for use with herbicides, pesticides, fertilizer.
- Great for general cleaning tasks.

Pump Type: Nitrile

Body Material: Polyethylene

Applicable Materials: Fertilizers; Fungicides; Herbicides; Pesticides; Cleaners

Includes: On-Board Measuring Cup; Sprayshield; Reinforced Hose; Curved Brass Wand; Adjustable Brass Nozzle



SKU	Capacity Vol.	Extension Length	Hose Length	Operating Pressure
139-26030	3 gal	14 in	34 in	40-60 PSI



Double Faced Sledge Hammer

- Used for general sledging operations in staking wood, concrete, metal and stone.
- Common uses are drifting timbers and striking spikes, star drills and hardened nails.
- Proudly made in the USA.

Handle Type: Classic

Grip Style: SG



SKU	Head Weight	Handle Length	Handle Material
027-20185000	8 lb	36 in	Hickory

STANLEY

1991® Regular Duty Utility Blade

- For cutting light sheet materials.
- For fixed blade knives only.

No. of Cutting Edges: 1

Quantity: 100 per dispenser



SKU	Blade Shape	Blade Tip Shape	Type
680-11-911A	Trapezoid	Triangular Point	Replacement Blade

Hydrate frequently when working in the heat.



Classic 99® Retractable Utility Knife

- Multi-position blade slide.
- Blade storage in handle.
- Top and bottom overlap nose holds blade securely.

Blade Material: Steel

Handle Material: Die-Cast Metal

Handle Type: Straight

Height: 0.7 in

Width: 3 in

SKU	Overall Length	Handle Length	Blade Length	Includes
680-10-099	8.1 in	6 in	2 7/16 in	(3) 11-921 Blades



Bow Rake

- For loosening and leveling mulch, peat moss and loose soil.
- Welded 14-tine tempered-steel head.
- Steel ferrule for strongest blade and handle connection.

Blade Material: Forged Steel

Blade Shape: Straight

Handle Material: White Ash

Wt.: 3.67 lb



SKU	No. of Tines	Tine Shape	Handle Length
760-63141	15	Curved	66 in



Level Rake for Gravel

- For spreading and leveling gravel.
- One-piece forged head has extra-heavy, straight teeth.
- Northern White Ash handle with steel ferrule.

Blade Material: Steel

Blade Shape: Straight

Handle Material: White Ash

Wt.: 4.67 lb



SKU	No. of Tines	Tine Shape	Handle Length
760-63121	14	Straight	66 in



Eagle Bow Style Garden Rake


- Seal-coated white ash handle for strength and durability.
- Chrome steel ferrule for maximum strength and durability.

Blade Material: Forged Steel

Blade Shape: Straight

Handle Material: White Ash

Wt.: 2.5 lb



SKU	No. of Tines	Tine Shape	Handle Length
027-1881600	14	Curved	48 in



Bow Rake

- For loosening and leveling mulch, peat moss and loose soil.
- Welded 14-tine tempered-steel head.
- Steel ferrule for strongest blade and handle connection.

Blade Material: Forged Steel

Blade Shape: Straight

Handle Material: White Ash

Wt.: 2.5 lb



SKU	No. of Tines	Tine Shape	Handle Length
760-63107	14	Curved	54 in



Aluminum Scoops

- For handling grain, sand, snow and other loose materials and general purpose clean-up.
- Reliable strength and durability to quickly complete jobs.
- Lightweight aluminum for ease of use.

Blade Type: Western Scoop

Blade Material: Aluminum

Blade Thickness: 0.1010 in

Socket Length: 9 in



SKU	Blade Length	Blade Width	Blade No.	Handle Type	Handle Material
760-53127	17 3/4 in	14 1/2 in	#10	Straight	White Ash
760-53128	19 3/4 in	14 3/4 in	#12	D-Grip	White Ash; Steel



Aluminum Scoops with D Grip

- Heavy-duty fiberglass handle is stronger than wood.
- Exclusive armor D grip cannot come loose.
- Full-size power D grip fits gloved hand comfortably.
- Aluminum alloy blade for strength and balance.

Blade No.: 12



SKU	Blade Length	Blade Width
760-53129	24.5 in	14.5 in



Square Point Transfer Shovels

- Exclusive Razor-Back backbone design provides a "ribbon of steel" along the length of the frog and socket for maximum reinforcement at the most critical stress point.
- Perfect tool for excavation and moving soil.

Blade Type: Open-Back; Forward Turn Step

Blade No.: #2

Blade Material: Steel

Blade Thickness: 14 gauge

Socket Length: 11 in



SKU	Blade Length	Blade Width	Handle Type	Handle Material
760-44000	12 in	9 1/2 in	Straight; Cushion Grip	Fiberglass
760-44124	12 in	9 1/2 in	Straight	White Ash



Steel Scoops

- Heat-treated steel blade for maximum durability.
- For scooping grain, mulch, soil, sand, snow or general purpose clean-up.
- Hollow back to easily level off areas that need to be flat.

Blade No.: #2

Handle Type: D-Grip

Blade Material: Heat-Treated Carbon Steel

Blade Thickness: 14 gauge

Socket Length: 9 in



SKU	Blade Length	Blade Width	Handle Material
760-50139	15 in	11 in	White Ash; Steel



Eagle™ Shovels

- Steel collar for added strength at the handle/socket connection.
- Lightweight fiberglass handle resists splintering, cracking, and weathering.

Blade Type: Open-Back

Blade No.: #2

Handle Type: Straight

Blade Material: Steel



SKU	Blade Length	Blade Width	Handle Material
027-1554500	10 1/2 in	9 in	White Ash
027-1554300	11 in	8 1/4 in	White Ash



Grain Hog Scoop

- ABS poly blade.
- Strong, wide poly power D grip for comfort.
- ABS poly blade construction for stiffness and durability.

Blade Type: Scoop

Blade No.: #12



SKU	Blade Length	Blade Width	Handle Material
027-1680100	17 3/4 in	14 1/4 in	White Ash



Square Point Transfer Shovels

- Exclusive Razor-Back backbone design provides a "ribbon of steel" along the length of the frog and socket for maximum reinforcement at the most critical stress point.
- Perfect tool for excavation and moving soil.

Blade Type: Open-Back; Reversed Step

Blade No.: #2

Blade Material: Steel

Blade Thickness: 16 gauge

Socket Length: 9 in



SKU	Blade Length	Blade Width	Handle Material
760-40184	11 1/2 in	9 1/4 in	White Ash



Sidewalk & Ice Scraper

- Ideal for scraping ice and other encrusted materials from hard surfaces.
- Professional grade forged construction for heavy-duty use.
- Socket pattern for superior head to handle connection.

Blade Material: High Carbon Steel

Blade Type: Welded, Shank Pattern

Wt.: 2 lb



SKU	Blade Width	Overall Length	Handle Material
760-81103	7 in	53 in	White Ash



Steel Medium Duty Wheelbarrows

- Ideal for homeowners, landscapers and light construction work.
- Seamless steel tray.
- 60 inch seal coated hardwood handles.

Wheel Type: Smooth Pneumatic 2-Ply, Oilube Bearing

No. of Wheels: 1

Wt.: 51 lb



SKU	Capacity Vol.	Color	Tray Type	Frame Material
027-J6	6 cu ft	Black	Steel	Steel



8-pc GrooveLock Pliers Set

- Press and slide button quickly adjusts lower jaw.
- All purpose jaw grips on round, flat, square and hex shapes.
- More groove positions provide the optimum hand location for a better grip on the work piece.
- ProTouch™ grips provide extra comfort and reduces hand fatigue.
- Ratcheting action allows GrooveLock to be adjusted from the open position up to the work piece by pushing the handle up - no need to press the button.



SKU	Includes
586-2078712	8, 10, 12 in GrooveLocks; 10 in Adjustable Wrench; 8 in Long Nose Pliers; 8 in Linesman Pliers; 6 in Diagonal Cutter Pliers; 6 in Slip Joint Pliers; Pouch

IRWIN VISE GRIP

4 Pc. ProPlier Set

- ProTouch™ grips provide extra comfort and reduces hand fatigue.
- Induction hardened cutting edge stays sharper, longer.

Test & Approvals: Meets or Exceeds ANSI Specifications



SKU	Includes
586-2078707	8 in. Long Nose Pliers; Storage Tray; 6 in. Diagonal Pliers

IRWIN VISE GRIP

4-pc Adjustable Wrench Tray Set

- Professional-grade tools.
- ProTouch™ grips provide extra comfort and reduces hand fatigue.
- Machined jaws for maximum gripping strength.
- Induction hardened cutting edge stays sharper, longer.

Test & Approvals: Meets or Exceeds ANSI Specifications

Includes: 6, 8, 10 & 12 in Adjustable Wrenches; Storage Tray

Material: Chrome Vanadium

Measuring System: Inch

Handle Type: Cushion Grip



SKU	Opening Size	Length
586-2078706	1 in; 1 1/8 in; 1 1/4 in; 1 1/2 in	6 in; 8 in; 10 in; 12 in



Wonder Bar® Pry Bar

- Heat treated for extra toughness with polished and beveled cutting edges.
- Contoured bar is ideal for pulling nails, prying, lifting and scraping.
- Beveled nail slot both ends.

Tip Type: Claw - Offset; Claw - Right Angle

Material: High Carbon Steel

Wt.: 1.31 lb

SKU	Stock Shape	Overall Length
680-55-515	Flat	12 3/8 in



Ratchet Tie-Down Straps

- Webbing is abrasion-resistant, won't rot or mildew, and maximizes strength.
- Ratchet provides greater tension with minimal force.
- Safety-first, spring-loaded release mechanism prevents ratchet from opening accidentally.



SKU	End Type	Width	Length	Load Cap.	Break Strength	Color
130-04622	Double-J Hooks	2 in	27 ft	3,333 lb	10,000 lb	Yellow
130-05514	S-Hooks	1 in	14 ft	500 lb	1,500 lb	Gray



Rubber Straps

- Compounded EPDM rubber will not crack, rot or lose rebound qualities.
- It is low temperature resistant--nonbrittle to -40°F.
- Strong hooks will not bend, break or rust under normal use.



SKU	Resistance	Length
130-06224	Corrosive; Sunlight; Ozone; Weather	24 in
130-06235	Corrosive; Sunlight; Ozone; Weather	35 in



Plastic Funnels

- Safe for all petroleum products, complete with handy storage hanging tabs.
- Capacity indicates what the funnel will hold when the outlet is blocked.

SKU	Capacity Vol.	Tip Diam	Overall Length	Dia.
570-75-062	16 oz	3/4 in	5 1/2 in	6 in
570-75-060	8 oz	1/2 in	5 in	4 1/2 in



Cotton Core Sash Cord

- Smooth, non-scoring surface for use as gaskets and packing.
- Solid braided cover with cotton core.

Wt.: 3.83 lb

SKU	Dia.	Length	Load Cap.
650-004024001060	3/8 in	100 ft	600 lb



General Purpose 12-Strand Cord

- Exclusive Samson 12-strand interlocked construction.
- Stays flexible.

Resistance: Rot; Mildew; Mold; Most Chemicals

Wt.: 2.35 lb

SKU	Dia.	Length	Load Cap.
650-019020001060	5/16 in	100 ft	1,400 lb



Poly-Cover Plastic Sheets

- Tough plastic for tough jobs in construction and agriculture.
- Guaranteed to be full weight and thickness.

Test & Approvals: Complies with ASTM D-4397-84, NBS PS17-69 Specifications for Polyethylene Sheeting and National Bureau of Standards Handbooks

Color: Clear

SKU	Thickness	Length	Width
795-4X10-C	4 mil	100 ft	10 ft
795-4X20-C	4 mil	100 ft	20 ft
795-6X10-C	6 mil	100 ft	10 ft



Water Coolers

- Drip-resistant spigots and leak-resistant screw-on lids.
- Insulated to keep water or beverage cold.

SKU	Capacity Vol.	Color	Width	Length	Height
325-1683-01-11	3 gal	Orange	11 in	12.53 in	16.65 in
325-1840999	5 gal	Orange	14.75 in	12.875 in	18.875 in



Foam Cups

- Insulated for hot or cold beverages.
- Keeps hands comfortable on the outside.
- Ideal for coffee, tea, hot chocolate, juice and soft drinks.

Quantity: 1,000 per case

SKU	Color	Capacity Vol.	Uses Lid
209-12J12	White	12 oz	12SL
209-16J16	White	16 oz	16SL
209-8J8	White	8 oz	8UL



3-Piece Rainsuits

- Drawstring hood has four snaps and chin strap.
- Jacket has a vented cape back, five-snap front closure with storm flap, two front pockets with flaps and a corduroy collar.
- Overalls have adjustable elastic suspenders with triangular D-ring buckles and studs, single snap fly.

Size Group: X-Large

SKU	Color	Material
101-9000-XL	Yellow	PVC/Polyester

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****



Polyester Raincoats

- Has two outside pockets.
- Vented cape back, snap front closure with storm flap, detachable hood and corduroy collar.

Size Group: X-Large

SKU	Color	Material
101-9010-XL	Yellow	PVC on Polyester



Checklite Safety Glasses

- Trust your safety to rugged polycarbonate lenses.
- Sturdy safety glasses filter out 99.9% of harmful UV rays.
- The smaller frame is perfectly sized to fit smaller faces.
- An excellent choice for everyday use and for new visitors.

Test & Approvals: ANSI Z87.1 - 2003

Lens Coating/Shade: Scratch-Resistant

SKU	Frame Color	Lens Tint	Lens Material
135-CL110	Clear	Clear	Polycarbonate
135-CL112	Smoke	Gray	Polycarbonate



Law OTG® Protective Eyewear

- Durable nylon frame with 5 position ratcheting temple design for optimum fit.
- Non slip TPR temples for comfort and grip.
- Over the glass designed to fit over prescription eyewear.

Test & Approvals: Meets or Exceeds ANSI Z87.1+ Standard

Lens Material: Polycarbonate

Lens Coating/Shade: Anti-Fog

SKU	Frame Color	Lens Tint	Resistance
135-OG110AF	Silver	Clear	99.9% UV



XTP Knee Boots

- Provide complete protection with sturdy knee boots made from a specialized rubber compound that prevents ozone deterioration.
- TDT outsole compounds are formulated for long wear, reducing inventory costs.
- Boots are built to be strong and slip resistant, reducing on-the-job injuries.
- Removable FOOT FORM contour cushion insoles provide support for added comfort.



Test & Approvals: ASTM

Color: Black; Yellow; Gray

Lining: Net

SKU	Size Group	Height	Resistance
Steel Toe			
617-75109-BLM-100	10	15 in	Water
617-75109-BLM-110	11	15 in	Water
617-75109-BLM-120*	12	15 in	Water
617-75109-BLM-090	9	15 in	Water

*Longer lead times may apply.



1000 Series Dotted Canvas Gloves

- PVC Dots provide gripping ability and longer wear.
- Black PVC dots on palm, index finger, and thumb, canvas.



Style: Clute-Straight Thumb

Resistance: Abrasion

Color: White

Cuff Style: Knit-Wrist

SKU	Size	Material
101-1000	One Size	Cotton Canvas
101-1005	Large	Cotton Canvas



2000 Series Leather Palm Gloves

- Color coded cotton hem for easy size identification.
- Double palm covers entire palm, index finger and thumb.
- Leather knuckle strap provides extra protection where you need it most.
- An economical full feature standard split cowhide leather palm gloves are a great protection and comfort in generaduty applications.



Style: Gunn Pattern; w/Double Palm

Cuff Style: Rubberized Safety

Cuff Length: 2 1/2 in

Lining: Cotton

SKU	Size Group	Material
101-2300	Large	Canvas Back; Premium Select Shoulder Leather; Split Cowhide

As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.



Work Gloves

- Safety cuff provides extra protection where you need it most.
- Standard Work Glove.
- Excellent durability.

Style: Standard; Gunn-Straight Thumb

Cuff Style: Rubberized

Cuff Length: 2 1/2 in

Lining: Unlined

SKU	Size Group	Material
101-1775	Large	Split Cowhide



SC-6 Hard Hat

- Smooth dome design.
- Lightweight, molded from dielectric High Density Polyethylene (HDPE).
- Accessory slots for attaching additional personal protective equipment.
- Head sizes 6.5 to 8.

Test & Approvals: ANSI Z89.1, Type 1, Class C, G & E

Adjusting Method: Ratchet

Material: HDPE Blended Plastic

Applications: Manufacturing; Utilities; Oil Industry; Mining; Construction

Size Group: 6 1/2 - 8

SKU	Color	Suspension
138-14834	White	391, 4-Pt. Ratchet



V-Gard® Protective Hat

- Convenient caps and hats provide comfortable, lightweight protection.
- Self adjusting crown straps ensure a comfortable fit.
- Polyethylene shell provides superior impact protection.

Test & Approvals: Meets or Exceeds the Applicable Requirements for a Type 1 Helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G

Adjusting Method: Ratchet

Material: Polyethylene

Applications: Arc Flash; Confined Space; Manufacturing; Working at Heights; Welding; Among others

Type: Slotted

Size Group: Standard; 6 1/2 - 8

SKU	Color	Suspension
454-475369	White	Fas-Trac®



MiraCool® Neck Bandanas

- Increase alertness and productivity.
- Provide a great way for workers to reduce heat stress in outdoor and other high-heat environments.
- Soak the MiraCool® bandana in cold water for 30 minutes, and the cooling crystals activate, staying hydrated for several days.
- Works without freezing or ice.

Closure Type: Tie

Size Group: One Size

Length: 34 in

SKU	Material	Color
561-940-018	100% Cotton; MiraCool Crystals	Navy



Toppers® Snap-On Hard Hat Sweatbands

- Top off your hard hat with a little comfort, with sweat bands that easily attach to hard hat suspension with snaps.
- Made of plush terry cloth for comfort and durability.
- Machine washable for repeated use.

SKU	Color	Material
561-870-15	Beige	Terry Cloth
561-870-01	Navy	Terry Cloth

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****



10 Person ANSI First Aid Kits

- Neat, orderly interior packaging makes content easy to locate and use.
- Weatherproof.

Test & Approvals: Contents Exceed Requirements of ANSI Standard Z308.1-2003

SKU	Usage	Case Material	Case Length	Case Width	Case Height
579-6060	10 person	Weatherproof Plastic	7 1/2 in	2 3/4 in	4 1/2 in



10 Person ANSI Plus First Aid Kits

- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Test & Approvals: Contents Exceed Requirements of ANSI Standard Z308.1-2003

SKU	Usage	Case Material	Case Length	Case Width	Case Height
579-6410	10 Person	Weatherproof Plastic	7 1/2 in	4 1/2 in	2 3/4 in



25 Person ANSI Plus First Aid Kits

- Neat, orderly interior packaging makes contents easy to locate and use.
- Weatherproof gasket keeps contents free from dust and moisture.
- Carry-handle or is wall mountable.

Test & Approvals: Contents Exceed Requirements of ANSI Standard Z308.1-2003

SKU	Usage	Case Material	Case Length	Case Width	Case Height
579-6430	25 Person	Weatherproof Plastic	6 1/2 in	9 1/2 in	2 3/4 in



25 Person Industrial First Aid Kits

- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

Test & Approvals: Contents Exceed Requirements of ANSI Standard Z308.1-2003

SKU	Case Material	Case Length	Case Width	Case Height
579-6084	Weatherproof Plastic	9 1/2 in	6 1/2 in	2 3/4 in

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****



Bloodborne Pathogens Kit

- Supplies to cover just about any workplace injury.
- Neatly ordered interior compartment.
- Weatherproof case.

SKU	Usage	Case Material	Case Length	Case Width	Case Height
579-3060	27 Piece	Weatherproof Plastic	7 1/2 in	4 1/2 in	2 3/4 in



Deep Woods® OFF!® Aerosol Insect Repellent

- 25% DEET formula.
- Provides up to eight hours protection from mosquitoes, flies, ticks, chiggers and fleas.
- Unscented, non-greasy and resists perspiration.
- Provides long lasting repellency, especially in heavily wooded areas.
- Repels disease carrying ticks, mosquitoes, black flies, sand flies, chiggers, fleas, gnats and no-see-ums.



Odor/Scents: Unscented

SKU	Packing Type	Capacity Vol.
395-611081	Aerosol	6 oz



Insect Shield™ Insect Repellent Towels

- EPA-approved insect repellent formula combined with a large, lint-free towel.
- With 30% DEET, INSECT SHIELD™ Insect Repellent Towels provide a safe, yet highly effective level of protection.
- Once applied, the INSECT SHIELD™ Insect Repellent formula is waterproof and greaseless.

Insect Type: Mosquitos; Black Flies; No-see-ums; Ticks; Stable Flies; Chiggers; Biting Flies; Fleas; Sand Flies; Deer Flies; Gnats

SKU	Packing Type	Odor/Scents
253-91401	Single Towel Packets	Floral

Know how to use your fire extinguisher before needing it.



Sunscreen Lotion

- A broad spectrum, SPF 30+ sunscreen lotion in a convenient single-dose pouch.
- The non-greasy formula offers UVA/UVB protection and is PABA-free and oil-free.
- Contains added aloe vera gel and vitamin E.
- Passes lineman's glove test.

SKU	Packing Type	Capacity Vol.
253-92101	Packet	1/4 oz



PRO 210 Consumer Fire Extinguishers

- Multipurpose rechargeable fire extinguisher.
- Tough aluminum valve assembly.
- Fitted with pressure gauge that allows for at-a-glance status check.
- Powder coated cylinder for corrosion protection.

Test & Approvals: U.S.C.G; DOT Approved; UL 2-A; 10-B:C

Fire Type: Class A, B and C Fires

Mounting Position: Upright

Operating Distance: 10 ft - 15 ft



SKU	Capacity Wt.	Extinguishing Material
408-21005779	4 lb	Monoammonium Phosphate



ProLine™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type

- Rechargeable.
- Designed to meet most commercial and industrial specifications.
- Tough impact resistant metal valve, handle and lever.
- Powder coated cylinder for corrosion protection.
- Easy-to-read gauge.

Test & Approvals: UL 3-A; 40-B:C

Fire Type: Common Combustibles; Electrical Equipment; Flammable Liquids Gases & Solvents

Mounting Position: Upright

Operating Temp.: -40 °F - 120 °F

Operating Distance: 18 ft



SKU	Capacity Wt.	Extinguishing Material
408-466112	5 lb	Monoammonium Phosphate

As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.



Economy Barrier Tape

- Ensure clear demarcation of unsafe areas with the use of sturdy safety tapes.
- The repeated wording clearly printed across the tape serves to identify potential hazards.
- The tape's bright colors are designed to attract attention.
- Tapes are durable, yet conveniently disposable.

Material: Polyethylene

SKU	Width	Length	Depicted Text	Color
101-Y10003	3 in	1000 ft	Caution	Yellow
101-R10003	3 in	1000 ft	Danger	Red



Safety Barricade Tapes

- Safety tapes indicating warning or danger areas.
- Large bold lettering is easy to read at a distance.
- Durable plastic material remains pliant in cold weather.

Width: 3 in

Length: 1,000 ft

Thickness: 2 mil

Material: Plastic

SKU	Depicted Text	Color
272-71-1001	Caution	Yellow
272-77-1001	Caution	Yellow



Embossed Spray Bottles

- Convenient bottles uses an embossed scale to encourage users to properly proportion chemicals.
- Tapered neck provides a more comfortable grip when using with a trigger sprayer.
- Easy-to-use, multi-purpose bottle is a great choice for everyday cleaning tasks.

SKU	Color	Type
088-00032	Clear	32 oz



Air Movers

- Three speed air movers are designed to quickly dry wet carpets and floors.
- Second and third control positions are effective for drying walls and ceilings.
- Quiet operation.
- Units are stackable for easy storage.

No. of Speeds: 3

Cord Length: 10 ft

Control Type: On/Off

Body Material: Poly

SKU	Power Capacity	Voltage	Flow	Amps	Height	Width	Depth
677-1030400	N A	120 V	1,000 CFM	3.5 A	19 in	13.7	19 in
677-1032000*	1/2 hp	120 V	500 CFM	1.5 A	15 in	10 1/2 in	15 in

* Special Order



Warehouse Broom

- Ideal for heavy-duty sweeping tasks.
- Reliable broom corn bristles are sturdy, yet flexible.

Quantity: 12 each




SKU	Bristle Material	Handle Length	Bristle Length
103-W36-DZ	80/20 Corn/Sotol	42 in	20 in



Rubbermaid® Angle Broom

- Cut and shaped for easy sweeping; ideal for cleaning hard-to-reach areas.
- Flagged, long-lasting, acid-resistant polypropylene gray fill bristles.
- Permanent fusion set bristles won't pull out.

Block Material: Polypropylene



SKU	Bristle Material	Handle Length	Block Length
640-6375-GRAY	Flagged Polypropylene	48 7/8 in	10 1/2 in



Angle Broom

- High-quality synthetic material gives flagged plastic bristles extra strength.
- Angled trim allows access to corners, under low cabinets and other hard-to-reach areas.
- Sturdy broom is durable enough for all commercial and industrial applications.



SKU	Bristle Material	Handle Length	Bristle Length
804-44305	Flagged Plastic	48 in	7 1/2 in-6 in



Ultra Clorox® Germicidal Bleach

- Concentrated formula ideal for sanitizing and disinfecting washrooms, shower stalls, toilets, countertops, food prep areas and virtually all nonporous surfaces.
- Effective against E.coli, HIV-1 (AIDS virus), salmonella, staph, TB and hepatitis A.



Test & Approvals: Complies with OSHA Bloodborne Pathogens Standard; Meets FDA Guidelines for sanitizing food contact surfaces; NSF/USDA Classification C1; EPA Registered

SKU	Capacity Vol.	Odor/Scent	Quantity
158-30966	121 oz	Unscented	3 per case



Liquid Bleach

- Laundry bleach and liquid disinfectant.
- Removes odors, stains, and keeps whites bright.



SKU	Capacity Vol.	Odor/Scent	Quantity
124-BLEACH6	1 gal	Fragrance-Free	6 per case



Dawn® Dishwashing Liquids

- Dawn has the power you need to fight tough grease and get the squeaky-clean dishes you're looking for.
- Dishwashing liquid that effectively cuts everyday grease.

Quantity: 8 per case



SKU	Odor/Scent	Capacity Vol.
608-45112	Original	38 oz



Glass Cleaners

- Cleans with Ammonia-D® for a streak-free shine.
- Won't streak or leave a film.
- Loosens soil upon contact. Also cleans chrome, stainless steel, Plexiglas® and other hard surfaces.
- Contains no phosphates.
- Bottles are shipped capped with trigger attached to ensure no leakage with shipment. No need to purchase a separate trigger.



Test & Approvals: TSCA, CEPA, Prop 65

SKU	Capacity Vol.	Odor/Scent	Quantity
395-695237	32 oz	Floral	12 per case



Mop Handles

- Quick change type.
- Heavily zinc plated steel construction securely fastened to No.
- 1 grade, 18" diameter, 54" handle.
- Standard wing nut construction with channel-type cross bar that detaches from one side to allow quick change of mop head.



Finish: Zinc Plated

Used With: 20 to 32 oz. Mop Heads

SKU	Handle Material	Material	Length
455-91	Wood	Steel	6 in



Cotton Saddle Mop Heads

- Economical mop head is perfect for everyday cleaning or industrial use.
- Cotton fibers are highly absorbent.

Used With: Wingnut; Quickway; Big Jaw Handles

Color: White

Quantity: 12 per case



SKU	Type	Mop Size	Length	Headband Size
103-24MPHD	Saddle	24 oz	21 in	1 1/4 in



Deck Mops

- Deck mop with long handle is easy to maneuver and easy to use.
- Absorbent cotton mop head scrubs floors thoroughly clean.
- An economical choice for facility maintenance.

Handle Material: Metal; Wood

Material: Cotton



SKU	Mop Size	Handle Length
103-32DM	32 oz	54 in

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****



Plastic Mop Buckets

- Yellow mop bucket with wringer designed for durability.
- Corrosion resistant.
- No cracks or crevices to collect dirt.
- Wringer is resistant to cleaning chemicals.

Color: Yellow



SKU	Capacity Vol.	Length	Width	Height
455-6035-3	35 qt	20 in	15 1/2 in	14 in



Curved Squeegee

- Floor and driveway squeegee.
- Non-sparking.
- One-inch angled aluminum frame marries commercial-grade durability with lightweight convenience.

Handle Material: Wood

Handle Finish: Lacquered

Frame Material: Aluminum

Includes: Steel Bracket Handle

Wt.: 3.17 lb



SKU	Blade Length	Handle Length	Handle Dia.	Blade Material
455-4624	24 in	60 in	1 in	Rubber




Neoprene Squeegee

- Non-Sparking.
- Straight Squeegee with Tapered Handle Socket.

Wt.: 2.17 lb

SKU	Blade Length	Blade Material	Frame Material
455-4124-TPN	24 in	Neoprene	Aluminum



Straight Squeegee

- Non-Sparking.
- Straight Squeegee with Tapered Handle Socket.
- Squeegee frame is made of 1" angle aluminum to which a 2" wide x 1/4" thick strip of high-grade black squeegee rubber or neoprene is attached with cadmium plated screws.


Handle Material: Wood

Handle Finish: Lacquered

Frame Material: Aluminum

Includes: Handle

Wt.: 3.17 lb



SKU	Blade Length	Handle Length	Handle Dia.	Blade Material
455-4124	24 in	60 in	1 in	Black Rubber



Plastic Pails

- Lightweight and versatile.
- Includes EZ lid.

Material: HDPE Plastic

Color: White



SKU	Capacity Vol.	Dia.	Height
302-1141T05	5 gal	12.24 in	14.5 in



All Purpose Hand Cleaners

- Liquifies and gently lifts grease, grime and stains from the hands safely without water.
- Leaves the hands cleaned, conditioned and without the greasy feeling and strong odors of competitive brands.
- The lanolin and skin care emollients help heal rough, dry and overused hands.



SKU	Capacity Wt.	Quantity
407-101P	4 lb 5 oz	6 per case



****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****



Hand Cleaner Towels

- SCRUBS IN-A-BUCKET® combines an advanced cleaning formula with a strong, dual-textured towel to thoroughly clean hands and surfaces ANYWHERE, ANYPLACE, ANYTIME!® Clean, citrus-scented formula loosens and dissolves industrial soils while leaving hands free from dryness and irritation.
- The Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces.
- Hands are left feeling clean with no sticky residue and no rinsing required.
- Cleans hands, surfaces tools and more!



SKU	W x L Per Sheet	Odor/Scent	Quantity
253-42272*	10 in x 12 in	Citrus	72 per pail

*Longer lead times may apply.



Red Wet/Dry Vac Model 1200RV

- Powerful, high performance 5 peak horsepower motor.
- Rugged polypropylene construction makes this wet/dry vac an ideal choice for pro, contractor or industrial use.
- Hose locking feature ensures it won't pull loose during use.
- Convenient accessory storage keeps necessary tools at hand.

Tank Material: Polypropylene

Cord Length: 15 ft

Includes: Owner's Manual; 2 Extension Wands; 1 7/8 in x 8 ft Premium Locking Pro Hose; Utility Nozzle; Wet Nozzle; Car Nozzle; and Standard Filter

Wt.: 18.28 lb



SKU	Capacity Vol.	Air Consumption	Amps	Power Cap.
632-62703	12 gal	103 CFM	10 A	5 hp



The Right Stuff® Series Industrial Wet/Dry Vacuum

- Heavy duty.
- Lock-on positive connection hose system.
- Onboard accessory storage.
- "Lock-On®" Positive connection hose system.
- Anti-tip design.
- Convenient tank drain for easy emptying.
- Easy roll casters for greater mobility.
- High quality cartridge filter for wet or dry pick-up.
- High quality drywall collection bag for fine dust pick-up.
- Large top carrying handles.
- Oversized on-board tool storage.

Tank Material: Poly



SKU	Capacity Vol.	Air Consumption	Amps	Power Cap.	Cord Length
Includes: Crevice Tool; Gulper Nozzle; (2) Extension Wands; 10 in Wet/Dry Nozzle; 8 ft x 1 1/4 in LOCK ON® Hose; High Efficiency Drywall Disposable Filter Bag; 14 in Wet/Dry Floor Nozzle; Claw Utility Nozzle; (2) 1 1/2 in Extension Wands; 12 ft x 1 1/2 in Lock On® Hose; 1 1/2 in Adaptor; High Quality Collection Bag; Ultra Web Filter					
677-9653610	6 gal	143 CFM	8.4 A; 8.2 A	3 hp	12 ft



Trash Can Liners

- Convenient large rolls of heavy industrial weight plastic bags in handy dispenser boxes.
- Includes Hold-Tite rubber band to secure bag to can top, plus extra long twist ties.
- No side seams to split and no gussets to weaken the bottom.
- Should be used where rugged clean-up and heavy trash are involved.

Color: Black

Grade: Heavy

SKU	Capacity Vol.	Width	Height	Thickness	Quantity
795-HB33-60	33 gal	33 in	40 in	2.5 mil	60 per roll
795-HB55-30	55 gal	36 in	56 in	3 mil	30 per roll



BRUTE® Round Containers

- Venting channels make liners easier to remove with no vacuum effect.
- Integrated cinches secure liners without the knots.
- Contoured base handles improve grip, reduce strain and improve efficiency.
- All-plastic, professional grade construction will not rust, chip or peel.
- Resists dents.
- Strong, snap-on lids (sold separately) are available for secure, stable stacking.
- Reinforced rims add strength and durability.
- Double-ribbed base increases stability and dragging capacity.
- Available easy twist-on, twist-off dolly (sold separately) provides safe mobility.

Material: Plastic

SKU	Capacity Vol.	Color	Height	Width
640-2632-GRAY	32 gal	Gray	27 in	22 in
640-2655-GRAY	55 gal	Gray	33 in	26.38 in



Boardwalk® Green Household Roll Towels

- Perforated two-ply towels for household use.
- Diamond quilt embossed design for excellent absorbency.

Scent: Unscented



SKU	Color	W x L per sheet	Roll Length
088-6277	White	11 in x 9 in	900 in

****As global demand for PPE and cleaning products exceeds supply, fulfillment of these items cannot be guaranteed at this time.****

Household Perforated Paper Towel Rolls

- Perfect for household clean up.
- Embossed paper towel.
- Two-ply absorbency for general cleaning.

Scent: Unscented

Packing Type: 30 rolls/case



SKU	Color	W x L per sheet	Quantity
088-6272	White	11 in x 9 in	85 sheets per roll



FE3200 Series Fiberglass Channel Extension Ladder

- Extra heavy duty, for lighter industrial use.
- Full channel nonconductive side rails.
- Swivel safety shoes.
- Outside slide guides.
- QuickLatch™.

Test & Approvals: ANSI; OSHA; CSA; ABS

No. of Sections: 2

Safety Class: 1A



SKU	Overall Length	Extended Length	Fly Section Width	Step Depth
443-FE3220	10 ft - 20 ft	17 ft	16 1/16 in	3 1/4 in



FS1500 Series Fiberglass Step Ladder

- Extra heavy duty, industrial stepladder.
- Nonconductive ladder.
- Molded top with handyman's tool slots.
- Wide back braces. Inside spreader braces.
- Double-rivet step construction.
- Reinforced bottom back brace.

Test & Approvals: ANSI; OSHA; CSA

Safety Class: 1A



SKU	Overall Length	Width	Spread	Step Depth	Capacity Wt.
443-FS1506	6 ft	22 3/8 in	40 in	3 in	300 lb



Type I Safety Cans



- Fully compliant Safety Cans feature a high performance, chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability and corrosion protection for long life.
- This extra long precision mesh screen is a full 3 1/2" (88 mm) to ensure safe insertion of gas nozzle with metal-to-metal contact eliminating the potential of a spark and possible explosion.
- Self-closing lid controls vapors and spills and unique counterbalanced, ergonomic design makes it easy-to-use.
- Leakproof, positive pressure relief cap automatically vents to guard against rupture or explosion.
- Rounded comfort handle that swings to help in carrying heavy loads, reinforcing ribs for bumper guard protection, and large 1/2" (13 mm) grip lip along bottom to support pouring.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage TÜV certified

Material: Galvanized Steel

Resistance: Chemicals

SKU	Color	Capacity Vol.	Diam.	Height	Type
400-7150200	Yellow	5 gal	11 1/2 in	16 7/8 in	Diesel
400-7150100	Red	5 gal	11 1/2 in	16 7/8 in	Flammables



Type II AccuFlow™ Safety Cans

- Ergonomically designed offset combination fill/pour port with comfort lift bar makes filling easier than ever.
- Fill port is equipped with a long length, long life stainless steel flame arrester which reliably dissipates heat to prevent flashback ignition.
- The exclusive vented AccuFlow™ manifold and Safe-Squeeze™ trigger handle provide superior pour control and smooth liquid flow.
- Leak proof, positive pressure relief lid automatically vents to prevent rupture or explosion and self-closes to control vapors and spills.
- Flexible metal hose.

Test & Approvals: 100% Leak Tested; Meets OSHA and NFPA; FM, UL/ULC Listed; CARB Compliant; Worldwide Usage TÜV certified

Hose O.D.: 1 in

Material: Galvanized Steel

Resistance: Chemicals

Includes: Hose

SKU	Capacity Vol.	Type
400-7250130	5 gal	Flammables