




PRODUCT CATALOG

PRODUCT CATALOG



STAINS & SEALERS

PAVER SEALERS

CLEAR SEALERS

WATER REPELLENTS

SHARKGRIP®

EPOXY FLOOR COATINGS

CONTENTS

- 04 PREP PRODUCTS & ADDITIVES
- 06 EPOXY FLOOR COATINGS
- 08 SOLID COLOR STAINS WATER-BASED
- 10 SOLID COLOR STAINS & SEALERS SOLVENT-BASED
- 13 SOLID COLOR DECK COATINGS WATER-BASED
- 14 SEMI-TRANSPARENT STAINS
- 16 CLEAR SEALERS
- 18 PAVER SEALERS
- 19 WATER REPELLENTS

H&C® has a comprehensive line for your decorative concrete product needs. With a wide product offering of stains, sealers, water repellents, resurfacers and more — we're making it easy for you to create your own look. Add years of life to new concrete, or revitalize old concrete for much less than the cost of replacement.

PROTECT AND BEAUTIFY ALL OF YOUR CONCRETE SURFACES WITH H&C® DECORATIVE CONCRETE PRODUCTS

WHO WE ARE

For over 85 years, H&C® Decorative Concrete Products has been a leader in the concrete coatings industry. Established in 1929, H&C® is known for high quality concrete stain and sealers; delivering vibrant color, superior adhesion and reliable durability.

Our commitment to sales excellence, as well as first-class customer service and effective marketing, put us in a class by ourselves. We are always looking for new and innovative ways to make concrete more appealing, more artistic and more colorful.

H&C® has a comprehensive offering to meet your decorative concrete needs - with a wide product offering of stains, sealers, water repellents, resurfacers and more. Add years of life to new concrete, or revitalize old concrete for much less than the cost of replacement.

Ideal for residential and commercial projects, H&C® has products for almost all concrete surfaces, both interior and exterior, including pool decks, driveways, garage floors, patios, walkways and concrete floors.

You can always count on H&C® for the newest technology in concrete coatings. We value your feedback, and look forward to bringing you the next great thing in concrete coatings...



Amazing concrete projects start with H&C® CONCRETE READY® PHOSPHORIC ETCHING SOLUTION. The phosphoric acid-based solution creates a profile on the concrete so H&C® concrete stains and sealers can bond properly with the surface.

Concentrate: Add water to make four gallons of etching solution out of one gallon of product.

FEATURES & BENEFITS:

- Prepares surface to be coated by opening the pores of the concrete
- Increases bond of H&C® concrete coatings
- Sprinkle on – hose off
- Biodegradable – will not harm vegetation

RECOMMENDED USES:

- Concrete floors
- Driveways
- Patios
- Walkways
- Pool decks
- Masonry
- Walls

COVERAGE & DRYING TIME:

* Coverage: 100-150 sq. ft. per gallon

* Coverage will vary depending on the texture and porosity of the surface

Drying time:

Allow the surface to dry thoroughly before applying any concrete stain or sealer. The finished surface should have a texture that feels like 120 grit sandpaper. If the surface remains smooth, re-etching may be required.

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon – Clear	50.160004-16	035777230046	650712300	2



H&C® CONCRETEREADY® CONCENTRATED CLEANER DEGREASER increases any coating's ability to bond with the surface. This heavy duty cleaner will remove oil, grease, brake and transmission fluid and antifreeze.

Concentrate: Add water to make 4 gallons of Cleaner Degreaser from one gallon of product.

FEATURES & BENEFITS:

- Extra heavy duty power to remove grease and oil stains
- Prepares surface for staining or sealing
- Increases penetration of H&C® coating
- Use full strength for tough stains or diluted for milder cleaning
- Neutral pH based product

RECOMMENDED USES:

- Concrete floors
- Driveways
- Patios
- Walkways
- Pool decks
- Masonry
- Walls

COVERAGE & DRYING TIME:

* Coverage: 100 sq. ft. per gallon at 50/50 dilution

* Coverage will vary depending on the texture and porosity of the surface

Drying time:

Allow surface to dry completely (18-24 hours recommended) before applying any stains or sealers. Allow the surface to dry 2-4 hours before applying H&C® CONCRETEREADY™ ETCHING SOLUTION.

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1/2 Gallon – Clear	50.170015-15	035777230055	650712318	4



Get concrete back to working order easily and quickly with H&C® CONCRETEREADY® SINGLE-COMPONENT QUICK PATCH AND REPAIR.

Single-component, cement-based patching compound will restore your concrete as fast as possible.

FEATURES & BENEFITS:

- Single-component, cement-based patching compound
- Quick and easy application – final setup time is 15-30 minutes
- Provides a workable, no-slump patch
- May be used to repair above-or below-grade concrete
- Produces a bond stronger than the surrounding concrete

RECOMMENDED USES:

- Driveways
- Garage floors
- Patios
- Walkways
- Pool decks
- Basement floors
- Steps
- Sidewalks

COVERAGE & DRYING TIME:

5 pounds will equal approximately .045 cubic feet, or 1.2 sq. ft. at 1/2" depth. Maximum thickness is approximately 1".

Set time: 15-30 mins Stain/Seal: 1 hour

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
5 lb. / 1 Gallon Bucket	60.100709-99	035777230060	650712326	4



H&C® SHARKGRIP® SLIP-RESISTANT ADDITIVE is a micronized polymer with low-oil absorption and high-solvent resistance so it easily stirs into most oil-based and water-based paints and other coatings. And the low density allows it to stay well suspended in thin materials like stains and sealers.

FEATURES & BENEFITS:

- Puts the bite in concrete surfaces aiding in slip-resistance
- Long wearing; easy to walk on
- Will not affect the color of the topcoat
- Easy to use

RECOMMENDED USES:

- Inclined surfaces
- Driveways
- Garages
- Steps
- Patios
- Pool decks

COVERAGE & DRYING TIME:

Add contents of one 3.2 oz. container into one gallon of H&C® Concrete Stain or Sealer.

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
3.2 oz. – Powder	50.155004-99	035777230015	650712276	12
16 oz. – Powder	50.155005-99	035777230022	650712284	6
19 lb. – Powder	50.155008-99	035777230039	650712292	1



H&C® SHIELD-CRETE® WATER-BASED EPOXY GARAGE FLOOR COATING is the simple way to give concrete surfaces a professional-looking finish. The all-inclusive kit contains an epoxy base color, activator, a bag of Deco-Flakes, a packet of cleaner/degreaser powder, a packet of slip-resistant additive and a detailed instruction sheet. Just mix and apply for a surface that's resilient for years of wear and tear, including resistance to hot tire pickup, chemical agents and damage caused by gasoline, brake fluid, standing water and battery acid. Afterwards, clean up with just soap and water, and enjoy the glossy finish in five decorative colors.

FEATURES & BENEFITS:

- Water-based formulation for easy application and cleanup
- Hard, durable surface, resists wear and peeling for long-lasting beauty
- Super adhesion, resists hot tire pickup
- High-gloss epoxy with showroom-quality appearance
- Advanced polymer technology
- Covers up to 250 sq. ft. (1-car garage)
- Available in five colors

RECOMMENDED USES:

- Garage floors
- Basement floors
- Storage areas
- Covered patios and landings
- Warehouse floors
- Commercial floors

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS #	Pack	Description	SKU#	UPC#	SMIS #	Pack
1 Kit – Pewter	20.102100-99	035777229033	650711617	1	5 Gallon – Pewter	21.103205-20	035777467930	650964828	1
1 Kit – Beige	20.102200-99	035777229040	650711625	1	5 Gallon – Beige	21.103305-20	035777472040	650964901	1
1 Kit – Firebrick Red	20.102300-99	035777229071	650711658	1	5 Gallon – Firebrick Red	21.103405-20	035777472095	650964919	1
1 Kit – Ivory	20.102400-99	035777229088	650711666	1	5 Gallon – Ivory	21.103505-20	035777472101	650964927	1
1 Kit – Nightsky	20.102500-99	035777229095	650711674	1	5 Gallon – Nightsky	21.103605-20	035777472118	650964935	1
1 Gallon – Epoxy Part A	21.103104-16	035777467923	650964810	4					



COVERAGE & DRYING TIME:

Drying time, @ 77°F, 50% RH: temperature and humidity dependent
 To touch: 6 hours
 Recoat: Minimum 8 hours
 Light traffic: 8-12 hours
 Heavy traffic: 72-96 hours
 Coefficient of friction: .74

EACH KIT CONTAINS:

- Part A Color Hardener 78.4 oz.
- Part B Clear Epoxy 24 oz. Quart
- Cleaner/Degreaser 32 oz.
- Decorative Flakes 16 oz.
- Non Skid Additive 2.4 oz.
- Stir Stick
- Instructions



Keep garage floors clean, and the Deco-Flakes of your epoxy coating locked in, with H&C® SHIELD-CRETE® ACRYLIC CLEAR GLAZE COAT. The clear, water-based acrylic sealer resists common chemical agents while maintaining a protective barrier for the decorative flakes in the SHIELD-CRETE® WATER-BASED EPOXY GARAGE FLOOR COATING KIT. Cover a 2½ car garage (400 sq. ft.) with our formula, making it easier to clean as well.

FEATURES & BENEFITS:

- One-component, clear, water-based acrylic sealer
- Provides superior protection for SHIELD-CRETE® DECO-FLAKES
- Glossy finish makes it easier to keep your garage floors clean
- Required when Deco-Flakes cover more than 50% of surface

RECOMMENDED USES:

- Garage floors
- Basement floors
- Commercial floors
- Laundry room floors
- Covered patios and landings

COVERAGE & DRYING TIME:

Coverage: H&C® Shield-Crete® floors: 400 sq. ft. per gallon (a typical 2½-car garage)
 Bare concrete: 100 to 200 sq. ft. per gallon, depending on the porosity of the substrate

Drying time: It will dry in about an hour to a clear gloss
 If a second coat is desired, wait a minimum of 4 hours before applying

PRODUCT INFORMATION:


Description	SKU#	UPC#	SMIS	Pack
1 Gallon – Clear Glaze	20.103000-16	035777229101	650711682	4
5 Gallon – Clear Glaze	20.103005-20	035777472125	650964945	1



Provide a unique decorative finish with H&C® SHIELD-CRETE® DECO-FLAKES. Simply broadcast the flakes by tossing them high into the air onto the wet surface. They also help hide imperfections. Use different chip blends for a distinct mix-and-match look! And remember that garage floors are just the beginning. The epoxy coating and flakes can be used on any interior concrete floor, like basement floors, and some outdoor surfaces as well.

FEATURES & BENEFITS:

- Three chip blends
- Provides a unique decorative finish
- Can be mixed and matched with other blends
- Helps hide imperfections
- Easy application – simply broadcast the flakes by tossing the high into the air



RECOMMENDED USES:

- Laundry room floors
- Garage floors
- Storage areas
- Covered patios and landings
- Retaining walls
- Warehouse floors
- Commercial floors

COVERAGE & DRYING TIME:

Apply at desired ratio

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
Quart - Deco-Flakes – Pewter	20.104100-14	035777229132	650711716	6
Quart - Deco-Flakes – Beige	20.104200-14	035777229149	650711724	6
Quart - Deco-Flakes – Red	20.104300-14	035777229156	650711732	6



H&C® COLORTOP™ WATER-BASED SOLID COLOR CONCRETE STAIN is a water-based stain that provides long-lasting, durable and a decorative finish to interior or exterior concrete and masonry surfaces. Fortified with silicone, this easy to apply solid color stain comes in prepackaged colors and three tint base options.

FEATURES & BENEFITS:

- Decorates, seals and protects concrete surfaces
- Resistant to salts, acids, alkalis, water, mildew, UV rays, oil and wet or dry abrasion
- Water-based formulation
- Available in a variety of ready-to-use and tintable colors
- Suitable for interior use, low odor
- Can be used on new or previously painted concrete surfaces with proper preparation, as well as on asphalt surfaces

RECOMMENDED USES:

- Patios and walkways
- Stadium supports
- Bridges/structures
- Parking garages
- Laundry room floors
- Athletic courts
- Pool decks
- Precast concrete
- Tilt-up concrete
- Block

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS #	Pack	Description	SKU#	UPC#	SMIS #	Pack
1 Gallon - Tint Base — Extra White	20.101214-16	035777228876	650711450	4	5 Gallon — Bombay	20.101255-20	035777228920	650711500	1
5 Gallon - Tint Base — Extra White	20.101215-20	035777228883	650711468	1	1 Gallon — Gull Gray	20.101284-16	035777228937	650711518	4
1 Gallon - Tint Base — Deep Tone	20.102214-16	035777229057	650711633	4	5 Gallon — Gull Gray	20.101285-20	035777228944	650711526	1
5 Gallon - Tint Base — Deep Tone	20.102215-20	035777229064	650711641	1	1 Gallon — Pearl Gray	20.101314-16	035777228951	650711534	4
1 Gallon - Tint Base — Ultra Deep	20.103214-16	035777229118	650711690	4	5 Gallon — Pearl Gray	20.101315-20	035777228968	650711542	1
5 Gallon - Tint Base — Ultra Deep	20.103215-20	035777229125	650711708	1	1 Gallon — Sandstone	20.101324-16	035777228975	650711559	4
1 Gallon — Clear	20.101204-16	035777328187	650923014	4	1 Gallon — Silver Gray	20.101344-16	035777228982	650711567	4
5 Gallon — Clear	20.101205-20	035777328194	650923022	1	1 Gallon — Terracotta	20.101354-16	035777228999	650711575	4
1 Gallon — Black	20.101224-16	035777228890	650711476	4	5 Gallon — Terracotta	20.101355-20	035777229002	650711583	1
5 Gallon — Black	20.101225-20	035777228906	650711484	1	1 Gallon — Tile Red	20.101364-16	035777229019	650711591	4
1 Gallon — Bombay	20.101254-16	035777228913	650711492	4	5 Gallon — Tile Red	20.101365-20	035777229026	650711609	1



COVERAGE & DRYING TIME:

* Coverage:	sq. ft./gal	Drying time, @ 77°F, 50% RH:
Concrete floors	200-300	temperature and humidity dependent
Porous concrete	150-250	To touch: 30 minutes
Asphalt	200-250	Light traffic and recoat: 2 hours
Concrete block	100-150	Heavy traffic: 72-96 hours
Split faced block	75-125	Static coefficient of friction: 9
Fluted block	50-100	Coefficient of friction: .74
Brick (clay)	100-150	

* Coverage will vary depending on the porosity and texture of the substrate



Provide superior protection and beauty to both interior and exterior concrete and masonry surfaces with H&C® COLORTOP™ WATER-BASED SOLID COLOR CONCRETE STAIN 50. This water-based formula bonds to concrete and forms a tough shield, so it doesn't fade, peel or flake like paint. Available in a variety of tintable colors, this easy-to-apply concrete stain is ideal for high-pH surfaces and is nationally compliant.

FEATURES & BENEFITS:

- Decorates, seals and protects concrete surfaces
- Resistant to salts, acids, alkalis, water, mildew, UV rays, oil and wet or dry abrasion
- Water-based formulation
- Available in a variety of tintable colors
- Suitable for interior or exterior use
- Low odor
- Can be used on new or previously painted concrete surfaces with proper preparation, as well as on asphalt surfaces

RECOMMENDED USES:

- Patios and walkways
- Pool decks
- Concrete block
- Stucco walls
- Basement floors
- Laundry room floors

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Tint Base — Extra White	20.104414-16	035777229163	650711740	4
5 Gallon - Tint Base — Extra White	20.104415-20	035777229187	650711757	1
1 Gallon - Tint Base — Deep	20.104514-16	035777229194	650711765	4
5 Gallon - Tint Base — Deep	20.104515-20	035777229200	650711773	1
1 Gallon - Tint Base — Ultra Deep	20.104614-16	035777229217	650711781	4
5 Gallon - Tint Base — Ultra Deep	20.104615-20	035777229231	650711799	1



COVERAGE & DRYING TIME:

Coverage:	sq. ft./gal	Drying time, @ 77°F, 50% RH:
Concrete floors	300-400	temperature and humidity dependent
Porous concrete	200-300	To touch: 1 hour
Asphalt	00-300	Recoat: 4 hours
Concrete block	100-150	Light foot traffic: 24 hours
Split-faced block	75-125	Tables, chairs and heavy traffic: 48 hours
Fluted block	50-100	Full cure: 7-14 days
Brick (clay)	100-150	



Create a beautiful landscape that is uniquely yours with H&C® COLORTOP™ SOLVENT-BASED SOLID COLOR CONCRETE SEALER. This opaque, waterproofing sealer is formulated to bond with concrete or masonry surfaces. It provides a long-lasting yet decorative finish. This product is to be used on exterior surfaces only. COLORTOP™ SOLVENT-BASED SOLID COLOR CONCRETE SEALER is available in over 30 tintable colors and a variety of popular prepackaged colors, as well as clear, which has a gloss finish.

FEATURES & BENEFITS:

- Decorates, seals and protects bare concrete surfaces
- Solvent-based silicone acrylic formulation
- For use on exterior horizontal or vertical surfaces
- Resistant to salts, acids, alkalis, water, UV rays, oil, wet or dry abrasion and premature color loss
- Available in a variety of ready-to-use and tintable colors
- Suitable for vehicular traffic

RECOMMENDED USES:

- Driveways
- Patios and walkways
- Pool decks
- Garage floors
- Athletic courts
- Stadium supports
- Bridges/structures
- Parking garages
- Block and stucco walls

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Tint Base - Extra White	10.114014-16	035777228784	650711419	4	1 Gallon - Bombay	10.100054-16	035777228562	650711211	4	1 Gallon - Pearl Gray	10.100114-16	035777228678	650711310	4
5 Gallon - Tint Base - Extra White	10.114015-20	035777228821	650711427	1	5 Gallon - Bombay	10.100055-20	035777228579	650711229	1	5 Gallon - Pearl Gray	10.100115-20	035777228685	650711328	1
1 Gallon - Tint Base - Deep	10.116014-16	035777228838	650711435	4	1 Gallon - Brick Red	10.100064-16	035777228586	650711237	4	1 Gallon - Sandstone	10.100124-16	035777228692	650711336	4
5 Gallon - Tint Base - Deep	10.116015-20	035777228845	650711443	1	5 Gallon - Brick Red	10.100065-20	035777228593	650711245	1	5 Gallon - Sandstone	10.100125-20	035777228708	650711344	1
1 Gallon - Clear	10.100004-16	035777328101	650922974	4	1 Gallon - Charcoal	10.100074-16	035777228616	650711252	4	1 Gallon - Silver Gray	10.100144-16	035777228715	650711351	4
5 Gallon - Clear	10.100005-20	035777328118	650922982	1	5 Gallon - Charcoal	10.100075-20	035777228623	650711260	1	5 Gallon - Silver Gray	10.100145-20	035777228722	650711369	1
1 Gallon - Black	10.100024-16	035777230077	650711179	4	1 Gallon - Gull Gray	10.100084-16	035777228630	650711278	4	1 Gallon - Terracotta	10.100154-16	035777228739	650711377	4
5 Gallon - Black	10.100025-20	035777230084	650711187	1	5 Gallon - Gull Gray	10.100085-20	035777228647	650711286	1	5 Gallon - Terracotta	10.100155-20	035777228753	650711385	1
1 Gallon - Autumn Brown	10.100034-16	035777228548	650711195	4	1 Gallon - Patio Green	10.100104-16	035777228654	650711294	4	1 Gallon - Tile Red	10.100164-16	035777228760	650711393	4
5 Gallon - Autumn Brown	10.100035-20	035777228555	650711203	1	5 Gallon - Patio Green	10.100105-20	035777228661	650711302	1	5 Gallon - Tile Red	10.100165-20	035777228777	650711401	1



COVERAGE & DRYING TIME:

* Coverage:	sq. ft./gal	Drying time, @ 77°F, 50% RH:
Concrete floors	200-250	temperature and humidity dependent
Porous concrete	150-200	Touch: 15 minutes
Concrete block	125-150	Light foot traffic: 1 hour
Split faced block	100-125	Light traffic & recoat: 12 hours
Fluted block	75-100	Heavy traffic: 72 - 96hrs
Brick (clay)	100-150	Static coefficient of friction: .6
		VOC: 542 g/L; 4.52 lb/gal**

* Coverage will vary depending on the porosity and texture of the substrate
** May vary by color



H&C® COLORTOP™ SOLVENT-BASED SOLID COLOR CONCRETE SEALER 250 is H&C's Low VOC Solvent-Based Sealer that provides a durable finish that extends the life of concrete and masonry surfaces. It penetrates deeply into the surface to form a tough shield, so it won't peel, fade or flake over time. It's resistant to salt, acids, alkalis, water, UV rays, oil and heavy traffic. Create a beautiful and expensive-looking landscape that is uniquely yours. Choose from our pre-mixed or custom-tinted colors.

FEATURES & BENEFITS:

- Decorates, seals and protects bare concrete surfaces
- For use on exterior horizontal or vertical surfaces
- Available in a variety of ready-to-use and tintable colors
- Suitable for vehicular traffic
- Designed to be used on bare, unsealed concrete block, brick, stucco or any other masonry surface
- Satin finish preserves delicate architectural details
- <250 VOC version for most regulated areas

RECOMMENDED USES:

- Stadium supports
- Bridges and structures
- Parking garages
- Patios and walkways
- Block and stucco walls
- Driveways
- Pool decks
- Garage floors
- Athletic courts

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Tint Base - White	30.114014-16	035777229439	650711997	4	1 Gallon - Sandstone	30.101204-16	035777229279	650711831	4	1 Gallon - Patio Green	30.101704-16	035777229354	650711914	4
5 Gallon - Tint Base - White	30.114015-2	035777229446	650712003	1	5 Gallon - Sandstone	30.101205-20	035777229286	650711849	1	5 Gallon - Patio Green	30.101705-20	035777229361	650711922	1
1 Gallon - Tint Base - Deep	30.116014-16	035777229477	650712011	4	1 Gallon - Black	30.101404-16	035777229293	650711856	4	1 Gallon - Pearl Gray	30.101804-16	035777229378	650711930	4
5 Gallon - Tint Base - Deep	30.116015-20	035777229484	650712029	1	5 Gallon - Black	30.101405-20	035777229309	650711864	1	5 Gallon - Pearl Gray	30.101805-20	035777229385	650711948	1
1 Gallon - Clear	30.100004-16	035777328132	650922990	4	1 Gallon - Tile Red	30.101504-16	035777229316	650711872	4	1 Gallon - Silver Gray	30.101904-16	035777229392	650711955	4
5 Gallon - Clear	30.100005-20	035777328149	650923006	1	5 Gallon - Tile Red	30.101505-20	035777229323	650711880	1	5 Gallon - Silver Gray	30.101905-20	035777229408	650711963	1
1 Gallon - Bombay	30.101104-16	035777229255	650711815	4	1 Gallon - Terracotta	30.101604-16	035777229330	650711898	4					
5 Gallon - Bombay	30.101105-20	035777229262	650711823	1	5 Gallon - Terracotta	30.101605-20	035777229347	650711906	1					



COVERAGE & DRYING TIME:

* Coverage:	sq. ft./gal	Drying time, @ 77°F, 50% RH:
Concrete floors	200-250	temperature and humidity dependent
Porous concrete	150-200	Touch: 15 minutes
Concrete block	125-150	Light foot traffic: 1 hour
Split faced block	100-125	Light traffic & recoat: 12 hours
Fluted block	75-100	Heavy traffic: 72 - 96hrs
Brick (clay)	100-150	Static coefficient of friction: .6

* Coverage will vary depending on the porosity and texture of the substrate

AVAILABLE COLORS

Tintable Palette for COLORTOP™ and ACRYLA-DECK® Systems are a representation. Actual color will vary due to the concrete finishing method (how smooth or porous the surface is), producing a mottling or distressed appearance.

	Tile Red HC110		Naturally Red HC126		Terracotta HC167		Cedarwood Brown HC103		Red Terrazzo Tile HC102
	Terracotta Orange HC159		White-Washed Terracotta HC135		Aztec Sand HC136		Neutral Balance Tan HC125		Silk Chocolate HC117
	Sandstone HC157		Bombay HC133		Cemented Deal HC141		Siberian Haze HC149		Fresh Concrete HC165
	Hint of Gray HC156		Muddy Gray HC172		Autumn Brown HC101		Charred Walnut HC109		Cabernet Brown HC107
	Gray Horizons HC140		Gull Gray HC132		Pearl Gray HC164		Silver Gray HC124		Black HC108
	Extra White HC148		Fall Grass HC145		Patio Green HC105		Bombay Breeze HC146		Drive-In Twilight* HC155

* Color only available in Concrete Stain Solid Color Water-Based



Give your concrete decks and floors a long life with ACRYLA-DECK® WATER-BASED SOLID COLOR 100% ACRYLIC DECK COATING, a high-satin-sheen floor stain designed for interior and exterior residential, architectural, commercial and light-industrial spaces.

FEATURES & BENEFITS:

- Highly resistant to pool chemicals and many other household chemicals for long-lasting beauty and protection
- Water-based formulation allows for easier application and cleanup
- Excellent color retention and chalk resistance
- Outstanding resistance to blistering
- Tintable for various custom color options

RECOMMENDED USES:

- Pool decks
- Patios
- Walkways
- Concrete floors
- Concrete decks

COVERAGE & DRYING TIME:

* Coverage:	sq. ft./gal	Drying time:	
Concrete floors	200-300	Touch:	1 hour
Porous concrete	150-250	Recoat:	4 hours
Concrete block	100-150	Light foot traffic:	2 hours
Split-faced block	75-125	Heavy traffic:	72-96 hours
Fluted block	50-100	Full cure:	7-14 days
Brick (clay)	100-150		
Asphalt	200-250		
Wood	250-350		

* Coverage will vary depending on the porosity and texture of the substrate

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Tint Base - Extra White	25.100214-16	03577731936	650902323	4
5 Gallon - Tint Base - Extra White	25.100215-20	03577731943	650902331	1
1 Gallon - Tint Base - Deep	25.100314-16	03577731967	650902356	4
5 Gallon - Tint Base - Deep	25.100315-20	03577731826	650910565	1



A high-quality hi-build latex deck coating that provides superior protection and beauty for both exterior and interior concrete. It may be applied to bare concrete or previously painted surfaces. H&C® ACRYLA-DECK® WATER-BASED SOLID COLOR HI-BUILD DECK COATING WITH COOL FEEL™ TECHNOLOGY is designed to reduce the temperature of concrete surfaces exposed to UV rays by up to 20 degrees F.*

* Temperature reduction may differ due to factors such as: ambient temperature, time of day and the amount of direct sunlight on the surface.

FEATURES & BENEFITS:

- Cool Feel™ Technology reduces the temperature of concrete surfaces exposed to UV rays by up to 20 degrees F
- Highly resistant to pool chemicals and many other household chemicals for long-lasting beauty and protection
- Hi-build coating limits the surface from becoming slippery compared to conventional pool coatings
- Water-based formulation allows for easier application and clean-up
- Extra White and Deep Bases available for various custom color options

RECOMMENDED USES:

- Pool decks
- Patios
- Walkways
- Concrete floors
- Concrete decks

COVERAGE & DRYING TIME:

* Coverage:	sq. ft./gal	Drying time:	
Concrete floors	200-300	Touch:	1 hour
Porous concrete	150-250	Recoat:	2 hours
Concrete block	100-150	Light foot traffic:	2 hours
Split-faced block	75-125	Heavy traffic:	72-96 hours
Fluted block	50-100	Full cure:	7-14 days
Brick (clay)	100-150		
Asphalt	200-250		
Wood	250-350		

* Coverage will vary depending on the porosity and texture of the substrate

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Tint Base - Extra White	25.101214-16	035777331880	650924814	4
5 Gallon - Tint Base - Extra White	25.101215-20	035777331903	650924822	1
1 Gallon - Tint Base - Deep	25.101314-16	035777331927	650924830	4
5 Gallon - Tint Base - Deep	25.101315-20	035777332009	650924848	1



H&C® INFUSION® WATER-BASED SEMI-TRANSPARENT DECORATIVE STAIN lets you achieve a layered, faux or single-color look in a lot less time than acid stains. Etching is required prior to application to open the pores of the concrete. When layering stain, apply lighter colors first. Water-based or solvent-based sealers can be applied as topcoats.

FEATURES & BENEFITS:

- Available in 16 packaged colors
- Water-based formulation allows for easier application and cleanup
- UV resistant
- Dilute up to 4:1 with water for color variation and increased coverage rates
- Interior and exterior use
- Quick turnaround. Recoat or seal in 4-6 hours
- No neutralization required

RECOMMENDED USES:

- Pool decks
- Patios and walkways
- Garages
- Driveways
- Interior floors
- Commercial floors
- Basement floors

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack	Description	SKU#	UPC#	SMIS	Pack
1 Gallon - Arctic Stone	45.102014-16	035777229491	650712037	2	1 Gallon - Cordovan	45.102064-16	035777229699	650712086	2	1 Gallon - Gold Leaf	45.102124-16	035777229880	650712144	2
1 Gallon - Tumbled Stone	45.102024-16	035777229507	650712045	2	1 Gallon - Henna	45.102074-16	035777229705	650712094	2	1 Gallon - Cork	45.102134-16	035777229897	650712151	2
1 Gallon - Obsidian	45.102034-16	035777229514	650712052	2	1 Gallon - Cardinal Red	45.102094-16	035777229828	650712110	2	1 Gallon - Dewy Blade	45.102144-16	035777229903	650712169	2
1 Gallon - Espresso	45.102044-16	035777229613	650712060	2	1 Gallon - Pumpkin Spice	45.102104-16	035777229842	650712128	2	1 Gallon - Moss	45.102154-16	035777229910	650712177	2
1 Gallon - Cocoa Bean	45.102054-16	035777229668	650712078	2	1 Gallon - Autumn Breeze	45.102114-16	035777229866	650712136	2	1 Gallon - Marina Blue	45.102164-16	035777229927	650712185	2



COVERAGE & DRYING TIME:

* Coverage: 200 sq. ft./gal
 * Coverage will vary depending on the porosity and texture of the concrete
 Drying time: @ 77°F 50% RH: temperature and humidity dependent
 Recoat: 4-6 hours
 Sealing: 4-6 hours

AVAILABLE COLORS


These colors are a representation. Actual color will vary due to the concrete finishing method (how smooth or porous the surface is), producing a mottling or distressed appearance. Colors are on a gray concrete base and stain is diluted with water 1:1.



Arctic Stone




Tumbled Stone



Obsidian




Espresso



Cocoa Bean



Cordovan



Henna



Dahlia Red



Cardinal Red



Pumpkin Spice



Autumn Breeze



Gold Leaf



Cork



Dewy Blade



Moss



Marina Blue



H&C® CLARISHIELD® OIL-BASED CONCRETE SEALER is an exterior waterproofing sealer that adds gloss and durability to both vertical and horizontal brick, stone, masonry and mortar- or epoxy-set natural stone. It can also be used as a sealer on flagstone, brick or other cementitious materials. It is suitable for use on traffic-bearing surfaces. It is designed for use over bare concrete or previously stained concrete. The non-yellowing clear surface protects against UV rays, water seepage and common chemicals.

FEATURES & BENEFITS:

- Seals and protects cement surfaces
- Provides a durable, glossy finish that extends the life of concrete and masonry surfaces
- Resists water, pool chemicals, UV rays, salt, alkalis, oil, gasoline and hot tire marks
- Low film build to maintain architectural details

RECOMMENDED USES:

- Driveways
- Patios and walkways
- Pool decks
- Garage floors
- Parking garages
- Concrete retaining walls
- Flagstone walls and walkways
- Masonry and brick walls
- Cement block

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon	50.120234-16	035777229934	650712193	4
5 Gallon	50.120235-20	035777229941	650712201	1



COVERAGE & DRYING TIME:

Coverage:	200 sq. ft./gal	Drying time: @ 77°F 50% RH:
Concrete floors	200-300	temperature and humidity dependent
Porous concrete	150-250	Touch: 30 minutes
Concrete block	100-150	Recoat: 4 hours
Split faced block	75-125	Light foot traffic: Overnight
Fluted block	50-100	Heavy traffic: 72 hours
Brick (clay)	100-150	Coefficient of friction:
		Without SharkGrip®: .6
		With SharkGrip®: .84
		VOC: 643 g/L; 5.37 lb/gallon



H&C® CLARISHIELD® SOLVENT-BASED 250 CLEAR CONCRETE SEALER is a gloss sealer that enhances and protects bare concrete, previously coated and other masonry surfaces. It complies with ASTM C309 standard specifications for liquid membrane. With a VOC level less than 250 grams/liter, H&C® CLARISHIELD® SOLVENT-BASED 250 CLEAR CONCRETE SEALER seals and protects cement surfaces from water, pool chemicals, UV rays and other harmful elements.

FEATURES & BENEFITS:

- Provides a durable, glossy finish that extends the life of concrete and masonry surfaces
- Crystal clear, non-yellowing
- Resists water, pool chemicals, UV rays, salt, alkalis, oil, gasoline and hot tire marks
- Can be used as a cure and seal when applied to freshly placed concrete. *Refer to product data
- Low film build to maintain architectural details

RECOMMENDED USES:

- Driveways
- Patios and walkways
- Pool decks
- Garage floors
- Parking garages

COVERAGE & DRYING TIME:

Coverage:	200 sq. ft./gal	Drying time, @ 77°F 50% RH:
Concrete floors	200-300	temperature and humidity dependent
Porous concrete	150-250	Touch: 30 minutes
Concrete block	100-150	Recoat: 4 hours
Split faced block	75-125	Light foot traffic: Overnight
Fluted block	50-100	Heavy traffic: 72 hours
Brick (clay)	100-150	VOC: <250 g/L

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon	30.102004-16	035777229415	650711971	4
5 Gallon	30.102005-20	035777229422	650711989	1



It's easy to make bare and previously painted or stained concrete surfaces shine, with H&C® CLARISHIELD® WATER-BASED WET LOOK CONCRETE SEALER. It provides a durable gloss finish that extends the life of concrete and masonry surfaces. The water-based formula leaves no messy residues, just an easy cleanup with soap and water. Stir in H&C® SHARKGRIP® SLIP-RESISTANT ADDITIVE to make inclined surfaces or damp areas safer.

FEATURES & BENEFITS:

- Can be used on bare or painted concrete and masonry surfaces
- Ideal gloss finish over COLORTOP™ WATER-BASED SOLID COLOR CONCRETE STAIN
- Rolls on milky white and dries clear
- Penetrates deeply to form a tough shield
- Low film build to maintain architectural details
- Resists damage from water, salt, UV rays, oil, gasoline, cleaning agents and heavy traffic

RECOMMENDED USES:

- Driveways
- Patios and walkways
- Pool decks
- Garage floors
- Athletic courts
- Stadium supports
- Bridges and bridge structures
- Parking garages
- Block and stucco walls

COVERAGE & DRYING TIME:

Coverage:	200 sq. ft./gal	Drying time:
Concrete floors	100-200	Touch: 1 hour
Concrete block	100-150	Recoat: 2 hours
Previously coated concrete	200-300	Light foot traffic: 24 hours
Porous concrete	100-200	Heavy traffic: 72-96 hours
Porous decorative block	75-100	

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon	50.148154-16	035777229996	650712250	4
5 Gallon	50.148155-20	035777230008	650712268	1



H&C® ULTRAPAVER® WATER-BASED PAVER SEALERS protect pavers from weed growth. Both Gloss and Natural protect and prolong the natural beauty only pavers can bring to an outdoor living area. H&C® ULTRAPAVER® WATER-BASED PAVER SEALERS apply milky white and dry clear to ensure complete coverage, and are extremely easy to apply. They provide excellent weather resistance, while protecting your investment against water damage. One gallon covers 100-150 square feet, depending on porosity. H&C® ULTRAPAVER® WATER-BASED PAVER SEALERS are solvent-free and VOC compliant.

FEATURES & BENEFITS:

- Provides protective coating to pavers
- Water and weather resistant
- Water-based formulation
- Paver sealer natural locks in joint sand
- Rolls on milky white, dries clear
- VOC compliant
- Withstands vehicular traffic
- Maintains natural look of pavers

RECOMMENDED USES:

- Patios and walkways
- Driveways
- Pool decks
- Brick or concrete pavers

COVERAGE & DRYING TIME:

* Coverage: On standard concrete or masonry pavers: 100-150 sq. ft./gallon
 * Coverage will vary depending on paver porosity and texture

Drying time: 1 hour
Touch: 4 hours
Light foot traffic/recoat: 24 hours
Foot traffic: 24 hours
Heavy traffic: 72-96 hours

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon – Natural	50.146054-16	035777229958	650712219	2
5 Gallon – Natural	50.146055-20	035777229965	650712227	1
1 Gallon – Gloss	50.147054-16	035777229972	650712235	2
5 Gallon – Gloss	50.147055-20	035777229989	650712243	1



H&C® ULTRAPAVER® SOLVENT-BASED GLOSS PAVER SEALER is a premium quality sealer designed to rejuvenate the color in your pavers. Its deep penetrating xylene-based formula will solve efflorescence issues with its durable siliconized seal. For use on patios, driveways, pool decks, brick and retaining walls.

FEATURES & BENEFITS:

- Excellent water and weather resistant properties for protection of your investment and to keep your pavers looking beautiful
- Solvent based formula to enhance the color in your pavers
- Durable enough to withstand vehicular traffic
- Gloss finish for an aesthetically pleasing appearance

RECOMMENDED USES:

- Patios and walkways
- Lanais
- Driveways
- Pool decks
- Brick and concrete walls
- Retaining walls

COVERAGE & DRYING TIME:

Coverage: Standard brick paver: 100-150 sq. ft./gallon
 High humidity and/or low temperatures will affect drying time

Drying time: 1 hour
Touch: 4 hours
Light foot traffic/recoat: 24 hours
Foot traffic: 24 hours
Heavy traffic: 48 hours

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon – Gloss	50.149054-16	035777328200	650923063	4
5 Gallon – Gloss	50.149055-20	035777328255	650923071	1
5 Gallon Florida – Gloss	50.150054-20	035777328286	650923089	1



H&C® HYDRO-DEFEND® WATER-BASED CONCRETE & MASONRY WATERPROOFING SEALER is a premium quality water-based sealer that penetrates and protects aged, dry, porous surfaces. Because it penetrates, it resists water damage long after the water beading is gone. The durable acrylic formula can be used for both interior and exterior applications. This product is milky white when applied to ensure complete coverage, but dries to a clear, transparent coating.

FEATURES & BENEFITS:

- Interior and exterior use
- Protects against water damage
- Long wearing; easy to walk on
- Guards against repeated freeze-thaw cycles and damage from de-icing salts
- One coat is sufficient in most cases, but a second coat may be applied in 2-4 hours

RECOMMENDED USES:

- Concrete
- Stucco
- Concrete block
- Stone brick
- Patios
- Walkways
- Pool decks

COVERAGE & DRYING TIME:

* Coverage: Concrete floors: 200-300 sq. ft./gal
 Porous concrete: 150-200 sq. ft./gal
 Concrete block: 50-75 sq. ft./gal
 Fluted block: 75-100 sq. ft./gal
 Brick (clay): 100-150 sq. ft./gal
 Precast concrete: 125-175 sq. ft./gal

Drying time: 15 minutes
Touch: 2-4 hours
Recoat: 2 hours
Light foot traffic: 2 hours
Heavy traffic: 72 hours

* Coverage will vary depending on the porosity and texture of the substrate

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon	50.143054-16	035777242445	650712359	4
5 Gallon	50.143055-20	035777242452	650712367	1



H&C® HYDRO-DEFEND® CONCRETE & DRIVEWAY PROTECTOR provides a long lasting, breathable barrier which resists dirt, salt, and other contaminants to minimize damage from freeze/thaw, spalling, and water. It's a clear, water-based, siloxane water repellent designed to protect bare concrete, driveways and masonry surfaces.

FEATURES & BENEFITS:

- Water-based formulation
- Protects against damaging freeze/thaw cycles
- Reduces intrusion of water, de-icing salts and other contaminants
- Penetrates deeply for long-lasting protection
- Will not alter the color appearance or texture of the treated surface
- User-friendly, soap and water clean-up

RECOMMENDED USES:

- Concrete
- Stucco
- Concrete block
- Stone
- Brick
- Patios
- Walkways
- Pool decks

COVERAGE & DRYING TIME:

Coverage: Concrete floors: 150-200 sq. ft./gal
 Porous concrete: 100-150 sq. ft./gal
 Split-faced block: 50-75 sq. ft./gal
 Fluted block: 75-100 sq. ft./gal
 Brick (clay): 100-150 sq. ft./gal
 Precast concrete: 125-175 sq. ft./gal

Drying time: 1 hour
Touch: 2 hours
Light foot traffic: 2 hours
Heavy foot traffic: 72-96 hours

PRODUCT INFORMATION:

Description	SKU#	UPC#	SMIS	Pack
1 Gallon	50.144154-16	035777242438	650712354	2
5 Gallon	50.144155-20	035777242421	650712342	1

PRODUCT LIST

Description	SKU#	UPC#	SMIS	Pack	Size	Made to Order	Page
Prep Products & Additives							
ConcreteReady® Etching Solution	50.160004-16	035777230046	650712300	2	1 Gallon		4
ConcreteReady® Solvent-Based Cleaner Degreaser	50.170015-15	035777230053	650712318	4	1/2 Gallon		4
ConcreteReady® Quick Patch & Repair	60.100709-99	035777230060	650712326	4	5 lb./1 Gallon Bucket		5
Sharkgrip® Slip-Resistant Additive	50.155004-99	035777230015	650712276	12	3.2 oz.		5
Sharkgrip® Slip-Resistant Additive	50.155005-99	035777230022	650712284	6	16 oz.		5
Sharkgrip® Slip-Resistant Additive	50.155008-99	035777230039	650712292	1	19 lb.	Y	5
Epoxy Floor Coatings							
Shield-Crete® Epoxy Water-Based – Pewter	20.102100-99	035777229033	650711617	1	1 Kit		6
Shield-Crete® Epoxy Water-Based – Beige	20.102200-99	035777229040	650711625	1	1 Kit		6
Shield-Crete® Epoxy Water-Based – Firebrick Red	20.102300-99	035777229071	650711658	1	1 Kit		6
Shield-Crete® Epoxy Water-Based – Ivory	20.102400-99	035777229088	650711666	1	1 Kit		6
Shield-Crete® Epoxy Water-Based – Nightsky	20.102500-99	035777229095	650711674	1	1 Kit		6
Shield-Crete® Epoxy Water-Based – Part A	21.103104-16	03577467923	650964810	4	1 Gallon		6
Shield-Crete® Epoxy Water-Based – Pewter	21.103205-20	03577467930	650964828	1	5 Gallon		6
Shield-Crete® Epoxy Water-Based – Beige	21.103505-20	03577472040	650964901	1	5 Gallon		6
Shield-Crete® Epoxy Water-Based – Firebrick Red	21.103405-20	03577472095	650964919	1	5 Gallon		6
Shield-Crete® Epoxy Water-Based – Ivory	21.103505-20	03577472101	650964927	1	5 Gallon		6
Shield-Crete® Epoxy Water-Based – Nightsky	21.103605-20	03577472118	650964935	1	5 Gallon		6
Shield-Crete® Epoxy Water-Based – Clear Glaze	20.103000-16	035777229101	650711682	4	1 Gallon		7
Shield-Crete® Epoxy Water-Based – Clear Glaze	20.103005-20	03577472125	650964943	1	5 Gallon		7
Shield-Crete® Deco-Flakes – Pewter	20.104000-14	035777229152	650711716	6	1 Quart		7
Shield-Crete® Deco-Flakes – Beige	20.104200-14	035777229149	650711724	6	1 Quart		7
Shield-Crete® Deco-Flakes – Red	20.104300-14	035777229156	650711732	6	1 Quart		7
Solid Color Stains Water-Based							
Colortop™ Water-Based Stain - Tint Base – Extra White	20.101214-16	035777228876	650711450	4	1 Gallon		8
Colortop™ Water-Based Stain - Tint Base – Extra White	20.101215-20	035777228883	650711468	1	5 Gallon		8
Colortop™ Water-Based Stain - Tint Base – Deep	20.102214-16	035777229057	650711633	4	1 Gallon		8
Colortop™ Water-Based Stain - Tint Base – Deep	20.102215-20	035777229064	650711641	1	5 Gallon		8
Colortop™ Water-Based Stain - Tint Base – Ultra Deep	20.103214-16	035777229118	650711690	4	1 Gallon		8
Colortop™ Water-Based Stain - Tint Base – Ultra Deep	20.103215-20	035777229125	650711708	1	5 Gallon		8
Colortop™ Water-Based Stain – Clear	20.101204-16	35777328187	650923014	4	1 Gallon		8
Colortop™ Water-Based Stain – Clear	20.101205-20	35777328194	650923022	1	5 Gallon		8
Colortop™ Water-Based Stain – Black	20.101224-16	035777228890	650711476	4	1 Gallon		8
Colortop™ Water-Based Stain – Black	20.101225-20	035777228906	650711484	1	5 Gallon	Y	8
Colortop™ Water-Based Stain – Bombay	20.101254-16	035777228913	650711492	4	1 Gallon		8
Colortop™ Water-Based Stain – Bombay	20.101255-20	035777228920	650711500	1	5 Gallon		8
Colortop™ Water-Based Stain – Gull Gray	20.101284-16	035777228937	650711518	4	1 Gallon		8
Colortop™ Water-Based Stain – Gull Gray	20.101285-20	035777228944	650711526	1	5 Gallon	Y	8
Colortop™ Water-Based Stain – Pearl Gray	20.101314-16	035777228951	650711534	4	1 Gallon	Y	8
Colortop™ Water-Based Stain – Pearl Gray	20.101315-20	035777228968	650711542	1	5 Gallon		8
Colortop™ Water-Based Stain – Sandstone	20.101324-16	035777228975	650711559	4	1 Gallon		8
Colortop™ Water-Based Stain – Silver Gray	20.101344-16	035777228982	650711567	1	1 Gallon	Y	8
Colortop™ Water-Based Stain – Terracotta	20.101354-16	035777228999	650711575	4	1 Gallon		8

PRODUCT LIST

Description	SKU#	UPC#	SMIS	Pack	Size	Made to Order	Page
Solid Color Stains Water-Based (Continued)							
Colortop™ Water-Based Stain – Terracotta	20.101355-20	035777229002	650711583	1	5 Gallon		8
Colortop™ Water-Based Stain – Tile Red	20.101364-16	035777229019	650711591	4	1 Gallon		8
Colortop™ Water-Based Stain – Tile Red	20.101365-20	035777229026	650711609	1	5 Gallon		8
Colortop™ Water-Based 50 Stain - Tint Base – Extra White	20.104414-16	035777229163	650711740	4	1 Gallon		9
Colortop™ Water-Based 50 Stain - Tint Base – Extra White	20.104415-20	035777229187	650711757	1	5 Gallon		9
Colortop™ Water-Based 50 Stain - Tint Base – Deep	20.104514-16	035777229194	650711765	4	1 Gallon		9
Colortop™ Water-Based 50 Stain - Tint Base – Deep	20.104515-20	035777229200	650711773	1	5 Gallon		9
Colortop™ Water-Based 50 Stain - Tint Base – Ultra Deep	20.104614-16	035777229217	650711781	4	1 Gallon		9
Colortop™ Water-Based 50 Stain - Tint Base – Ultra Deep	20.104615-20	035777229231	650711799	1	5 Gallon		9
Solid Color Stains & Sealers Solvent-Based							
Colortop™ Solvent-Based Sealer - Tint Base – Extra White	10.114014-16	035777228784	650711419	4	1 Gallon		10
Colortop™ Solvent-Based Sealer - Tint Base – Extra White	10.114015-20	035777228821	650711427	1	5 Gallon		10
Colortop™ Solvent-Based Sealer - Tint Base – Deep	10.116014-16	035777228838	650711435	4	1 Gallon		10
Colortop™ Solvent-Based Sealer - Tint Base – Deep	10.116015-20	035777228845	650711443	1	5 Gallon		10
Colortop™ Solvent-Based Sealer – Clear	10.100004-16	035777328101	650922974	4	1 Gallon		10
Colortop™ Solvent-Based Sealer – Clear	10.100005-20	035777328118	650922982	1	5 Gallon		10
Colortop™ Solvent-Based Sealer – Black	10.100024-16	035777320077	650711179	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Black	10.100025-20	035777320084	650711187	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Autumn Brown	10.100034-16	035777228548	650711195	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Autumn Brown	10.100035-20	035777228555	650711203	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Bombay	10.100054-16	035777228562	650711211	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Bombay	10.100055-20	035777228579	650711229	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Brick Red	10.100064-16	035777228586	650711237	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Brick Red	10.100065-20	035777228593	650711245	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Charcoal	10.100074-16	035777228616	650711252	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Charcoal	10.100075-20	035777228623	650711260	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Gull Gray	10.100084-16	035777228630	650711278	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Gull Gray	10.100085-20	035777228647	650711286	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Patio Green	10.100104-16	035777228654	650711294	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Patio Green	10.100105-20	035777228661	650711302	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Pearl Gray	10.100114-16	035777228678	650711310	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Pearl Gray	10.100115-20	035777228685	650711328	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Sandstone	10.100124-16	035777228692	650711336	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Sandstone	10.100125-20	035777228708	650711344	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Silver Gray	10.100144-16	035777228715	650711351	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Silver Gray	10.100145-20	035777228722	650711369	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Terracotta	10.100154-16	035777228739	650711377	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Terracotta	10.100155-20	035777228753	650711385	1	5 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Tile Red	10.100164-16	035777228760	650711393	4	1 Gallon	Y	10
Colortop™ Solvent-Based Sealer – Tile Red	10.100165-20	035777228777	650711401	1	5 Gallon	Y	10
Colortop™ Solvent-Based 250 Sealer - Tint Base – Extra White	30.114014-16	035777229439	650711997	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer - Tint Base – Extra White	30.114015-20	035777229446	650712003	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer - Tint Base – Deep	30.116014-16	035777229477	650712011	4	1 Gallon		11

PRODUCT LIST

Description	SKU#	UPC#	SMIS	Pack	Size	Made to Order	Page
Solid Color Stains & Sealers Solvent-Based (Continued)							
Colortop™ Solvent-Based 250 Sealer - Tint Base — Deep	30.116015-20	035777229484	650712029	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Clear	30.100004-16	35777328132	650922990	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Clear	30.100005-20	35777328149	650923006	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Bombay	30.101104-16	035777229255	650711815	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Bombay	30.101105-20	035777229262	650711823	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Sandstone	30.101204-16	035777229279	650711831	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Sandstone	30.101205-20	035777229286	650711849	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Black	30.101404-16	035777229293	650711856	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Black	30.101405-20	035777229309	650711864	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Tile Red	30.101504-16	035777229316	650711872	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Tile Red	30.101505-20	035777229323	650711880	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Terracotta	30.101604-16	035777229330	650711898	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Terracotta	30.101605-20	035777229347	650711906	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Patio Green	30.101704-16	035777229354	650711914	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Patio Green	30.101705-20	035777229361	650711922	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Pearl Gray	30.101804-16	035777229378	650711930	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Pearl Gray	30.101805-20	035777229385	650711948	1	5 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Silver Gray	30.101904-16	035777229392	650711955	4	1 Gallon		11
Colortop™ Solvent-Based 250 Sealer — Silver Gray	30.101905-20	035777229408	650711963	1	5 Gallon		11
Solid Color Deck Coatings Water-Based							
Acryla-Deck® Water-Based Solid Color Deck Coating - Tint Base — Extra White	25.100214-16	035777311936	650902323	4	1 Gallon		13
Acryla-Deck® Water-Based Solid Color Deck Coating - Tint Base — Extra White	25.100215-20	035777311943	650902331	1	5 Gallon		13
Acryla-Deck® Water-Based Solid Color Deck Coating - Tint Base — Deep	25.100314-16	035777311967	650902356	4	1 Gallon		13
Acryla-Deck® Water-Based Solid Color Deck Coating - Tint Base — Deep	25.100315-20	035777311826	650910565	1	5 Gallon		13
Acryla-Deck® Water-Based Solid Color Hi-Build Deck Coating with Cool Feel™ Technology - Tint Base — Extra White	25.101214-16	035777331880	650924814	4	1 Gallon		13
Acryla-Deck® Water-Based Solid Color Hi-Build Deck Coating with Cool Feel™ Technology - Tint Base — Extra White	25.101215-20	035777331903	650924822	1	5 Gallon		13
Acryla-Deck® Water-Based Solid Color Hi-Build Deck Coating with Cool Feel™ Technology - Tint Base — Deep	25.101314-16	035777331927	650924830	4	1 Gallon		13
Acryla-Deck® Water-Based Solid Color Hi-Build Deck Coating with Cool Feel™ Technology - Tint Base — Deep	25.101315-20	035777332009	650924848	1	5 Gallon		13
Semi-Transparent Stains							
Infusion® Semi-Transparent Water-Based Stain — Arctic Stone	45.102014-16	035777229491	650712037	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Tumbled Stone	45.102024-16	035777229507	650712045	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Obsidian	45.102034-16	035777229514	650712052	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Espresso	45.102044-16	035777229513	650712060	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Cocoa Bean	45.102054-16	035777229668	650712078	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Cordovan	45.102064-16	035777229699	650712086	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Henna	45.102074-16	035777229705	650712094	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Cardinal Red	45.102094-16	035777229828	650712110	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Pumpkin Spice	45.102104-16	035777229842	650712128	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Autumn Breeze	45.102114-16	035777229866	650712136	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Gold Leaf	45.102124-16	035777229880	650712144	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Cork	45.102134-16	035777229897	650712151	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Dewy Blade	45.102144-16	035777229903	650712169	2	1 Gallon		14
Infusion® Semi-Transparent Water-Based Stain — Moss	45.102154-16	035777229910	650712177	2	1 Gallon		14

PRODUCT LIST

Description	SKU#	UPC#	SMIS	Pack	Size	Made to Order	Page
Semi-Transparent Stains (Continued)							
Infusion® Semi-Transparent Water-Based Stain — Marina Blue	45.102164-16	035777229927	650712185	2	1 Gallon		14
Clear Sealers							
Clarishield® Oil-Based Clear Sealer	50.120234-16	035777229934	650712193	4	1 Gallon		16
Clarishield® Oil-Based Clear Sealer	50.120235-20	035777229941	650712201	1	5 Gallon		16
Clarishield® Solvent-Based 250 Clear Sealer	30.102004-16	035777229415	650711971	4	1 Gallon		17
Clarishield® Solvent-Based 250 Clear Sealer	30.102005-20	035777229422	650711989	1	5 Gallon		17
Clarishield® Water-Based Concrete Sealer Wet Look	50.148154-16	035777229996	650712250	4	1 Gallon		17
Clarishield® Water-Based Concrete Sealer Wet Look	50.148155-20	035777230008	650712268	1	5 Gallon		17
Paver Sealers							
Ultrapaver® Water-Based Clear Sealer — Natural	50.146054-16	035777229958	650712219	2	1 Gallon		18
Ultrapaver® Water-Based Clear Sealer — Natural	50.146055-20	035777229965	650712227	1	5 Gallon		18
Ultrapaver® Water-Based Clear Sealer — Gloss	50.147054-16	035777229972	650712235	2	1 Gallon		18
Ultrapaver® Water-Based Clear Sealer — Gloss	50.147055-20	035777229989	650712243	1	5 Gallon		18
Ultrapaver® Solvent-Based Clear Sealer — Gloss	50.149054-16	035777328200	650923063	4	1 Gallon		18
Ultrapaver® Solvent-Based Clear Sealer — Gloss	50.149055-20	035777328255	650923071	1	5 Gallon		18
Ultrapaver® Solvent-Based Clear Florida Sealer — Gloss	50.150054-20	035777328286	650923089	1	5 Gallon		18
Water Repellents							
Hydro-Defend® Concrete Waterproofing Sealer	50.143054-16	035777242438	650712334	2	1 Gallon		19
Hydro-Defend® Concrete Waterproofing Sealer	50.143055-20	035777242421	650712342	1	5 Gallon		19
Hydro-Defend® Concrete & Driveway Protector	50.144154-16	035777242445	650712359	4	1 Gallon		19
Hydro-Defend® Concrete & Driveway Protector	50.144155-20	035777242452	650712367	1	5 Gallon		19



H&C PRODUCT CATALOG

H&C Concrete Coatings
Prospect Ave., Cleveland, Ohio 44115
1-800-867-8246

720-0242-000