acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

1 Identification

- · Product identifier
- · Trade name: Tap Magic Xtra Thick
- · Other means of identification: No other identifiers
- · Recommended use and restriction on use
- · Recommended use: Machining, Cutting, Tapping, and Metal Processing.
- · Restrictions on use:

After use of this product, clean and lubricate metal surfaces to avoid staining and/or corrosion.

- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

The Steco Corporation 2330 Cantrell Road Little Rock, AR 72203 USA (501) 375-5644

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



0 Health = 0

1 Fire = 1

REACTIVITY Reactivity = 0

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

10-20%

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 1)

🕸 Asp. Tox. 1, H304

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Coughing

Dizziness

· Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 2)

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

· Methods and material for containment and cleaning up

Use inert material (clay, sawdust, kaolin) to absorb material and sweep up. Prevent spilled material from entering sewers, drains, bodies of water.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Keep out of reach of children.

Avoid breathing mist, vapors, or spray.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Pregnant women should strictly avoid inhalation or skin contact.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:

Gloves are advised for repeated or prolonged contact.

Wear protective gloves to handle contents of damaged or leaking units.

· Eye protection:

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 3)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protection may be required for spills.
- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

Physical and chemical prope	a ties
Information on basic physical a	and chemical properties
Appearance:	
Form:	Liquid
Color:	Amber colored
Odor:	Mild
Odor threshold:	Not determined.
pH-value:	Not determined.
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
Flash point:	>150 °C (>302 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure:	Not determined.
Density:	
Relative density:	1.3
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic at 50 °C (122 °F):	1100 mm²/s
Other information	No relevant information available.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 4)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Reacts with strong alkali.

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Reacts with certain metals.

- · Conditions to avoid Excessive heat.
- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Chlorine compounds

Halogenated hydrocarbons

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eve: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 5)

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

1 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	t II of	
MARPOL73/78 and the IBC Code	Not applicable.	

Page: 7/8

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 6)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

(Cont'd. on page 8)

Page: 8/8

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 24, 2018 Revision: July 24, 2018

Trade name: Tap Magic Xtra Thick

(Cont'd. of page 7)

OSHA: Occupational Safety & Health Administration

Asp. Tox. 1: Aspiration hazard - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com