



# SPECIFICATION SHEET

## 63-230PF

### AMBI-DEX® OCTANE DISPOSABLE NITRILE GLOVE, POWDER FREE WITH TEXTURED GRIP - 3 MIL BLUE

- Economical puncture resistance with great comfort, dexterity and tactile sensitivity
- Textured grip provides a good grip in wet or dry environments
- Contains no natural rubber latex proteins
- Ambidextrous for quick and easy donning
- Powder-Free to reduce allergic reactions
- Rolled cuff adds additional strength to cuff edge for longer glove life and prevents liquid run-off
- Complies with FDA food handling requirements, 21 CFR 177.2600
- Industry Grade - For non-medical use

### APPLICATIONS

- Industrial
- Automotive
- Painting & Print

### TECHNICAL DATA

MATERIAL	Nitrile			
COLOR	Blue			
CUFF STYLE	Rolled beaded			
SIZES	S - XL			
PACKAGING	100 gloves per dispenser box; 10 boxes per case (1,000 gloves)			
CASE	12.4" x 10.2" x 9.6" / 31.4cm x 25.9cm x 24.3cm			
CASE WEIGHT	S	M	L	XL
	9.3 lbs 4.2 kg	9.9 lbs 4.5 kg	10.6 lbs 4.8 kg	11.2 lbs 5.1 kg
COO	Indonesia			



### ELONGATION INFORMATION

BEFORE AGING		AFTER ACCELERATED AGING	
Tensile Strength (minimum)	Elongation (minimum)	Tensile Strength (minimum)	Elongation (minimum)
(Mpa)	%	(Mpa)	%
14	500	14	400


### BARCODES

ITEM	BAG	DISPENSER	CASE
63-230PF/S	---	616314220203	02616314220201
63-230PF/M	---	616314220197	02616314220195
63-230PF/L	---	616314220180	02616314220188
63-230PF/XL	---	616314220210	02616314220218

### DIMENSIONS (in/cm)

	S	M	L	XL
<b>A</b>	9.4 / 24.0	9.4 / 24.0	9.4 / 24.0	9.4 / 24.0
<b>B</b>	3.3 / 8.4	3.7 / 9.4	4.1 / 10.5	4.3 / 11.0

Palm Thickness: 0.07mm (± 0.02mm)  
Finger Tip Thickness: 0.09mm (± 0.02mm)



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.