

New Products



PRODUCT CATALOG SUPPLEMENT

www.weldcotemetals.com

TABLE OF CONTENTS

| | |
|--|-----------|
| RUBBER & PLASTIC BACK-UP PADS, ACCESSORIES | 3 |
| Rubber & Plastic Back-up Pads | 3 |
| Accessories | 3 |
| Rubber Holder Pads for 1-1/2 - 4" Discs Quick Change Discs | 4 |
| | |
| SURFACE CONDITIONING | 4 |
| UNITIZED Right Angle Grinder Wheels | 4 |
| STRIPIT Wheels Right Angle Grinders – Surface Conditioning | 5 |
| STRIPIT Quick Change Discs – Surface Conditioning, Roll On | 5 |
| Surface Conditioning Discs, Type 27 | 6 |
| Surface Conditioning Discs, Roll On | 6 |
| Surface Conditioning Discs, with Hole | 7 |
| Premium Non-Woven Industrial Hand Pads | 7 |
| | |
| RESIN BONDED ABRASIVES | 8 |
| Right Angle Grinder Wheels, Cutting – SLITTER INOX-PRIME | 8 |
| Abrasive Cut-Off Wheels for Die Grinders, Type 1 | 8 |
| Resin Cones & Plugs | 9 |
| Resin Cup Wheels | 10 |





RUBBER & PLASTIC BACK-UP PADS, ACCESSORIES



- USA Made Rubber back-up pads contain spiral ribs to provide contact points and form channels for airflow, extending disc life up to 50%.
- Enhanced mechanical and chemical bond between rubber and metal provides increased airflow and higher RPM ratings.
- Flexible Rubber pads are recommended for contours and Rigid pads will last longer on aggressive grinding applications.



| UPC | Size | Description | Arbor Hole | Spec | Type | Carton |
|-----|------|-------------|------------|------|------|--------|
|-----|------|-------------|------------|------|------|--------|

Spiral Pattern – Air-Cooled Rubber Back-up Pads, Threaded Arbor

| | | | | | | |
|-------|----------------|---------------------|------------------|--------|--------------------|---|
| 11201 | 4 x 5/8-11 | Back-Up Pad w/o Nut | 5/8" Threaded | Rubber | Medium | 1 |
| 11202 | 4-1/2 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |
| 11203 | 5 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |
| 11204 | 7 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |
| 11205 | 9 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |
| 11206 | 7 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Flexible | 1 |
| 11207 | 7 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Rigid | 1 |
| 11208 | 4-1/2 x 7/8 | Back-Up Pad w/o Nut | 7/8" Smooth Bore | Rubber | Medium Smooth Bore | 1 |

Smooth Face Pattern – Air-Cooled Rubber Back-up Pads, Threaded Arbor

| | | | | | | |
|-------|----------------|---------------------|------------------|--------|--------|---|
| 11209 | 4-1/2 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |
| 11210 | 7 x 5/8-11 | Back-Up Pad w/o Nut | 5/8-11" Threaded | Rubber | Medium | 1 |

Smooth Face Pattern – Air-Cooled Rubber Back-up Pads for Low Profile Grinders

| | | | | | | |
|-------|-------|----------------------|------------------|--------|--------|---|
| 11211 | 4-1/2 | Quick Change Pad Set | 5/8-11" Threaded | Rubber | Medium | 1 |
|-------|-------|----------------------|------------------|--------|--------|---|

Polypropylene with Spiral Face & Smooth Bore Back-up Pads

| | | | | | | |
|-------|-------|-------------------------------|------------------|---------------|--------|---|
| 11212 | 4-1/2 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11213 | 5 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11214 | 7 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |

Polypropylene with Smooth Face and Smooth Bore Back-up Pads

| | | | | | | |
|-------|-------|-------------------------------|------------------|---------------|--------|---|
| 11215 | 4 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11216 | 4-1/2 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11217 | 5 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11218 | 7 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |
| 11219 | 9 | Polymer Backing Plate w/o Nut | 7/8" Smooth Bore | Polypropylene | Medium | 1 |

Accessories



11220



11222



11223

| UPC | Description | Use With | Carton |
|-------|--|-------------------|--------|
| 11220 | 5/8-11 Lock Pad Nut; 1-1/2" Flange w/span holes | 4 1/2-9" grinders | 1 |
| 11221 | 5/8-11 Lock Pad Nut; 2" Flange w/span holes | 7-9" grinders | 1 |
| 11222 | 3/8-24 Lock Pad Nut; 1-1/2" Flange w/ span holes | 4" grinders | 1 |
| 11223 | Adjustable Spanner Wrench | | 1 |



Rubber Holder Pads for 1-1/2 - 4" Discs Quick Change Discs

| UPC# | Size | Type | Spec | Retail QTY |
|-----------------------------|-----------------------|---------|--------|------------|
| Holder Pads; Roll-on | | | | |
| 11224 | 1 Diameter x 1/4" | Roll On | Medium | 1 |
| 11225 | 1-1/2 Diameter x 1/4" | Roll On | Medium | 1 |
| 11226 | 2 Diameter x 1/4" | Roll On | Medium | 1 |
| 11227 | 3 Diameter x 1/4" | Roll On | Medium | 1 |
| 11228 | 4 Diameter x 1/4" | Roll On | Medium | 1 |



- USA Made Medium Grade rubber pad holder.
- Each pad is in a plastic bag with label.

| UPC# | Size | Type | Spec | Retail QTY |
|-----------------------------|-----------------------|---------|--------|------------|
| Holder Pads; Turn-on | | | | |
| 11229 | 1 Diameter x 1/4" | Turn on | Medium | 1 |
| 11230 | 1-1/2 Diameter x 1/4" | Turn on | Medium | 1 |
| 11231 | 2 Diameter x 1/4" | Turn on | Medium | 1 |
| 11233 | 3 Diameter x 1/4" | Turn on | Medium | 1 |



11226




SURFACE CONDITIONING

UNITIZED Right Angle Grinder Wheels

- 2 / S / FINE: Silicon Carbide - Ideal on heat sensitive materials.
- 2 / A / MEDIUM: Aluminum Oxide - Ideal for deburring, finishing & polishing on all metals.
- 3 / S / FINE: Silicon Carbide - Ideal on all metal materials.
- 6 / A / MEDIUM: Aluminum Oxide - Ideal for deburring, finishing & polishing on all metals.



11152

| UPC | Size | Brand | Specification | Type | Max RPM | Carton |
|--|-----------------|---------|---------------|------|---------|--|
| UNITIZED Right Angle Grinder Wheels | | | | | | |
| | | | | | | Type 27  |
| 11147 | 4-1/2 x 7/8" | S-PRIME | 2/S/FINE | T27 | 11,000 | 10 |
| 11148 | 4-1/2 x 7/8" | S-PRIME | 3/S/FINE | T27 | 11,000 | 10 |
| 11149 | 4-1/2 x 7/8" | A-PRIME | 6/A/MED | T27 | 11,000 | 10 |
| 11150 | 4-1/2 x 5/8-11" | S-PRIME | 2/S/FINE | T27 | 11,000 | 10 |
| 11151 | 4-1/2 x 5/8-11" | S-PRIME | 3/S/FINE | T27 | 11,000 | 10 |
| 11152 | 4-1/2 x 5/8-11" | A-PRIME | 6/A/MED | T27 | 11,000 | 10 |
| 11153 | 5 x 7/8" | S-PRIME | 2/S/FINE | T27 | 10,000 | 10 |
| 11154 | 5 x 7/8" | A-PRIME | 6/A/MED | T27 | 10,000 | 10 |
| 11155 | 5 x 5/8-11" | S-PRIME | 2/S/FINE | T27 | 10,000 | 10 |
| 11156 | 5 x 5/8-11" | A-PRIME | 6/A/MED | T27 | 10,000 | 10 |


 ALUMINUM OXIDE


UNITIZED material on firm phenolic backing

 SILICON CARBIDE



- Easily deburrs, cleans, blends and polishes. Provides long life.

| UPC | Size | Brand | Specification | Type | Max RPM | Carton |
|--|--------|---------|---------------|---------|---------|--|
| UNITIZED Wheels - Quick Change, Roll On | | | | | | |
| | | | | | | Roll-On  |
| 11157 | 2" R/O | S-PRIME | 2/S/FINE | Roll On | 22,100 | 10 |
| 11158 | 2" R/O | A-PRIME | 2/A/MED | Roll On | 22,100 | 10 |
| 11159 | 3" R/O | S-PRIME | 2/S/FINE | Roll On | 15,100 | 10 |
| 11160 | 3" R/O | A-PRIME | 2/A/MED | Roll On | 15,100 | 10 |
| 11161 | 3" R/O | S-PRIME | 3/S/FINE | Roll On | 15,100 | 10 |



11157

Ideal for hard to reach areas

11160

Rubber Holder Pads Required



STRIPIT Wheels Right Angle Grinders – Surface Conditioning

- Stripit wheels are excellent on stainless steel, aluminum, titanium, non-ferrous metals and fibre glass. Use Stripit wheels for cleaning welds, and fast removal of rust, scaling, oxidation, paints and sealants.
- Red Stripit is more rigid for faster working conditions.



11162



11168



11167

| UPC | SIZE | Brand | Spec | Backing | Type | Max RPM | Carton |
|--|----------------|---------|------|----------|------|---------|--------|
| RED STRIPIT Right Angle Grinders – Surface Conditioning | | | | | | | |
| 11162 | 4-1/2 x 7/8 | S-PRIME | RED | Phenolic | T27 | 11,000 | 10 |
| 11163 | 4-1/2 x 5/8-11 | S-PRIME | RED | Phenolic | T27 | 11,000 | 10 |
| 11164 | 5 x 7/8 | S-PRIME | RED | Phenolic | T27 | 9,800 | 10 |
| 11165 | 5 x 5/8-11 | S-PRIME | RED | Phenolic | T27 | 9,800 | 10 |
| 11166 | 7 x 7/8 | S-PRIME | RED | Phenolic | T27 | 7,000 | 10 |
| 11167 | 7 x 5/8-11 | S-PRIME | RED | Phenolic | T27 | 7,000 | 10 |



SILICON CARBIDE

Type 27



BLACK STRIPIT Right Angle Grinders – Surface Conditioning

| | | | | | | | |
|-------|----------------|---------|-------|----------|-----|--------|----|
| 11168 | 4-1/2 x 7/8 | S-SOLID | BLACK | Phenolic | T27 | 11,000 | 10 |
| 11169 | 4-1/2 x 5/8-11 | S-SOLID | BLACK | Phenolic | T27 | 11,000 | 10 |
| 11170 | 7 x 7/8 | S-SOLID | BLACK | Phenolic | T27 | 7,000 | 10 |
| 11171 | 7 x 5/8-11 | S-SOLID | BLACK | Phenolic | T27 | 7,000 | 10 |

STRIPIT Quick Change Discs – Surface Conditioning, Roll On

- Excellent for cleaning welds and fast removal of rust, scaling, oxidation, paints and sealants.



11174



11173

| UPC | SIZE | Brand | Spec | Backing | Type | Max RPM | Carton |
|---|---------|---------|------|----------|---------|---------|--------|
| RED STRIPIT Quick Change Discs – Surface Conditioning, Roll On | | | | | | | |
| 11172 | 2 x 1/2 | S-PRIME | RED | Phenolic | Roll On | 10,500 | 10 |
| 11173 | 3 X 1/2 | S-PRIME | RED | Phenolic | Roll On | 7,000 | 10 |



SILICON CARBIDE



Roll-On

BLACK STRIPIT Quick Change Discs – Surface Conditioning, Roll On

| | | | | | | | |
|-------|---------|---------|-------|----------|---------|--------|----|
| 11174 | 2 x 1/2 | S-SOLID | BLACK | Phenolic | Roll On | 10,500 | 10 |
| 11175 | 3 X 1/2 | S-SOLID | BLACK | Phenolic | Roll On | 7,000 | 10 |



Surface Conditioning Discs

- Excellent for stainless steel, blending and weld discoloration.
- Use on steel, aluminum, stainless and non-ferrous.
- Compact backing minimizes work piece scratches.

- Fine/AO (Maroon) wheels ideal for cleaning, blending and finishing stainless steel.
- Very Fine/SC (Gray) wheels for light finishes on metal, wood composites and satin finishing aluminum.

Type 27



11183



11182



11189

| UPC | Size | Brand | Specification | Type | Max RPM | Carton |
|-----|------|-------|---------------|------|---------|--------|
|-----|------|-------|---------------|------|---------|--------|

Surface Preparation Wheels – Aluminum Oxide

| | | | | | | |
|-------|----------------|---------|---------------|-----|--------|----|
| 11181 | 4 x 5/8 | A-PRIME | Maroon - Fine | T27 | 13,700 | 10 |
| 11182 | 4-1/2 x 7/8 | A-PRIME | Maroon - Fine | T27 | 13,300 | 10 |
| 11183 | 4-1/2 x 5/8-11 | A-PRIME | Maroon - Fine | T27 | 13,300 | 10 |
| 11184 | 7 x 7/8 | A-PRIME | Maroon - Fine | T27 | 8,500 | 10 |
| 11185 | 7 x 5/8-11 | A-PRIME | Maroon - Fine | T27 | 8,500 | 10 |



Surface Preparation Wheels – Silicon Carbide

| | | | | | | |
|-------|----------------|---------|------------------|-----|--------|----|
| 11186 | 4 x 5/8 | C-PRIME | Gray - Very Fine | T27 | 13,700 | 10 |
| 11187 | 4-1/2 x 7/8 | C-PRIME | Gray - Very Fine | T27 | 13,300 | 10 |
| 11188 | 4-1/2 x 5/8-11 | C-PRIME | Gray - Very Fine | T27 | 13,300 | 10 |
| 11189 | 7 x 7/8 | C-PRIME | Gray - Very Fine | T27 | 8,500 | 10 |
| 11190 | 7 x 5/8-11 | C-PRIME | Gray - Very Fine | T27 | 8,500 | 10 |



Surface Conditioning Discs, Roll On



11191



11194

| UPC | Size | Brand | Specification | Type | Max RPM | Carton |
|-----|------|-------|---------------|------|---------|--------|
|-----|------|-------|---------------|------|---------|--------|

Surface Preparation Discs – Aluminum Oxide, Roll On

| | | | | | | |
|-------|----|---------|-----------------|---------|--------|----|
| 11191 | 2" | A-PRIME | Maroon - Medium | Roll On | 25,000 | 25 |
| 11192 | 3" | A-PRIME | Maroon - Medium | Roll On | 20,000 | 10 |

Surface Preparation Discs – Silicon Carbide, Roll On

| | | | | | | |
|-------|----|---------|-------------------|---------|--------|----|
| 11193 | 2" | C-PRIME | Gray - Super Fine | Roll On | 25,000 | 25 |
| 11194 | 3" | C-PRIME | Gray - Super Fine | Roll On | 20,000 | 10 |



Surface Conditioning Discs, with Hole

- Non-woven fibre is impregnated with abrasive grain for fast material removal.
- Use with Back-up Pad on page 3.
- Use on steel, stainless steel, aluminum, titanium, alloys, fiberglass and plastic.



11176

| UPC | Size | Brand | Specification | Max RPM | Carton |
|-----|------|-------|---------------|---------|--------|
|-----|------|-------|---------------|---------|--------|

Surface Conditioning Discs with Hole

| | | | | | |
|-------|-------------|---------|-----------------|--------|----|
| 11176 | 4-1/2 X 7/8 | A-PRIME | Tan -Coarse | 12,000 | 10 |
| 11177 | 4-1/2 X 7/8 | A-PRIME | Maroon-Medium | 12,000 | 10 |
| 11178 | 4-1/2 X 7/8 | A-PRIME | Gray -Very Fine | 12,000 | 10 |
| 11179 | 5 X 7/8 | A-PRIME | Tan-Coarse | 10,000 | 10 |
| 11180 | 5 X 7/8 | A-PRIME | Maroon-Medium | 10,000 | 10 |

Premium Non-Woven Industrial Hand Pads

- **Strong, yet flexible premium pad construction for surface preparation.**
- Maroon pads for rust removal, cleaning and surface preparation.
- Gray pads for fine finishing and surface preparation.
- Green pads for heavy duty cleaning.
- White pads are constructed from a non-abrasive material for light duty cleaning.
- Tan pads for rust removal and coarse finishes
- Black pads for aggressive use; heavy cleaning, deburring and finishing.



| UPC | Size | Grain | Color | Specification | Carton | Master |
|-----|------|-------|-------|---------------|--------|--------|
|-----|------|-------|-------|---------------|--------|--------|

6" x 9" Premium Non-Woven Industrial Hand Pads

| | | | | | | |
|-------|-------|-----------------------|--------|------------|----|-----|
| 11195 | 6 x 9 | Aluminum Oxide | Maroon | Very Fine | 10 | 100 |
| 11196 | 6 x 9 | Silicon Carbide | Gray | Ultra Fine | 10 | 100 |
| 11197 | 6 x 9 | Aluminum Oxide | Green | Very Fine | 10 | 100 |
| 11198 | 6 x 9 | Non Abrasive | White | | 10 | 100 |
| 11199 | 6 x 9 | Aluminum Oxide | Tan | Medium | 10 | 100 |
| 11200 | 6 x 9 | Black Silicon Carbide | Black | Fine | 10 | 100 |





RESIN BONDED ABRASIVES

NEW TECHNOLOGY

Right Angle Grinder Wheels, Cutting – SLITTER INOX-PRIME

- World Class patented German manufacturing process, produces highest quality White Aluminum Oxide wheels on the market.
- Excellent cutting speeds per cut with minimal burr, smoother finish and long life.



ALUMINUM OXIDE  **CF ≤ 0.1%**
Contaminant Free of Iron, Sulfur & Chlorine

| UPC | Size | Brand | Grit/Grade | Grain | Grit | MAX RPM | Type | Retail QTY |
|-------|--------------------|-----------------|------------|----------------------|------|---------|--------|------------|
| 11050 | 4-1/2 x .045 x 7/8 | INOX-PRIME Plus | WA-46-S-BF | White Aluminum Oxide | 46 | 13,300 | Type 1 | 25 |
| 11051 | 6 x .045 x 7/8 | INOX-PRIME Plus | WA-46-S-BF | White Aluminum Oxide | 46 | 10,200 | Type 1 | 25 |

* Samples available for testing

Abrasive Cut-Off Wheels for Die Grinders, Type 1



- Z-PRIME discs offer high percentage of tougher, sharper Zirconia grain for faster cutting and longer life.
- Excellent on steel and stainless steel.



| UPC | Size | Brand | Specification | Type | Max RPM | Retail QTY |
|-----|------|-------|---------------|------|---------|------------|
|-----|------|-------|---------------|------|---------|------------|

Zirconia Aluminum Oxide Cut-Off Wheels for Die Grinder

| | | | | | | |
|-------|----------------|---------|----------|--------|--------|----|
| 11102 | 3 x 1/32 x 3/8 | Z-PRIME | ZA60-R-B | Type 1 | 25,465 | 50 |
| 11103 | 3 x 1/16 x 3/8 | Z-PRIME | ZA36-R-B | Type 1 | 25,465 | 50 |
| 11104 | 4 x 1/32 x 3/8 | Z-PRIME | ZA60-R-B | Type 1 | 19,100 | 50 |
| 11105 | 4 x 1/16 x 3/8 | Z-PRIME | ZA36-R-B | Type 1 | 19,100 | 50 |

Aluminum Oxide Cut-Off Wheels for Die Grinder/Mandrel

| | | | | | | |
|-------|----------------|---------|---------|--------|--------|----|
| 11086 | 2 x 1/32 x 3/8 | A-PRIME | A60-R-B | Type 1 | 30,000 | 50 |
| 11087 | 2 x 1/16 x 3/8 | A-PRIME | A60-R-B | Type 1 | 30,000 | 50 |
| 11088 | 2 x 1/8 x 3/8 | A-PRIME | A24-R-B | Type 1 | 30,000 | 50 |
| 11089 | 3 x 1/32 x 1/4 | A-PRIME | A60-R-B | Type 1 | 25,465 | 50 |
| 11090 | 3 x 1/32 x 3/8 | A-PRIME | A60-R-B | Type 1 | 25,465 | 50 |
| 11091 | 3 x 1/16 x 1/4 | A-PRIME | A36-R-B | Type 1 | 25,465 | 50 |
| 11092 | 3 x 1/16 x 3/8 | A-PRIME | A36-R-B | Type 1 | 25,465 | 50 |
| 11093 | 3 x 1/16 x 3/8 | A-PRIME | A60-R-B | Type 1 | 25,465 | 50 |
| 11094 | 3 x 1/8 x 1/4 | A-PRIME | A24-R-B | Type 1 | 25,465 | 25 |
| 11095 | 3 x 1/8 x 3/8 | A-PRIME | A24-R-B | Type 1 | 25,465 | 25 |
| 11096 | 4 x 1/32 x 1/4 | A-PRIME | A60-R-B | Type 1 | 19,100 | 50 |
| 11097 | 4 x 1/32 x 3/8 | A-PRIME | A60-R-B | Type 1 | 19,100 | 50 |
| 11098 | 4 x 1/16 x 1/4 | A-PRIME | A36-R-B | Type 1 | 19,100 | 50 |
| 11099 | 4 x 1/16 x 3/8 | A-PRIME | A36-R-B | Type 1 | 19,100 | 50 |
| 11100 | 4 x 1/16 x 5/8 | A-PRIME | A36-R-B | Type 1 | 19,100 | 50 |
| 11101 | 4 x 1/8 x 3/8 | A-PRIME | A24-R-B | Type 1 | 19,100 | 25 |



- Aluminum Oxide grain offers great value for metal, steel and general applications.



Resin Cones & Plugs



- **A:** Aluminum Oxide Grain; Used for grinding and finishing metals in hard to reach areas.



11238



11244



11247




11258



Type 16



Type 17



Type 18



Type 18R

| UPC | Size | Brand | SPEC | Type | Max RPM | Carton |
|-------|-------------------------|---------|------|------|---------|--------|
| 11234 | 1-1/2 x 2-1/2 x 3/8-24 | A-PRIME | A16R | T16 | 24,100 | 10 |
| 11235 | 1-1/2 x 2-1/2 x 5/8-11 | A-PRIME | A16R | T16 | 24,100 | 10 |
| 11236 | 1-1/2 x 3 x 3/8-24 | A-PRIME | A16R | T16 | 24,100 | 10 |
| 11237 | 1-1/2 x 3 x 5/8-11 | A-PRIME | A16R | T16 | 24,100 | 10 |
| 11238 | 2 x 3 x 5/8-11 | A-PRIME | A16R | T16 | 18,100 | 10 |
| 11239 | 2 x 3 x 5/8-11 | A-PRIME | A16R | T16 | 18,100 | 10 |
| 11240 | 2-3/4 x 3-1/2 x 5/8-11 | A-PRIME | A16R | T16 | 13,200 | 10 |
| 11241 | 3 x 3 x 5/8-11 | A-PRIME | A16R | T16 | 13,200 | 10 |
| 11242 | 1-1/2 x 2-1/2 x 3/8-24 | A-PRIME | A16R | T17 | 24,100 | 10 |
| 11243 | 1-1/2 x 3 x 3/8-24 | A-PRIME | A16R | T17 | 24,100 | 10 |
| 11244 | 1-1/2 x 3 x 5/8-11 | A-PRIME | A16R | T17 | 24,100 | 10 |
| 11245 | 2 x 3 x 5/8-11 | A-PRIME | A16R | T17 | 18,100 | 10 |
| 11246 | 2-1/2 x 3 x 5/8-11 | A-PRIME | A16R | T17 | 18,100 | 10 |
| 11247 | 1-1/2 x 2-1/2 x 3/8-24 | A-PRIME | A16R | T18 | 24,100 | 10 |
| 11248 | 1-1/2 x 2-1/2 x 5/8-11 | A-PRIME | A16R | T18 | 24,100 | 10 |
| 11249 | 1-1/2 x 3 x 3/8-24 | A-PRIME | A16R | T18 | 24,100 | 10 |
| 11250 | 1-1/2 x 3 x 5/8-11 | A-PRIME | A16R | T18 | 24,100 | 10 |
| 11251 | 2 x 3 x 5/8-11 A24R | A-PRIME | A24R | T18 | 18,100 | 10 |
| 11252 | 2 x 3 x 5/8-11 A16R | A-PRIME | A16R | T18 | 18,100 | 10 |
| 11253 | 2 x 3-1/2 x 5/8-11 A16R | A-PRIME | A16R | T18 | 18,100 | 10 |
| 11254 | 1-1/2 x 2-1/2 x 3/8-24 | A-PRIME | A16R | T18R | 24,100 | 10 |
| 11255 | 1-1/2 x 2-1/2 x 5/8-11 | A-PRIME | A16R | T18R | 24,100 | 10 |
| 11256 | 1-1/2 x 3 x 3/8-24 | A-PRIME | A16R | T18R | 24,100 | 10 |
| 11257 | 1-1/2 x 3 x 5/8-11 | A-PRIME | A16R | T18R | 24,100 | 10 |
| 11258 | 2 x 3 x 5/8-11 A24R | A-PRIME | A24R | T18R | 18,100 | 10 |
| 11259 | 2 x 3 x 5/8-11 A16R | A-PRIME | A16R | T18R | 18,100 | 10 |
| 11260 | 3 x 3 x 5/8-11 A16R | A-PRIME | A16R | T18R | 13,200 | 10 |



Resin Cup Wheels

- **A:** Aluminum Oxide; For tough steel, ferrous metal applications.
- **CA:** Aluminum Oxide/Silicon Carbide Mix; Excellent for castings, cast iron, aluminum.
- **C:** Ideal for grinding and cleaning concrete, masonry and stone.




11273

Steel Back



11270

No Steel Back



Type 11



| UPC | SIZE | Brand | Spec | Backing | Type | Max RPM | Carton |
|-------|----------------------|---------|----------|---------------|------|---------|--------|
| 11261 | 4/3 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | No Steel Back | T11 | 9,070 | 1 pack |
| 11262 | 4/3 x 2 x 5/8-11 | C-PRIME | C16-N-B | No Steel Back | T11 | 9,070 | 1 pack |
| 11263 | 4/3 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | Steel Back | T11 | 9,070 | 1 pack |
| 11264 | 5/4 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | No Steel Back | T11 | 7,260 | 1 pack |
| 11265 | 5/4 x 2 x 5/8-11 | C-PRIME | C16-N-B | No Steel Back | T11 | 7,260 | 1 pack |
| 11267 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | No Steel Back | T11 | 6,048 | 5 pack |
| 11268 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | No Steel Back | T11 | 6,048 | 1 pack |
| 11269 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A24-Q6-B | No Steel Back | T11 | 6,048 | 5 pack |
| 11270 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A24-Q6-B | No Steel Back | T11 | 6,048 | 1 pack |
| 11271 | 6/4-3/4 x 2 x 5/8-11 | C-PRIME | C16-N-B | No Steel Back | T11 | 6,048 | 1 pack |
| 11273 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A16-Q6-B | Steel Back | T11 | 6,048 | 1 pack |
| 11274 | 6/4-3/4 x 2 x 5/8-11 | A-PRIME | A24-Q6-B | Steel Back | T11 | 6,048 | 1 pack |

* 11267 and 11269 are packed 5 to a box. All other items are individually packed.

INDEX

| UPC # | Page # | UPC # | Page # | UPC # | Page # | UPC # | Page # | UPC # | Page # | UPC # | Page # | UPC # | Page # |
|-------------|--------|-------------|--------|-------------|--------|-------------|--------|-------------|--------|-------------|--------|-------------|--------------|
| 11050.....8 | | 11103.....8 | | 11163.....5 | | 11182.....6 | | 11201.....3 | | 11220.....3 | | 11240.....9 | 11259.....9 |
| 11051.....8 | | 11104.....8 | | 11164.....5 | | 11183.....6 | | 11202.....3 | | 11221.....3 | | 11241.....9 | 11260.....9 |
| 11086.....8 | | 11105.....8 | | 11165.....5 | | 11184.....6 | | 11203.....3 | | 11222.....3 | | 11242.....9 | 11261.....10 |
| 11087.....8 | | 11147.....4 | | 11166.....5 | | 11185.....6 | | 11204.....3 | | 11223.....3 | | 11243.....9 | 11262.....10 |
| 11088.....8 | | 11148.....4 | | 11167.....5 | | 11186.....6 | | 11205.....3 | | 11224.....4 | | 11244.....9 | 11263.....10 |
| 11089.....8 | | 11149.....4 | | 11168.....5 | | 11187.....6 | | 11206.....3 | | 11225.....4 | | 11245.....9 | 11264.....10 |
| 11090.....8 | | 11150.....4 | | 11169.....5 | | 11188.....6 | | 11207.....3 | | 11226.....4 | | 11246.....9 | 11265.....10 |
| 11091.....8 | | 11151.....4 | | 11170.....5 | | 11189.....6 | | 11208.....3 | | 11227.....4 | | 11247.....9 | 11267.....10 |
| 11092.....8 | | 11152.....4 | | 11171.....5 | | 11190.....6 | | 11209.....3 | | 11228.....4 | | 11248.....9 | 11268.....10 |
| 11093.....8 | | 11153.....4 | | 11172.....5 | | 11191.....6 | | 11210.....3 | | 11229.....4 | | 11249.....9 | 11269.....10 |
| 11094.....8 | | 11154.....4 | | 11173.....5 | | 11192.....6 | | 11211.....3 | | 11230.....4 | | 11250.....9 | 11270.....10 |
| 11095.....8 | | 11155.....4 | | 11174.....5 | | 11193.....6 | | 11212.....3 | | 11231.....4 | | 11251.....9 | 11271.....10 |
| 11096.....8 | | 11156.....4 | | 11175.....5 | | 11194.....6 | | 11213.....3 | | 11233.....4 | | 11252.....9 | 11273.....10 |
| 11097.....8 | | 11157.....4 | | 11176.....7 | | 11195.....7 | | 11214.....3 | | 11234.....9 | | 11253.....9 | 11274.....10 |
| 11098.....8 | | 11158.....4 | | 11177.....7 | | 11196.....7 | | 11215.....3 | | 11235.....9 | | 11254.....9 | |
| 11099.....8 | | 11159.....4 | | 11178.....7 | | 11197.....7 | | 11216.....3 | | 11236.....9 | | 11255.....9 | |
| 11100.....8 | | 11160.....4 | | 11179.....7 | | 11198.....7 | | 11217.....3 | | 11237.....9 | | 11256.....9 | |
| 11101.....8 | | 11161.....4 | | 11180.....7 | | 11199.....7 | | 11218.....3 | | 11238.....9 | | 11257.....9 | |
| 11102.....8 | | 11162.....5 | | 11181.....6 | | 11200.....7 | | 11219.....3 | | 11239.....9 | | 11258.....9 | |

NOTES



PRODUCT CATALOG SUPPLEMENT

New Products

2019

weldcote abrasives

November
2018



PRODUCT CATALOG

www.weldcotemetals.com

weldcote abrasives

7720 Lehigh Ave, Niles, IL 60714 | phone 224.998.2600 | fax 224.998.2649
Corporate: 842 Oak Grove Rd, Kings Mountain, NC 28086 | phone 704-739-4115 | fax 704.739.6116

www.weldcotemetals.com