



Plumb®

Ball Pein Hammers	1084
Tradesmen's Hammers	1084
Claw Hammers.....	1087
Premium Claw Hammers.....	1088
Hatchets	1090

ARMSTRONG®

Ball Pein Hammers	1092
Claw Hammers	1092
Dead Blow Hammers.....	1094
Brass Hammers	1098
Punch & Chisel Sets	1103
Chisels.....	1111
Punches.....	1114

GEARWRENCH®

Hammers & Sets	1100
Punch & Chisel Sets	1120
Chisels.....	1123
Punches	1123



Plumb® Striking/Struck

The quality of Plumb® tools has been recognized and preferred by tool users throughout the world. The special analysis steel used to make Plumb® tools is forged to close tolerances and heat treated to build in the toughness necessary to withstand impact. Extra care is then taken in hardening and tempering to make each part of the tool ready for the specific job it has to do.

You can be sure Plumb® tools have the toughness, durability and keenness to do the job. Plumb® tools are engineered for balance and exacting care is taken to assure the head is “hung” on the handle at the right angle. This built-in balance gives Plumb® tools extra driving power. They swing easy – hit hard.

HAMMERS & HATCHETS

Weight forward design with better balance for increased power and less fatigue



Checked face on selected models provides increased control when driving nails



Patented anti-vibration technology absorbs shock and minimizes fatigue

Oversized striking area for improved efficiency and accuracy in striking

High-luster, full polish finish

1-piece forged solid steel construction



'Thumb-Saving' magnetic nail starter saves time and reduces chance of injury

Contoured band to prevent forward slip and provide better grip


Co-molded grip with pliable outer material for improved comfort



Plumb offers a full line of hammers and hatchets for a wide range of applications with solid steel, fiberglass or hickory handles

Permabond® Chemical Bonding Process

Permabond® is a chemical weld used in Plumb® tool eyes to join head and handle together. Where conventional wedging splits wood, allowing moisture to swell and shrink the handle and eventually loosen the head, Permabond® chemical bonding process seals moisture out, forming a bond so tight it takes approximately 2 tons of pressure to pull it apart. Permabond® chemical bonding process is used on all nail hammers, except one-piece hammers.



ARMSTRONG® Striking/Struck

Armstrong® offers a wide variety of professional punches, chisels, hammers and accessories for just about any application. All are made to exacting standards with ASME and Federal Spec callouts where applicable. Punches and chisels are manufactured from either tool steel or high alloy steel for strength and durability. Traditional hammers are drop forged from alloy steel while dead blow hammers incorporate a steel shot filled canister. Available individually or in a selection of sets.

CHISELS, PUNCHES & HAMMERS

Full shank heat treat is a two-step process, entire tool length is hardened and tempered, then the struck end is drawn back to resist "mushrooming" & "chipping"


Modified parabolic head directs the striking force to the center of the tool for extended tool life



GEARWRENCH® Striking/Struck

GearWrench® striking and struck tools offer performance features that outperform other brands. Hammers and chisels are designed for long life and with safety in mind. Precision ground surfaces provide better visibility and ease of use.

CHISELS, PUNCHES & HAMMERS



Plumb® Fiberglass Ball Pein Hammers

- Rust-Resistant, Forged Black Head with Polished Poles and Peins
- Professional Quality Fiberglass Handle
- Permabond® Construction Between Head and Handle
- Comfortable Black Cushion Grip
- Meets or Exceeds ASME B173.2 and US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11426	037103114266	-	16 oz	1.0 lb	12.75 in	Polished	1.50 lb	4
11428	037103114280	Carded	24 oz	1.5 lb	15 in	Polished	2.22 lb	4
11429	037103114297	Carded	32 oz	2 lb	15 in	Polished	1.19 lb	4

Plumb® Hickory Ball Pein Hammers

- Ground, Black Head
- Polished Poles and Peins
- Quality, Hickory Handle
- Permabond® Construction Between Head and Handle
- Meets or Exceeds ASME B173.2 and US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11494	037103114945	Bulk	4 oz	0.25 lb	10.5 in	Polished	0.44 lb	6
11496	037103114969	Bulk	8 oz	0.5 lb	11.25 in	Polished	0.75 lb	6
11497	037103114976	Bulk	12 oz	0.75 lb	11.25 in	Polished	0.90 lb	6
11498	037103114983	Bulk	16 oz	1.0 lb	12.75 in	Polished	1.40 lb	6
11499	037103114990	Bulk	20 oz	1.25 lb	12.75 in	Polished	1.60 lb	6
11520	037103115201	Bulk	24 oz	1.5 lb	15 in	Polished	2.10 lb	6
11521	037103115218	Bulk	32 oz	2 lb	15 in	Polished	2.50 lb	6
11522	037103115225	Bulk	40 oz	2.5 lb	15 in	Polished	3.00 lb	6

Plumb® Blacksmith Hand Hammer

- Quality, Steel Forged Head, Hardened and Tempered
- Durable, Flat Black Finish on Head
- Hickory Handle
- Wood Wedged for Easy Handle Replacement
- Weight Distribution Concentrated Behind Striking Face for Added Power
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
11524	037103115249	Bulk	40 oz	2.5 lb	14 in	1.25 in	2.93 lb	6
11525P	037103115256	Bulk	48 oz	3.0 lb	14 in	1.25 in	3.50 lb	6

Plumb® Fiberglass Brick Hammers

- Forged Head
- Polished Face, Chamfer, Bit, Back and Sides
- Fiberglass Handle with Comfortable Cushion Grip
- Permabond® Construction Between Head and Handle
- 1 1/8"- Wide Bit on 24oz.
- 1 1/16"- Wide Bit on 15oz.



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11422	037103114228	Carded	15 oz	1 lb	12.25 in	Polished	1.70 lb	4
11421	037103114211	Carded	24 oz	1.5 lb	13 in	Polished	2.15 lb	4

Plumb® Hickory Handled Brick Hammers

- Forged Head
- Durable, Black Epoxy Powder Paint on Head
- Sharp Cutting Bit
- Strong Hickory Handle
- Permabond® Construction Between Head and Handle
- 1 1/8"- Wide Bit on 24oz.
- 1 1/16"- Wide Bit on 15oz.



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11492	037103114921	Bulk	15 oz	1 lb	11 in	Polished	1.46 lb	6
11491P	037103114914	Bulk	24 oz	1.5 lb	11 in	Polished	1.95 lb	6

Plumb® Fiberglass Wide Bit Brick Hammers

- Forged Head
- Durable, Black Epoxy Powder Paint on Head
- Sharp, Wide Cutting Bit
- Fiberglass Handle with Comfortable Cushion Grip
- Permabond® Construction Between Head and Handle
- 1 3/4"- Wide Bit



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11502	037103115027	Carded	20 oz	1.25 lb	13 in	Polished	1.90 lb	4

Plumb® Solid Steel Brick Hammers

- Patent Pending Anti-Vibration Shock Absorbing Technology
- Anti-Vibration Feature Absorbs Shock and Minimizes Muscle Fatigue
- 1-Piece Forged Solid Steel Construction
- Co-Molded Contoured Handle for Increased Comfort and Control
- High-Luster, Full Polish Finish



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
SS20BHN	037103228277	Carded	20 oz	1.25 lb	11 in	Polished	1.84 lb	4
SS24BHN	037103228284	Carded	24 oz	1.5 lb	11 in	Polished	1.96 lb	4

Plumb® Hickory Handled Scaling Hammers

- Forged Head
- Durable, Black Epoxy Powder Paint Finish on Head
- Red Hickory Handle
- Permabond® Construction Between Head and Handle
- Used By Welders



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11530	037103115300	Bulk	16 oz	1 lb	13 in	Black	1.60 lb	6

Plumb® Fiberglass Handled Prospecting Hammers

- Forged Head
- Polished Face, Chamfer, and Back
- Fiberglass Handle with Comfortable Cushion Grip
- Permabond® Construction Between Head and Handle
- Known As the "Rock Hound" Hammer



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11423	037103114235	Carded	16 oz	1 lb	12.5 in	Polished	1.70 lb	4

Plumb® Hickory Handled Prospecting Hammers

- Forged Head
- Durable, Black Epoxy Powder Paint Finish on Head
- Polished Face and Chamfer
- Strong Hickory Handle
- Permabond® Construction Between Head and Handle
- Used Primarily By Prospectors and Geologists



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11493	037103114938	Bulk	16 oz	1 lb	12.5 in	Polished	1.45 lb	6

Plumb® Premium Curved Claw

- High-Luster, Full-Polished Finish
- Virtually Unbreakable Fiberglass Handle
- Solid Fiberglass Core Covered with A Molded Nylon Jacket
- Resists Breakage Due to Overstrike
- Contoured Handle for Increased Comfort and Reduced Fatigue
- Enlarged Handle Base for Butting Material
- New Grip Material Reduces Handle Slickness
- Factory Balanced for Maximum Striking Power
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11403N	037103226907	Carded	13 oz	12.5 in	Polished	1.25 lb	4
11402N	037103226891	Carded	16 oz	13 in	Polished	1.65 lb	4
11400N	037103226884	Carded	20 oz	13 in	Polished	1.85 lb	4

Plumb® Premium Ripping Claw

- High-Luster, Full-Polished Finish
- Virtually Unbreakable Fiberglass Handle
- Contoured Handle for Increased Comfort and Reduced Fatigue
- Enlarged Handle Base for Butting Material
- New Grip Material Reduces Handle Slickness
- Factory Balanced for Maximum Striking Power
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11415N	037103226921	Carded	16 oz	13 in	Polished	1.65 lb	4
11420N	037103226952	Carded	20 oz	13 in	Polished	1.80 lb	4
11414N	037103226914	Carded	22 oz	13.5 in	Polished	2.08 lb	4
11416N	037103226938	Carded	22 oz	15 in	Polished	1.90 lb	4
11417N	037103226945	Carded	22 oz	15 in	Checkered	2.10 lb	4

Plumb® Regular Curved Claw

- Polished Finish on Head, Bell, Striking Face, Back and Sides
- Round Bell and Octagon Neck
- Virtually Unbreakable Fiberglass Handle
- Solid Fiberglass Core Covered with A Molded Nylon Jacket
- Resists Breakage Due to Overstrike
- Contoured Handle for Increased Comfort and Reduced Fatigue
- Enlarged Handle Base for Butting Material
- New Grip Material Reduces Handle Slickness
- Factory Balanced for Maximum Striking Power



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11407	037103114075	Carded	13 oz	12.5 in	Polished	1.40 lb	4
11406	037103114068	Carded	16 oz	13 in	Polished	1.66 lb	4
11405	037103114051	Carded	20 oz	13 in	Polished	1.90 lb	4

Plumb® Regular Ripping Claw

- Polished Finish on Head, Bell, Striking Face, Back and Sides
- Round Bell and Octagon Neck
- Virtually Unbreakable Fiberglass Handle
- New Grip Material Reduces Handle Slickness
- Factory Balanced for Maximum Striking Power
- PermaBond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11418	037103114181	Carded	20 oz	13 in	Polished	1.60 lb	1
11419	037103114198	Carded	16 oz	13 in	Polished	1.63 lb	4

Plumb® Solid Steel Anti-Shock Premium Curved Claw

- Patent Pending Anti-Vibration Shock Absorbing Technology
- Anti-Vibration Feature Absorbs Shock and Minimizes Muscle Fatigue
- 1-Piece Forged Solid Steel Construction
- Co-Molded Hatchet Style Handle for Increased Comfort and Control
- High-Luster, Full Polished Finish
- Magnetic Nail Starter



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
SS16CN	037103226648	Carded	16 oz	12.875 in	Polished	1.86 lb	4
SS20CN	037103226662	Carded	20 oz	13.75 in	Polished	1.80 lb	4

Plumb® Solid Steel Anti-Shock Premium Ripping Claw

- Patent Pending Anti-Vibration Shock Absorbing Technology
- Anti-Vibration Feature Absorbs Shock and Minimizes Muscle Fatigue
- 1-Piece Forged Solid Steel Construction
- Co-Molded Hatchet Style Handle for Increased Comfort and Control
- High-Luster, Full Polished Finish
- Magnetic Nail Starter



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
SS16RN	037103226655	Carded	16 oz	12.875 in	Polished	1.65 lb	4
SS20RN	037103226679	Carded	20 oz	13.75 in	Polished	1.88 lb	4
SS22RCFN	037103226709	Carded	22 oz	15.875 in	Checkered	2.09 lb	4
SS22RN	037103226723	Carded	22 oz	15.875 in	Polished	2.09 lb	4
SS28RCFN	037103226716	Carded	28 oz	16 in	Checkered	2.30 lb	4
SS28RN	037103226693	Carded	28 oz	16 in	Polished	2.30 lb	4

Plumb® Autograf Hammers - Premium Curved Claw

- High-Luster, Full-Polished
- Quality, Red Hickory Handle
- Permabond® Construction Between Head and Handle
- Factory Balanced



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11438	037103114389	Bulk	13 oz	12.5 in	Polished	1.18 lb	6
11436	037103114365	Bulk	16 oz	13 in	Polished	1.45 lb	6
11435	037103114358	Bulk	20 oz	13 in	Polished	1.68 lb	6

Plumb® Autograf Hammers - Premium Ripping Claw

- High-Luster, Full-Polished Head, Pole, Back and Sides
- Quality, Red Hickory Handle
- Permabond® Construction Between Head and Handle
- Factory Balanced



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
11440	037103114402	Bulk	16 oz	13 in	Polished	1.46 lb	6
11439	037103114396	Bulk	22 oz	13.5 in	Polished	1.80 lb	6
11442	037103114426	Bulk	22 oz	16 in	Checkered	2.00 lb	4

Plumb® Hand Drilling Hammer

- Black Forged Head
- Hickory Handle
- Wood Wedged for Easy Handle Replacement
- Recommended for Striking Cold Chisels and Brick Chisels
- Also for Punches, and Star Drills
- Known As the "Stone Cutter's" Hammer
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
11649	037103116499	Bulk	48 oz	3.0 lb	10.75 in	1.25 in	3.46 lb	6

Plumb® Double Faced Engineer's Hammers

- Forged From High-Quality Steel, Hardened and Tempered
- Durable, Flat Black Finish on Head
- Two Precision Machined Driving Faces
- Hickory Handle
- Wood Wedged for Easy Handle Replacement
- Meets or Exceeds ASME B173.3



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Product Weight	Shelf Pack Qty.
11527	037103115270	Bulk	40 oz	2.5 lb	14 in	2.86 lb	6
11528	037103115287	Bulk	48 oz	3 lb	14 in	3.45 lb	6
11529NN	037103227164	Bulk	64 oz	4 lb	15.75 in	4.80 lb	6

Plumb® Half Hatchets (Octagon Pole) Hickory Handle

- Durable, Black Epoxy Finish on Head
- Octagon-Shaped Pole
- Hardened, Tempered Bit Holds Sharp Cutting Edge
- Hickory Handle
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Bit Size	Length	Product Weight	Shelf Pack Qty.
11549	037103115492	Bulk	30 oz	3-5/8 in	13.5 in	2.20 lb	4

Plumb® Broad Hatchet

- Black Epoxy Finish on Head
- Heavy Hatchet Has Broad, Single-Bevel, Cutting Edge
- Hickory Handle
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Bit Size	Length	Product Weight	Shelf Pack Qty.
11554	037103115546	Bulk	36 oz	4-1/2 in	15.5 in	3.23 lb	4

Plumb® Expert California Lathe Hatchet

- Full Polished Head
- Checkered Striking Face
- Thin Blade
- Hickory Handle
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Bit Size	Length	Product Weight	Shelf Pack Qty.
11544P	037103115447	Bulk	20 oz	2-1/8 in	12.5 in	1.80 lb	4

Plumb® Register Hatchet

- Full Polished Head
- Checkered Face
- Sharp Cutting Edge
- Hickory Handle
- Permabond® Construction Between Head and Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Bit Size	Length	Product Weight	Shelf Pack Qty.
11559P	037103115591	Bulk	28 oz	3-1/2 in	18 in	2.45 lb	4

Plumb® Expert Shingling Hatchet


- Full-Polished Head
- Adjustable Gauge
- Checkered Face
- Draw Knife Inner Blade
- Hickory Handle with Leather Strap
- Permabond® Construction Between Head and Handle
- Designed for the Expert Shingler



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Bit Size	Length	Product Weight	Shelf Pack Qty.
11558	037103115584	Bulk	24 oz	2-1/8 in	13 in	2.20 lb	4

ARMSTRONG® Ball Pein Hammers, Fiberglass Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Cheeks, and Pein
- Hollow Core Fiberglass Handle Provides Better Balance, Absorbs Shock Better Than Solid Fiberglass
- Permanent Bond Between Head and Handle
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
69-404	781412694048	Bulk	8 oz	0.50 lb	12.500 in	Polished	1.04 lb	1
69-406	781412694062	Bulk	12 oz	0.75 lb	13.000 in	Polished	1.22 lb	1
69-408	781412694086	Bulk	16 oz	1.00 lb	13.000 in	Polished	1.57 lb	1
69-410	781412694109	Bulk	24 oz	1.50 lb	14.500 in	Polished	2.07 lb	1
69-412	781412694123	Bulk	32 oz	2.00 lb	14.750 in	Polished	2.66 lb	1

ARMSTRONG® Ball Pein Hammers, Hickory Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Cheeks, and Pein
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head
- Hickory Handle Has A Contoured Shape
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
69-440	781412694406	Bulk	2 oz	0.12 lb	10.250 in	Polished	0.32 lb	1
69-442	781412694420	Bulk	4 oz	0.25 lb	10.250 in	Polished	0.48 lb	1
69-444	781412694444	Bulk	8 oz	0.50 lb	12.000 in	Polished	0.82 lb	1
69-446	781412694468	Bulk	12 oz	0.75 lb	12.750 in	Polished	1.18 lb	1
69-448	781412694482	Bulk	16 oz	1.00 lb	13.750 in	Polished	1.42 lb	1
69-450	781412694505	Bulk	24 oz	1.50 lb	15.250 in	Polished	2.02 lb	1
69-452	781412694529	Bulk	32 oz	2.00 lb	15.750 in	Polished	2.62 lb	1
69-454	781412694543	Bulk	40 oz	2.50 lb	16.000 in	Polished	2.99 lb	1

ARMSTRONG® Claw Hammers, Fiberglass Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Cheeks, and Claw
- Hollow Core Fiberglass Handle Provides Better Balance, Absorbs Shock Better Than Solid Fiberglass
- Permanent Bond Between Head and Handle
- Comfortable Black Cushion Grip



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
69-350	781412693508	Bulk	20 oz	14.000 in	Polished	1.89 lb	1

ARMSTRONG® Curved Claw Hammer, Hickory Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Cheeks, and Claw
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
69-308	781412693089	Bulk	16 oz	13.000 in	Polished	1.37 lb	1

ARMSTRONG® Hand Drilling Hammer, Hickory Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face and Bevels
- Large Face for Striking Punches, Cold Chisels, Star Drills, Brick Chisels, Etc.
- Striking Face Has Substantial Bevels to Reduce the Chance of Chipping
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
69-605	781412696059	Bulk	48 oz	3 lb	10.5 in	1.250 in	3.40 lb	1

ARMSTRONG® Cross Pein Hammers, Hickory Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Bevels, and Pein
- Large Face for Striking Unhardened Metals. Cross Pein for Shaping Soft Metals.
- Striking Face and Ends of Pein Have Substantial Bevels to Reduce the Chance of Chipping
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head
- Meets or Exceeds US Federal Spec. GGG-H-86C



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
69-621	781412696219	Bulk	32 oz	2.0 lb	14 in	1.250 in	2.20 lb	1
69-623	781412696233	Bulk	40 oz	2.5 lb	15 in	1.344 in	2.74 lb	1
69-625	781412696257	Bulk	48 oz	3 lb	16 in	1.438 in	3.55 lb	1

ARMSTRONG® Double Face Sledge Hammers, Hickory Handle

- Made in the USA - Quality and Availability
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face and Bevels
- Large Face Commonly Used with Slugging / Striking Wrenches, Stone, Concrete, and Metal
- Striking Face Has Substantial Bevels to Reduce the Chance of Chipping
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged into the Hammer Head
- Meets or Exceeds ASME B173.3



Cat. No.	UPC No.	Packaging	Face Diameter	Handle Length	Weight	Product Weight	Shelf Pack Qty.
69-643	781412696431	Bulk	1.375 in	15.500	2-1/2 lb	2.88 lb	1
69-645	781412696455	Bulk	1.500 in	16.000	3 lb	3.48 lb	1
69-647	781412696479	Bulk	1.750 in	16.000	4 lb	4.50 lb	1
69-649	781412696493	Bulk	2.125 in	36.000	6 lb	9.28 lb	1
69-651	781412696516	Bulk	2.250 in	36.000	8 lb	9.00 lb	1
69-653	781412696530	Bulk	2.500 in	36.000	10 lb	11.00 lb	1
69-655	781412696554	Bulk	2.625 in	36.000	12 lb	13.00 lb	1

ARMSTRONG® Dead Blow Ball Pein Hammers

- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates a Dead Blow Effect; Sustains Impact, Maximizes Force, Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Hot Cast Urethane Covers Steel Shot Chamber and Steel Reinforced Handle
- Steel Face and Pein Allow for Conventional Use in Striking Punches and Chisels as well as Shaping and Straightening Unhardened Metals
- Steel Reinforced Handle Provides Added Strength and Safety By Resisting Breaking on Overstrike
- Textured Handle with a Flanged Butt End for a Sure Non-Slip Grip
- Safety Red Urethane for High Visibility



Cat. No.	UPC No.	Packaging	Length	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
68-516	781412685169	Bulk	12.750 in	4.188 in	1.000 in	Polished	1.00 lb	1
68-524	781412685244	Bulk	13.000 in	4.500 in	1.250 in	Polished	1.50 lb	1
68-532	781412685329	Bulk	13.625 in	4.812 in	1.375 in	Polished	2.90 lb	1
68-540	781412685404	Bulk	16.500 in	4.812 in	1.375 in	Polished	2.50 lb	1

ARMSTRONG® Standard Head One-Piece Dead Blow Hammers

- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates A Dead Blow Effect; Sustains Impact, Maximizes Force , Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Non-Sparking Hot Cast Urethane Covers Steel Shot Chamber and Steel Reinforced Handle; No Exposed Metal
- Hot Cast Urethane Face Will Not Mar Surfaces or Absorb Liquids. Resists Chipping and Splitting While Reducing Noise When Striking Metal Objects
- Steel Reinforced Handle Provides Added Strength and Safety By Resisting Breaking on Overstrike
- Textured Handle with a Flanged Butt End for a Sure Non-Slip Grip
- Safety Red Urethane for High Visibility
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
69-530	781412695304	Bulk	10.125 in	3.125 in	1.250 in	Urethane	0.10 lb	1
69-531	781412695311	Bulk	11.250 in	3.750 in	1.750 in	Urethane	1.75 lb	1
69-532	781412695328	Bulk	12.750 in	4.125 in	2.000 in	Urethane	1.68 lb	1
69-533	781412695335	Bulk	14.375 in	4.625 in	2.250 in	Urethane	2.62 lb	1
69-534	781412695342	Bulk	15.250 in	5.375 in	2.750 in	Urethane	3.40 lb	1

ARMSTRONG® Slimline One-Piece Dead Blow Hammers

- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates A Dead Blow Effect; Sustains Impact, Maximizes Force , Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Non-Sparking Hot Cast Urethane Covers Steel Shot Chamber and Steel Reinforced Handle; No Exposed Metal
- Unique Slim Profile Hot Cast Urethane Face Will Not Mar Surfaces or Absorb Liquids. Resists Chipping and Splitting While Reducing Noise When Striking Metal Objects
- Steel Reinforced Handle Provides Added Strength and Safety By Resisting Breaking on Overstrike
- Textured Handle with a Flanged Butt End for a Sure Non-Slip Grip
- Safety Red Urethane for High Visibility
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
69-540	781412695403	Bulk	9.375 in	2.875 in	0.875 in	Urethane	0.52 lb	1
69-541	781412695410	Bulk	10.625 in	4.187 in	1.250 in	Urethane	0.00 lb	1
69-542	781412695427	Bulk	12.125 in	4.250 in	1.500 in	Urethane	1.75 lb	1
69-543	781412695434	Bulk	12.125 in	5.187 in	1.750 in	Urethane	1.30 lb	1

ARMSTRONG® Deep Throat One-Piece Dead Blow Hammers

- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates A Dead Blow Effect; Sustains Impact, Maximizes Force , Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Non-Sparking Hot Cast Urethane Covers Steel Shot Chamber and Steel Reinforced Handle; No Exposed Metal
- Unique Super Slim, Super Deep Profile Hot Cast Urethane Face is Designed for Used in Cylinder / Pistons and Will Not Mar Surfaces or Absorb Liquids. Resists Chipping and Splitting While Reducing Noise When Striking Metal Objects
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
69-547	781412695472	Bulk	12.875 in	8.500 in	1.750 in	Urethane	3.30 lb	1

ARMSTRONG® Sledge Head One-Piece Dead Blow Hammers

- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates A Dead Blow Effect; Sustains Impact, Maximizes Force , Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Non-Sparking Hot Cast Urethane Covers Steel Shot Chamber and Steel Reinforced Handle; No Exposed Metal
- Hot Cast Urethane Sledge Head Face Will Not Mar Surfaces or Absorb Liquids. Resists Chipping and Splitting While Reducing Noise When Striking Metal Objects Such As Slugging / Striking Wrenches
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
69-550	781412695502	Bulk	20.000 in	7.000 in	2.750 in	Urethane	5.47 lb	1
69-551	781412695519	Bulk	30.000 in	7.000 in	2.750 in	Urethane	9.99 lb	1
69-552	781412695526	Bulk	30.000 in	8.000 in	3.250 in	Urethane	10.86 lb	1
69-554	781412695540	Bulk	36.000 in	8.000 in	3.250 in	Urethane	11.50 lb	1

ARMSTRONG® Powerdrive Dead Blow Hammers, Fiberglass Handle


- Made in the USA - Quality and Availability
- Steel Shot Filled Canister Creates a Dead Blow Effect; Sustains Impact, Maximizes Force , Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Non-Sparking Thermoplastic Head Material Covers Steel Shot Chamber and Will Not Mar Surfaces
- Fiberglass Handle Provides Balance and is Permanently Bonded to the Head
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
69-501	781412695014	Bulk	18.630 in	1.875 in	Urethane	1.40 lb	1
69-503	781412695038	Bulk	18.630 in	2.125 in	Urethane	1.90 lb	1
69-505	781412695052	Bulk	18.630 in	2.375 in	Urethane	2.48 lb	1
69-507	781412695076	Bulk	18.630 in	2.625 in	Urethane	3.31 lb	1

ARMSTRONG® Rubber Mallet, Fiberglass Handle

- Made in the USA - Quality and Availability
- Solid, Non-Sparking, Non-Marring Rubber Head
- Fiberglass Handle Provides Balance and is Permanently Bonded to the Head
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Head Length	Product Weight	Shelf Pack Qty.
69-490	781412694901	Bulk	1.630 in	3.875 in	1.72 lb	1

ARMSTRONG® Brass Hammers, Fiberglass Handle

- Made in the USA - Quality and Availability
- Soft Brass Head is Non-Sparking, Surface Protective to Prevent Work Surface Damage
- Ideal for Driving Bushings and Gears As Well As Near Combustible Materials
- Striking Face is Machined Flat for Even Blow Distribution
- Fiberglass Handle Provides Balance and is Permanently Bonded to the Head
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Length	Face Diameter	Handle Length	Product Weight	Shelf Pack Qty.
69-513	781412695137	Bulk	16.000 in	1.063 in	12.000 in	2.09 lb	1
69-515	781412695151	Bulk	16.000 in	1.500 in	12.000 in	2.84 lb	1
69-517	781412695175	Bulk	16.000 in	1.875 in	12.000 in	3.84 lb	1

ARMSTRONG® Brass Hammers, Hickory Handle

- Made in the USA - Quality and Availability
- Soft Brass Head is Non-Sparking, Surface Protective to Prevent Work Surface Damage
- Ideal for Driving Bushings and Gears As Well As Near Combustible Materials
- Striking Face is Machined Flat for Even Blow Distribution
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head



Cat. No.	UPC No.	Packaging	Length	Face Diameter	Handle Length	Product Weight	Shelf Pack Qty.
81-110	781412811100	Bulk	10.500 in	1.000 in	10.500 in	0.66 lb	1
81-111	781412811117	Bulk	10.500 in	1.250 in	10.500 in	1.17 lb	1
81-112	781412811124	Bulk	13.000 in	1.500 in	13.000 in	2.42 lb	1

ARMSTRONG® Copper Hammers, Hickory Handle

- Made in the USA - Quality and Availability
- Soft Copper Head is Non-Sparking, Surface Protective to Prevent Work Surface Damage
- Ideal for Driving Bushings and Gears As Well As Near Combustible Materials
- Striking Face is Machined Flat for Even Blow Distribution
- Hickory Handle is Flame Treated, Clear Lacquered, and Securely Wedged Into the Hammer Head



Cat. No.	UPC No.	Packaging	Length	Face Diameter	Handle Length	Product Weight	Shelf Pack Qty.
69-480	781412694802	Bulk	13.438 in	1.250 in	11.250 in	0.00 lb	1
69-485	781412694857	Bulk	13.500 in	1.630 in	11.250 in	2.37 lb	1

ARMSTRONG® Soft Face Hammers, Fiberglass Handle

- Made in the USA - Quality and Availability
- Hammer Heads Are Designed to Accept A Variety of Threaded Soft Face Tips to Customize to Various Applications
- Fiberglass Handle Provides Balance and is Permanently Bonded to the Head
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Head Length	Thread Size	Handle Length	Product Weight	Shelf Pack Qty.
69-001	781412690019	Bulk	2 in	1/4-20	11.375 in	0.37 lb	1
69-003	781412690033	Bulk	2.000 in	1/4-20	11.375 in	0.50 lb	1
69-009	781412690095	Bulk	2.375 in	5/16-18	13.000 in	0.47 lb	1
69-011	781412690118	Bulk	4.500 in	5/16-18	13.000 in	0.00 lb	1
69-013	781412690132	Bulk	2.375 in	5/16-18	13.000 in	1.06 lb	1
69-017	781412690170	Bulk	2.500 in	3/8-16	13.000 in	1.10 lb	1
69-019	781412690194	Bulk	2.500 in	3/8-16	13.000 in	1.75 lb	1
69-025	781412690255	Bulk	3.250 in	7/16-14	15.000 in	1.76 lb	1
69-027	781412690279	Bulk	3.250 in	7/16-14	13.000 in	3.38 lb	1
69-031	781412690316	Bulk	3.750 in	1/2-13	14.000 in	2.50 lb	1
69-033	781412690330	Bulk	3.750 in	1/2-13	14.000 in	4.85 lb	1

ARMSTRONG® Dead Blow Soft Face Hammers, Fiberglass Handle

- Made in the USA - Quality and Availability
- Hammer Heads Are Designed to Accept A Variety of Threaded Soft Face Tips to Customize to Various Applications
- Steel Shot Filled Canister Creates A Dead Blow Effect; Sustains Impact, Maximizes Force, Reduces / Eliminates Rebound, and Absorbs the Shock of Impact
- Fiberglass Handle Provides Balance and is Permanently Bonded to the Head
- Comfortable Black Cushion Grip
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Head Length	Thread Size	Handle Length	Product Weight	Shelf Pack Qty.
69-065	781412690651	Bulk	6.250 in	5/16"-18	6.250 in	1.30 lb	1
69-069	781412690699	Bulk	8.625 in	3/8"-16	8.625 in	1.87 lb	1

ARMSTRONG® Soft Face Hammer Tips

- Made in the USA - Quality and Availability
- Soft Face Tips Are Color Coded to Indicate Degree of Hardness
- Tips Thread Directly Into Hammer Head and Seat in Head Through A Friction Fit
- Tips Will Not Mar Surfaces or Absorb Liquids
- Resists Chipping and Splitting While Reducing Noise When Striking Metal Objects
- Meets or Exceeds US Federal Spec. GGG-H-33A



Cat. No.	UPC No.	Packaging	Diameter	Thread Size	Hardness	Color	Hardness Conversion	Product Weight	Shelf Pack Qty.
69-141	781412691412	Bagged	1.00 in	1/4-20	Super Soft	Gray	Soft Rubber	0.05 lb	1
69-142	781412691429	Bagged	1.00 in	1/4-20	Soft	Brown	Soft Rubber, Soft Lead, Wood	0.05 lb	1
69-143	781412691436	Bagged	1.00 in	1/4-20	Medium	Red	Wood, Rubber, Rawhide, Brass	0.05 lb	1
69-145	781412691450	Bagged	1.00 in	1/4-20	Tough	Green	Rawhide, Hardwood, Plactic, Lead	0.04 lb	1
69-146	781412691467	Bagged	1.00 in	1/4-20	Med. Hard	Cream	Rawhide, Hardwood, Lead	0.04 lb	1
69-148	781412691481	Bagged	1.00 in	1/4-20	Hard	Black	Rawhide, Plastic, Micarta, Fiber	0.04 lb	1
69-149	781412691498	Bagged	1.00 in	1/4-20	Extra Hard	Yellow	Rawhide, Micarta, Fiber, Copper	0.04 lb	1
69-151	781412691511	Bagged	1.50 in	5/16-18	Super Soft	Gray	Soft Rubber	0.09 lb	1
69-152	781412691528	Bagged	1.50 in	5/16-18	Soft	Brown	Soft Rubber, Soft Lead, Wood	0.09 lb	1
69-153	781412691535	Bagged	1.50 in	5/16-18	Medium	Red	Wood, Rubber, Rawhide, Brass	0.20 lb	1
69-155	781412691559	Bagged	1.50 in	5/16-18	Tough	Green	Rawhide, Hardwood, Plactic, Lead	0.10 lb	1
69-156	781412691566	Bagged	1.50 in	5/16-18	Med. Hard	Cream	Rawhide, Hardwood, Lead	0.09 lb	1
69-158	781412691580	Bagged	1.50 in	5/16-18	Hard	Black	Rawhide, Plastic, Micarta, Fiber	0.09 lb	1
69-159	781412691597	Bagged	1.50 in	5/16-18	Extra Hard	Yellow	Rawhide, Micarta, Fiber, Copper	1.48 lb	1
69-161	781412691610	Bagged	2.00 in	3/8-16	Super Soft	Gray	Soft Rubber	0.20 lb	1
69-162	781412691627	Bagged	2.00 in	3/8-16	Soft	Brown	Soft Rubber, Soft Lead, Wood	0.20 lb	1
69-163	781412691634	Bagged	2.00 in	3/8-16	Medium	Red	Wood, Rubber, Rawhide, Brass	0.21 lb	1
69-165	781412691658	Bagged	2.00 in	3/8-16	Tough	Green	Rawhide, Hardwood, Plactic, Lead	0.22 lb	1
69-166	781412691665	Bagged	2.00 in	3/8-16	Med. Hard	Cream	Rawhide, Hardwood, Lead	0.10 lb	1
69-168	781412691689	Bagged	2.00 in	3/8-16	Hard	Black	Rawhide, Plastic, Micarta, Fiber	0.21 lb	1
69-169	781412691696	Bagged	2.00 in	3/8-16	Extra Hard	Yellow	Rawhide, Micarta, Fiber, Copper	0.21 lb	1
69-171	781412691719	Bagged	2.50 in	7/16-14	Super Soft	Gray	Soft Rubber	0.34 lb	1
69-172	781412691726	Bagged	2.50 in	7/16-14	Soft	Brown	Soft Rubber, Soft Lead, Wood	0.34 lb	1
69-173	781412691733	Bagged	2.50 in	7/16-14	Medium	Red	Wood, Rubber, Rawhide, Brass	0.34 lb	1
69-175	781412691757	Bagged	2.50 in	7/16-14	Tough	Green	Rawhide, Hardwood, Plactic, Lead	0.39 lb	1
69-176	781412691764	Bagged	2.50 in	7/16-14	Med. Hard	Cream	Rawhide, Hardwood, Lead	0.34 lb	1
69-178	781412691788	Bagged	2.50 in	7/16-14	Hard	Black	Rawhide, Plastic, Micarta, Fiber	0.34 lb	1
69-179	781412691795	Bagged	2.50 in	7/16-14	Extra Hard	Yellow	Rawhide, Micarta, Fiber, Copper	0.34 lb	1
69-181	781412691818	Bagged	3.00 in	1/2-13	Super Soft	Gray	Soft Rubber	0.59 lb	1
69-182	781412691825	Bagged	3.00 in	1/2-13	Soft	Brown	Soft Rubber, Soft Lead, Wood	0.59 lb	1
69-183	781412691832	Bagged	3.00 in	1/2-13	Medium	Red	Wood, Rubber, Rawhide, Brass	0.59 lb	1
69-185	781412691856	Bagged	3.00 in	1/2-13	Tough	Green	Rawhide, Hardwood, Plactic, Lead	0.59 lb	1
69-186	781412691863	Bagged	3.00 in	1/2-13	Med. Hard	Cream	Rawhide, Hardwood, Lead	0.59 lb	1
69-188	781412691887	Bagged	3.00 in	1/2-13	Hard	Black	Rawhide, Plastic, Micarta, Fiber	0.59 lb	1
69-189	781412691894	Bagged	3.00 in	1/2-13	Extra Hard	Yellow	Rawhide, Micarta, Fiber, Copper	0.59 lb	1

GEARWRENCH® Hammer Set

- Popular starter set of Hammers and mallets
- Soft face, Rubber Mallet, Drilling Hammer and Ball Pein
- Precision Hardened Striking Face
- Durable Storage Tray
- Fiberglass Handle
- Molded Comfort Grip Handle
- 5-Piece Hammer Set



Cat. No.	UPC No.	Product Weight	Shelf Pack Qty.
82303	099575823039	11.53 lb	1

Cat. No.	Description	Cat. No.	Description
82251	16 oz Ball Pein Hammer - Fiberglass	82259	16 oz Rubber Mallet - Wood Hickory Handle
82255	3 lb Drilling Hammer	82260	12 oz Soft face Hammer, Removable Caps
82256	16 oz Dead Blow Hammer - Composite Handle		

GEARWRENCH® Ball Pein Hammers

- Comfortable Black Cushion Grip
- Dropped Forged Head From Alloy Steel Finished in Black with Polished Face, Cheeks, and Pein
- Meets or Exceeds ASME B107.400-2008



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Finish	Product Weight	Shelf Pack Qty.
82250	099575822506	Bulk	8.0 oz	0.5 lb	11.8 in	Polished	0.80 lb	1
82251	099575822513	Bulk	16.0 oz	1.0 lb	13.7 in	Polished	1.50 lb	1
82252	099575822520	Bulk	24.0 oz	1.5 lb	15.59 in	Polished	2.19 lb	1
82253	099575822537	Bulk	32.0 oz	1.9 lb	15.74 in	Polished	2.62 lb	1

GEARWRENCH® Curved Claw Hammer - Fiberglass

- For Driving Nails
- All Types of General Construction
- Not for Punches and Chisels



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Length	Face Finish	Product Weight	Shelf Pack Qty.
82254	099575822544	Bulk	16 oz	12.87 in	Polished	12.75 lb	1

GEARWRENCH® Drilling Hammer

■ Heavy Duty Uses with Punches, Chisels, and Star Drills



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
82255	099575822551	Bulk	48 oz	3 lb	10.51 in	1.38 in	3.52 lb	1

GEARWRENCH® Engineer's Hammer

- Forged Steel Alloy Head
- Fully Polished Face
- Precision Hardened Striking Face
- Fiberglass Handle
- Comfort Grip Handle
- Meets or Exceeds ASME B107.54



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Weight (Pounds)	Length	Face Diameter	Product Weight	Shelf Pack Qty.
82289	099575822896	Bulk	48 oz	3 lb	10.31 in	1.09 in	3.73 lb	1

GEARWRENCH® Dead Blow Hammers

- Composite Handle
- Assembly, Maintenance, Production Applications



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Length	Face Diameter	Face Finish	Product Weight	Shelf Pack Qty.
82256	099575822568	Bulk	16 oz	3.5 in	1.6 in	Composite	1.13 lb	1
82257	099575822575	Bulk	32 oz	4.3 in	2.0 in	Composite	2.12 lb	1
82258	099575822582	Bulk	48 oz	5.0 in	2.4 in	Composite	3.05 lb	1

GEARWRENCH® Rubber Mallet - Wood Hickory Handle

- Solid Hickory Handle



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Product Weight	Shelf Pack Qty.
82259	099575822599	Bulk	16 oz	1.22 lb	1

GEARWRENCH® Soft Face Hammer

- Light Assembly Applications
- Comfortable Black Cushion Grip



Cat. No.	UPC No.	Packaging	Head Weight (Ounces)	Head Length	Thread Size	Handle Length	Product Weight	Shelf Pack Qty.
82260	099575822605	Bulk	12 oz	4 in	5/16-18	11 in	1.11 lb	1

GEARWRENCH® Body Tool Set

- General Body Tool and Dolly Set
- Hickory Handles
- Fine Polished Surfaces on Dollies
- Soft and Cross Faced Striking Surfaces
- Includes a Storage Case



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82302	099575823022	Carry Case	12.35 lb	1

Cat. No.	Description	Cat. No.	Description
-	Smooth Faced Bumping Hammer W/ Square & Round Face	-	Toe Dolly
-	Smooth Faced Cross Chisel Hammer	-	Wedge Dolly
-	Crossed Face Shrinking Hammer	-	Heel Dolly
-	General Purpose Dolly		

ARMSTRONG® 27 Pc. Punch and Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges and Tips Are Ground to Precise Angles and Tolerances for Performance and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-568	781412705683	Boxed	9.84 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	70-197	Drift Punch 1/4" x 5/8" x 11"	70-309	Cold Chisel 1/2" x 7/16" x 6"
70-105	Pin Punch 1/8" x 5/16" x 5"	70-129	Pin Punch 7/32" x 3/8" x 7"	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"
70-107	Pin Punch 5/32" x 5/16" x 5-1/4"	70-163	Starting Punch 7/32" x 1/2" x 5-1/2"	70-313	Cold Chisel 3/4" x 5/8" x 7"
70-109	Pin Punch 3/16" x 3/8" x 5-1/4"	70-189	Drift Punch 1/8" x 3/8" x 8"	70-315	Cold Chisel 7/8" x 3/4" x 7-1/2"
70-131	Pin Punch 1/4" x 3/8" x 7"	70-235	Center Punch 3/8" x 5"	70-317	Cold Chisel 1" x 7/8" x 8"
70-155	Starting Punch 3/32" x 5/16" x 4-1/2"	70-239	Center Punch 1/2" x 6"	70-319	Cold Chisel 1-1/8" x 7/8" x 8"
70-157	Starting Punch 1/8" x 5/16" x 4-1/2"	70-255	Prick Punch 3/8" x 5"	70-000	Punch and Chisel Holder
70-161	Starting Punch 3/16" x 3/8" x 5"	70-301	Cold Chisel 1/4" x 1/4" x 5"	29-403	Vinyl Roll 27 Pockets
70-165	Starting Punch 1/4" x 1/2" x 6"	70-303	Cold Chisel 1/4" x 1/4" x 5"		
70-193	Drift Punch 3/16" x 1/2" x 9"	70-305	Cold Chisel 3/8" x 5/16" x 5-1/8"		

ARMSTRONG® 19 Pc. Punch and Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges and Tips Are Ground to Precise Angles and Tolerances for Performance and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-567	781412705676	Boxed	9.10 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	70-165	Starting Punch 1/4" x 1/2" x 6"	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"
70-105	Pin Punch 1/8" x 5/16" x 5"	70-193	Drift Punch 3/16" x 1/2" x 9"	70-313	Cold Chisel 3/4" x 5/8" x 7"
70-109	Pin Punch 3/16" x 3/8" x 5-1/4"	70-197	Drift Punch 1/4" x 5/8" x 11"	70-315	Cold Chisel 7/8" x 3/4" x 7-1/2"
70-131	Pin Punch 1/4" x 3/8" x 7"	70-199	Drift Punch 5/16" x 5/8" x 11"	70-317	Cold Chisel 1" x 7/8" x 8"
70-155	Starting Punch 3/32" x 5/16" x 4-1/2"	70-201	Drift Punch 3/8" x 3/4" x 11"	70-000	Punch and Chisel Holder
70-157	Starting Punch 1/8" x 5/16" x 4-1/2"	70-239	Center Punch 1/2" x 6"	29-402	Vinyl Roll 19 Pockets
70-161	Starting Punch 3/16" x 3/8" x 5"	70-309	Cold Chisel 1/2" x 7/16" x 6"		

ARMSTRONG 12 Pc. Punch and Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges and Tips Are Ground to Precise Angles and Tolerances for Performance and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-565	781412705652	Boxed	1.64 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	70-161	Starting Punch 3/16" x 3/8" x 5"	70-393	Cape Chisel 7/32" x 5/16" x 5-5/8"
70-105	Pin Punch 1/8" x 5/16" x 5"	70-235	Center Punch 3/8" x 5"	70-421	Diamond Point Chisel 3/16" x 3/8" x 5-1/2"
70-109	Pin Punch 3/16" x 3/8" x 5-1/4"	70-303	Cold Chisel 1/4" x 1/4" x 5"	29-404	Vinyl Roll 12 Pockets
70-153	Starting Punch 1/16" x 5/16" x 4-1/2"	70-307	Cold Chisel 7/16" x 3/8" x 6"		
70-157	Starting Punch 1/8" x 5/16" x 4-1/2"	70-309	Cold Chisel 1/2" x 7/16" x 6"		

ARMSTRONG 5 Pc. Tool Steel Cold Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Live
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-560	781412705607	Boxed	2.64 lb	1

Cat. No.	Description	Cat. No.	Description
70-325	Tool Steel Cold Chisel 3/8" x 5/16" x 5-1/2"	70-333	Tool Steel Cold Chisel 3/4" x 5/8" x 7"
70-329	Tool Steel Cold Chisel 1/2" x 7/16" x 6"	70-335	Tool Steel Cold Chisel 7/8" x 3/4" x 7-1/2"
70-331	Tool Steel Cold Chisel 5/8" x 1/2" x 6-1/2"	29-407	Vinyl Roll 5 Pockets

ARMSTRONG® 10 Pc. Cold Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-563	781412705638	Boxed	5.50 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
70-301	Cold Chisel 1/4" x 1/4" x 5"	70-309	Cold Chisel 1/2" x 7/16" x 6"	70-317	Cold Chisel 1" x 7/8" x 8"
70-303	Cold Chisel 1/4" x 1/4" x 5"	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"	70-319	Cold Chisel 1-1/8" x 7/8" x 8"
70-305	Cold Chisel 3/8" x 5/16" x 5-1/8"	70-313	Cold Chisel 3/4" x 5/8" x 7"	29-405	Vinyl Roll 10 Pockets
70-307	Cold Chisel 7/16" x 3/8" x 6"	70-315	Cold Chisel 7/8" x 3/4" x 7-1/2"		

ARMSTRONG® 7 Pc. Cold Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-562	781412705621	Boxed	2.80 lb	1

Cat. No.	Description	Cat. No.	Description
70-303	Cold Chisel 1/4" x 1/4" x 5"	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"
70-305	Cold Chisel 3/8" x 5/16" x 5-1/8"	70-313	Cold Chisel 3/4" x 5/8" x 7"
70-307	Cold Chisel 7/16" x 3/8" x 6"	70-315	Cold Chisel 7/8" x 3/4" x 7-1/2"
70-309	Cold Chisel 1/2" x 7/16" x 6"	29-406	Vinyl Roll 7 Pockets

ARMSTRONG 5 Pc. Cold Chisel Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-564	781412705645	Boxed	1.16 lb	1

Cat. No.	Description	Cat. No.	Description
70-303	Cold Chisel 1/4" x 1/4" x 5"	70-309	Cold Chisel 1/2" x 7/16" x 6"
70-305	Cold Chisel 3/8" x 5/16" x 5-1/8"	70-311	Cold Chisel 5/8" x 1/2" x 6-1/2"
70-307	Cold Chisel 7/16" x 3/8" x 6"	29-407	Vinyl Roll 5 Pockets

ARMSTRONG 19 Pc. Punch Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Various Punch Tips Are Precision Ground for Specific Performance and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-550	781412705508	Boxed	5.30 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
29-401	Vinyl Roll 19 Pockets	70-157	Starting Punch 1/8" x 5/16" x 4-1/2"	70-193	Drift Punch 3/16" x 1/2" x 9"
70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	70-159	Starting Punch 5/32" x 3/8" x 5"	70-197	Drift Punch 1/4" x 5/8" x 11"
70-105	Pin Punch 1/8" x 5/16" x 5"	70-161	Starting Punch 3/16" x 3/8" x 5"	70-235	Center Punch 3/8" x 5"
70-107	Pin Punch 5/32" x 5/16" x 5-1/4"	70-165	Starting Punch 1/4" x 1/2" x 6"	70-239	Center Punch 1/2" x 6"
70-109	Pin Punch 3/16" x 3/8" x 5-1/4"	70-167	Starting Punch 5/16" x 1/2" x 6"	70-255	Prick Punch 3/8" x 5"
70-131	Pin Punch 1/4" x 3/8" x 7"	70-133	Pin Punch 5/16" x 7/16" x 7"	70-000	Punch and Chisel Holder
70-155	Starting Punch 3/32" x 5/16" x 4-1/2"	70-189	Drift Punch 1/8" x 3/8" x 8"		

ARMSTRONG 10 Pc. Tool Steel Pin Punch Set

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-552	781412705522	Boxed	2.005 lb	1

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
70-110	Tool Steel Pin Punch 1/16" x 1/4" x 4"	70-118	Tool Steel Pin Punch 3/16" x 3/8" x 5-1/4"	70-126	Tool Steel Pin Punch 5/16" x 7/16" x 6"
70-112	Tool Steel Pin Punch 3/32" x 5/16" x 4-1/2"	70-120	Tool Steel Pin Punch 7/32" x 3/8" x 5-1/2"	70-128	Tool Steel Pin Punch 3/8" x 1/2" x 6"
70-114	Tool Steel Pin Punch 1/8" x 5/16" x 4-3/4"	70-122	Tool Steel Pin Punch 1/4" x 3/8" x 5-3/4"	29-405	Vinyl Roll 10 Pockets
70-116	Tool Steel Pin Punch 5/32" x 5/16" x 5"	70-124	Tool Steel Pin Punch 9/32" x 3/8" x 5-3/4"		

ARMSTRONG 7 Pc. Tool Steel Pin Punch Set

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-553	781412705539	Boxed	1.12 lb	1

Cat. No.	Description	Cat. No.	Description
70-110	Tool Steel Pin Punch 1/16" x 1/4" x 4"	70-118	Tool Steel Pin Punch 3/16" x 3/8" x 5-1/4"
70-112	Tool Steel Pin Punch 3/32" x 5/16" x 4-1/2"	70-120	Tool Steel Pin Punch 7/32" x 3/8" x 5-1/2"
70-114	Tool Steel Pin Punch 1/8" x 5/16" x 4-3/4"	70-122	Tool Steel Pin Punch 1/4" x 3/8" x 5-3/4"
70-116	Tool Steel Pin Punch 5/32" x 5/16" x 5"	29-406	Vinyl Roll 7 Pockets

ARMSTRONG 5 Pc. Tool Steel Long Pin Punch Set

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-556	781412705560	Boxed	1.18 lb	1

Cat. No.	Description	Cat. No.	Description
70-042	Tool Steel Long Pin Punch 5/32" x 5/16" x 8"	70-045	Tool Steel Long Pin Punch 1/4" x 3/8" x 8"
70-043	Tool Steel Long Pin Punch 3/16" x 3/8" x 8"	70-047	Tool Steel Long Pin Punch 5/16" x 7/16" x 8"
70-044	Tool Steel Long Pin Punch 7/32" x 3/8" x 8"	29-407	Vinyl Roll 5 Pockets

ARMSTRONG 7 Pc. Pin Punch Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-554	781412705546	Boxed	1.15 lb	1

Cat. No.	Description	Cat. No.	Description
70-101	Pin Punch 1/16" x 1/4" x 4-1/4"	70-109	Pin Punch 3/16" x 3/8" x 5-1/4"
70-103	Pin Punch 3/32" x 5/16" x 4-3/4"	70-129	Pin Punch 7/32" x 3/8" x 7"
70-105	Pin Punch 1/8" x 5/16" x 5"	70-131	Pin Punch 1/4" x 3/8" x 7"
70-107	Pin Punch 5/32" x 5/16" x 5-1/4"	29-406	Vinyl Roll 7 Pockets

ARMSTRONG® 7 Pc. Roll Pin Punch Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Ball Area in the Center of the Tip Fits Inside the Roll Pin to Prevent Damage to the Roll Pin
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-557	781412705577	Boxed	0.68 lb	1

Cat. No.	Description	Cat. No.	Description
70-260	Roll Pin Punch 1/16" x 1/4" x 2-3/4"	70-268	Roll Pin Punch 3/16" x 3/8" x 4-1/2"
70-262	Roll Pin Punch 3/32" x 1/4" x 3-1/2"	70-270	Roll Pin Punch 7/32" x 3/8" x 5"
70-264	Roll Pin Punch 1/8" x 1/4" x 4"	70-272	Roll Pin Punch 1/4" x 7/16" x 5-1/2"
70-266	Roll Pin Punch 5/32" x 1/4" x 4-1/2"	29-406	Vinyl Roll 7 Pockets

ARMSTRONG® 5 Pc. Drift Punch Set

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Flat Tip with Precision Ground Taper is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces




Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-559	781412705591	Boxed	1.00 lb	1

Cat. No.	Description	Cat. No.	Description
70-189	Drift Punch 1/8" x 3/8" x 8"	70-197	Drift Punch 1/4" x 5/8" x 11"
70-193	Drift Punch 3/16" x 1/2" x 9"	70-199	Drift Punch 5/16" x 5/8" x 11"
70-195	Drift Punch 7/32" x 1/2" x 9-1/2"	29-407	Vinyl Roll 5 Pockets

ARMSTRONG® 3 Pc. Brass Pin Punch Set

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-546	781412705461	Boxed	0.83 lb	1

Cat. No.	Description	Cat. No.	Description
70-295	Brass Pin Punch 1/4" x 4"	70-297	Brass Solid Punch 1/4" x 6"
70-296	Brass Pin Punch 3/8" x 6"		

ARMSTRONG® 3 Pc. Brass Drift Punch Set

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Flat Tip is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
70-545	781412705454	Boxed	1.79 lb	1

Cat. No.	Description	Cat. No.	Description
70-294	Brass Drift Punch 3/8" x 6"	70-291	Brass Drift Punch 3/4" x 8"
70-293	Brass Drift Punch 1/2" x 7"		

ARMSTRONG® Punch and Chisel Holder

- Made in the USA - Quality and Availability
- Safety; Protects Against Hand Injury
- Holds Punches & Chisels Up to 1-1/16" Hex Stock
- V Head Effectively Traps the Punch or Chisel Securely on 3 Sides Reducing the Risk of Injury
- Tri-Oval Shaped Handle Conforms to the Hand Increasing Operator Comfort, Reducing Operator Fatigue



Cat. No.	UPC No.	Packaging	Overall Length Min	Overall Length Max	Product Weight	Shelf Pack Qty.
70-000	781412700008	Bagged	7.500 in	8.750 in	0.71 lb	1

ARMSTRONG® Tool Steel Cold Chisels

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces
- Meets or Exceeds ASME B209.1 and Us Federal Spec. GGG-C-313C



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-325	781412703252	Bagged	3/8 in	5/16 in	5.500 in	0.12 lb	1
70-329	781412703290	Bagged	1/2 in	7/16 in	6.000 in	0.24 lb	1
70-331	781412703313	Bagged	5/8 in	1/2 in	6.500 in	0.36 lb	1
70-333	781412703337	Bagged	3/4 in	5/8 in	7.000 in	0.58 lb	1
70-335	781412703351	Bagged	7/8 in	3/4 in	7.500 in	0.90 lb	1
70-337	781412703375	Bagged	1 in	7/8 in	8.000 in	1.24 lb	1

ARMSTRONG® Cold Chisels

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-301	781412703016	Bagged	1/4 in	1/4 in	5.000 in	0.07 lb	1
70-303	781412703030	Bagged	5/16 in	1/4 in	5.000 in	0.11 lb	1
70-305	781412703054	Bagged	3/8 in	5/16 in	5.125 in	0.12 lb	1
70-307	781412703078	Bagged	7/16 in	3/8 in	6.000 in	0.18 lb	1
70-309	781412703092	Bagged	1/2 in	7/16 in	6.000 in	0.19 lb	1
70-311	781412703115	Bagged	5/8 in	1/2 in	6.500 in	0.36 lb	1
70-313	781412703139	Bagged	3/4 in	5/8 in	7.000 in	0.59 lb	1
70-315	781412703153	Bagged	7/8 in	3/4 in	7.500 in	0.93 lb	1
70-317	781412703177	Bagged	1 in	7/8 in	8.000 in	1.29 lb	1
70-319	781412703191	Bagged	1-1/8 in	7/8 in	8.000 in	1.32 lb	1

ARMSTRONG® Extra Long Cold Chisels

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-347	781412703474	Bagged	5/8 in	1/2 in	12.000 in	0.70 lb	1
70-353	781412703535	Bagged	3/4 in	5/8 in	12.000 in	1.08 lb	1
70-357	781412703573	Bagged	3/4 in	5/8 in	18.000 in	1.70 lb	1
70-361	781412703610	Bagged	7/8 in	3/4 in	12.000 in	1.54 lb	1
70-367	781412703672	Bagged	1 in	3/4 in	12.000 in	2.06 lb	1
70-369	781412703696	Bagged	1 in	3/4 in	18.000 in	3.22 lb	1

ARMSTRONG® Rivet Busters

- Made in the USA - Quality and Availability
- Designed for Shearing Rivets
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-481	781412704815	Bagged	3/4 in	5/8 in	12.000 in	1.06 lb	1

ARMSTRONG® Cape Chisels

- Made in the USA - Quality and Availability
- Designed for Cutting Slots or Keyways
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-391	781412703917	Bagged	3/16 in	3/8 in	5.625 in	0.08 lb	1
70-393	781412703931	Bagged	7/32 in	5/16 in	5.625 in	0.11 lb	1
70-395	781412703955	Bagged	1/4 in	3/8 in	5.625 in	0.16 lb	1
70-397	781412703979	Bagged	5/16 in	1/2 in	6.250 in	0.18 lb	1
70-399	781412703993	Bagged	3/8 in	5/8 in	7.000 in	0.36 lb	1

ARMSTRONG® Round Nose Chisels

- Made in the USA - Quality and Availability
- Designed for Cutting Round or U-Grooves
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-447	781412704471	Bagged	3/16 in	3/8 in	5.500 in	0.07 lb	1
70-449	781412704495	Bagged	1/4 in	3/8 in	5.750 in	0.165 lb	1
70-451	781412704518	Bagged	5/16 in	1/2 in	6.250 in	0.18 lb	1
70-453	781412704532	Bagged	3/8 in	5/8 in	7.000 in	0.37 lb	1

ARMSTRONG® Diamond Point Chisels

- Made in the USA - Quality and Availability
- Designed to Clean Out Inside Corners and to Cut V-Grooves
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Cutting Edges Are Ground to Precise Angles for Efficient Cutting and Long Life
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-419	781412704198	Bagged	5/32 in	5/16 in	4.500 in	0.06 lb	1
70-421	781412704211	Bagged	3/16 in	3/8 in	5.500 in	0.16 lb	1
70-423	781412704235	Bagged	1/4 in	3/8 in	5.750 in	0.18 lb	1
70-425	781412704259	Bagged	5/16 in	1/2 in	6.000 in	0.33 lb	1
70-427	781412704273	Bagged	3/8 in	5/8 in	7.000 in	0.54 lb	1

ARMSTRONG® Tool Steel Pin Punch

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces
- Meets or Exceeds ASME B107.48M and Us Federal Spec. GGG-P-831F



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-110	781412701104	Bagged	1/16 in	1/4 in	4.000 in	0.05 lb	1
70-112	781412701128	Bagged	3/32 in	5/16 in	4.500 in	0.09 lb	1
70-114	781412701142	Bagged	1/8 in	5/16 in	4.750 in	0.08 lb	1
70-116	781412701166	Bagged	5/32 in	5/16 in	5.000 in	0.10 lb	1
70-118	781412701180	Bagged	3/16 in	3/8 in	5.250 in	0.14 lb	1
70-120	781412701203	Bagged	7/32 in	3/8 in	5.500 in	0.16 lb	1
70-122	781412701227	Bagged	1/4 in	3/8 in	5.750 in	0.16 lb	1
70-124	781412701241	Bagged	9/32 in	3/8 in	5.750 in	0.23 lb	1
70-126	781412701265	Bagged	5/16 in	7/16 in	6.000 in	0.24 lb	1
70-128	781412701289	Bagged	3/8 in	1/2 in	6.000 in	0.35 lb	1

ARMSTRONG® Tool Steel Long Pin Punch

- Made in the USA - Quality and Availability
- Manufactured From Shock Resistant Tool Steel for Unequalled Strength, Toughness, and Durability; Higher Hardness Without Brittleness
- Full Shank Heat Treat is A 2 Step Process Where the Entire Length of the Tool is Hardened and Tempered, Then the Struck End is Drawn Back for to Resist "Mushrooming" and "Chipping" Extending the Life of the Tool"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Modified Parabolic Head Directs the Striking Force to the Center of the Tool for Greater Resistance to "Mushrooming" and "Chipping"
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces
- Meets or Exceeds ASME B107.48M and Us Federal Spec. GGG-P-831F



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-041	781412700411	Bagged	1/8 in	5/16 in	8.000 in	0.12 lb	1
70-042	781412700428	Bagged	5/32 in	5/16 in	8.000 in	0.12 lb	1
70-043	781412700435	Bagged	3/16 in	3/8 in	8.000 in	0.18 lb	1
70-044	781412700442	Bagged	7/32 in	3/8 in	8.000 in	0.18 lb	1
70-045	781412700459	Bagged	1/4 in	3/8 in	8.000 in	0.19 lb	1
70-047	781412700473	Bagged	5/16 in	7/16 in	8.000 in	0.25 lb	1
70-049	781412700497	Bagged	3/8 in	1/2 in	8.000 in	0.37 lb	1

ARMSTRONG® Brass Pin Punch

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-295	781412702958	Bagged	1/2 in	3/8 in	4.000 in	0.19 lb	1
70-296	781412702965	Bagged	3/8 in	1/2 in	6.000 in	0.32 lb	1

ARMSTRONG® Brass Drift Punches

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Flat Tip is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-294	781412702941	Bagged	3/8 in	3/8 in	6.000 in	0.22 lb	1
70-293	781412702934	Bagged	1/2 in	1/2 in	7.000 in	0.43 lb	1
70-291	781412702910	Bagged	3/4 in	3/4 in	8.000 in	1.09 lb	1

ARMSTRONG® Pin Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Pin Area Precision Ground to Prevent Any "Binding" in Work Area
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-101	781412701012	Bagged	1/16 in	1/4 in	4.250 in	0.08 lb	1
70-103	781412701036	Bagged	3/32 in	5/16 in	4.750 in	0.09 lb	1
70-105	781412701050	Bagged	1/8 in	5/16 in	5.000 in	0.09 lb	1
70-107	781412701074	Bagged	5/32 in	5/16 in	5.250 in	0.10 lb	1
70-109	781412701098	Bagged	3/16 in	3/8 in	5.250 in	0.11 lb	1
70-129	781412701296	Bagged	7/32 in	3/8 in	7.000 in	0.17 lb	1
70-131	781412701319	Bagged	1/4 in	3/8 in	7.000 in	0.18 lb	1
70-133	781412701333	Bagged	5/16 in	7/16 in	7.000 in	0.30 lb	1

ARMSTRONG® Roll Pin Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Ball Area in the Center of the Tip Fits Inside the Roll Pin to Prevent Damage to the Roll Pin
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-260	781412702606	Bagged	1/16 in	1/4 in	2.750 in	0.07 lb	1
70-262	781412702620	Bagged	3/32 in	1/4 in	3.500 in	0.08 lb	1
70-264	781412702644	Bagged	1/8 in	1/4 in	4.000 in	0.08 lb	1
70-266	781412702668	Bagged	5/32 in	1/4 in	4.500 in	0.09 lb	1
70-268	781412702682	Bagged	3/16 in	3/8 in	4.500 in	0.10 lb	1
70-270	781412702705	Bagged	7/32 in	3/8 in	5.000 in	0.10 lb	1
70-272	781412702729	Bagged	1/4 in	7/16 in	5.500 in	0.13 lb	1
70-274	781412702743	Bagged	5/16 in	7/16 in	6.000 in	0.18 lb	1
70-276	781412702767	Bagged	3/8 in	1/2 in	6.000 in	0.24 lb	1
70-280	781412702804	Bagged	1/2 in	5/8 in	6.000 in	0.64 lb	1

ARMSTRONG® Drift Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Flat Tip with Precision Ground Taper is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-187	781412701876	Bagged	3/32 in	5/16 in	8.000 in	0.18 lb	1
70-189	781412701890	Bagged	1/8 in	5/16 in	8.000 in	0.19 lb	1
70-191	781412701913	Bagged	5/32 in	1/2 in	8.500 in	0.34 lb	1
70-193	781412701937	Bagged	3/16 in	1/2 in	9.000 in	0.38 lb	1
70-195	781412701951	Bagged	7/32 in	1/2 in	10.000 in	0.41 lb	1
70-197	781412701975	Bagged	1/4 in	5/8 in	12.000 in	0.77 lb	1
70-199	781412701999	Bagged	5/16 in	5/8 in	12.000 in	0.78 lb	1
70-201	781412702019	Bagged	3/8 in	3/4 in	15.000 in	1.18 lb	1

ARMSTRONG® Long Aligning Punch

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Flat Tip with Precision Ground Taper is Used to Align Holes in Multiple Pieces of Material
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-221	781412702217	Bagged	5/16 in	5/8 in	16.000 in	0.82 lb	1

ARMSTRONG® Starting Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- Flat Tip with Precision Ground Taper is Used for Installing and Removing Pins and Shafts
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-153	781412701531	Bagged	1/16 in	5/16 in	4.500 in	0.08 lb	1
70-155	781412701555	Bagged	3/32 in	5/16 in	4.500 in	0.09 lb	1
70-157	781412701579	Bagged	1/8 in	5/16 in	4.500 in	0.14 lb	1
70-159	781412701593	Bagged	5/32 in	3/8 in	5.000 in	0.13 lb	1
70-161	781412701616	Bagged	3/16 in	3/8 in	5.000 in	0.17 lb	1
70-163	781412701630	Bagged	7/32 in	1/2 in	5.500 in	0.25 lb	1
70-165	781412701654	Bagged	1/4 in	1/2 in	6.000 in	0.29 lb	1
70-167	781412701678	Bagged	5/16 in	1/2 in	6.000 in	0.32 lb	1

ARMSTRONG® Center Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- In Metal Working Layout, Pointed Tip is Used for Marking Intersecting Center Lines, Hole Locations, and Pilot Drill Starting Points
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-231	781412702316	Bagged	1/4 in	4.250 in	0.06 lb	1
70-233	781412702330	Bagged	5/16 in	4.375 in	0.09 lb	1
70-235	781412702354	Bagged	3/8 in	5.000 in	0.13 lb	1
70-237	781412702378	Bagged	7/16 in	5.500 in	0.21 lb	1
70-239	781412702392	Bagged	1/2 in	6.000 in	0.27 lb	1
70-241	781412702415	Bagged	5/8 in	6.250 in	0.51 lb	1

ARMSTRONG® Prick Punches

- Made in the USA - Quality and Availability
- Manufactured From High Alloy Steel for Strength and Durability
- Heat Treated for Strength and Durability
- In Sheet Metal Layout, Pointed Tip is Used for Scribing and for Punching and Marking Holes for Sheet Metal Screws
- Black Oxide Finish and Visible "Wear Safety Goggles" Reminder
- Hex Stock Fits More Securely in A Punch & Chisel Holder and Also Reduces the Tendency to Roll on Work Surfaces



Cat. No.	UPC No.	Packaging	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-251	781412702514	Bagged	1/4 in	4.000 in	0.06 lb	1
70-253	781412702538	Bagged	5/16 in	4.500 in	0.09 lb	1
70-255	781412702552	Bagged	3/8 in	5.000 in	0.13 lb	1
70-257	781412702576	Bagged	1/2 in	6.000 in	0.28 lb	1

ARMSTRONG® Brass Taper Punch

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Flat Tip is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-292	781412702927	Bagged	1/4 in	1/4 in	4.000 in	0.08 lb	1

ARMSTRONG® Brass Solid Punch

- Made in the USA - Quality and Availability
- Non Marring - Ideal for Work Where A Strong Positive Blow is Necessary Without Damaging the Work Surface
- Non-Sparking; Ideal for Working on Heavy Equipment, in Mines and Explosive Atmospheres Where Spark Free" is Required"
- Flat Tip is Used for Installing and Removing Pins and Shafts and Can Also Be Used to Align Holes in Multiple Pieces of Material



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
70-297	781412702972	Bagged	1/4 in	1/2 in	6.000 in	0.32 lb	1

GEARWRENCH® 27 Pc. Punch and Chisel Set

- Chisel for Cutting Rivets, Bolts, and Nuts
- Pin Punch for Final Removal to Drive Out Pins and Rivets
- Center Punch for Marking Center Lines and Pilot Drill Locations
- Long Taper Punch to Install and Remove Pins and Shafts and to Align Holes
- Starter Punch for Both Starting and Installing Pins and Rivets



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82306	099575823060	Bagged	9.29 lb	1

Cat. No.	Description	Cat. No.	Description
82261	1/4" x 4-3/4" x 1/4" Cold Chisel	82275	3/16" x 5-1/2" x 5/16" Pin Punch
82262	3/8" x 5" x 5/16" Cold Chisel	82276	1/4" x 7" x 3/8" Pin Punch
82263	7/16" x 5-1/2" x 3/8" Cold Chisel	82277	5/16" x 7" x 1/2" Pin Punch
82264	1/2" x 6" x 3/8" Cold Chisel	82278	1/8" x 8" x 3/8" Long Taper Punch
82265	5/8" x 6-1/2" x 3/8" Cold Chisel	82279	5/32" x 8-1/2" x 1/2" Long Taper
82266	3/4" x 7" x 5/8" Cold Chisel	82280	3/16" x 9" x 1/2" Long Taper Punch
82267	7/8" x 7-1/2" x 3/4" Cold Chisel	82281	1/4" x 11" x 5/8" Long Taper Punch
82268	1" x 8" x 7/8" Cold Chisel	82282	5/32" x 5" x 3/8" Starter Punch
82269	1/4" x 4-1/4" Center Punch	82283	3/16" x 5" x 3/8" Starter Punch
82270	3/8" x 5" Center Punch	82284	1/4" x 6" x 1/2" Starter Punch
82271	7/16" x 5-1/2" Center Punch	82285	1/8" x 4-1/2" x 5/16" Starter
82272	3/32" x 4-3/4" x 5/16" Pin Punch	82286	5/16" x 7" x 5/8" Starter Punch
82273	1/8" x 5" x 5/16" Pin Punch	82287	3/8" x 8" x 3/4" Starter Punch
82274	5/32" x 5-1/4" x 5/16" Pin Punch		

GEARWRENCH® 12 Pc. Punch and Chisel Set

- Chisel for Cutting Rivets, Bolts, and Nuts
- Pin Punch for Final Removal to Drive Out Pins and Rivets
- Center Punch for Marking Center Lines and Pilot Drill Locations
- Long Taper Punch to Install and Remove Pins and Shafts and to Align Holes
- Starter Punch for Both Starting and Installing Pins and Rivets



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82305	099575823053	Bagged	1.97 lb	1

Cat. No.	Description	Cat. No.	Description
82261	1/4" x 4-3/4" x 1/4" Cold Chisel	82273	1/8" x 5" x 5/16" Pin Punch
82262	3/8" x 5" x 5/16" Cold Chisel	82274	5/32" x 5-1/4" x 5/16" Pin Punch
82264	1/2" x 6" x 3/8" Cold Chisel	82275	3/16" x 5-1/2" x 5/16" Pin Punch
82265	5/8" x 6-1/2" x 3/8" Cold Chisel	82278	1/8" x 8" x 3/8" Long Taper Punch
82270	3/8" x 5" Center Punch	82283	3/16" x 5" x 3/8" Starter Punch
82272	3/32" x 4-3/4" x 5/16" Pin Punch	82285	1/8" x 4-1/2" x 5/16" Starter

GEARWRENCH® 5 Pc. Punch and Chisel Set

- Chisel for Cutting Rivets, Bolts, and Nuts
- Pin Punch for Final Removal to Drive Out Pins and Rivets
- Center Punch for Marking Center Lines and Pilot Drill Locations



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82304	099575823046	Bagged	0.61 lb	1

Cat. No.	Description	Cat. No.	Description
82264	1/2" x 6" x 3/8" Cold Chisel	82274	5/32" x 5-1/4" x 5/16" Pin Punch
82270	3/8" x 5" Center Punch	82275	3/16" x 5-1/2" x 5/16" Pin Punch
82273	1/8" x 5" x 5/16" Pin Punch		

GEARWRENCH® 4 Pc. Cold Chisel Set

- Designed to Cut Metal Such As Wrought Iron, Steel, Brass, and Aluminum
- For Cutting Rivets, Bolts, and Nuts



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82308	099575823084	Bagged	1.35 lb	1

Cat. No.	Description	Cat. No.	Description
82263	7/16" x 5-1/2" x 3/8" Cold Chisel	82265	5/8" x 6-1/2" x 3/8" Cold Chisel
82264	1/2" x 6" x 3/8" Cold Chisel	82266	3/4" x 7" x 5/8" Cold Chisel

GEARWRENCH® 5 Pc. Pin Punch Set

- Used For Final Removal to Drive out Pins and Rivets
- Softened and Tapered Striking end reduces potential to chip
- Ground surface for ease of identification
- Precision Hardened working ends



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82309	099575823091	Bagged	0.78 lb	1

Cat. No.	Description	Cat. No.	Description
82273	1/8" x 5" x 5/16" Pin Punch	82276	1/4" x 7" x 3/8" Pin Punch
82274	5/32" x 5-1/4" x 5/16" Pin Punch	82277	5/16" x 7" x 1/2" Pin Punch
82275	3/16" x 5-1/2" x 5/16" Pin Punch		

GEARWRENCH® 4 Pc. Long Taper Punch Set

- Used to Install and Remove Pins and Shafts and to Align Holes



Cat. No.	UPC No.	Packaging	Product Weight	Shelf Pack Qty.
82307	099575823077	Bagged	1.72 lb	1

Cat. No.	Description	Cat. No.	Description
82278	1/8" x 8" x 3/8" Long Taper Punch	82280	3/16" x 9" x 1/2" Long Taper Punch
82279	5/32" x 8-1/2" x 1/2" Long Taper	82281	1/4" x 11" x 5/8" Long Taper Punch

GEARWRENCH® Cold Chisels

- Designed to Cut Metal Such As Wrought Iron, Steel, Brass, and Aluminum
- For Cutting Rivets, Bolts, and Nuts
- Meets or Exceeds ASME B107.47



Cat. No.	UPC No.	Packaging	Width of Cut	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
82261	099575822612	Bagged	1/4 in	1/4 in	4-3/4 in	0.08 lb	1
82262	099575822629	Bagged	3/8 in	5/16 in	5 in	0.13 lb	1
82263	099575822636	Bagged	7/16 in	3/8 in	5-1/2 in	0.18 lb	1
82264	099575822643	Bagged	1/2 in	3/8 in	6 in	0.20 lb	1
82265	099575822650	Bagged	5/8 in	3/8 in	6-1/2 in	0.36 lb	1
82266	099575822667	Bagged	3/4 in	5/8 in	7 in	0.60 lb	1
82267	099575822674	Bagged	7/8 in	3/4 in	7-1/2 in	0.91 lb	1
82268	099575822681	Bagged	1 in	7/8 in	8 in	1.29 lb	1

GEARWRENCH® Center Punches

- Used for Marking Center Lines and Pilot Drill Locations
- Meets or Exceeds ASME B107.47



Cat. No.	UPC No.	Packaging	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
82269	099575822698	Bagged	1/4 in	4-1/4 in	0.06 lb	1
82270	099575822704	Bagged	3/8 in	5 in	0.13 lb	1
82271	099575822711	Bagged	7/16 in	5-1/2 in	0.20 lb	1

GEARWRENCH® Pin Punches

- Used for Final Removal to Drive Out Pins and Rivets
- Meets or Exceeds ASME B107.47



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
82272	099575822728	Bagged	3/32 in	5/16 in	4-3/4 in	0.09 lb	1
82273	099575822735	Bagged	1/8 in	5/16 in	5 in	0.09 lb	1
82274	099575822742	Bagged	5/32 in	5/16 in	5-1/4 in	0.10 lb	1
82275	099575822759	Bagged	3/16 in	5/16 in	5-1/2 in	0.09 lb	1
82276	099575822766	Bagged	1/4 in	3/8 in	7 in	0.19 lb	1
82277	099575822773	Bagged	5/16 in	1/2 in	7 in	0.32 lb	1

GEARWRENCH® Long Taper Punches

- Used to Install and Remove Pins and Shafts and to Align Holes
- Meets or Exceeds ASME B107.47



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
82278	099575822780	Bagged	1/8 in	3/8 in	8 in	0.21 lb	1
82279	099575822797	Bagged	5/32 in	1/2 in	8-1/2 in	0.36 lb	1
82280	099575822803	Bagged	3/16 in	1/2 in	9 in	0.38 lb	1
82281	099575822810	Bagged	1/4 in	5/8 in	11 in	0.79 lb	1


GEARWRENCH® Starter Punches

- Designed for Both Starting and Installing Pins and Rivets
- Meets or Exceeds ASME B107.47



Cat. No.	UPC No.	Packaging	Point Diameter	Stock Size	Overall Length	Product Weight	Shelf Pack Qty.
82282	099575822827	Bagged	5/32 in	3/8 in	5 in	0.14 lb	1
82283	099575822834	Bagged	3/16 in	3/8 in	5 in	0.14 lb	1
82284	099575822841	Bagged	1/4 in	1/2 in	6 in	0.29 lb	1
82285	099575822858	Bagged	1/8 in	5/16 in	4-1/2 in	0.09 lb	1
82286	099575822865	Bagged	5/16 in	5/8 in	7 in	0.54 lb	1
82287	099575822872	Bagged	3/8 in	3/4 in	8 in	0.00 lb	1