SAFETY DATA SHEET



Revision Date 28-Oct-2016

Revision Number 0

This document complies with the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Dykem Remover and Prep Aerosol

Other means of identification

Part Number 82038

Formula Code 8947A

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Remover & Cleaner, Aerosol

No information available Uses advised against

Supplier's details

Initial Supplier ITW Permatex Canada 1-35 Brownridge Road Halton Hills, ON, L7G 0C6

Canada

Emergency telephone number

Emergency Telephone

800-535-5053 Infotrac

Number

2. HAZARDS IDENTIFICATION

Supplier Address

ITW PRO BRANDS

805 E. Old 56 Highway Olathe, KS 66061

TEL: 1-800-443-9536

Classification

This product is considered hazardous according to the criteria set within the US OSHA Hazard Communication Standard (29 CFR 1910.1200), Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR), and Mexico's NMX-R-019-SC-2011.

Serious Eye Damage/Eye Irritation	Category 2
Specific Target Organ Systemic Toxicity (Single Exposure)	Category 3
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Label Elements

Danger



Hazard Statements

Causes serious eye irritation
May cause drowsiness or dizziness
Extremely flammable aerosol
Contains gas under pressure; may explode if heated

Physical and Health Hazards Not Otherwise Classified

Not applicable.

Precautionary Statements

Prevention

- · Wash face, hands and any exposed skin thoroughly after handling.
- · Wear eye/face protection.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- Do not spray on an open flame or other ignition source
- Pressurized container: Do not pierce or burn, even after use.

General Advice

None

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion

None

Fire

None

Spills and Leaks

• None

Storage

- Store in a well-ventilated place. Keep container tightly closed.
- · Store locked up.
- Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
- Protect from sunlight

Disposal

• Dispose of contents/container to an approved waste disposal plant.

Other information

0% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Acetone	67-64-1	54.4	-	-
Ethanol	64-17-5	27.54	-	-
Petroleum gases, liquified, sweetened	68476-86-8	15	-	-
n-Propyl acetate	109-60-4	1.53	-	-
Isopropyl alcohol	67-63-0	1.53	-	-

4. FIRST AID MEASURES

Description of necessary first-aid measures

General Advice Show this safety data sheet to the doctor in attendance. If symptoms persist, call a

physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if applicable, and continue flushing. Keep eye wide open while

rinsing. If symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water. If skin irritation persists, call a physician.

Clothing frozen to the skin should be thawed before being removed.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration. If symptoms persist, call a physician.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Drink plenty of water. Consult a physician if necessary.

Protection of First-aidersUse personal protective equipment. Remove all sources of ignition.

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable Extinguishing Media</u> Carbon dioxide (CO₂). Dry chemical. Alcohol-resistant foam.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the

Chemical

Flammable. Flash back possible over considerable distance. Most vapors are heavier than

air. They will spread along ground and collect in low or confined areas (sewers,

basements, tanks). Ruptured cylinders may rocket.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. Yes.

Protective Equipment and Precautions for Firefighters

In the event of fire and/or explosion do not breathe fumes As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

MIOCH IDI H

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate

ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges. Pay attention to flashback.

Contents under pressure.

Environmental Precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do

not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Take up with sand or other noncombustible absorbent material and place into containers for

later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Keep away

from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. Do not breathe vapors or spray mist. Ensure adequate ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Use only in area provided with appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Contents under pressure. Empty containers pose a potential fire and explosion

hazard. Do not cut, puncture or weld containers.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and

sources of ignition. Keep out of the reach of children. Do not store above 49°C / 120.2°F.

OCHA DEL

Incompatible Products Strong oxidizing agents. Strong acids. Strong reducing agents. Strong alkalis.

ACCIU TI V

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chamical Name

Chemical Name	ACGIH ILV	OSHA PEL	NIOSH IDLH
Acetone	STEL: 750 ppm	TWA: 1000 ppm	IDLH: 2500 ppm 10% LEL
67-64-1	TWA: 500 ppm	TWA: 2400 mg/m ³	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m ³
		(vacated) TWA: 1800 mg/m ³	_
		(vacated) STEL: 2400 mg/m ³	
		The acetone STEL does not	
		apply to the cellulose acetate	
		fiber industry. It is in effect for all	
		other sectors	
		(vacated) STEL: 1000 ppm	
Ethanol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	-
Isopropyl alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm 10% LEL
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 980 mg/m ³

		(vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³	TWA: 400 ppm STEL: 500 ppm STEL: 1225 mg/m³
n-Propyl acetate 109-60-4	STEL: 250 ppm TWA: 200 ppm	TWA: 200 ppm TWA: 840 mg/m³ (vacated) TWA: 840 mg/m³ (vacated) TWA: 840 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 1050 mg/m³	IDLH: 1700 ppm TWA: 200 ppm TWA: 840 mg/m³ STEL: 250 ppm STEL: 1050 mg/m³

Immediately Dangerous to Life or Health. ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Avoid contact with eyes. Risk of contact, wear: Goggles.

Skin and Body Protection Rubber gloves.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should

be worn.

Hygiene Measures When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area

and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical StateAerosol.AppearanceClear, Cloudy White, Colorless.OdorSweet, Solvent.Odor ThresholdNo information available.

Property Values Remarks/ - Method рΗ No data available None known Melting Point/Range No data available None known 56.11 °C / 133 °F **Boiling Point/Boiling Range** None known **Flash Point** No data available None known **Evaporation rate** None known Flammability (solid, gas) No data available None known Flammability Limits in Air No data available upper flammability limit lower flammability limit No data available **Vapor Pressure** No data available None known **Vapor Density** > 1 (air = 1)None known **Specific Gravity** No data available None known Water Solubility Soluble in water. None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known No data available **Autoignition Temperature** None known **Decomposition Temperature** No data available None known **Viscosity** Water thin None known

Flammable Properties EXTREMELY FLAMMABLE

Explosive Properties No data available Oxidizing Properties No data available

Other information

VOC Content (%) 100.000002384186

VOC (g/l) 388 g/l

10. STABILITY AND REACTIVITY

Reactivity No data available.

<u>Chemical stability</u> Stable under recommended storage conditions.

<u>Possibility of hazardous reactions</u> None under normal processing.

<u>Hazardous Polymerization</u> Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks. Temperatures above 49 °C / 120.2 °F. Incompatible products.

Incompatible materials Strong oxidizing agents. Strong acids. Strong reducing agents. Strong alkalis.

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation May cause drowsiness and dizziness. Intentional misuse by deliberately concentrating and

inhaling contents may be harmful or fatal Inhalation of vapors in high concentration may

cause irritation of respiratory system.

Eye Contact Causes serious eye irritation.

Skin Contact Repeated exposure may cause skin dryness or cracking.

Ingestion Not an expected route of exposure.

Numerical measures of toxicity - Product

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral 7251 mg/kg; Acute toxicity estimate LD50 Dermal 836601 mg/kg; Acute toxicity estimate

Inhalation

dust/mist452.8 mg/L; Acute toxicity estimateVapor3634.7 mg/L; Acute toxicity estimate

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Acetone	= 5800 mg/kg (Rat)	1700mg/kg (rabbit)	18892 mg/m³
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Isopropyl alcohol	= 1870 mg/kg (Rat)	12800 mg/kg (Rat)	72.6 mg/L (Rat) 4 h
		12870 mg/kg (Rabbit)	
n-Propyl acetate	= 8700 mg/kg (Rat)	> 17756 mg/kg (Rabbit)	-

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Respiratory or Skin Sensitization

Germ Cell Mutagenicity

Carcinogenicity

No information available. No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Ethanol has been shown to be carcinogenic in long-term studies only when consumed and

abused as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
Isopropyl alcohol		Group 3		X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to its Carcinogenicity to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic Toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Ethanol has been shown to be carcinogenic in long-term studies only when

consumed as alcoholic beverage.

Target Organ Effects Respiratory system. Eyes. Skin. Central nervous system (CNS).

Aspiration Hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)
Acetone 67-64-1		LC50 96 h: 4.74 - 6.33 mL/L (Oncorhynchus mykiss)	EC50 = 14500 mg/L 15 min	EC50 48 h: 10294 - 17704 mg/L Static (Daphnia
		LC50 96 h: 6210 - 8120		magna) EC50 48 h: 12600 -
		mg/L static (Pimephales		12700 mg/L (Daphnia
		promelas) LC50 96 h: =		magna)
		8300 mg/L (Lepomis		,
		macrochirus)		
Ethanol		LC50 96 h: 12.0 - 16.0 mL/L	EC50 = 34634 mg/L 30 min	LC50 48 h: 9268 - 14221
64-17-5		static (Oncorhynchus	EC50 = 35470 mg/L 5 min	mg/L (Daphnia magna)
		mykiss) LC50 96 h: 13400 -		EC50 24 h: = 10800 mg/L
		15100 mg/L flow-through		(Daphnia magna) EC50 48
		(Pimephales promelas)		h: = 2 mg/L Static (Daphnia
		LC50 96 h: > 100 mg/L static		magna)
		(Pimephales promelas)		
n-Propyl acetate		LC50 96 h: 56 - 64 mg/L		EC50 24 h: = 318 mg/L
109-60-4		flow-through (Pimephales		(Daphnia magna)
		promelas) LC50 96 h: 56 -		
		64 mg/L static (Pimephales		
		promelas)		
Isopropyl alcohol	EC50 72 h: > 1000 mg/L	LC50 96 h: = 11130 mg/L		EC50 48 h: = 13299 mg/L
67-63-0	(Desmodesmus	static (Pimephales		(Daphnia magna)
	subspicatus) EC50 96 h: >	promelas)		
	1000 mg/L (Desmodesmus	LC50 96 h: = 9640 mg/L		
	subspicatus)	flow-through (Pimephales		
		promelas)		
		LC50 96 h: > 1400000 μg/L		
		(Lepomis macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Acetone	-0.24
Ethanol	-0.32
Petroleum gases, liquified, sweetened	2.8
Isopropyl alcohol	0.05

Mobility

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Dispose of in accordance with local/regional/national regulations.

Contaminated Packaging Do not re-use empty containers.

US EPA Waste Number U002

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone - 67-64-1		Included in waste stream:		U002
		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Acetone	Ignitable
Ethanol	Toxic
	Ignitable
n-Propyl acetate	Toxic
	Ignitable
Isopropyl alcohol	Toxic
	Ignitable

14. TRANSPORT INFORMATION

DOT

Proper shipping name Consumer commodity

Hazard Class ORM-D

Reportable Quantity (RQ) Acetone: RQ kg= 4172.79 DescriptionConsumer commodity, ORM-D

Emergency Response Guide 126

Number

TDG

UN-Number UN1950 Proper Shipping Name Aerosols Hazard Class 2.1

Description UN1950, Aerosols, 2.1

MEX

UN-Number UN1950
Proper Shipping Name Aerosols
Hazard Class 2.1

Description UN1950, Aerosols, 2.1

<u>IATA</u>

UN-Number UN1950

Proper Shipping Name Aerosols, flammable

Hazard Class 2.1 ERG Code 10L

Description UN1950, Aerosols, flammable, 2.1

IMDG/IMO

UN-Number UN1950 Proper Shipping Name Aerosols

Hazard Class 2

Subsidiary Class See SP63 EmS No. F-D, S-U

Description UN1950, Aerosols, 2.1 (See SP63)

15. REGULATORY INFORMATION

International Regulations

Ozone depleting substances Not applicable Persistent Organic Pollutants

Hazardous Waste

Chemical Name	Basel Convention (Hazardous Wastes)	
Acetone	Y42	
Ethanol	Y42	
Isopropyl alcohol	Y42	

The Rotterdam Convention (Prior

Informed Consent)

Not applicable

International Convention for the

Not applicable

Prevention of Pollution from Ships

(MARPOL)

International Inventories

TSCA Complies
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	1.53	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard Yes
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

	Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Ī	Acetone	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	CAS-No	California Prop. 65	
Ethanol	64-17-5	Developmental	

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Acetone	X	X	X		X
Ethanol	X	Х	Х	Х	
Isopropyl alcohol	Х	Х	X		Х
n-Propyl acetate	Х	X	X		Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health Hazard 2	Flammability 4	Instability 0	Physical and Chemical Hazards -		
<u>HMIS</u>	Health Hazard 2	Flammability 4	Physical Hazard 0	Personal Protection X		
Prepared By	23 Britisl	Stewardship h American Blvd. NY 12110 72-6501				
Issuing Date	28-Oct-2					
Revision Date	28-Oct-2	² 016				

General Disclaimer

Revision Note

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

Initial Release.

End of Safety Data Sheet