



**CONSUMER
MARKET**



i tape



CONSUMER MARKET

IPG® manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, building and construction industry, and specialty markets. Our specially formulated pressure-sensitive tapes and films are designed with the customer in mind. Whether contractor or DIYer, IPG® has the solution for you.

4 NEW FROM IPG

Featuring our newest products



8 MASKING TAPES

Primarily for paint masking on trim, walls, windows, lacquer, floors and woodwork with clean removal



13 AUTOMOTIVE TAPES

Rust-Oleum® line of superior automotive masking and duct products



15 DUCT TAPES

For general maintenance applications such as wrapping, sealing, weather proofing, binding and bundling



888.898.7834 | itape.com



TABLE OF CONTENTS

20 ELECTRICAL TAPES

UL listed tapes for general-purpose maintenance and repair during electrical work applications



21 HVAC DUCT & FOIL TAPES

For abatement, weatherproofing, extermination, flex duct connections and general-purpose HVAC needs



23 BUILDING & CONSTRUCTION

A variation of products that aid in indoor and outdoor applications



27 CARTON SEALING TAPES

Used for box sealing, package repair and bundling applications



30 PACKAGING PRODUCTS

Shipping and packaging products for protection and other uses



31 SPECIALTY PRODUCTS

Versatile products useful in a variety of applications outside a specific market



34 MERCHANDISING SOLUTIONS

Display options such as planograms, display cases, POP's and more. Used to organize products in an easily and accessible manner.



NEW FROM IPG



PLANOGRAM DISPLAYS

Offering a variety of assortments and sizes to meet all of your display needs.

See page 35 for more details

FAN & VENT TAPE

Aggressive adhesive for sealing bath fan, dryer vents and ducts.

See page 23 for more details

IRON GRIP 10YD ROLL

A conveniently sized roll of IPG's premium 17mil Duct Tape.

See page 16 for more details

EXTREME WEATHER DUCT TAPE

Performs in temperatures as low as -58°F.

See page 19 for more details



STUCCO MASKING TAPE



Stucco masking tape is a durable, moisture resistant polyethylene backed tape with a rubber-based pressure-sensitive adhesive that bonds well to most surfaces. Designed to offer a high degree of conformability without excessive stretch. It is great for many construction jobs including seaming poly, flooring underlayment and surface protection.



- Easy tear edges
- For exterior insulation and finish systems (EIFS) and stucco applications
- UV resistant
- Performs well in hot and cold conditions

STUCCO MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4379PL | 1.88 | 60 | 48 | 54.8 | 0-77922-84379-4 | 4379S | 1 | 24 | N |





HOW IPG STACKS UP

IPG® manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, B&C and specialty markets. Our specially formulated pressure-sensitive tapes and films are designed with the customer in mind—whether contractor or DIYer—IPG® has the solution for you!



"MR. RELIABLE"

"ORANGE IS THE NEW TAN"

THE CLASSIC. THE TRUSTED.

YOUR EVERYDAY WORKHORSE.

THE CONTRACTOR'S "GO-TO"

BLOCKS OUT PAINT. KEEPS LINES CRISP.

SEALS YOUR DUCTS; SAVES YOU MONEY.

* IT GOES TO EXTREMES

'NUFF SAID!

888.898.7834
www.itape.com
info@itape.com

MASKING TAPES

IPG® Masking Tapes deliver professional painting results! TAPE then PAINT with confidence with our family of industry leading masking tapes. Be sure you're getting the right tape the first time – use our handy Tape Selection Guide below to find the tape best suited for your project.

TAPE THEN PAINT WITH CONFIDENCE

TAPE SELECTION GUIDE FOR ARCHITECTURAL PAINTING

| | PRO•MASK BLUE® WITH BLOC-IT® | PRO•MASK BLUE® DESIGNER | PRO•MASK GREEN® | PRO•MASK PAINTERS® | PG5 | PG505 | PG29 | PG21 | PG495 |
|--|------------------------------------|-------------------------------|--------------------|-----------------------|-----|-------|------|------|-------|
| How long will the tape be used? | | | | | | | | | |
| Days with no/indirect sunlight exposure | 21 | 14 | 14 | 1 | 3 | 3 | 21 | 3 | 3 |
| Days with direct sunlight exposure | 14 | 7 | 8 | | 1 | 1 | | | |
| What surface would you like to protect? | | | | | | | | | |
| Walls and Ceiling | | | | | | | | | |
| Primed wallboard, smooth | • | | • | | | | • | | |
| Painted wallboard, smooth | • | • | • | • | • | • | • | | • |
| Painted wall with orangepeel effect* | • | | • | • | • | • | • | | |
| Wall with heavy knockdown effect* | • | | • | • | • | • | • | | |
| Wallpaper, vinyl coated | • | | • | | | | • | | |
| Glass | • | • | • | • | • | • | • | • | • |
| Ceiling tiles | • | • | • | | | | • | | |
| Woodwork and Cabinetry | | | | | | | | | |
| Melamine laminate | • | | • | | | | | | |
| Wood veneer laminate | • | | • | | | | | | • |
| Unfinished wood | • | • | • | • | • | • | • | • | |
| Stained wood | • | • | • | | | | • | | |
| Finished with varnish/lacquer | • | | • | | | | • | • | • |
| Finished with urethane | • | | • | | | | • | • | |
| Overcoating with solvent systems | • | | • | | • | • | • | • | |
| Painted woodwork | • | • | • | • | • | • | • | | • |
| Metal fixtures | • | • | • | • | • | • | • | • | • |
| Flooring | | | | | | | | | |
| Carpet | • | | • | • | • | • | • | • | |
| Vinyl | • | • | • | • | • | • | • | • | |
| Tile | • | • | • | • | • | • | • | • | |
| Hardwood with lacquer/urethane finish | • | | • | | | | • | • | • |
| Laminate | • | | • | | | | | | |
| Paint Line Quality | | | | | | | | | |
| Crisp lines for striping/artistic touch | | | | | | | | | |
| Smooth glass | • | • | • | • | • | • | • | • | • |
| Standard painted drywall | • | • | • | • | • | • | • | | |
| Rough surfaces, knockdown* | • | | • | • | • | • | • | | |

*Edge of tape needs to be rubbed down to push into crevices; test in an inconspicuous place before taping entire room


PRO•MASK BLUE®




now with
BLOC-it™
clean line
technology



Pro•Mask Blue® with Bloc-It® clean line technology is a blue fine crepe paper masking tape with a specially formulated pressure-sensitive synthetic rubber adhesive designed for exposure to sunlight up to 14 days. Featuring IPG®'s patented clean line technology. Use wherever masking is exposed to weather or outdoor conditions, interior masking of windows (where adhesive will be directly exposed to sunlight).



Standard Blue Tape



PRO•MASK BLUE with BLOC-it
Clean Line Technology!



PRO•MASK BLUE® WITH BLOC-IT PREMIUM MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------------------|---------------|----|-------------|------|-------------------|-----------------|-------------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9530-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-80836-6 | 99486 | 1 | 32 | Y |
| 9531-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-80837-3 | 99438 | 1 | 32 | Y |
| 9532-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-80838-0 | 99439 | 1 | 20 | Y |
| 9533-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-80839-7 | 99440 | 1 | 16 | Y |
| 87350-3P | 1.88 | 60 | 48 | 54.8 | 0-77922-87350-0 | 99578 | 3/4 | 12 | N |
| CONTRACTOR PACKS | | | | | | | | | |
| PT14..35 | 0.70 | 60 | 18 | 54.8 | 0-87143-00174-3 | 99487 | 12/4 | 48 | Y |
| PT14..36 | 0.94 | 60 | 24 | 54.8 | 0-87143-00175-0 | 99488 | 9/4 | 36 | Y |
| PT14..37 | 1.41 | 60 | 36 | 54.8 | 0-87143-00176-7 | 99489 | 6/4 | 24 | Y |
| PT14..38 | 1.88 | 60 | 48 | 54.8 | 0-87143-00177-4 | 99490 | 6/4 | 24 | Y |
| SELF-SHIPPERS | | | | | | | ROLLS/TRAY | | |
| 666SS | 1.41 | 60 | 36 | 54.8 | 5-00779-22826-662 | 99497 | 36/3 | 108 | Y |
| 664SS | 1.88 | 60 | 48 | 54.8 | 5-00779-22826-648 | 99498 | 27/3 | 81 | Y |

PRO•MASK BLUE®

designer



A dark blue, crepe paper masking tape with a specially formulated pressure-sensitive acrylic adhesive designed for exposure to sunlight for up to 14 days.

BENEFITS

- No adhesive residue
- For use on walls, trim, glass and metal
- 14 day removal



PRO•MASK BLUE® DESIGNER

14 DAY PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | |
|----------------------|---------------|----|-------------|------|-------------------|-----------------|-------------------|------------|--------------|--|
| | in | yd | mm | m | | | | | | |
| PMD24 | 0.94 | 60 | 24 | 54.8 | 0-77922-99555-4 | 99555 | 1 | 32 | Y | |
| PMD36 | 1.41 | 60 | 36 | 54.8 | 0-77922-99556-1 | 99556 | 1 | 20 | Y | |
| PMD48 | 1.88 | 60 | 48 | 54.8 | 0-77922-99557-8 | 99557 | 1 | 16 | Y | |
| PMD72 | 2.83 | 60 | 72 | 54.8 | 0-77922-99559-2 | 99559 | 1 | 12 | Y | |
| SELF-SHIPPERS | | | | | | | ROLLS/TRAY | | | |
| 576SS | 1.41 | 60 | 36 | 54.8 | 5-00779-22995-764 | 99576 | 36/3 | 108 | Y | |
| 577SS | 1.88 | 60 | 48 | 54.8 | 5-00779-22995-771 | 99577 | 27/3 | 81 | Y | |

MASKING TAPES



PRO•MASK GREEN® 8-DAY PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|----------------------|---------------|----|-------------|------|-------------------|-----------------|-------------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5802-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-85802-6 | 89262 | 1 | 48 | N |
| 5803-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-85803-3 | 91401 | 1 | 32 | Y |
| 5804-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-85804-0 | 91402 | 1 | 20 | Y |
| 5805-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85805-7 | 91403 | 1 | 16 | Y |
| SELF SHIPPERS | | | | | | | ROLLS/TRAY | | |
| 3365S | 1.41 | 60 | 36 | 54.8 | 5-00779-22913-362 | 91336 | 36/3 | 108 | Y |
| 3345S | 1.88 | 60 | 48 | 54.8 | 5-00779-22913-348 | 91334 | 27/3 | 81 | Y |

- Provides clean removal from windows, trim and walls
- Designed for direct exposure to sunlight for up to 8 days



PRO•MASK PAINTERS® 1-DAY PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5201-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-71313-4 | 89261 | 1 | 48 | N |
| 5202-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-71314-1 | 91395 | 1 | 32 | Y |
| 5203-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-71315-8 | 91396 | 1 | 20 | Y |
| 5204-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-71316-5 | 91397 | 1 | 16 | Y |
| 5205-3 | 2.83 | 60 | 72 | 54.8 | 0-77922-71317-2 | 89279 | 1 | 12 | N |

- High quality paper and adhesive
- Clean removal
- Excellent cornering



PRO•MASK GP GENERAL PURPOSE MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5100-.75 | 0.70 | 60 | 18 | 54.8 | 0-77922-71179-6 | 91391 | 1 | 40 | Y |
| 5101-1 | 0.94 | 60 | 24 | 54.8 | 0-77922-71181-9 | 91392 | 1 | 32 | Y |
| 5102-1.5 | 1.41 | 60 | 36 | 54.8 | 0-77922-71183-3 | 91393 | 1 | 20 | Y |
| 5103-2 | 1.88 | 60 | 48 | 54.8 | 0-77922-71185-7 | 91394 | 1 | 16 | Y |
| 5104-3 | 2.83 | 60 | 72 | 54.8 | 0-77922-71187-1 | 89277 | 1 | 12 | N |

- Works well on light duty and non-critical paint and woodworking applications
- Can be used for office, school and hobbies



MASKING TAPES



PG495 PRODUCTION PAINTERS TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PP24S | 0.94 | 60 | 24 | 54.8 | 0-77922-99809-8 | 99809 | 9 | 36 | Y |
| PP36S | 1.41 | 60 | 36 | 54.8 | 0-77922-99810-4 | 99810 | 6 | 24 | Y |
| PP48S | 1.88 | 60 | 48 | 54.8 | 0-77922-99811-1 | 99811 | 6 | 24 | Y |
| PP24R | 0.94 | 60 | 24 | 54.8 | 0-77922-99806-7 | 99806 | 1 | 36 | Y |
| PP36R | 1.41 | 60 | 36 | 54.8 | 0-77922-99807-4 | 99807 | 1 | 24 | Y |
| PP48R | 1.88 | 60 | 48 | 54.8 | 0-77922-99808-1 | 99808 | 1 | 24 | Y |

- Good quick stick properties and high adhesion
- Clean removal within 24 hours
- Can withstand temperatures up to 150°F (66°C)



PG5 PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG5...127R | 0.70 | 60 | 18 | 54.8 | 0-87143-00184-2 | PG5...127R | 12/4 | 48 | Y |
| PG5...128R | 0.94 | 60 | 24 | 54.8 | 0-87143-00185-9 | PG5...128R | 9/4 | 36 | Y |
| PG5...129R | 1.41 | 60 | 36 | 54.8 | 0-87143-00186-6 | PG5...129R | 6/4 | 24 | Y |
| PG5...130R | 1.88 | 60 | 48 | 54.8 | 0-87143-00187-3 | PG5...130R | 6/4 | 24 | Y |
| PG5-160 | 0.94 | 60 | 24 | 54.8 | 0-77922-99777-0 | 99777 | 1 | 32 | Y |
| PG5-1560 | 1.41 | 60 | 36 | 54.8 | 0-77922-99778-7 | 99778 | 1 | 20 | Y |

- Quality painter's masking tape with a fine crepe backing
- Provides excellent cornering and conformability on difficult-to-mask areas
- Removability for up to 3 days after application
- Safe for use on lacquered and polyurethane-coated surfaces



PG505 PAINTER'S MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG505.120R | 0.70 | 60 | 18 | 54.8 | 0-87143-00170-5 | PG505.120R | 12/4 | 48 | N |
| PG505.121R | 0.94 | 60 | 24 | 54.8 | 0-87143-00171-2 | PG505.121R | 9/4 | 36 | N |
| PG505.122R | 1.41 | 60 | 36 | 54.8 | 0-87143-00172-9 | PG505.122R | 6/4 | 24 | N |
| PG505.123R | 1.88 | 60 | 48 | 54.8 | 0-87143-00173-6 | PG505.123R | 6/4 | 24 | N |

- An excellent value in painter's grade masking tapes
- Good for use in a wide variety of temperature and humidity conditions



MASKING TAPES



PG29 LOW-TACK MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG29..22R | 0.94 | 60 | 24 | 54.8 | 0-87143-00181-1 | PG29..22R | 9/4 | 36 | Y |
| PG29..23R | 1.41 | 60 | 36 | 54.8 | 0-87143-00182-8 | PG29..23R | 6/4 | 24 | Y |
| PG29..24R | 1.88 | 60 | 48 | 54.8 | 0-87143-00183-5 | PG29..24R | 6/4 | 24 | Y |
| PG29-160 | 0.94 | 60 | 24 | 54.8 | 0-77922-99779-4 | 99779 | 1 | 32 | Y |
| PG29-1560 | 1.41 | 60 | 36 | 54.8 | 0-77922-99780-0 | 99780 | 1 | 24 | Y |

- Smooth, paper backed, low-tack masking tape
- Used for interior masking of walls, woodwork and windows
- 21 day tape
- Good for new home construction and home improvement
- Safe for use on lacquered and polyurethane-coated surfaces, unfinished wood, wallpaper or cured painted wallboards
- Can also be used for wet-strip automotive paint masking



PG21 LACQUER-RESISTANT MASKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG21..179R | 0.94 | 60 | 24 | 54.8 | 0-87143-00178-1 | PG21..179R | 9/4 | 36 | N |
| PG21..180R | 1.41 | 60 | 36 | 54.8 | 0-87143-00179-8 | PG21..180R | 6/4 | 24 | N |
| PG21..181R | 1.88 | 60 | 48 | 54.8 | 0-87143-00180-4 | PG21..181R | 6/4 | 24 | N |

- Clean removal from a variety of surfaces
- Lacquer and tear resistant
- Recommended for use on high temperature applications
- Smooth texture for long paint lines and one-piece removal



ORANGE MASKING TAPE CONTRACTOR GRADE PAINTER'S TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PG505-18 | 0.70 | 60 | 18 | 54.8 | 0-77922-99815-9 | 99815 | 12/4 | 48 | N |
| PG505-24 | 0.94 | 60 | 24 | 54.8 | 0-77922-99663-6 | 99663 | 9/4 | 36 | N |
| PG505-36 | 1.41 | 60 | 36 | 54.8 | 0-77922-99664-3 | 99664 | 6/4 | 24 | N |
| PG505-48 | 1.88 | 60 | 48 | 54.8 | 0-77922-99665-5 | 99665 | 6/4 | 24 | N |
| PG505-1560 | 1.41 | 60 | 36 | 54.8 | 0-77922-99782-4 | 99782 | 1 | 20 | N |

- Crepe paper backing with a pressure-sensitive, natural rubber adhesive
- Excellent balance of quick stick, panel adhesion and holding properties
- Ideal for trim and woodwork applications
- Provides superb paint lines
- Clean removal for up to 3 days



AUTOMOTIVE TAPES

• TRUSTED QUALITY SINCE 1921 •
RUST-OLEUM®

IPG's American® brand Automotive Refinishing Tapes have been trusted for many years by professionals for their unsurpassed quality and performance. IPG has teamed with Rust-Oleum® to bring you this line of superior automotive masking products.



RUST-OLEUM® PEEL COAT®

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| PC1555 | 1.41 | 35 | 36 | 32 | 0-77922-99638-4 | 99638 | 1 | 6 | Y |

- Blue, fine crepe paper masking tape with a specially formulated pressure-sensitive synthetic rubber adhesive
- Features IPG's patented Bloc-it® clean line technology
- Provides excellent paint lines, cornering, and conformability
- Designed for exposure to sunlight for up to 14 days



RUST-OLEUM® PROFESSIONAL GRADE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| RO3655 | 1.41 | 35 | 36 | 32 | 0-77922-99428-1 | 99428 | 1 | 20 | Y |
| RO4855 | 1.88 | 35 | 48 | 32 | 0-77922-99429-9 | 99429 | 1 | 16 | Y |

- An orange, high quality, smooth crepe paper masking tape with a natural rubber adhesive
- Good quick-stick and holding properties for the composite industries
- Clean paint-break line, highly conformable and flexible, tear resistant, moisture and solvent resistant
- UV resistant up to 72 hours, and can be exposed to oven temperature up to 250°F (121°C) for 30 minutes
- Stain and transfer resistant, controlled unwind, and good adhesive to backing when layered



RUST-OLEUM® GENERAL PURPOSE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| RU1850 | 0.70 | 35 | 18 | 32 | 0-77922-99423-6 | 99423 | 1 | 40 | Y |
| RU3650 | 1.41 | 35 | 36 | 32 | 0-77922-99424-3 | 99424 | 1 | 20 | Y |

- Coarse crepe paper masking tape with pressure-sensitive rubber adhesive
- Good adhesion and holding properties
- Clean, easy removal
- Resists wet sanding
- Compatible with both water and solvent based paints
- Temperature resistant up to 175°F (80°C) for 30 minutes



RUST-OLEUM® FIX-IT DUCTape® 6 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| RUST27 | 1.88 | 27.3 | 48 | 25 | 0-77922-99529-5 | 99481 | 1 | 6 | N |

- 6 mil polyester (PET)/polyethylene (PE) coated cloth tape
- Aggressive, pressure-sensitive adhesive
- Conforms to irregular surfaces
- Good tensile strength in cross and machine direction
- Silver



HAND MASKING FILM



Hand Masking Film from IPG® is a pre-folded, high density polyethylene masking film designed for multiple paint applications such as marine, composites, bus, truck, specialty vehicle, automotive repair and home improvement. The thick and durable 12 micron film is treated to resist overspray flaking during multiple gelcoat applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking.

PERFORMANCE ADVANTAGES

- Easy to work with
- Durable film resists tearing, therefore requiring less tape
- Solvent resistant
- Clings to surface preventing overspray
- Designed to work with multiple hand dispensers
- Compact size

HAND MASKING FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| HMF24 | 24 | 180 | 609.6 | 54.8 | 0-87143-00214-6 | HMF...24 | 1 | 12 | N |
| HMF36 | 36 | 90 | 914.4 | 27.4 | 0-87143-00215-3 | HMF...36 | 1 | 12 | N |
| HMF3625 | 36 | 25 | 914.4 | 7.6 | 0-77922-99619-3 | 99619 | 4 | 48 | N |
| HMF48 | 48 | 180 | 1219.2 | 54.8 | 0-87143-00216-0 | HMF...48 | 1 | 12 | N |
| HMF72 | 72 | 90 | 1828.8 | 27.4 | 0-87143-00217-7 | HMF...72 | 1 | 12 | N |
| HMF99 | 99 | 90 | 2514.6 | 27.4 | 0-87143-00218-4 | HMF...99 | 1 | 12 | N |



NEW

LOOK

ipg Utility Grade Duct Tape
Cinta adhesiva de grado de utilidad
1.88in x 55yds
(48mm x 50.2m)

ipg FIX-IT DUCTape™
General Maintenance
1.88in x 55yds
(48mm x 50.2m)

ipg JOBSITE DUCTape™
Contractor Grade
1.88in x 60yds
(48mm x 54.9m)

ipg XHD DUCTape™
XTRA Heavy Duty
1.88in x 60yds
(48mm x 54.9m)

**SAME
GREAT
PRODUCTS**



IRON GRIP® 17-mil Premium Duct Tape is a polyethylene (PE) coated cloth tape with an aggressive pressure-sensitive natural rubber adhesive which adheres well to a wide variety of surfaces under a wide range of temperature conditions. Iron Grip provides easy dispensing from the roll for temporary patching of utility access holes, taping of ductwork, and a variety of heavy-duty demanding applications requiring high strength and adhesion.

DUCT TAPE STRONGER.



IRON GRIP DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| IG235* | 1.88 | 35 | 48 | 32 | 0-77922-99580-6 | 99580 | 1 | 12 | Y |
| IG2PK-A | 1.88 | 35 | 48 | 32 | 0-77922-99581-3 | 99634 | 2 | 12 | Y |
| IG212 | 1.88 | 10 | 48 | 9 | 0-77922-99654-4 | 99654 | 1 | 12 | Y |

*3 case order eligible for floor display

- Tested in accordance with UL 723; black
- All-weather, easy unwind, high adhesion
- Professional quality, ultra-tough



DUCT TAPE STRONGER.

SELF-FUSING SILICONE TAPE

IRON GRIP® Silicone Tape is a self-fusing, repair tape that conforms to any surface while providing a water-tight seal. Silicone Tape creates a chemical, moisture-resistant barrier that fixes leaky pipes, hoses and insulates frayed electrical wires. It is easy to remove, leaves no sticky residue and protects from corrosion. Ideal for marine, automotive, plumbing and household applications, plus many more!



SEALS • PROTECTS • REPAIRS • INSULATES


- Insulates up to 8,000 volts
- 300% Stretch
- -85°F to 500°F
- 700 PSI



Repairs/insulates electrical wires



Repairs loose or leaky plumbing



Creates a firm grip on handle



Wrap hoses for an airtight seal

IRON GRIP

SILICONE TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | COLOR | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|---|-----------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| SR110 | 1 | 10 | 25.4 | 3 | 0-77922-99693-3 | 99693 | Red | 1 | 6 | Y |
| SBK110 | 1 | 10 | 25.4 | 3 | 0-77922-99694-0 | 99694 | Black | 1 | 6 | Y |
| SC110 | 1 | 10 | 25.4 | 3 | 0-77922-99695-7 | 99695 | Clear | 1 | 6 | Y |
| SG110 | 1 | 10 | 25.4 | 3 | 0-77922-99696-4 | 99696 | Gray | 1 | 6 | Y |
| SGN110 | 1 | 10 | 25.4 | 3 | 0-77922-99697-1 | 99697 | Green | 1 | 6 | Y |
| SW110 | 1 | 10 | 25.4 | 3 | 0-77922-99698-8 | 99698 | White | 1 | 6 | Y |



PREMIUM PACKING TAPE

According to recent studies, more than 90% of boxes contain recycled content. Changes in the fiber and composition of cartons may impact the ability of your tape to adhere to it. **IRON GRIP®** Premium Packing Tape was designed specifically for optimal closure of highly recycled corrugate, including 100% recycled boxes. Its adhesive formulation also successfully seals boxes in wide ranges of temperature and humidity.

IRON GRIP

PREMIUM PACKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| IG1100 | 1.88 | 60 | 48 | 54.8 | 0-77922-99690-2 | 99690 | 1 | 6 | Y |

DUCT TAPES

Whether the job requires heavy duty or general purpose strength, a neutral silver or colored surface, or a temporary or permanent hold, IPG's duct tape is the solution for holding it, fastening it, securing it, sealing it, binding it or bundling it!



XHD DUCTape® 10 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9600 | 1.88 | 60 | 48 | 54.8 | 0-77922-76199-9 | 91411 | 1 | 24 | Y |
| 9601 | 1.88 | 30 | 48 | 27.8 | 0-77922-76198-2 | 85875 | 1 | 24 | N |
| 9602 | 1.88 | 10 | 48 | 9.1 | 0-77922-76615-4 | 85635 | 1 | 36 | N |
| 9603 | 2.83 | 60 | 72 | 54.8 | 0-77922-77022-9 | 85636 | 1 | 16 | N |


- 10 mil polyester (PET)/polyethylene (PE) coated cloth tape
- Aggressive, pressure-sensitive natural rubber adhesive
- Good for packing, wrapping, sealing, binding, bundling and general maintenance
- Meets UL723, HUD and BOCA codes
- Silver



JOBSITE DUCTape® 9 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|------------|
| | in | yd | mm | m | | | | | | |
| 6700 | 1.88 | 60 | 48 | 54.8 | 0-77922-72982-1 | 91410 | 1 | 24 | Y | Silver |
| 4398 | 3.77 | 60 | 96 | 54.8 | 0-77922-84398-5 | 89280 | 1 | 8 | N | Silver |
| 20C-BL 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85601-5 | 20C-BL 2 | 1 | 24 | N | Blue |
| 20C-GR 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85603-9 | 20C-GR 2 | 1 | 24 | N | Green |
| 20C-W 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85604-6 | 91409 | 1 | 24 | Y | White |
| 20C-OR 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85605-3 | 20C-OR 2 | 1 | 24 | N | Orange |
| 20C-R 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85607-7 | 91408 | 1 | 24 | Y | Red |
| 20C-BK 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85746-3 | 91407 | 1 | 24 | Y | Black |
| 20C-OD 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85014-3 | 20C-OD 2 | 1 | 24 | N | Olive Drab |
| 20C-Y 2 | 1.88 | 60 | 48 | 54.8 | 0-77922-85606-0 | 20C-Y 2 | 1 | 24 | N | Yellow |
| 6720WHT | 1.88 | 20 | 48 | 18.2 | 0-77922-85768-5 | 89272 | 6/6 | 36 | Y | White |
| 6720BLK | 1.88 | 20 | 48 | 18.2 | 0-77922-85763-0 | 89270 | 6/6 | 36 | Y | Black |
| 6720BLU | 1.88 | 20 | 48 | 18.2 | 0-77922-85764-7 | 89293 | 6/6 | 36 | Y | Blue |
| 6720RED | 1.88 | 20 | 48 | 18.2 | 0-77922-85767-8 | 89271 | 6/6 | 36 | Y | Red |
| 6720GRN | 1.88 | 20 | 48 | 18.2 | 0-77922-85766-1 | 89294 | 6/6 | 36 | Y | Green |
| 6720YEL | 1.88 | 20 | 48 | 18.2 | 0-77922-85762-3 | 89295 | 6/6 | 36 | Y | Yellow |

- 9 mil polyester (PET)/polyethylene (PE) coated cloth tape
- Aggressive, pressure-sensitive natural rubber adhesive
- Good for packing, wrapping, sealing, binding, bundling, weather proofing and general maintenance
- Adheres well to a wide variety of surfaces
- Offers a broad temperature range
- Available in many colors



DUCT TAPES



FIX-IT DUCTape® 7 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 6900 | 1.88 | 55 | 48 | 50.2 | 0-77922-76650-5 | 91406 | 1 | 24 | Y |
| 6945 | 1.88 | 45 | 48 | 41.1 | 0-77922-86274-0 | 86274 | 1 | 24 | N |
| 6930 | 1.88 | 30 | 48 | 27.4 | 0-77922-82978-1 | 89273 | 1 | 24 | N |
| 5672 | 2.83 | 60 | 72 | 54.8 | 0-77922-85672-5 | 5672 | 1 | 16 | N |
| 6910 | 1.88 | 10 | 48 | 9.1 | 0-77922-79807-0 | 91405 | 1 | 24 | Y |

- 7 mil polyester (PET)/polyethylene (PE) coated cloth tape
- Good for wrapping, sealing and general use
- Conforms to irregular surfaces
- Silver



UTILITY GRADE 6 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 6560 | 1.88 | 55 | 48 | 50.2 | 0-77922-99463-2 | 99463 | 1 | 24 | Y |

- 6 mil polyester (PET)/polyethylene (PE) coated cloth tape
- Aggressive, natural rubber pressure sensitive adhesive
- Conforms well to irregular surfaces
- Good for packing, wrapping, sealing, binding, bundling, weather proofing and general maintenance
- Silver



EXTREME WEATHER DUCTape


| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| EW235 | 1.88 | 35 | 48 | 32 | 0-77922-99899-9 | 99899 | 1 | 12 | Y |

- Suitable for temperatures as low as -58°F
- Water resistant finish
- Excellent conformability to irregularly shaped objects



ELECTRICAL TAPES

MEDIUM GRADE 7 MIL VINYL ELECTRICAL TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|--------|
| | in | ft | mm | m | | | | | | |
| 607 | 0.75 | 66 | 19 | 20.1 | 0-77922-85515-5 | 85835 | 10/20 | 120 | Y | Black |
| 607GRN | 0.75 | 60 | 19 | 18.2 | 0-77922-84113-4 | 85827 | 20/6 | 120 | Y | Green |
| 607WHT | 0.75 | 60 | 19 | 18.2 | 0-77922-84114-1 | 85828 | 20/6 | 120 | Y | White |
| 607YEL | 0.75 | 60 | 19 | 18.2 | 0-77922-84116-5 | 85830 | 20/6 | 120 | Y | Yellow |
| 607BLU | 0.75 | 60 | 19 | 18.2 | 0-77922-84117-2 | 85831 | 20/6 | 120 | Y | Blue |
| 607RED | 0.75 | 60 | 19 | 18.2 | 0-77922-84118-9 | 85832 | 20/6 | 120 | Y | Red |
| 607ORG | 0.75 | 60 | 19 | 18.2 | 0-77922-85682-4 | 85834 | 20/6 | 120 | Y | Orange |

- Black vinyl insulating tape
- Consists of a soft "plasticized" stabilized PVC
- Film coated with a non-corrosive rubber based adhesive
- Good dielectric strength
- For general purpose maintenance and repair
- CSA and UL listed
- Temperature range is 0°C - 80°C
- Lead-free



ECONOMY GRADE 7 MIL VINYL ELECTRICAL TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| 602 | 0.75 | 60 | 19 | 18.2 | 0-77922-85680-0 | 602 | 10/20 | 200 | N |

- Usage temperature up to 80°C
- Contains lead
- UL listed



HVAC DUCT & FOIL TAPES

IPG® offers a complete line of products specifically engineered to meet the most stringent requirements of the HVAC and B&C industries. These products are engineered for a wide range of applications and environments. IPG's HVAC tapes are UL-Rated, UL-Listed and USGBC LEED point contributors.



UL181 ALUMINUM 2 MIL UL181 AP-B-FX LISTED

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 5010-B | 2.5 | 60 | 63.5 | 54.8 | 0-87143-00222-1 | 99607 | 1 | 12 | Y |
| 5011 | 3 | 60 | 76.2 | 54.8 | 0-77922-00115-6 | ALF201LUL360HR | 1 | 16 | Y |

- Printed for easy identification and inspection
- All temperature rated, high tack acrylic adhesive
- Meets code requirements, UL181 AP/B-FX Listed



COLD WEATHER ALUMINUM 1.75 MIL ALUMINUM FOIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9502-B | 2 | 50 | 50.8 | 45.7 | 0-77922-00123-1 | 99606 | 1 | 12 | Y |
| 9503 | 3 | 50 | 76.2 | 45.7 | 0-77922-00124-8 | ALF175L0350HR | 1 | 16 | Y |

- Engineered for superior bonding when exposed to either sub-zero or elevated temperatures
- Developed for general purpose HVAC duct seaming, patching and sealing to enhance appearance and maintain vapor barrier integrity
- Flame retardant, high shear adhesion, UV resistant and excellent reflective properties



ALUMINUM FOIL TAPE 1.5 MIL ALUMINUM FOIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9200 | 2 | 10 | 50.8 | 9.1 | 0-77922-77111-0 | 91412 | 1 | 24 | Y |
| 9201 | 2 | 30 | 50.8 | 27.4 | 0-77922-77112-7 | 89268 | 1 | 24 | Y |
| 9202-B | 2 | 50 | 50.8 | 45.7 | 0-77922-76193-7 | 99605 | 1 | 12 | Y |
| 9203 | 3 | 50 | 76.2 | 45.7 | 0-77922-77113-4 | 77113 | 1 | 16 | N |
| 5677 | 4 | 50 | 101.6 | 45.7 | 0-77922-85677-0 | 5677 | 1 | 12 | N |

- High-tack rubber based adhesive
- Flame retardant
- Excellent for use in HVAC applications



FSK JACKETING TAPE FOIL-SCRIM INSULATION TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|-------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| FSK3-HC | 2.95 | 50 | 75 | 45.72 | 0-77922-99712-1 | 99712 | 1 | 12 | N |

- Use for insulation, sealing and patching
- Creates a vapor barrier

HVAC DUCT & FOIL TAPES



AC36 DUCT TAPE MEDIUM 11 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|--------|
| | in | yd | mm | m | | | | | | |
| 4137 | 1.88 | 60 | 48 | 54.8 | 0-77922-84137-0 | 4137 | 1 | 24 | N | Silver |
| 4382 | 1.88 | 60 | 48 | 54.8 | 0-77922-84382-4 | 4382 | 1 | 24 | N | Black |
| 4335 | 1.88 | 60 | 48 | 54.8 | 0-77922-84335-0 | 4335 | 1 | 24 | N | Red |

- The general contractor's duct tape of choice
- 11 mil polyethylene coated cloth tape
- Provide exceptional shear strength for demanding applications such as HVAC, abatement, weatherproofing, extermination, flex duct connections and all general maintenance needs
- Meets HUD, BOCA and LA County codes
- Tested in accordance with UL 723



AC45 DUCT TAPE MEDIUM 12 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4138 | 1.88 | 60 | 48 | 54.8 | 0-77922-84138-7 | 4138 | 1 | 24 | N |

- 12 mil polyethylene coated cloth film
- Aggressive, wide temperature range adhesive system
- Recommended for use where high adhesion and conformability are required
- Meets HUD BOCA Codes and LA County codes
- Tested in accordance with UL 723



AC49 METALIZED DUCT TAPE MEDIUM 11 MIL METALIZED DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| AC4948 | 1.88 | 60 | 48 | 54.8 | 0-77922-82764-0 | 82764 | 1 | 24 | N |

- 11 mil metalized polyethylene film applied to a high tensile cloth
- Aggressive, pressure sensitive, natural rubber adhesive
- Designed for applications where a high quality grade of cloth tape is required and the appearance of metalized backing is preferred
- Meets HUD, BOCA and LA County needs
- Tested in accordance with UL 723



AC50 DUCT TAPE PREMIUM 14 MIL DUCT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 4139 | 1.88 | 60 | 48 | 54.8 | 0-77922-84139-4 | 84139 | 1 | 24 | N |

- High tensile and tear strength
- Maximum performance for sealing heating and air ventilation systems
- Meets HUD, BOCA, and LA County codes
- Tested in accordance with UL 723



HVAC DUCT & FOIL TAPES



ALF MASTIC TAPE BUTYL MASTIC FOIL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| MF2100 | 1.88 | 100 | 48 | 30.4 | 0-77922-99631-5 | 99631 | 1 | 12 | N |
| MF3100 | 2.88 | 100 | 73 | 30.4 | 0-77922-99632-2 | 99632 | 1 | 12 | N |

- Instant waterproof grip
- Forms a superior seal
- High resistance to mold and mildew
- Paintable
- Easy tear
- LEED points contributor



FAN & VENT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|-----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| VF210UL | 2.5 | 10 | 63.5 | 9.1 | 0-77922-99829-6 | 99829 | 1 | 12 | Y |

- Heat resistant
- Seals to prevent air leakage
- Blocks odors and moisture
- Aggressive adhesive
- Conforms to UL specifications



HIGH TEMPERATURE FLUE TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| FT210 | 2 | 15 | 50.8 | 4.57 | 0-77922-99679-7 | 99679 | 1 | 12 | Y |

- Stops leaks from hot air ducts
- For use in temperatures from -60°F to +600°F (-51°C to +315°C)

BUILDING & CONSTRUCTION PRODUCTS



FAWC TAPE™ ALL-WEATHER CONSTRUCTION TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | COLOR | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|-------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| F235 | 1.88 | 35 | 48 | 32 | 8-77638-00210-8 | 99706 | Matte Black | 24 | N |

- Sticks to smooth and uneven surfaces
- 17 mil thickness
- Superior adhesive power
- Durable weather resistance

BUILDING & CONSTRUCTION PRODUCTS



THREADSEAL TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | in | mm | m | | | | | |
| 11 1/2X260 | 0.5 | 260 | 12.7 | 6.6 | 0-77922-85740-1 | 11 1/2X260 | 200/6 | 1200 | N |
| 11 1/2X520 | 0.5 | 520 | 12.7 | 13.2 | 0-77922-85738-8 | 11 1/2X520 | 200/6 | 1200 | N |

- Made of chemically inert material
- Withstands alkalis, acids, oils and solvents
- Good for use on iron, stainless steel, copper, brass, plastic, glass or rubber pipes
- Temperature resistance of -400°F to 700°F



SEAMS REAL EASY® DRYWALL JOINT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|------------------------|---------------|-----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| FIBERGLASS MESH | | | | | | | | | |
| 2072 | 1.9 | 300 | 48.2 | 91.4 | 0-77922-82147-1 | 2072 | 1 | 12 | N |
| PAPER DRYWALL | | | | | | | | | |
| 2052 | 2.06 | 250 | 52.3 | 76.2 | 0-77922-82149-5 | 82149 | 1 | 20 | N |

Fiberglass Mesh

- Self adhesive fiberglass mesh drywall joint tape eliminates air bubbles and blistering
- Quick and easy to use

Paper Drywall

- High strength, yet very thin for joining drywall panels
- Resists tearing, creasing and stretching



RUBBER TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|---------------|---------------|----|-------------|-----|-----------------|-----------------|------------|------------|--------------|
| | in | ft | mm | m | | | | | |
| 5517 - Rubber | 0.75 | 22 | 19 | 6.7 | 0-77922-85517-9 | 5517 | 1 | 100 | N |

- 30-mil, semi-cured rubber for low voltage electrical insulation
- Self-vulcanizing and water resistant



SHEATHING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY | COLOR |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|-------|
| | in | yd | mm | m | | | | | | |
| 5518USW | 1.88 | 54.6 | 48 | 50 | 0-77922-85518-6 | 85518 | 1 | 24 | N | White |
| 5561USR | 1.88 | 54.6 | 48 | 50 | 0-77922-85561-2 | 85561 | 1 | 24 | N | Red |
| 5563USR | 2.83 | 54.6 | 72 | 50 | 0-77922-85563-6 | 85563 | 1 | 16 | N | Red |

- Designed for permanent seaming and sealing of joints in foam insulation & housewrap applications
- Secures lap edges on house wraps and other vapor barriers
- Repairs rips and tears in roll and batt insulation, construction films and membranes
- Available in white and red

BUILDING & CONSTRUCTION PRODUCTS



INDOOR CARPET TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|----------------|----------------|-----------------|
| | in | yd | mm | m | | | | | |
| 9970 | 1.88 | 36 | 48 | 32.9 | 0-77922-76196-8 | 76196 | 1 | 12 | N |
| 9971 | 1.88 | 10 | 48 | 9.1 | 0-77922-77058-8 | 89266 | 1 | 20 | N |
| 9970-2P | 1.88 | 36 | 48 | 32.9 | 0-77922-99645-2 | 99645 | 2 | 16 | N |

- Use for securing carpets, rugs and mats
- Indoor use only



NON-SLIP TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|-----|-----------------|-----------------|----------------|----------------|-----------------|
| | in | ft | mm | m | | | | | |
| 1727 | 2 | 8 | 50.8 | 2.4 | 0-77922-82171-6 | 1727 | 1 | 12 | N |

- Great for slippery areas such as decks, stairs and docks

REINFORCED CONSTRUCTION PAPER



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE |
|-------------|---------------|-----|-------------|------|-------------------|-----------------|----------------|----------------|
| | in | ft | mm | m | | | | |
| CCP24 | 24 | 300 | 609.6 | 91.4 | 5-00739-49500-301 | K73217 | 1 | 42 |
| CCP36 | 36 | 300 | 914.4 | 91.4 | 5-00739-49500-288 | K73214 | 1 | 42 |
| CCP48 | 48 | 300 | 1219.2 | 91.4 | 5-00739-49500-295 | K73215 | 1 | 42 |
| CCP72 | 72 | 300 | 1828.8 | 91.4 | 5-00739-49500-271 | K73213 | 1 | 42 |

- Laminated heavy-duty kraft paper reinforced with filaments
- Skid and slip resistant, tear resistant, moisture resistant
- Used as protection for finished floors, countertops, stairs, and other surfaces during new construction and remodeling



BARRICADE RIBBON



| ITEM NUMBER | PRINT | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE |
|-------------|-----------|---------------|------|-------------|-------|-----------------|-----------------|----------------|----------------|
| | | in | ft | mm | m | | | | |
| 600WP 300 | Wet Paint | 3 | 300 | 76.2 | 91.4 | 0-77922-80678-2 | 600WP 300 | 1 | 16 |
| 600CC 300 | Caution | 3 | 300 | 76.2 | 91.4 | 0-77922-80679-9 | 600CC 300 | 1 | 16 |
| 600CC 1000 | Caution | 3 | 1000 | 76.2 | 304.8 | 0-77922-81992-8 | 600CC 1000 | 1 | 8 |
| 600RD 300 | Danger | 3 | 300 | 76.2 | 91.4 | 0-77922-85685-5 | 600RD 300 | 1 | 16 |

- All-weather, UV, water and tear resistant barricade tape designed to restrict entry and identify boundaries of hazardous areas
- Bright colors with black lettering provide high visibility for directional and/or safety



HURRICANE TAPE™

CONSTRUCTION :: MARINE :: AUTOMOTIVE :: HOME



Hurricane Tape™ is a heavy-duty general purpose utility tape that can be used as an alternative to duct tape. It is much more durable, weather resistant, and with its high tensile strength it does not stretch and tear like duct tape—making it a better choice for outdoor and heavy-duty applications.

- Water-resistant
- UV inhibitor backing
- Stays intact for up to 5 years of continuous weather exposure.
- Does not leave a residue if removed within 7-14 days but will get stickier over time.



Scan QR code to watch product demo.

HURRICANE TAPE™ ALL PURPOSE TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|------------|--------------|
| | in | yd | mm | m | | | | |
| HT220 | 1.88 | 20 | 48 | 18.2 | 8-77638-00141-5 | 99703 | 36 | N |
| HT260 | 1.88 | 60 | 48 | 54.8 | 8-77638-00121-7 | 99704 | 36 | N |
| HT360 | 2.83 | 60 | 72 | 54.8 | 8-77638-00101-9 | 99705 | 24 | N |

Durable 3.0 mil BOPP film with high grade acrylic adhesive. Excellent clarity, superior quick-stick performance, controlled unwind. Reliable performance, even works under 40°F and over 120°F! Resists aging, weathering, UV light, and yellowing.



CLEAR TO THE CORE[®] PREMIUM PACKING TAPE

CLEAR TO THE CORE[®]

3.0 MIL PREMIUM PACKING TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/ PACK | ROLLS/ CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|------|-----------------|-----------------|----------------|----------------|--------------|
| | in | yd | mm | m | | | | | |
| CTTC24 | 1.88 | 60 | 48 | 54.8 | 0-77922-99670-4 | 99657 | 1 | 12 | N |
| 341CTTC-6PK | 1.88 | 60 | 48 | 54.8 | 0-77922-99644-5 | 99644 | 6 | 36 | N |

CARTON SEALING TAPES

IPG®'s Carton Sealing Tapes are versatile and specially-designed for a variety of applications, featuring a holding power formulated for consistent, reliable closures. Each tape embodies specific properties, making them the ideal choice for packing, shipping, storing, or moving applications.



PREMIUM PACKING TAPE

3 MIL HOT MELT & FLATBACK TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-----------------------------|---------------|----|-------------|------|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 3 MIL HOT MELT | | | | | | | | | |
| PSC50 | 1.88 | 60 | 48 | 54.8 | 0-77922-99494-6 | 99494 | 1 | 16 | Y |
| PSD50 | 1.88 | 60 | 48 | 54.8 | 0-77922-99495-3 | 99495 | 1 | 12 | Y |
| PDD50 | 1.88 | 60 | 48 | 54.8 | 0-77922-99696-0 | 99496 | 2/6 | 12 | Y |
| KRAFT PAPER FLATBACK | | | | | | | | | |
| 9341 | 1.88 | 60 | 48 | 54.8 | 0-77922-76200-2 | 525..3 | 1 | 12 | N |

3 Mil Hot Melt

- Corru-Grip® Adhesive Technology allows tape to adhere to recycled corrugate materials
- Expanded temperature and humidity range

Kraft Paper Flatback

- Non-repulpable, natural rubber adhesive on a moisture resistant flatback kraft
- Excellent adhesion to minimize carton sealing failures and prevent pilferage
- Use for applications where reduced weight can provide packaging material savings



PSC50



9341



PDD50



PSD50

MOVING TAPE

1.6 MIL HOT MELT TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 610C | 1.88 | 54.6 | 48 | 50 | 0-77922-84120-2 | 91390 | 1 | 16 | N |
| 2662 | 1.88 | 54.6 | 48 | 50 | 0-77922-82662-9 | 91415 | 6/6 | 36 | Y |
| 2892 | 1.88 | 54.6 | 48 | 50 | 0-77922-82892-0 | 91372 | 2/6 | 12 | Y |

- General purpose hot melt carton sealing tape
- Provides secure holding power to a variety of corrugated and linerboard boxes, for consistent and reliable closures

- Can be used for light to medium weight box sealing as well as package repair and bundling applications



2892



2662



610C

CARTON SEALING TAPES

STORAGE TAPE 1.85 MIL ACRYLIC TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| SDP50 | 1.88 | 54.6 | 48 | 50 | 0-77922-99491-5 | 99491 | 1 | 12 | Y |
| 9851 | 1.88 | 54.6 | 48 | 50 | 0-77922-76194-4 | 91380 | 1 | 16 | Y |
| 9852 | 1.88 | 54.6 | 48 | 50 | 0-77922-76195-1 | 91381 | 1 | 16 | Y |

- Designed with a tough, impact resistant BOPP film and acrylic adhesive
- Provides a reliable, all-temperature box sealing performance from freezer cold to summer heat
- Reliable quick stick and fiber tear
- Excellent resistance to aging, weathering, UV light degradation and yellowing
- Can be used in light weight, non-critical box sealing applications exposed to minimal shipping hazards and stress



SHIPPING TAPE 2.7 MIL ACRYLIC TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|------|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 3196 | 2 | 17.5 | 50.8 | 16 | 0-77922-83196-8 | 3196 | 1 | 24 | N |
| 4367 | 1.88 | 54.6 | 48 | 50 | 0-77922-84367-1 | 91378 | 1 | 12 | Y |
| 4368 | 1.88 | 54.6 | 48 | 50 | 0-77922-84368-8 | 91374 | 2/6 | 12 | Y |

- Designed with a durable acrylic adhesive and BOPP film for a high performance, heavy-duty, box sealing tape
- Provides a reliable, all-temperature box sealing performance in arctic cold or tropical heat
- Controlled unwind
- Excellent resistance to aging, weathering, UV light and yellowing
- Clear to the core



CARTON SEALING TAPE DISPENSER

| ITEM NUMBER | COLOR | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|-------|-----------------|-----------------|------------|------------|--------------|
| PG2DISP | Gray | 0-77922-85925-2 | 1969 | 1 | 24 | N |
| PG3DISP | Gray | 0-77922-01970-0 | 1970 | 1 | 24 | N |

PACKAGING PRODUCTS



HAND WRAP STRETCH FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | GAUGE | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|--------------------------|---------------|------|-------------|-------|-------------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| 4349 | 20 | 1000 | 508 | 304.8 | 0-77922-84349-7 | HG2032000-RT | 80 | 1 | 4 | N |
| SF1515MA | 15 | 1500 | 381 | 457 | 0-77922-91205-5 | SF1515MA | 80 | 1 | 4 | N |
| SF1815MA | 18 | 1500 | 457 | 457 | 0-77922-91168-4 | SF1815MA | 80 | 1 | 4 | N |
| 4349DIS | 20 | 1000 | 508 | 304.8 | 5-00779-22994-194 | 99419 | 80 | 9 | 9 | SS |
| WITH BRAKE HANDLE | | | | | | | | | | |
| 2010BH | 20 | 1000 | 508 | 304.8 | 0-77922-99583-7 | 99583 | 80 | 1 | 4 | N |

- Great for wrapping items in groupings
 - Sticks only to itself
- SS = Self-Shipper



SMALL STRETCH WRAP 5" STRETCH FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | GAUGE | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|--------------------------|---------------|------|-------------|-------|------------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| 4348 | 5 | 1000 | 127 | 304.8 | 0-77922-84348-0 | HG2030500-RT | 80 | 1 | 6 | N |
| 4348DIS | 5 | 1000 | 127 | 304.8 | 5-00779-2994-187 | 99418 | 80 | 12 | 36 | SS |
| 4348-50G | 5 | 1000 | 127 | 304.8 | 0-77922-99674-2 | 99674 | 50 | 1 | 6 | N |
| 50G2PK-2 | 5 | 1000 | 127 | 304.8 | 0-77922-99676-6 | 99677 | 50 | 2 | 12 | Y |
| WITH BRAKE HANDLE | | | | | | | | | | |
| 5100BH | 5 | 1000 | 127 | 304.8 | 0-77922-99586-8 | 99586 | 80 | 1 | 6 | N |


- Great for wrapping items in groupings
 - Sticks only to itself
- SS = Self-Shipper



BUNDLE WRAP 2" STRETCH FILM

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | GAUGE | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|-----|-------------|--------|-------------------|-----------------|-------|------------|------------|--------------|
| | in | ft | mm | m | | | | | | |
| TS2178 | 2 | 178 | 50.8 | 54.25 | 0-77922-99507-3 | 99507 | 120 | 1 | 12 | Y |
| TS2650 | 2 | 650 | 50.8 | 198.12 | 0-77922-99572-1 | 99572 | 120 | 1 | 12 | N |
| TS2650B | 2 | 650 | 50.8 | 198.12 | 5-00779-22995-061 | 99506 | 120 | 1 | 24 | N |

- Great for moving or bundling packages for shipment
- Quick and secure solution for many applications around the home, office, workshop, yard and school



PACKAGING PRODUCTS

PREMIUM STRAPPING TAPE



| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE | DISPLAY TRAY |
|-------------|---------------|----|-------------|----|-----------------|-----------------|------------|------------|--------------|
| | in | yd | mm | m | | | | | |
| 9715 | 0.70 | 60 | 18 | 55 | 0-77922-76191-3 | 89265 | 1 | 24 | N |
| 9716 | 0.94 | 60 | 24 | 55 | 0-77922-76192-0 | 91404 | 1 | 32 | N |
| 9717 | 1.41 | 60 | 36 | 55 | 0-77922-77065-6 | 89297 | 1 | 12 | N |
| 9718 | 1.88 | 60 | 48 | 55 | 0-77922-77066-3 | 89298 | 1 | 12 | N |

- Fiberglass reinforced tape
- Designed for most packaging, palletizing and unitizing solutions
- Polypropylene backing and aggressive adhesive
- Excellent adhesion to corrugated cartons
- Exhibits outstanding holding power



EZ AIR® PACKAGING PILLOWS



| ITEM NUMBER | BOX SIZE (L x H x W) | | | AIR PILLOW SIZE | | UNIT UPC | RESOURCE NUMBER | PILLOWS/BOX | BOX WEIGHT |
|-------------|----------------------|------|----|-----------------|----|-------------------|-----------------|-------------|------------|
| | in | in | in | in | in | | | | lbs |
| AP150 | 19.5 | 19.5 | 9 | 8 | 4 | 5-00779-22995-993 | 99599 | 150 | 1.9 |

- Securely brace your products during transit
- Ship clean and professional looking packages
- Lightweight and perforated for easy separation
- Made of nonabrasive poly - will not scratch product surface
- Reuseable
- Disposal requires low volume in landfills when deflated



SPECIALTY PRODUCTS

SPRAY ADHESIVE



| ITEM NUMBER | NET WEIGHT | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|----------------------------|-----------------|-----------------|------------|------------|--------------|
| AC50 | 12 fluid oz. (0.50 liters) | 0-77922-82758-9 | 82758 | 1 | 12 | N |

- Assists in the bonding of surfaces such as wood, concrete and sheet metal
- Contains no methyl chloride or CFCs
- 41 PSI shear strength



AG TAPE



| ITEM NUMBER | IMPERIAL SIZE | METRIC SIZE | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|------------------|----------------|-----------------|-----------------|------------|------------|--------------|
| 4380 | 1.88 in x 60 yds | 48 mm x 54.8 m | 0-77922-84380-0 | 4380 | 1 | 24 | N |

- UV and weather resistant tape
- Used for splicing or patching polyethylene sheeting or bags





GAFFERS TAPE

MATTE FINISH CLOTH

Ideal for bundling and wrapping wires, holding wires / cords to prevent trip hazards, masking stage floors, black-out masking on scenery panels or backstage areas.

- Low gloss (matte) finish minimizes reflection of lighting
- Vinyl (PVC) coated cloth

GAFFERS TAPE

| ITEM NUMBER | IMPERIAL SIZE | | METRIC SIZE | | UNIT UPC | RESOURCE NUMBER | ROLLS/CASE | COLOR |
|-------------|---------------|------|-------------|------|-----------------|-----------------|------------|-------|
| | in | yd | mm | m | | | | |
| 5638BLK | 1.87 | 60 | 48 | 54.8 | 0-77922-85638-1 | 5638 | 24 | Black |
| 4379PL | 2.83 | 54.7 | 72 | 50 | 0-77922-99737-4 | 99737 | 24 | Black |

SPECIALTY PRODUCTS




CLEAR POLY REPAIR TAPE

| ITEM NUMBER | IMPERIAL SIZE | METRIC SIZE | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE | DISPLAY TRAY |
|-------------|------------------|----------------|-----------------|-----------------|------------|------------|--------------|
| 5634 | 1.88 in x 36 yds | 48 mm x 32.9 m | 0-77922-85634-3 | 5634 | 1 | 24 | N |

- UV and weather resistant tape
- Used for seaming plastic film
- For both indoor and outdoor repairs
- Excellent cold, wind and moisture barrier

- Clear



MARKING FLAGS

| ITEM NUMBER | COLOR | UNIT UPC | RESOURCE NUMBER | UNITS/PACK | UNITS/CASE |
|-------------|-----------|-----------------|-----------------|------------|------------|
| 900-LG | Lime Glow | 0-77922-85697-8 | 900-LG | 100 | 1,000 |
| 900-BL | Blue | 0-77922-85700-5 | 900-BL | 100 | 1,000 |
| 900-RD | Red | 0-77922-85701-2 | 900-RD | 100 | 1,000 |
| 900-WT | White | 0-77922-85702-9 | 900-WT | 100 | 1,000 |
| 900-YL | Yellow | 0-77922-85703-6 | 900-YL | 100 | 1,000 |
| 900-OR | Orange | 0-77922-85704-3 | 900-OR | 100 | 1,000 |



FLAGGING RIBBON

| ITEM NUMBER | COLOR | IMPERIAL SIZE | METRIC SIZE | UNIT UPC | RESOURCE NUMBER | ROLLS/PACK | ROLLS/CASE |
|-------------|-------------|------------------|------------------|-----------------|-----------------|------------|------------|
| 6880 | Orange Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74086-4 | 6880 | 12/12 | 144 |
| 6881 | Pink Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74087-1 | 6881 | 12/12 | 144 |
| 6882 | Red Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74088-8 | 6882 | 12/12 | 144 |
| 6883 | Lime Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-74089-5 | 6883 | 12/12 | 144 |
| 6889 | Yellow Glow | 1.18 in x 50yds | 30.1 mm x 45.7 m | 0-77922-85010-0 | 6889 | 12/12 | 144 |
| 6885 | Yellow | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-81844-0 | 6885 | 12/12 | 144 |
| 6886 | Red | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-82019-1 | 6886 | 12/12 | 144 |
| 6884 | Blue | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-81843-3 | 6884 | 12/12 | 144 |
| 6888 | Orange | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-82145-7 | 6888 | 12/12 | 144 |
| 85012 | White | 1.18 in x 100yds | 30.1 mm x 91.4 m | 0-77922-85012-9 | 85012 | 12/12 | 144 |

- Taffeta finish, flexible PVC (vinyl)
- Commonly used for surveying to mark and identify boundaries and property lines
- Bright and fluorescent colors for high visibility (50 yards) for directional and/or safety
- All-weather, UV, water and tear resistant

**This product contains a chemical known to the State of California to cause cancer and birth defects (or other reproductive harm).*



MERCHANDISING MADE EASY

IPG® manufactures a wide range of consumer products offering solutions to the paint, packaging, HVAC, B&C and specialty markets. Our specially formulated pressure-sensitive tapes and films are available in convenient merchandising racks:




MERCHANDISING RACKS

- Retail ready - ships loaded with product and POP
- More items in a 4' space
- Durable, gravity fed racking
- Loaded with top selling items



CORPORATE PROFILE

Intertape Polymer Group® Inc. (IPG®) is a recognized leader in the development, manufacture and sale of a variety of paper- and film-based pressure sensitive and water-activated tapes, polyethylene and specialized polyolefin films, protective packaging, woven coated fabrics and complementary packaging systems for industrial and retail use. Headquartered in Montreal, Quebec and Sarasota, Florida, the Company employs approximately 3,500 employees with operations in 29 locations, including 22 manufacturing facilities in North America, two in Asia and one in Europe.



- | | | |
|--|--|---|
| <p>NORTH AMERICA</p> <ul style="list-style-type: none"> 1. Ansonia, CT ■ 2. Atlanta, GA ● 3. Bardstown, KY (2) ● 4. Blythewood, SC ● 5. Brighton, CO ● 6. Carbondale, IL ● 7. Carlstadt, NJ ● 8. Carrollton, TX ● 9. Chicago, IL ● 10. Corona, CA ● 11. Cornwall, ON ● | <p>NORTH AMERICA</p> <ul style="list-style-type: none"> 12. Danville, VA ●▲ 13. Delta, BC ● 14. Marysville, MI ● 15. Menasha, WI ● 16. Midland, NC ● 17. Montreal, QC (2) ●★ 18. Salisbury, NC ● 19. Sarasota, FL ☆ 20. Springfield, OH ● 21. Toronto, ON ● 22. Tremonton, UT ● 23. Truro, NS ● | <p>EUROPE</p> <ul style="list-style-type: none"> 24. Flensburg, Germany ▲ 25. Porto, Portugal ● |
| | | <p>ASIA</p> <ul style="list-style-type: none"> 26. Chopanki, India ● 27. Daman, India ● 28. Karoli, India ● |

| | |
|---|------------------------|
| ● | Manufacturing |
| ■ | Machine Assembly |
| ▲ | Distribution |
| ★ | Corporate Headquarters |
| ☆ | Executive Headquarters |