

IRWIN®

Installer Bits



www.irwin.com

Installer Bits

Flexible Shank Installers


FLEXIBLE SHANK INSTALLER FEATURES

1. Hole in flute for easy wire pulling through walls, ceilings and floors
2. 3-flatted shank prevents slipping in drill chuck and includes hole for wire pulling
3. Tapered flute for faster chip ejection, less binding, and smoother drilling




Type A - Auger Tip

- Screw tip with aggressive pitch delivers easy starts and fast drilling
- Dual spurs for faster, cleaner holes and less breakout




Type B - Screw Tip

- Screw tip with aggressive pitch delivers easy starts and fast drilling




Masonry

- Tungsten carbide tip for extended life in brick, block and mortar joints



HSS

- Unique combination of 135° self-centering split point stepped to 118° hole enlarging body for fast, easy starts and smooth drilling in metal, wood or plastic




Diameter	Item #	Item #	Item #	Item #
24" Length				
1/4"	—	—	—	1890944
3/8"	1890746	1890767	—	1890945
1/2"	—	—	—	1890946
3/4"	1890747	—	—	—
1"	1890748	—	—	—
1-1/4"	1890749	—	—	—
36" Length				
1/4"	—	—	—	1890947
3/8"	1890750	1890768	—	1890948
1/2"	1890751	1890769	—	1890949
9/16"	1890752	1890770	—	—
3/4"	1890753	1890771	—	—
1"	1890754	—	—	—
48" Length				
1/4"	—	—	1890796	—
3/8"	—	—	—	1890950
3/4"	1890755	—	—	—
54" Length				
1/4"	—	—	—	1891001
3/8"	1890756	1890772	1890795	1891002
1/2"	1890757	1890773	1890797	1891003
9/16"	1890758	1890774	—	—
3/4"	1890759	1890775	—	—
1"	1890760	—	—	—
72" Length				
1/4"	—	—	—	1891004
3/8"	1890761	1890776	—	1891005
1/2"	1890762	1890777	1890798	1891006
9/16"	1890763	1890778	—	—
3/4"	1890764	1890779	—	—
1"	1890765	—	—	—
1-1/4"	1890766	—	—	—

STRAIGHT SHANK INSTALLER


FEATURES

1. Hole in flute for easy wire pulling through walls, ceilings and floors
2. 3-flatted shank prevents slipping in drill chuck and includes hole for wire pulling*




Wood

- 82° point for fast, smooth drilling in wood




Masonry

- Tungsten carbide tip for extended life in brick, block and mortar joints



HSS

- 118° chisel point for easy starts and fast drilling in metal, wood or plastic



Diameter	Item #	Bulk Item #	Item #	Item #
12" Length				
1/4"	1890499	38904	1890723	1890617
5/16"	1890500	38905	—	—
3/8"	1890701	38906	—	1890618
1/2"	1890702	38908	1890724	1890619
9/16"	1890703	38909	—	—
5/8"	—	38910	—	—
3/4"	—	38912	—	—
18" Length				
1/4"	1890707	39004	1890725	1890620
5/16"	1890708	39005	1890726	—
3/8"	1890709	39006	1890727	1890821
7/16"	1890710	39007	—	—
1/2"	1890711	39008	1890728	1890822
5/8"	1890713	39010	1890729	—
3/4"	1890714	—	1890730	—
24" Length				
1/4"	1890715	39404	1890731	1890823
3/8"	1890716	39406	1890732	1890824
1/2"	1890717	39408	—	1890825
30" Length				
1/4"	1890718	39604	—	1890826
3/8"	1890719	39606	—	1890827
1/2"	1890720	39608	—	—
36" Length				
1/4"	—	—	1890733	1890828
3/8"	1890721	—	1890734	1890829

*Hole not included in 12" length bits

Installer Bits

Accessories

FLEXIBLE SHANK EXTENSION FEATURES

1. Designed specifically for use with IRWIN flexible shank installer bits for up to 6 feet of extended reach
2. High carbon steel construction for durability and long life
3. Bits lock in place when set screw is tightened with hex key
4. 3-flatted shank prevents slipping in drill chuck and includes hole for wire pulling



Flexible Shank Extensions



1890739



1890736

Length	Item #
3/16" Connection Flex Extensions - Compatible with 1/4" - 9/16" Bits	
36"	1890739
54"	1890740
72"	1890741
1/4" Connection Flex Extensions - Compatible with 3/4" - 1-1/4" Bits	
36"	1890736
54"	1890737
72"	1890738

Wire & Cable Pulling Grips



1890743

Description	Item #
For 3/8" to 1/2" Wire and Cable	1890742
For 1/2" to 9/16" Wire and Cable	1890743
For 3/4" to 1" Wire and Cable	1890744

Folding Placement Tool



1890745

Description	Item #
36" Folding Placement Tool	1890745

Bit Storage



1804140

Description	Item #
Hard Case - 48"	1804140
Hard Case - 78"	1804221

©2014
IRWIN
TOOLS®

8935 NorthPointe Executive Dr.
Huntersville, NC 28078 - U.S.A.
1-800-GO-IRWIN
www.irwin.com

A *NewellRubbermaid* Brand

C13120457