























### Welcome to

### **Liberty Glove and Safety**

Liberty Glove and Safety is a complete head-to-toe safety expert. We are committed to providing exceptional safety solutions for all our customers. By constantly refining our lasting partnerships, we continue to strengthen and expand our strategic positions in:

- Research & Development
   Customized Programs
   Global Sourcing

- Inventory Management
- Training Programs
- Quality Control
- 4 Strategic Logistic Locations: CA, TX, OH, GA



We are determined to empower our leadership as a full service PPE manufacturer with performance values in mind. Through perpetual improvements we continue to embrace change, energize teamwork, and pursue growth with our partners. In everything we do, we focus on delivering the best services and reliable safety products with passion and creativity.

### We are moving safety forward.

### Value-Added Services

- · Pad Printing: Logo your products at a speed of 10 times faster than silk screen printing. Having the capability to provide higher precision printing.
- Silk Screen Printing: We also have capabilities to print larger logos on our apparels such as DuraWear® rainwear and HiVizGard™ safety vests.
- Heat Transfers: For full color logo applications, this is the solution to meet your demands.
- Vend Pack Ready: We offer vending machine pack ready items based on your customer's requirements.
- Private Labeling and Custom Packing We provide structural and controlled product factors which include competitive pricing and distribution availability. This service enhances the customer experience while promoting increased selling opportunities. This service provides low cost retail ready or banding multipacks for packing which can be store ready directly from the product cases.
- Service Hang Tags We provide two different hang tag styles with customized retail markings, including UPC barcoding, product item number, and description call outs printed which are printed on tags for added value on the packaging details.
- Direct Import Programs This program is catered to high volume distributors to increase buying power including product customization without compromising product quality control during the production process. This benefits the distributors with cost savings.
- Drop Shipments Save time and money by using our drop shipment service as we handle your orders with care and attentiveness.


























# **TABLE OF CONTENTS**

CHOOSING THE RIGHT GLOVES	_ 2
HAND PROTECTION	
FroGrip®   Cut Resistant Gloves	
FroGrip®   Coated Seamless Gloves	
Showa™ Gloves   Showa™ N-DEX®	
Chemical Resistant Gloves	
BioSkin® and DuraSkin®   Disposable Gloves	
Lightning Gear® and DayBreaker®   Multi-task Gloves	
Leather Gloves	
Textile   String Knit Work Gloves	_ 70
HI-VIZ APPAREL	
HiVizGard™   Safety Vests   Sweatshirts   Jackets   Pants .	_ 80
PROTECTIVE APPAREL	
Masters™   Welding Gloves & Apparel	_ 92
DuraWear™   Protective Rainwear	_ 98
APA All Gard Apparel®   Disposable Protective Apparel	_ 102
DuPont™	_ 116
Workrite® FR   Dickies FR   Walls FR	_ 132
HEAD & FOOT PROTECTION	
DuraShell™   Head Protection	140
DuraWear™   Foot Protection	_ 143
HEARING PROTECTION	
DuraPlugs™	_ 144
EYEWEAR PROTECTION	
iN0X™	146
RESPIRATORY PROTECTION	
DuraMask™	_ 163
ERGONOMICS PROTECTION	
DuraWear™   Safety Belts   Knee Pads	_ 164
ACCESSORIES	
DuraWear™   Hair Covers   Hoods   Sleeves   Aprons	_ 165
PRODUCT INDEX	_ 168

### **Glove Construction:**



#### **GUNN CUT-**

Reinforced material between the index, middle and ring finger, where abrasion often reduces the life of the glove prematurely.

### **REVERSIBLE-**

Ambidextrous gloves allow for longer wear since it can be worn on either hand.

### **Wrist Styles:**



#### **BAND TOP-**

Short extension cuff that offers comfort as well as additional wrist protection.

### **GAUNTLET-**

Provides added protection for lower forearm. Design allows maximum movement of forearm.

### **KNIT WRIST-**

Designed to hold the glove firmly on the hand and prevent debris from entering the glove through the wrist area.

#### SAFETY CUFF-

In addition to the protection of the gauntlet cuff, the safety cuff offers more protection in the wrist area. Safety cuff gloves slide on and off easily as well as release from the hand in a quick motion.



### **Choosing the Right Gloves**


### **Measuring Glove Size:**

The chart below illustrates a quick way to determine the user's glove size when selecting hand protection. While not exact, it will give an approximate size range for the individual. (Measure the circumference of your hand in inches between your thumb and knuckle.)

Size in Letters	XXS	XS	S	M	L	XL	2XL	3XL
Circumference of your hand	5" - 6"	6" - 7"	7" - 8"	8" - 9"	9" - 10"	10" - 11"	11" - 12"	12" - 13"
Synthetic (Size in numbers)	5	6	7	8	9	10	11	12
Leather (Size in numbers)	6	7	8	9	10	11	12	13

### **Measuring Glove Length:**

Having the proper glove length is imperative for proper hand/arm protection. The illustration below depicts the way to identify the length of glove the specific user needs.



### **Types of Coating Materials:**

**NITRILE** – offers superior resistance to snags, punctures, abrasions and cuts. Nitrile is a 100% synthetic compound without causing allergic reactions. Coated nitrile gloves effectively replace cotton in a broad range of dry and light liquid applications. Other advantages include excellent grip and being machine washable. Unsupported nitrile has a combination of puncture and chemical resistance that will not weaken or swell like rubber or neoprene in many solvents and animal fats. Additionally, foam nitrile and micro foam nitrile can absorb oil and provide improved grip.

### Applications for Nitrile Gloves:

Most Medical Environments Handling Small Sharp Objects Automotive Assembly Handling Glass Chemical Usage Painting Environments **POLYURETHANE (PU)** – delivers extra grip, puncture, and abrasion resistance while providing protection against oils, fats, and greases. Manufactured from a softer polymer, it is softer and more flexible than which can be applied in very thin coats allowing excellent dexterity and tactile sensitivity. Many polyurethane coated gloves offer protection from minor cuts and scrapes. Our exclusive technology of high-density polyurethane (HDPU) provides better breathability, quick-dry, and higher abrasion resistance than regular polyurethane.

**NEOPRENE** – offers a broad spectrum of protection against various corrosive chemicals. They are resistant to oils, greases, alcohols, resins, alkalis, organic acids, and many other solvents. Reinforced neoprene coating provides better all-around resistance to abrasion, cuts, and chemicals. Lining on a coated neoprene enhances puncture and snag resistance. These gloves have good pliability, finger dexterity, density, and tear resistance.

**VINYL** – also known as PVC (polyvinyl chloride) is available as a disposable, coated or vinyl impregnated style. Vinyl disposables are economical without compromising softness, flexibility, and strength. Offering excellent sensitivity, vinyl disposable gloves are chemical resistant and ambidextrous. Vinyl coated is a cost effective solution for applications where cut and abrasion resistances are needed. Rough PVC coated gloves make handling wet surfaces easier. Vinyl impregnated gloves on an interlock knit liner stretches to improve dexterity, tactile sensitivity, grip, and liquid protection. Foamed PVC coated gloves are soft and flexible and offer abrasion resistance comparable to polyurethane. This coating absorbs the liquids from surfaces to maintain a firm grip.

LATEX – also known as natural rubber latex provides flexibility, excellent grip, and resistances to tears, liquids, and chemicals. Latex is used in a various glove coatings such as unsupported gloves. Disposable latex gloves are thinner than other disposable gloves without sacrificing dexterity and tactile sensitivity. Rubber coated gloves are a great choice when cut resistance, comfort and value are important. Engineered foam latex increases breathability to reduce perspiration while keeping your hands dry in wet conditions. Caution: products containing natural rubber latex may cause allergic reactions in some individuals.

**POLYETHYLENE (PE)** – is an economically priced synthetic compound. PE gloves are most often used for light duty tasks that require frequent glove changes. These gloves are designed to fit loosely for easy on and off applications such as food preparation and industrial environments. These gloves are ambidextrous with an embossed grip for a various applications.

### **Types of Glove Liner Constructions:**

**NYLON** – a low lint synthetic fiber which provides high tensile strength that excels in applications such as inspection and parts assembly. Nylon gloves will help protect product from finger prints and contamination.

**KEVLAR**<sup>®</sup> – one of the strongest man-made fibers available with excellent cut protection and heat insulation. It is designed to protect hands from the sharp edges of metals, ceramics, glass and other materials. Pound for pound it is five times stronger than stainless steel.

**HPPE** – high performance polyethylene fibers that are specially designed to protect against cuts and abrasions when handing sharp and abrasive objects. These fibers can be engineered in a variety of composite-knit yarns, some featuring high-strength composite fiber blends for higher cut resistance and dexterity.

**LEATHER** – traditionally used to provide excellent and sturdy protection against cuts and abrasions. Breathability will vary based on the leather types but overall are very durable and comfortable to wear. Leather gloves are an excellent choice for handling sharp objects.

**SYNTHETIC LEATHER** – is a man-made fabric that simulates genuine leather. It is used for basic protection against abrasion and offers good insulation depending on construction. Often used as a substitute for real leather, synthetic leather is light weight, easy to clean, durable and stain resistant.

**COTTON** – an excellent choice for protection against abrasion. It is lightweight and breathable for light-duty applications. Also offers good insulation depending on construction which can be washed and bleached. Cotton lisle is a very light weight cotton glove that is ambidextrous and can be used as a liner for light duty applications only.

**ACRYLIC** – is a lightweight, soft, wool-like appearance that is known to provide excellent insulation. It is resilient while resistant to shrinkage and wrinkles.

#### Applications for Polyurethane (PU) Gloves:

Handling Small Parts Electronic Parts General Assembly Metal Stamping

#### **Applications for Neoprene Gloves:**

Poultry and Food Processing Chemical Manufacturing Pharmaceutical Manufacturing

#### **Applications for Vinyl Gloves:**

Cleaning Food Preparation Light Industrial Usage

#### **Applications for Latex Gloves:**

Automotive
Battery Manufacturing
Chemical Plants
Aircraft Assembly
Food Processing
Pesticide Manufacturing

### Applications for Polyethylene (PE) Gloves:

Food Service Industrial

#### **Applications for Nylon Gloves:**

Paint Work • Pharmaceuticals Inspection • Parts Assembly

#### Applications for Kevlar® Gloves:

Paper Industry • Shipping and Receiving Metal Working • Light Duty Assembly General Assembly Operations/Maintenance

#### **Applications for HPPE Gloves:**

Metal Working Warehouse General Maintenance

### **Applications for Leather Gloves:**

Construction
Foundry
Warehouse
Shipping and Receiving
Agricultural
Industrial
Cabling

#### **Applications for Cotton Gloves:**

Assembly • Inspection • Parts Handling Light Warehouse Applications Automotive • Food Industry

### **Applications for Acrylic Gloves:**

Cold Weather Environments
Refrigeration













# **Cut Resistant Gloves Coated Seamless Gloves**

Cut-resistant gloves are designed to protect hands from direct contact with sharp edges such as glass, metal, and other materials. The level of cut resistance can be improved by high performance materials like Kevlar® or composite yarns made with combinations of stainless steel, fiberglass, synthetic and high-performance yarns.

Performance characteristics are not only affected by the thickness of the shell but also the coating applied to the outside surface. Lighter weight gloves offer more dexterity, resulting in less hand fatigue. Heavier weights generally provide more cut and abrasion protection. Coated gloves enhance grip, especially on slippery surfaces.

### **Cut Resistant Gloves**

**Ultra**→ Coated gloves made with 18G HPPE yarn

**X-Grip**<sup>™</sup> Coated gloves made with HPPE yarn

**V-Grip**™ Coated gloves made with HPPE yarn

**K-Grip**™ Made with Kevlar®

**Ultra-≥** Proprietary coated gloves made with engineered yarns

**Z**•**Grip**™ Coated gloves made with proprietary engineered yarns

Coated gloves with thermal lining

**L J**-**Grip** <sup>™</sup> Coated gloves made with HPPE yarn and steel core

### **Coated Seamless Gloves**

**M-Grip**™ High density polyurethane coated (HDPU)

**≦**-Grip™ Micro-foam nitrile coated

**□ Grip** Ultra-thin nitrile coated

**P-Grip**™ Ultra-thin polyurethane coated

**\_\_\_Grip**™ Latex coated



Thermal lined

### American ANSI/ISEA 105-2016 Revision | Hand Safety Standards

**ANSI/ISEA 105-2016** addresses the classification and testing of hand protection for specific performance properties related to mechanical protection (cut-resistance, puncture resistance, and abrasion resistance), chemical protection (permeation resistance, degradation), and other performance characteristics such as ignition resistance and vibration reductions based on standardized test methods.

### The three key areas to know about are:

- 1. Expanded Cut-Resistance Ratings
- 2. New Needle Puncture Resistance
- 3. Improved Testing Methods

Understanding the ANSI/ISEA 105-2016 update is important when choosing the correct level of hand protection needed for workplace safety.

**1** Expanded Cut-Resistance Ratings - A singular test method has been chosen and the number of classification levels has been increased from 5 to 9 levels. This 2016 updated range will now be expressed as (A1 - A9). With more accurate ratings, the end user will be able to better select the appropriate hand PPE required for their job.

#### **NEW ANSI/ISEA 105-2016**

Cut-Restistance ratings will be:

**A1**  $- \ge 200$  gm., light cut hazards

**A2** - ≥ 500 gm., light-med. cut hazards

**A3** - ≥ 1000 gm., light-med. cut hazards

**A4** - ≥ 1500 gm., medium cut hazards

**A5** - ≥ 2200 gm., med.-high cut hazards

**A6** -  $\geq$  3000 gm., high cut hazards


**A7** -  $\geq$  4000 gm., high cut hazards

**A8** - ≥ 5000 gm., high cut hazards

**A9** -  $\geq$  6000 gm., high cut hazards

### **NEW LGS LABELS**





### **OLD LGS LABELS**



- 2 New Hypodermic Needle Puncture Resistance This will address the needs of the medical, recycling, sanitation and law enforcement industries. The test procedure uses a 25mm hypodermic needle instead of the probe that is used in the puncture resistance testing.
- **3 Testing Improvements** While progress has been made for the ANSI/ISEA 105-2016 standard, the cut-level standards in EU EN388 have still not been passed by Feb. 1, 2016. The gap between the two standards is closing but they should still be used separately and not compared side by side.

As a leader in the Personal Protective Equipment industry, Liberty Glove and Safety will continue to serve its customers by providing high quality hand protection by incorporating a running change that is ANSI/ISEA 105-2016 compliant. As the PPE industry changes to adopt these new standards, we will continue to offer the right protection for the job. Please contact your Liberty Glove & Safety account manager if you have any additional questions at (800) 327-8333.





### **F4900HG**

- ANSI cut level: A2
- 18-gauge hi-viz lime green engineered yarn knit shell
- · No fiberglass
- Sizes: S-2XL

F4901HG Black micro-foam nitrile palm and knuckle coated, Sizes: S-2XL

# **Black Micro-Foam Nitrile**



**Black Micro-Foam Nitrile** 

Palm and Knuckle Coated



### **Gray Polyurethane** Palm Coated



EN 388 ABRASION = 4
CUT = 3
TEAR = 4
PUNCTURE = 2

### F4902HG

**Fully Coated** 

- ANSI cut level: A2
- 18-gauge hi-viz lime green engineered yarn knit shell
- No fiberglass
- Sizes: S-2XL

### F4905HG

with Dots

- ANSI cut level: A2
- 18-gauge hi-viz lime green engineered yarn knit shell
- · No fiberglass
- Sizes: S-2XL

F4903HG Black micro-foam nitrile palm coated with dots, Sizes: S-2XL



### 4908HG

- ANSI cut level: A2
- 18-gauge hi-viz lime green engineered yarn knit shell
- · No fiberglass
- Sizes: XS-2XL







#### A4938

- ANSI cut level: A2
- 13-gauge salt and pepper high performance polyethylene fiber/knit shell (HPPE)
- No fiberglass
   Sizes: XXS-2XL

A4940 White shell and white polyurethane palm coated, Sizes: XS-XL

4944 Extended knit wrist cuff, Sizes: XS-2XL

WARNING: Cancer - www.P65Warnings.ca.gov



### Orange Nitrile Palm Coated



### 4930HV

- ANSI cut level: A2
- 13-gauge hi-viz lime green high-performance polyethylene fiber/knit shell (HPPE)
- No fiberglass
- Sizes: S-2XL





EN 388 ABRASION = 4
CUT = 3
TEAR = 4
4342 PUNCTURE = 2

### F4930BK

- ANSI cut level: A2
- 13-gauge salt and pepper high performance polyethylene fiber/knit shell (HPPE)
- No fiberglass
- Sizes: XS-XL

### Gray Polyurethane Palm Coated



### 4941

- ANSI cut level: A2
- 13-gauge salt and pepper high performance polyethylene fiber/knit shell (HPPE)
- No fiberglass
- Sizes: XS-2XL

**4936** Gray polyurethane palm coated, Sizes: XS-2XL









### F4960

- ANSI cut level: A4
- 13-gauge salt and pepper high performance polyethylene fiber/knit shell (HPPE)
- No fiberglass
- · Food contact safe
- Sizes: XS-2XL





#### 4928HG

- ANSI cut level: A4
- 13-gauge hi-viz green engineered yarn knit shell
- · No fiberglass
- Sizes: XS-2XL



### Black Nitrile Palm Coated



### 4920HG

- ANSI cut level: A4
- 13-gauge hi-viz green engineered yarn knit shell
- No fiberglass
- Sizes: XS-2XL



### Nitrile Fully Coated



### 4925

- ANSI cut level: A4
- 13-gauge salt and pepper high performance polyethylene fiber knit shell (HPPE)
- 2nd layer nitrile wave finish
- Actifresh<sup>™</sup> or Sanitized treated
- Sizes: S-2XL



# Thermal Lined Palm and Knuckle Coated



### F4923

- ANSI cut level: A4
- 15-gauge green outer cut resistant knit shell
- 7-gauge Arctic Tuff<sup>®</sup> heavy black thermal lined
- Hydropellent<sup>™</sup> proprietary PVC foam coated
- Actifresh<sup>™</sup> or Sanitized treated
- Sizes: S-2XL









MARNING: Cancer - www.P65Warnings.ca.gov

### Gray Polyurethane Palm Coated



#### 4926

- ANSI cut level: A4
- 13-gauge salt and pepper high performance polyethylene fiber knit shell (HPPE)
- · Latex free coating
- Sizes: XS-2XL



**MARNING:** Cancer - www.P65Warnings.ca.gov

### Black Foam Nitrile Palm Coated



#### F4920BK

- ANSI cut level: A4
- 13-gauge salt and pepper high performance polyethylene fiber knit shell (HPPE)
- · Latex free coating
- Sizes: XS-2XL





**\_\_\_-Grip**™

### Black Sandy Foam Nitrile Palm Coated



#### F4920SD

- ANSI cut level: A4
- 13-gauge salt and pepper high performance polyethylene fiber knit shell (HPPE)
- · Latex free coating
- Sizes: S-2XL





### Black Foam Nitrile Palm Coated



### F4910HG

- ANSI cut level: A6
- 10-gauge hi-viz green high performance polyethylene fiber knit shell (HPPE) with steel core
- · No fiberglass
- Sizes: S-2XL





### Cut Resistant Impact Gloves | DAYBREAKER®



### 0925

- ANSI cut level: A4
- Seamless salt and pepper cut resistant knit shell
- · Premium HDPU palm coating
- 3-D TPR guardrails to protect knuckles
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: M-2XL













WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



### 0923

- ANSI cut level: A4
- · Hi-viz orange nylon spandex shell
- Additional palm layer of cut resistance
- 3-D TPR guardrails to protect knuckles
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: M-2XL













WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



### Retaliator ™



#### 0935

- ANSI cut level: A4
- · Premium grain goatskin
- Shirred elastic back
- Keystone thumb
- · Hi-viz orange TPR on fingers and back of hand
- Sizes: S-2XL



★WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

#### 0929

- ANSI cut level: A9
- · Hi-viz green seamless cut resistant knit shell
- Hi-viz red sandy nitrile palm coating
- TPR along fingers and back of hand and thumb crotch reinforcement
- · Hook and loop closure
- Sizes: M-2XL













WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Blue Latex Palm Coated



### Black Nitrile Palm Coated



### 100% Kevlar® Knit



#### KV4729

- ANSI cut level: A2
- 10-gauge yellow knit shell
- Aramid shell
- · Elastic wrist
- Sizes: S-XL



4969 100% ATA®/Lycra string knit, blue latex palm coated, ANSI cut level: A4, Sizes: S-XL

#### 4830

- ANSI cut level: A2
- 13-gauge yellow knit shell
- Aramid shell
- · Elastic wrist
- Sizes: XS-2XL



F4980 100% ATA®/Lycra string knit, black foam nitrile palm coated, ANSI cut level: A4, Sizes: S-XL

### 4817

- ANSI cut level: A2
- 7-gauge
- 100% Kevlar® knit shell
- Reversible Elastic wrist
- Sizes: S & L, XL



4987 100% ATA®/Lycra string knit, ANSI cut level: A4, Sizes: S-XL

### 100% Kevlar® Knit with PVC Dots



### 100% Kevlar® Knit with PVC Dots



### 100% Kevlar® Knit Sewn with Leather Palm



### 4815

- ANSI cut level: A2
- 7-gauge
- 100% Kevlar® knit shell
- Two sided black PVC dots
- Elastic wrist • Sizes: XS-L

4816 One sided black PVC dots, Sizes: S & L



### 4815FL

- ANSI cut level: A2
- 7-gauge
- 100% Kevlar® knit shell
- Two sided black PVC dots
- · Reversible, fingerless
- Elastic wrist

### • Sizes: S & L

### 4883

- ANSI cut level: A3
- 7-gauge
- 100% Kevlar® knit shell sewn with leather palm
- Select split shoulder leather palm
- · Reinforced thumb crotch
- Elastic wrist • Sizes: S-2XL





MARNING: Cancer - www.P65Warnings.ca.gov



### Premium Textured Blue Latex Palm Coated





### 4700

- 10-gauge
- Gray cotton/polyester knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-XL



# Textured Black Latex Palm Coated



# Textured Black Latex Palm Coated



# Textured Black Latex Palm Coated



#### 4729HO

- 10-gauge
- Hi-viz orange cotton/polyester knit shell
- Non-slip grip
- · Elastic wrist
- Sizes: S-XL

# ABRASION = 2 CUT = 2 TEAR = 4 2242 PUNCTURE = 2

### 4729HY

- 10-gauge
- Hi-viz green cotton/polyester knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-XL

# EN 388 ABRASION = 2 CUT = 2 TEAR = 4 2242 PUNCTURE = 2

### 4729BK

- 10-gauge
- Black cotton/polyester knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-XL



# Textured Black Latex Palm Coated



# Textured Black Latex Palm Coated



# Textured Blue Latex Palm Coated



### 4729CA

- 10-gauge
- Camouflage cotton/polyester knit shell
- Non-slip grip
- · Elastic wrist
- Sizes: S-XL
- EN 388 ABRASION = 2

### 4729SP

- 10-gauge
- Gray cotton/polyester knit shell
- Non-slip grip
- · Elastic wrist
- Sizes: S-XL

ABRASION = 2
CUT = 1
TEAR = 3
PUNCTURE = 1

### 4729

- 10-gauge
- Yellow cotton/polyester knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-XL

**4729G** Gray, Sizes: XS- XL



# ABRASION = 2 CUT = 1 TEAR = 3 3142 PUNCTURE = 1

### Textured Black Latex Palm Coated



### Textured Black Foam Latex Palm Coated



### Blue Latex Palm Coated



#### 4779RD

- 13-gauge
- Red nylon/polyester knit shell
- Non-slip grip
- Elastic wrist
- Sizes: XS-2XL

# EN 388 ABRASION = 2 CUT = 1 TEAR = 3 PUNCTURE = 1

#### F4779LG

- 13-gauge
- Hi-viz lime green nylon/polyester knit shell
- · Non-slip grip
- Elastic wrist
- Sizes: XS-2XL



### 4719

- 10-gauge
- White cotton/polyester knit shell
- · Non-slip grip
- Elastic wrist
- Sizes: S-XL

4749 Red latex, Size: Mens
4749BL Blue latex, Size: Mens

WARNING: Cancer - www.P65Warnings.ca.gov

### Cut Resistant and Coated Seamless Gloves | FroGrip®




# Heavy Thermal Lined Black PVC Foam Palm and Knuckle Coated





### F4923

- ANSI cut level: A4
- 15-gauge green outer cut resistant knit shell
- 7-gauge heavy thermal lined seamless gloves
- Hydropellent™ proprietary black PVC foam coated
- Actifresh™ or Sanitized treated
- Elastic wrist
   Sizes: S-2XL



WARNING: Cancer - www.P65Warnings.ca.gov

### Heavy Thermal Lined Black Latex Palm and Full Thumb Coated



### 4789H0

- 7-gauge
- Hi-viz orange acrylic thermal knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL



### Heavy Thermal Lined Blue Latex Palm and Full Thumb Coated



### 4789LG

- 7-gauge
- Hi-viz lime green acrylic thermal knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL



### Heavy Thermal Lined Blue Latex Palm and Full Thumb Coated



### 4789BL

- 7-gauge
- · Blue acrylic thermal knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL



### Heavy Thermal Lined Blue Foam Latex Palm and Knuckle Coated







- 15-gauge royal blue outer knit shell
- 7-gauge black thermal lining
- · Double dipped black fingertips
- Non-slip grip
- Elastic wrist Sizes: S-2XL





### Heavy Thermal Lined Black Foam Latex Palm and Full Thumb Coated



### F4789H0

- 7-gauge
- Hi-viz orange acrylic thermal knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL



### Heavy Thermal Lined Black Foam Latex Palm and Full Thumb Coated



### F4789LG

- 7-gauge
- Hi-viz lime green acrylic thermal knit shell
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL

# ABRASION = 3 CUT = 1 TEAR = 4 3 1 4 3 PUNCTURE = 3 0 2 X

### Heavy Thermal Lined Black Foam Nitrile Fully Coated



### F4782

- 15-gauge gray nylon knit shell
- 7-gauge gray terry liner
- Non-slip grip
- Elastic wrist
- Sizes: S-2XL





# Black Micro-Foam Nitrile Palm Coated





### F4600

- 15-gauge
- · Gray nylon knit shell
- · Superior grip and abrasion resistant
- · Color coded hem
- · Elastic wrist
- Sizes: XS-2XL



### Black Micro-Foam Nitrile Palm and Knuckle Coated



# Black Micro-Foam Nitrile Fully Coated



### Black Micro-Foam Nitrile Palm and Knuckle Coated with Dots



### F4601

- 15-gauge
- Gray nylon knit shell
- · Superior grip and abrasion resistant
- Color coded hem
- Elastic wrist
- Sizes: S-2XL

### F4602

- 15-gauge
- · Gray nylon knit shell
- · Superior grip and abrasion resistant
- · Color coded hem
- Elastic wrist
- Sizes: S-2XL

### F4605

- 15-gauge
- · Gray nylon knit shell
- Superior grip and abrasion resistant
- · Color coded hem
- Elastic wrist
- Sizes: S-2XL

F4603 Black micro-foam nitrile palm coated with dots, Sizes: XS-2XL







### Gray Foam Nitrile Palm Coated



# Black Foam Nitrile Palm Coated



### Black High Density Polyurethane Palm Coated



### F4630G

- 15-gauge
- White nylon knit shell
- · Color coded hem
- Flastic wrist
- Sizes: S-2XL

**F4631BK** Black nylon knit shell, black foam nitrile, Sizes: XS-2XL



### F4030BK

- 13-gauge
- Blue CoolPlus® nylon knit shell
- · Embossed pattern
- · Color coded hem
- Elastic wrist
- Sizes: XS-XL



#### F4610

- 15-gauge
- · Gray nylon knit shell
- Superior abrasion resistant
- · Food contact safe
- Color coded hem
- Elastic wrist
- Sizes: S-2XL



### Gray Ultra-Thin Nitrile Palm Coated



### Black Ultra-Thin Nitrile Palm Coated



### Green Ultra-Thin Nitrile Palm Coated



### 4631G/BK

- 13-gauge black nylon knit shell
- Sizes: S-XL

**4630G** 15 gauge, white nylon knit shell, gray nitrile, Sizes: XS-XL

**4630Q** White polyester knit shell, gray nitrile, Sizes: XS-XL



### 4631Q/RD

- 13-gauge
- Red polyester knit shell
- · Color coded hem
- Elastic wrist
- Sizes: S-XL

**4631Q/BK** Black polyester knit shell, black nitrile, Sizes: XS-2XL

**4631Q/BL** Blue polyester knit shell, black nitrile, Sizes: S-XL



### 4759

- 10-gauge
- Gray cotton/polyester knit shell
- Color coded hem
- Elastic wrist
- Sizes: S-XL









#### 4638BK

- 13-gauge
- · Black nylon knit shell
- · Color coded hem
- Elastic wrist Sizes: XS-XL

P4638BK Black nylon/polyester knit shell, Sizes: XXS-2XL

SP4638BK Black polyester knit shell, Sizes: XXS-2XL

MARNING: Cancer - www.P65Warnings.ca.gov

### Gray Ultra-Thin Polyurethane Palm Coated



### Gray Ultra-Thin Polyurethane Palm Coated



### Black Ultra-Thin Polyurethane Palm Coated

CE SN 388 ABRASION = 4
CUT = 1
TEAR = 3
PLINCTURE = 1



### 4639G

- 13-gauge
- · Gray nylon knit shell
- · Color coded hem
- · Elastic wrist
- Sizes: XS-2XL

P4639G Gray nylon/polyester knit shell, Sizes: XS-XL

**SP4639G** Gray polyester knit shell, Sizes: XS-2XL



★ WARNING: Cancer - www.P65Warnings.ca.gov

- 4639 • 13-gauge
- White nylon knit shell
- · Color coded hem
- Elastic wrist
- Sizes: XS-XL

P4639 White nylon/polyester knit shell, Sizes: XS-XL

★ WARNING: Cancer - www.P65Warnings.ca.gov

### 4639G/BK

- 13-gauge
- · Gray nylon knit shell
- · Color coded hem
- Elastic wrist
- Sizes: XS-XL





- SP4636
- 13-gauge
- Hi-viz yellow polyester knit shell
- · Color coded hem
- Elastic wrist
- Sizes: XS-XL

**★WARNING:** Cancer - www.P65Warnings.ca.gov





# Hi-Viz Orange Ultra-Thin Polyurethane Palm Coated



### Gray Ultra-Thin Polyurethane Palm Coated



### White Ultra-Thin Polyurethane Palm Coated



### **SP4637**

- 13-gauge
- Hi-viz orange polyester knit shell
- · Color coded hem
- Elastic wrist
- Sizes: S-XL

# EN 388 ASPASION = 4 CUT = 1 TEAR = 2 PUNCTURE = 1 WARNING: Cancer - www.P65Warnings.ca.gov

### 4638

- 13-gauge
- · Black nylon knit shell
- · Color coded hem
- Elastic wrist
- Sizes: S-XL

**P4638** Black nylon/polyester knit shell, Sizes: S-XL

**SP4638** Black polyester knit shell, Sizes: XS-2XL



WARNING: Cancer - www.P65Warnings.ca.gov

### 4640


- 13-gauge
- · White nylon knit shell
- Color coded hem
- Elastic wrist
   Sizes: XS-XL

**P4640** White nylon/polyester knit shell, Sizes: XS-XL

**SP4640** White polyester knit shell, Sizes: XS-XL



WARNING: Cancer - www.P65Warnings.ca.gov



SHOWA is synonymous with the highest degree of hand protection and innovation. Their technology has forever changed the industry, what these hands are capable of and the impact they make on the environment.

They pioneer the quality, performance and protection to give ordinary hands extraordinary abilities.



[NATURAL RUBBER]

Revered for its comfort-conscious construction and tactical grip performance, this natural rubber palm coated 10-gauge seamless knit is ergonomically designed to be the perfect fit for any and all general purpose jobs.

#### **KEY BENEFITS**

- + Excellent wet & dry grip
- + No irritating seams
- + Ergonomic design reduces hand fatigue
- + Machine washable

**COATING** Natural rubber

**LINER**Polyester
Cotton

10-gauge

**GRIP** Rough

COLOR

Light gray/blue palm

**PACKAGING :** 7/S, 8/M, 9/L, 10/XL, 11/XXL 12 dozen pair per case



[NATURAL RUBBER]

Featuring a black natural rubber palm coating and dark gray, 10-gauge polyester and cotton knit liner, SHOWA 300B is the perfect fit for any dirty, general purpose job.

### **KEY BENEFITS**

- + Excellent wet & dry grip
- + No irritating seams
- + Ergonomic design reduces hand fatigue
- + Machine washable
- + Dark color helps hide grime

**COATING**Natural rubber

LINER
Polyester
Cotton
10-gauge

**GRIP** Rough

**COLOR** Gray/black palm

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case



[NATURAL RUBBER]

Crafted for heavy-duty defense with unsurpassed comfort and grip, SHOWA 305 features a three-quarter, blue natural rubber coating and a gray, 10-gauge knit liner.

### **KEY BENEFITS**

- + Designed for optimal fit & comfort
- + Lightweight coating
- + Maximum grip and dexterity
- + Elastic cuff secures glove in place
- + Coated knuckles provide added protection

COATING
Natural rubber

**LINER**Polyester
Cotton

10-gauge

**GRIP** Rough

COLOR cer Gray/blue coating

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case





[NATURAL RUBBER]

Formed with a reinforced thumb crotch for long-lasting comfort and natural rubber palm coating, SHOWA 330 provides topnotch abrasion resistance and grip, no matter how tough the task.

#### **KEY BENEFITS**

- + Designed for optimal fit & comfort
- + Excellent wet & dry grip
- + Added durability
- + Mimics the curvature of the hand to reduce fatigue
- + Machine washable

<b>COATING</b> Natural rubber	<b>GRIP</b> Rough
LINER Polyester Cotton 10-gauge	COLOR Gray/black palm

PACKAGING: 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case



Perfect for precise handling and general assembly, this nitrile palm coated, seamless knit's lightweight construction fits, and feels, like second skin.

[NITRILE]

#### **KEY BENEFITS**

- + Excellent dry grip
- + High flexibility & dexterity
- + Breathable, ventilated back
- + Designed for easy movement & continuous wear
- + Machine washable

COATING	<b>GRIP</b>
Nitrile	Rough
LINER Nylon 13-gauge	<b>COLOR</b> Black/gray palm

PACKAGING: 6/S, 7/M, 8/L, 9/XL, 10/XXL 12 dozen pair per case



Crafted with a durable nitrile coating over a 10-gauge seamless knit liner, SHOWA 350 is the perfect storm of comfort, oil-resistance, and grip, ideal for a range of applications.

#### **KEY BENEFITS**

350

- + High flexibility & dexterity
- + Abrasion & tear resistant
- + Breathable, ventilated back
- + Surface provides tactile feel & secure grip
- + Designed for easy movement & continuous wear

<b>COATING</b> Nitrile	<b>GRIP</b> Rough
LINER Polyester Cotton 10-gauge	<b>COLOR</b> Gray/green palm

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case



Engineered with a lightweight, 13-gauge seamless knit and embossed waffle-pattern foam nitrile palm coating that provides optimal grip across a range of applications.

[FOAM NITRILE]

#### **KEY BENEFITS**

- + Strong grip on wet & dry surfaces
- + Open back reduces perspiration
- + Extended-cuff for added protection
- + Mimics the curvature of a human hand to reduce fatigue
- + Optimal dexterity and comfort
- + Lint-free liner

13-gauge

**GRIP COATING** Foam nitrile **Embossed LINER** COLOR Seamless knit Blue/black palm

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL 12 dozen pair per case



[NATURAL RUBBER]

Custom designed to keep you warm when similar work gloves can't, SHOWA 451 features a 10-gauge insulated seamless liner and a natural rubber palm coating, never letting protection slip.

#### **KEY BENEFITS**

- + Quick drying
- + Excellent wet & dry grip
- + Breathable
- + Good mechanical resistance
- + Insulated, high warmth
- + Ergonomic design

GRIP **COATING** Natural rubber Rough COLOR **LINER** Light gray/gray palm Polyester Cotton Acrylic

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case



Crafted with a 15-gauge seamless knit and our high performance, oil-resistant Zorb-IT® technology, SHOWA 4550 absorbs oil and grease while still delivering a maximum long-lasting grip.

### **KEY BENEFITS**

- + Absorbs almost 2x as much oil
- + Unparalleled dry & oil grip
- + Breathable & durable
- + Machine washable doesn't shrink or delaminate

**COATING GRIP** Nitrile Sponge COLOR LINER White/gray palm Seamless knit 15-gauge

PACKAGING: 6/XS, 7/S, 8/M, 9/L, 10/XL 6 dozen pair per case





Durable natural rubber palm coating over 10-gauge cut resistant, seamless knit liner made with Kevlar®.



10-gauge seamless knit liner made with Kevlar® flat-dipped in oil-resistant nitrile.



12-inch gauntlet triple-dipped in PVC with a seamless cut-resistant liner made with Kevlar®.

#### **KEY BENEFITS**

- + ANSI cut Level A3
- + Excellent wet & dry grip
- + High puncture resistance
- + Good dexterity & flexibility

COATING Natural rubber GRIP Rough

LINER Kevlar<sup>e</sup>

COLOR Yellow/blue palm

#### **KEY BENEFITS**

- + ANSI Cut Level A3
- + Excellent oil grip
- + High puncture resistance
- + Good dexterity & flexibility
- + Breathable, ventilated back

COATING Nitrile

Rough

**GRIP** 

LINER Kevlar

COLOR Yellow/green palm

#### **KEY BENEFITS**

- + ANSI cut level A2
- + Chemical resistant
- + Abrasion resistant
- + Excellent durability
- + Maintains cut performance after multiple launderings
- + Rough finish over entire surface

**COATING** PVC

Kevlar

**GRIP** Rough

**LINER** 

COLOR Blue

PACKAGING: 7/S, 8/M, 9/L, 10/XL, 11/XXL 12 dozen pair per case



[ANSI CUT LEVEL A2]

Featuring a supple and light, 13-gauge HPPE knit with polyurethane palm coating, SHOWA 541 provides a high degree of comfort when performing delicate tasks in dry and greasy conditions.

### **KEY BENEFITS**

- + ANSI cut level A2
- + Protects from oils & grease
- + Resistance to abrasion & tears
- + Lightweight, breathable liner
- + Dark color extends number of wears
- + Fully launderable

COATING Polyurethane LINER

**HPPE** 

**GRIP** Rough

**COLOR** 

Gray/gray palm

PACKAGING: 7/S, 8/M, 9/L, 10/XL 12 dozen pair per case



[ANSI CUT LEVEL A2]

Combining a seamless 13-gauge HPPE knit with the durability of a nitrile coating, SHOWA 545 is designed for comfort without letting performance slip.

#### **KEY BENEFITS**

- + ANSI cut level A2
- + Resistance to oils & grease
- + Effective long lasting grip
- + Resistance to abrasion & tears
- + Lightweight, breathable liner
- + Fully launderable

COATING Nitrile

**GRIP** Rough

**COLOR** 

LINER **HPPE** 

Light gray/blue palm

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL 12 dozen pair per case

**PACKAGING:** 8/M, 9/L, 10/XL, 11/XXL 6 dozen pair per case



Providing outstanding performance in the most demanding conditions, SHOWA 376 combines a three-quarter nitrile coating doubled with foam palm coating with a 13-gauge seamless knit.

#### **KEY BENEFITS**

- + Long-cuff for extended protection
- + Excellent oil grip
- + Liquid resistant to end of coating
- + Warmth, protection and comfort
- + Limited chemical splash protection
- + Mimics the curvature of a human hand to reduce fatique

**COATING** GRIP Nitrile Foam Foam nitrile

**LINER** Seamless knit

13-gauge

COLOR Black/blue coating/ black palm

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL, 10/XXL 6 dozen pair per case

1 pair per polybag 6 dozen pair per case

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL, 10/XXL





[NITRILE]
[FOAM NITRILE]

Championed for its ultra-tactile grip and superior durability, this 13-gauge seamless knit features a full, thin, nitrile coating doubled with an absorbent foam nitrile palm coating and extended cuff for added protection.

#### **KEY BENEFITS**

Seamless knit

13-gauge

**306** 

**377** 

- + Excellent wet & oil grip
- + Liquid-resistant to knit wrist
- + Warmth, protection and comfort
- + Splash protection against wide range of chemical substances
- + Mimics the curvature of a human hand to reduce fatigue

COATING Nitrile Foam nitrile	<b>GRIP</b> Foam
LINER	COLOR

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL, 10/XXL 6 dozen pair per case

palm



[NATURAL RUBBER]

Blue coating/black

Built to excel in the elements year-round, SHOWA 306 combines our revolutionary, dual natural rubber technology with a supple 13-gauge seamless knit to provide everyday protection and performance for a versatile range of outdoor pursuits.

#### **KEY BENEFITS**

13-gauge

- + Enhanced grip and abrasion resistance
- + Enhanced breathability and reduced perspiration
- + Water-repellent barrier
- + Engineered coating for maximum flexibility
- + No irritation from seams on skin

COATING	GRIP		
Natural rubber	Foam		
LINER	COLOR		
Polyester	Blue/black palm		
Cotton			

**PACKAGING:** 6/S, 7/M, 8/L, 9/XL, 10/XXL 12 dozen pair per case



[INSULATED]

Crafted with a full nitrile coating doubled with foam nitrile palm coating, SHOWA 477 is ergonomically designed to keep your hands dry and warm in the most extreme environments.

#### **KEY BENEFITS**

- + Ultra-tactile grip
- + Superior flexibility & durability
- + Fixed acrylic terry liner
- + Longer reinforced knit cuff
- + Impermeable to end of coating
- + Full hand protection
- + Long-lasting warmth & comfort
- + Resistant to abrasion & tearing

<b>COATING</b> Foam Nitrile	<b>GRIP</b> Foam
LINER	COLOR
Acrylic	Blue coating/black
Polvester	palm

**PACKAGING :** 7/M, 8/L, 9/XL, 10/XXL 6 dozen pair per case



281

Nylon

The unique micro-ventilated waterproof polyurethane coating protects the hand against water and liquids, whilst the innovative inner membrane allows warm air and moisture to escape.

### **KEY BENEFITS**

- + Creates an impenetrable barrier against water and liquids
- + Breathable, reduces perspiration
- + Excellent wet and dry grip
- + Extreme flexibility
- + Form-fitting design

COATING GRIP
Micro-ventilated Rough
Polyurethane (PU)

**LINER**Nylon

COLOR
Blue

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 10 pair per polybag, 6 polybags per case 60 pair per case



381

g comfort and

Crafted for long-lasting comfort and optimal grip, SHOWA 381 combines an ultra-soft, lightweight, 13-gauge knit with an embossed "s" shaped foam nitrile palm coating that encourages liquid to roll off your hand.

#### **KEY BENEFITS**

+ Oil-resistant coating

12 dozen pair per case

- + Exceptional grip in all conditions
- + Maximum tactility and dexterity
- + Extended-cuff for added protection
- + Mimics the curvature of a human hand to reduce fatigue

COATING	GRIP	
Foam Nitrile	Embossed	
LINER		

Microfiber Nylon 13-gauge COLOR Gray/black palm

**PACKAGING :** 6/S, 7/M, 8/L, 9/XL



282

[POLYURETHANE]

Waterproof yet breathable, SHOWA 282 uses thermal insulation and our state-of-the-art TEM RES technology to keep hands warm, dry and well-protected in cold climates.

### KEY BENEFITS

- + Creates an impenetrable barrier against water and liquids
- + Breathable, reduces perspiration
- + Excellent wet and dry grip
- + Extreme flexibility
- + Form-fitting design

COATING GRIP
Polyurethane Rough

LINER COLOR
Acrylic Blue
Insulated

**PACKAGING:** 8/M, 9/L, 10/XL, 11/XXL 12 pair per polybag, 6 polybags per case 72 pair per case





Engineered with soft, comfortable, seamless knit liner and full PVC coating, this ultra-flexible, impermeable glove is ideal for work in damp or greasy environments, while enabling you to grip objects securely.

#### **KEY BENEFITS**

- + Absorbs perspiration
- + Protects against chemicals
- + Designed for easy movement and continuous wear
- + Rough finish provides excellent grip
- + Knit wrist ensures glove stays correctly adjusted

COATING PVC Rough

LINER COLOR
Cotton Green
Seamless knit

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL 6 dozen pair per case



Offering excellent protection from a wide array of solvents, oils and acids, each of these gloves feature a full, double nitrile coating and a rough textured finish.

COATING Nitrile	<b>LENGTH</b> 12 inches
<b>LINER</b> Seamless knit	COLOR Blue
<b>GRIP</b> Rough	

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL, 11/XXL 12 dozen pair per case



Strong yet extremely soft and flexible, SHOWA 620 is a durable, double-dipped medium weight PVC glove that ensures grip and provides liquid-proof protection.

#### **KEY BENEFITS**

- + Excellent abrasion resistance
- + Secure grip

[PVC]

- + High resistance to common acids, bases & solvents
- + Seamless cotton lining for comfort

<b>COATING</b> PVC	<b>LENGTH</b> 12 inches
LINER Cotton	COLOR Orange
<b>GRIP</b> Rough	

**PACKAGING :** 7/S, 8/M, 9/L, 10/XL, 11/XXL 6 dozen pair per case



Crafted with a full PVC coating and an extended bonded sleeve, SHOWA 690 provides superior full arm protection from a wide array of chemicals and liquids.

690

[NITRILE]

<b>COATING</b> PVC	<b>LENGTH</b> 26 inches
<b>LINER</b> Cotton	<b>COLOR</b> Blue
<b>GRIP</b> Rough	

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL, 11/XXL Individually polybagged 6 dozen pair per case



Armored with triple-dipped heavyweight PVC coating, SHOWA 660 remains undefeated in ultra-durable chemical protection and second-to-none in comfort.

[PVC]

#### **KEY BENEFITS**

[PVC]

- + Heavy-duty defense against chemicals
- + High dexterity
- + Soft, cotton liner absorbs perspiration
- + Offers high-performance grip and tactile feel in greasy and damp environments

<b>COATING</b> PVC	<b>LENGTH</b> 12 inches
<b>LINER</b> Cotton	COLOR Blue
<b>GRIP</b> Rough	

**PACKAGING :** 7/S, 8/M, 9/L, 10/XL, 11/XXL 6 dozen pair per case




Offering excellent protection from a wide array of solvents, oils and acids, each of these gloves feature a full, double nitrile coating and a rough textured finish.

[NITRILE]

<b>COATING</b> Nitrile	<b>LENGTH</b> 26 inches
LINER Cotton	COLOR Yellow
Polyester	<b>GRIP</b> Rough

**PACKAGING :** 7/S, 8/M, 9/L, 10/XL Individually polybagged 6 dozen pair per case







7714/R

Cotton-lined PVC construction combined with a 14-inch gauntlet, SHOWA 7714 provides defensive protection from chemicals, oils and grease. Available with smooth (7714) or rough (7714R) finish.

#### **KEY BENEFITS**

- + Outstanding durability
- + Barrier protection from chemicals, oil and grease
- + Abrasion resistant
- + Extremely versatile

		0	
	V	N	
-	A		
	10		
			50
		3	NO BANGE
2			

[NITRILE]

Outfitted to handle rough, abrasive materials, these gloves feature an exclusive nitrile coating that provides a superior barrier to oil and grease, excellent cut, snag, puncture, and abrasion resistance.

#### **KEY BENEFITS**

+ Palm coating, safety cuff

# **KEY BENEFITS**

66NFW

+ Improved coating for enhanced grip

The industry's first wrinkle-finished,

heavy-duty, natural rubber-coated glove.

This family of gloves provide the perfect

combination of tactical grip and superior

variety of styles, lengths and finishes for

efficacy, making them a must-have for

every worker's toolbox. Available in a

+ Breathable knit & coating

a wide range of jobs.

+ Superior flexibility & softness

COATING Natural rubber

**GRIP** Rough

LINER

Cotton

**COLOR** White/yellow palm

[NATURAL RUBBER]

**COATING** PVC

**LENGTH** 14 inches

LINER Cotton

COLOR

Black

GRIP

Smooth (7714), Rough (7714R)

PACKAGING: 10/L

6 dozen pair per case

COATING Nitrile

**GRIP** Rough

LINER Cotton

COLOR

White/navy palm

PACKAGING: 8/S, 10/L 6 dozen pair per case



6797/R

[NEOPRENE]

Forged with rugged neoprene each glove in this product family is designed for demanding and abrasive applications involving a wide array of caustics, acids, solvents, grease and oils. The cotton liner absorbs perspiration from within keeping you cool and comfortable.

### **KEY BENEFITS**

+ Elbow-length gauntlet

COATING Neoprene

LINER

Cotton

**LENGTH** Elbow-length

GRIP

Smooth (6797) Rough (6797R)

PACKAGING: 10/L 3 dozen pair per case 892

Providing superior resistance to highly corrosive acids and is designed for handling halogenated hydrocarbons, SHOWA's 892 features a 12-mil thick Viton® over Butyl unsupported glove.

#### **KEY BENEFITS**

- + Protects against aromatics such as benzene. toluene, xvlene
- + Excellent barrier to most halogenated hydrocarbons

**COATING** 

Viton over Butyl

LINER

Unlined

**GRIP** Smooth **LENGTH** 12 inches

**THICKNESS** 

[VITON +BUTYL]

12 mil

COLOR Black

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL, 11/XXL 1 pair per polybag

**PACKAGING:** 8/S, 9/M, 10/L 6 dozen pair per case



874/R

[BUTYL]

SHOWA's 14-mil thick, unlined Butyl glove, features the ultimate combination of protection and dexterity. Available with a smooth (874) or rough (874R) grip.

#### **KEY BENEFITS**

- + Protects against alcohols
- + Provides the highest permeation resistance to gases and water vapors of any protective material used to make gloves
- + Superior resistance to highly corrosive acids

COATING Butyl

**LENGTH** 14 inches

**LINER** Unlined **THICKNESS** 14 mil

**GRIP** Smooth (874) Rough (874R)

COLOR Black

**PACKAGING:** 7/S, 8/M, 9/L, 10/XL, 11/XXL 1 pair per polybag



[NITRILE]

One of SHOWA's most notable innovative firsts, the groundbreaking innovation of low-modulus nitrile, natural rubber latex free hand protection. This innovation was patented in 1991 and set the bar for all others to follow. N-DEX\* hand protection is recognized globally as the answer to protecting the millions of humans that are severely allergic to natural rubber latex.

Expanding on the innovation, SHOWA launched the world's first accelerator free, low-modulus nitrile glove.

The latest addition to the N-DEX family of products is the world's first biodegradable glove, SHOWA N-DEX 6105PF with EBT\*. Eco Best Technology\*(EBT) is a patented solution to the massive amounts of gloves that are discarded in landfills.



Designed with the consumer in mind, SHOWA 7500PF is a competitively-priced 4-mil, powder-free, disposable nitrile glove.

### **KEY BENEFITS**

- + Latex-free
- + Competitively-priced
- + Retains tactility
- + Rolled cuff helps keep debris out

POLYMER
Nitrile
LINER
Disposable

GRIP
Bisque

THICKNESS
4 mil
LENGTH
9.5 inches
COLOR
Blue
Blue

**PACKAGING :** XS, S, M, L, XL, XXL 100 gloves per dispenser\* 10 dispensers per case

\*7500PFXXL packaging is 90 gloves per dispenser



The world's first 100% nitrile disposable glove, N-DEX 7005 provides unmatched performance across a range of tactical applications. Available lightly-powdered (7005) or powder-free (7005PF).

### **KEY BENEFITS**

- + Decreased risk of allergies
- + Superior durability & versatility
- + Limited chemical protection
- + Second-skin fit & feel
- + Rolled cuff helps keep debris out

POLYMER
Nitrile Low-modulus

LINER
Disposable

GRIP
Smooth

THICKNESS
4 mil

LENGTH
9.5 inches

COLOR
Light blue

**PACKAGING:** XS, S, M, L, XL, XXL, XXXL\*\* 100 gloves per dispenser\*

20 dispensers per case

\* "PF" indicates powder-free option is available

\*\* Only 7005 is available in XXXL



Powder-free, 4-mil, 9.5-inch, disposable low-modulus nitrile glove.

Accelerator-free formulation.

### **KEY BENEFITS**

[NITRILE]

- + Free from common accelerators found in nitrile gloves
- + Even lower risk of allergies
- + Increased visibility due to color
- + Chemical splash protection
- + Rolled cuff helps keep debris out
- + Second-skin fit & feel

POLYMER
Nitrile Low-modulus
LINER
Disposable

GRIP
Bisque fingertips

THICKNESS
4 mil
LENGTH
9.5 inches
COLOR
Fluorescent green

**PACKAGING:** XS, S, M, L, XL 100 gloves per dispenser 20 dispensers per case





Powder-free, 5-mil, 12-inch, disposable low-modulus nitrile glove. Clean-room device.

#### **KEY BENEFITS**

- + Clean-room device
- + Lower allergy risks
- + Anti-static properties
- + Repels wet substances
- + Rolled cuff helps keep debris out
- + Ambidextrous

**THICKNESS** POLYMER Nitrile Low-modulus 5 mil **LENGTH** LINER Disposable 12 inches GRIP COLOR Bisque fingertips Off white

PACKAGING: XS, S, M, L, XL 10 polybags per case



Competitively-priced 8-mil, powder-free, nitrile glove, the SHOWA 8500PF is designed for the consumer in mind.

#### **KEY BENEFITS**

- + Latex-free
- + Competitively-priced
- + Retains tactility
- + Rolled cuff helps keep debris out

**THICKNESS POLYMER** Nitrile 8 mil **LENGTH** LINER 9.5 inches Disposable **GRIP COLOR** Blue Smooth

PACKAGING: S, M, L, XL 50 gloves per dispenser 20 dispensers per case



Biodegradable, powder free, 4-mil, 9.5inch, disposable low-modulus nitrile glove with Eco Best Technology® (EBT).

#### **KEY BENEFITS**

- + Performs same as non-EBT nitrile disposable gloves
- + 100% biodegradable
- + Decreased risk of allergies
- + High performance of protection
- + Second-skin fit & feel

Bisque fingertips

**POLYMER THICKNESS** 4 mil Nitrile w/ EBT Low-modulus **LINER LENGTH** 9.5 inches Disposable GRIP **COLOR** 

PACKAGING: XS, S, M, L, XL, XXL 100 gloves per dispenser 10 dispensers per case

Green



8-mil, 9.5-inch, low modulus nitrile disposable glove. Available lightly powdered (8005) or powder-free (8005PF).

#### **KEY BENEFITS**

- + Chemical splash protection
- + Oil protection
- + Second-skin fit & feel
- + Retains tactile feeling
- + Lower allergy risk
- + Ambidextrous

<b>POLYMER</b>	THICKNESS
Nitrile Low-modulus	8 mil
<b>LINER</b> Disposable	<b>LENGTH</b> 9.5 inches
GRIP	COLOR
Smooth	Light blue

PACKAGING: S, M, L, XL 50 gloves per dispenser 20 dispensers per case



Biodegradable, powder free, 4-mil, 9.5inch, disposable low-modulus nitrile glove with Eco Best Technology® (EBT).

#### **KEY BENEFITS**

- + Performs same as non-EBT nitrile disposable gloves
- + 100% biodegradable
- + Decreased risk of allergies
- + High performance of protection
- + Second-skin fit & feel

**POLYMER THICKNESS** Nitrile w/ EBT 4 mil Low-modulus LINER **LENGTH** 9.5 inches Disposable GRIP **COLOR** Smooth Black

PACKAGING: XS, S, M, L, XL, XXL 100 gloves per dispenser 10 dispensers per case



Powder-free, 6-mil, 11-inch, disposable low-modulus nitrile glove.

#### Accelerator-free formulation.

### **KEY BENEFITS**

- + Free from common accelerators found in nitrile gloves
- + Even lower risk of allergies
- + Thicker barrier protection
- + Wrists are well protected
- + Hides dirt and grime
- + Second-skin fit & feel
- + Rolled cuff helps keep debris out

**THICKNESS POLYMER** Nitrile Low-modulus 6 mil **LENGTH** LINER Disposable 11 inches **GRIP** COLOR Black Bisque fingertips

PACKAGING: S, M, L, XL 50 gloves per dispenser 20 dispensers per case

[NITRILE]

# HAND











### **Coated Supported Gloves**

Nitrile Coated
Neoprene Coated
Nitrile Coated - Cut & Sewn
Vinyl Coated
Vinyl Laminated
Vinyl Impregnated
Rubber Coated/PVC Coated

### Liquid Proof Unsupported Gloves

Unsupported Nitrile
Unsupported Neoprene
Unsupported Latex
Unsupported Rubber

### **Chemical Resistant Gloves**

There are 3 key components for choosing the right chemical glove for your application:

- Understanding the chemical properties
- Identifying potential hazards
- Determining contact duration

Supported gloves are made by dipping a woven or knitted liner into the compound. The liner provides extra strength and insulation.

Unsupported gloves are made by dipping bare hand molds into the glove compound. These gloves are superior in applications where tactile sensitivity and dexterity are needed.

**Nitrile** is a perfect solution for oils, petroleum, and certain acids and caustics. It is sometimes also known as synthetic rubber. Additional abrasion resistance offers a non-slip grip and makes nitrile unsupported gloves a good choice for general purpose use.

**Neoprene** has the basic chemical resistance qualities as nitrile but with less abrasion resistance. Both nitrile and neoprene are available in unsupported and coated (palm or fully coated) depending on the application. Nitrile and neoprene offer similar basic protection.

Rubber (Latex) coated gloves resist bases, acids, alcohols, and diluted aqueous solutions of most types of chemicals.

Rubber coated gloves add superior grip and cut resistance.

Rubber coated gloves are a great choice for handling ceramic, glass and some sharp edged products.

Polyvinyl Chloride (PVC) is the best choice for cost effectiveness when protecting against chemicals, oils, and grease. This compound is the perfect choice for hand protection against petrochemicals, refining, and construction sites. PVC is available in laminated (PVC sealed to a base liner such as knit lining) or impregnated (PVC blends through a cotton or jersey liner). PVC is an excellent choice for chemical and abrasion resistance where moisture is not a concern.

### **Chemical Resistant Chart**

### SUPPORTED GLOVE PERFORMANCE CHART:

	CHEMICAL	NATURAL RUBBER	NEOPRENE	NITRILE	POLYVINYL CHLORIDE (PVC)
1	Acetaldehyde	F	Е	Р	NR
2	Acetic Acid	G	Е	G	F
3	Acetone	G	G	NR	NR
4	Acetonitrile	F	F	F	NR
5	Acrylic Acid	Е	NR	G	NR
6	Ammonium Fluoride	Е	Е	Е	Е
7	Ammonium Hydroxide <30%	G	Е	Е	Е
8	Amyl Acetate	F	NR	Е	Р
9	Amyl Alcohol	G	Р	G	NR
10	Aniline	Р	G	NR	F
11	Animal Fats	Р	E	Е	G
12	Battery Acid	G	E	Е	Е
13	Benzaldehyde	F	NR	NR	NR
14	Benzene	NR	NR	Р	NR
15	benzoy chloride	Р	NR	NR	NR
16	Butane	P	F	Е	P
17	Butyl Acetate	Р	NR	F	NR
18	Butyl Alcohol	Е	E	Р	G
19	Butyl Cellosolve®	Е	Е	Е	NR
20	Carbolie Acid	Р	Е	Р	G
21	Carbon Disulfide	NR	NR	NR	NR
22	Carbon Tetrachloride	NR	Р	G	NR
23	Castor Oil	E	E	Е	Е
24	Cellosolve® Acetate	G	F	G	NR
25	Cellosolve® Solvent	E	E	G	NR
26	Chlorine Gas	NR	NR	Е	F
27	Chlorobenzene	NR	NR	NR	NR
28	Chloroform	NR	F	NR	NR
29	Chloronapthalene	NR	NR	F	NR
30	Chlorothene® VG	NR	NR	F	Р
31	Chromic Acid	NR	F	F	G
32	Citric Acid	Е	E	Е	Е
33	Cottonseed Oil	Р	E	Е	G
34	Cresol	Р	G	G	F
35	Cutting Oil	F	Е	Е	Р
36	Cyclohexane	Р	F	Е	Р
37	Cyclohexanol	Р	Е	Е	G
38	Diacetone Alcohol	NR	G	F	NR
39	Dibutyl Phthalate	Р	F	Е	G
40	Diethylamine	NR	Р	F	NR
41	Di-Isobutyl Ketone	Р	Р	Е	P
42	Dimethyl Formamide,DMF	E	G	NR	NR
43	Dimethyl Sulfoxide,DMSO	E	E	Е	NR
44	Dioctyl Phthalate,DOP	Р	G	G	NR
45	Dioxane	F	NR	NR	NR
46	Ethyl Acetate	Р	F	NR	NR
47	Ethyl Alcohol	E	E	Е	G
48	Ethylene Dichloride	Р	NR	NR	NR
49	Ethylene Glycol	E	E	E	Е
50	Ethyl Ether	NR	E	Е	NR
51	Ethylene Trichloride	Р	P	Р	NR
52	Formaldehyde	E	E	Е	Е
53	Formic Acid	E	E	E	Е
54	Freon® TF	NR	G	F	NR
55	Furfural	E	G	NR	NR
56	Gasoline (white)	NR	Р	Е	P
57	Glycerine	E	E	Е	Е
58	Hexane	NR	E	Е	NR
59	Hydraulic Fluid - Petroleum Base	Р	F	Е	G
60	Hydraulic Fluid - Ester Base	Р	P	Р	P
61	Hydrazine 65%	G	E	Е	Е
62	Hydrochloric Acid 30%	Е	Е	Е	Е
63	Hydrochloric Acid	G	Е	Е	E
64	Hydrochloric Acid	G	Е	Е	Е
65	Hydrogen Peroxide 30%	E	E	E	Е
66	Hydropuinonc Saturated	G	E	Е	Е
67	Isoamyl Alcohol	G	E	Е	G
68	Isobutyl Alcohol	E	Е	Е	F
69	Iso-Octane	NR	Е	Е	Р

### **UNSUPPORTED GLOVE PERFORMANCE CHART:**

		PHYSICAL CHARACTERISTICS	NATURAL Rubber	NEOPRENE	NITRILE	POLYVINYL CHLORIDE (PVC)
Г	1	Abrasion Resistance	G	G	Е	G
	2	Elongation	Е	Е	G	F
	3	Heat Resistance	F	Е	Е	Р
	4	Ozone Resistance	G	E	G	Е
	5	Tear Resistance	G	G	G	F
L	6	Tensile Strength	E	E	Е	F

		CHEMICAL	NATURAL RUBBER	NEOPRENE	NITRILE	POLYVINYL CHLORIDE (PVC)
Tri	70		Е	Е	Е	
Table   Tabl	71		Р	Е	Е	F
	72	Lactic Acid 85%	E	E	Е	E
Time   Form				_		-
Maleic Acid saturated				_		
			-	_		
Methyl Alcohol			-	_	_	
79			-	-	-	
Methylene Bromide				_		-
Methylene Chloride						
82						
Methyl Ethyl Ketone,MEK   G   G   NR   NR						
Methyl Isobutyl Ketone,MIBK		Methyl Ethyl Ketone,MEK	G	G	NR	NR
Mineral Oil	84		F	NR	Р	NR
87 Mineral Spirits	85	Methyl Methacrylate	P	NR	Р	NR
Monethanolamine		Mineral Oil	-	_		-
89				<u>.</u>		-
90   Muriatic Acid   G   E   E   G   G   91   Naphtha VM&P   NR   G   E   P   P   2   Nitric Acid <30%   F   G   G   F   G   G   F   G   G   F   G   G				_		
91   Naphtha VM&P				-		
92   Nitric Acid <30%   G				_		-
93 Nitric Acid 70% F G G F 94 Nitric Acid Red Fuming P NR NR P 95 Nitric Acid White Fuming P NR NR P 96 Nitrobenzene P NR NR NR 97 Nitromethane G E F P 98 1-Nitropopane E G NR NR 99 Octane NE E E P 100 Octyl Alcohol G E E F 101 Oleic Acid Saturated E E E E 103 Paint Remover F G G P 104 Palmitic Acid Saturated G E G G 105 Pentachlorophenol 1.25% H20 P E E F 106 Pentane P E E NR 107 Perchloric Acid 60% P E E E NR 108 Perchlorethylene NR NR G NR 109 Phosporic Acid, Conc. E E E E 111 Picric Acid Saturated/EtOH G E E E 112 Potassium Hydroxide <50% E E E 113 Printing Ink G G E E E 114 Propyl Alcehol E E E E E 115 Propyl Alcehol E E E E E 116 Propyl Cellusolve® G NR G F 117 Propylene Oxide P NR NR NR NR NR 118 Propylene Oxide P NR NR NR NR NR 119 Pyridine NR NR NR NR NR 110 Pyridine NR NR NR NR NR NR 111 Propylene Oxide P NR NR NR NR NR 112 Safrotin G G E E E E 113 Stoddard Solvent NR NR NR NR NR NR 119 Pyridine NR NR NR NR NR NR 110 RNR NR NR NR NR NR NR NR 111 Propylene Oxide So% E E E E E 112 Stoddard Solvent NR NR NR NR NR NR 112 Safrotin G G G G G G 112 Stoddard Solvent NR NR NR NR NR NR 112 Safrotin NR NR NR NR NR NR NR 113 Tirichloroethane NR						-
94         Nitric Acid White Fuming         P         NR         NR         P           96         Nitrobenzene         P         NR         NR         P           96         Nitrobenzene         P         NR         NR         P           97         Nitromethane         G         E         F         P           98         1-Nitropropane         E         G         NR         NR           99         Octane         NE         E         E         P           100         Octyl Alcohol         G         E         E         P         E         E         F         P           100         Octyl Alcohol         G         E         E         F         F         G         G         R         F         F         G         G         P         E         E         F         F         G         G         P         E         E         F         F         G         G         P         P         E         E         F         F         G         G         P         P         E         E         F         F         F         P         P         E         E         F <td></td> <td></td> <td>-</td> <td>_</td> <td>-</td> <td></td>			-	_	-	
Nitric Acid White Fuming			-			
Nitrobenzene						
97 Nitromethane		•	-			-
99 Octane			-			
100	98	1-Nitropropane	E	G	NR	NR
101   Oleic Acid	99	Octane	NE	E	Е	Р
102   Oxalie Acid Saturated	100	Octyl Alcohol	G	E	Е	F
103			-	_		-
104   Palmitic Acid Saturated   G   E   G   G			_	_		_
105         Pentachlorophenol 1.25% H20         P         E         E         F           106         Pentane         P         E         E         NR           107         Perchloric Acid 60%         P         E         E         NR           108         Perchloric Acid 60%         P         E         E         E         E           108         Perchloric Acid 60%         P         R         R         NR         NR         NR         G         DR         Interpretary         Interpretary <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td>						-
106				_		
107         Perchloric Acid 60%         P         E         E         E           108         Perchlorethylene         NR         NR         NR         G         NR           109         Phenol         G         E         NR         G         NR           110         Phosporic Acid, Conc.         E         F         P         P         NR         NR         AR         P         P         P         NR         NR         G         F         F         P         P         F         NR         NR         R         F         P         P         P         NR         NR         R         R         F         P         P         NR         NR         NR         NR         NR         NR         NR         NR         NR			-	_		-
108   Perchlorethylene   NR NR			-	_		
109			-	_		_
111         Picric Acid Saturated/EtOH         G         E         E         E           112         Potassium Hydroxide <50%						
112         Potassium Hydroxide <50%				E		
113         Printing Ink         G         G         E         F           114         Propyl Acetate         P         P         F         NR           115         Propyl Alcohol         E         E         E         F           116         Propyl Cellusolve®         G         NR         G         F           117         Propylene GlycolPropylene Oxide         E         E         E         E         E           117         Propylene Oxide         P         NR	111	Picric Acid Saturated/EtOH	G	Е	Е	Е
114         Propyl Acetate         P         P         F         NR           115         Propyl Alcohol         E         E         E         F           116         Propyl Cellusolve®         G         NR         G         F           117         Propylene GlycolPropylene Oxide         E         E         E         E           117         Propylene Oxide         P         NR	112	Potassium Hydroxide <50%	Е	E	E	_
115         Propyl Alcohol         E         E         E         F           116         Propyl Cellusolve®         G         NR         G         F           117         Propylene GlycolPropylene Oxide         E         E         E         E           118         Propylene Oxide         P         NR         NR<			-			-
116         Propyl Cellusolve®         G         NR         G         F           117         Propylene GlycolPropylene Oxide         E         NR         NR<			-	-		
117         Propylene GlycolPropylene Oxide         E         E         E         E           118         Propylene Oxide         P         NR         NR         NR           119         Pyridine         NR         NR         NR         NR           120         Rubber solvent         NR         G         E         NR         NR           121         Safrotin         G         F         F         F         F         F         F         F         F         F         F         F         G         N         R         N         R         N         R         N						-
118         Propylene Oxide         P         NR         NR         NR           119         Pyridine         NR         NR         NR         NR         NR           120         Rubber solvent         NR         G         E         NR         NR         NR         NR         NR         121         Safrotin         G         R         NR						
119         Pyridine         NR         NR         NR         NR           120         Rubber solvent         NR         G         E         NR           121         Safrotin         G         G         G         G         G           122         Sodium Hydroxide <50%			_	_		_
120         Rubber solvent         NR         G         E         NR           121         Safrotin         G         B         E         E         E         E         NR         P         G         NR         NR         P         NR         NR         P         NR         NR         P         NR         NR         NR         NR         N			-			
121         Safrotin         G         G         G         G           122         Sodium Hydroxide <50%	-	•				
122         Sodium Hydroxide <50%						
123         Stoddard Solvent         P         E         E         NR           124         StyreneSulfuric Acid 95%         NR         NR         NR         NR         NR           125         Sulfuric Acid 95%         NR         F         F         G           126         Tannic Acid 65%         E         E         E         E         E           127         Tetrahydrofuran,THF         NR         NR         NR         NR         NR           128         Toluene         NR         P         G         NR           129         Toluene Di-Islcyanate,TDI         P         NR         NR         P           130         1,1.1-Trichloroethane         NR         NR         F         NR           131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         F         F           135         Turbine Oil         P         E         G         F						
124         StyreneSulfuric Acid 95%         NR         NR         NR         NR         NR         NR         NR         NR         F         F         G         G         Intraction of the control of						
126         Tannic Acid 65%         E         E         E         E           127         Tetrahydrofuran,THF         NR         P         G         NR         NR         P         G         NR         P         NR         NR         P         NR         NR         P         NR         NR         P         G         NR         T         NR         S         T         T         NR         NR         NR         S         T         S         T         NR         S         T         NR         NR <td< td=""><td></td><td></td><td></td><td></td><td>NR</td><td>NR</td></td<>					NR	NR
127         Tetrahydrofuran,THF         NR         NR         NR         NR           128         Toluene         NR         P         G         NR           129         Toluene Di-Islcyanate,TDI         P         NR         NR         P           130         1,1.1-Trichloroethane         NR         NR         F         NR           131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Turg Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
128         Toluene         NR         P         G         NR           129         Toluene Di-Islcyanate,TDI         P         NR         NR         P           130         1,1.1-Trichloroethane         NR         NR         F         NR           131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
129         Toluene Di-Islcyanate,TDI         P         NR         NR         P           130         1,1.1-Trichloroethane         NR         NR         F         NR           131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
130         1,1.1-Trichloroethane         NR         NR         F         NR           131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
131         Trichlorethylene,TCE         NR         P         G         NR           132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
132         Tricresyl Phosphate,TCP         G         F         E         F           133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
133         Triethanolamine 85%,TEA         G         E         E         E           134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
134         Tung Oil         NR         E         E         F           135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
135         Turbine Oil         P         E         G         F           136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
136         Turpentine         P         G         E         F           137         Vegetable Oil         E         E         E         E						
137 Vegetable Oil E E E E						
130   Ayrerie, Ayror NR P G NR	138	Xylene,Xylol	NR	Р	G	NR

CHART KEY:		
E = EXCELLENT	F = FAIR	NR = NOT RECOMMENDED
G = GOOD	P = POOR	

SUPPORTED / UNSUPPORTED CHEMICAL RESISTANCE CHART:
This chart has been provided to assist the user with choosing the most appropriate personal protection product. It is always the responsibility of the user to determine risk and perform 'on-site' testing before putting the product that the product is a state of the product of the prod to actual use. The manufacturer, distributor, and sales representative do not accept responsibility for the user's choice of product against any particular risk.

### **Supported Gloves | Nitrile Coated**

# Smooth Finish Blue Nitrile with Knit Wrist



#### 9463

- · Heavy weight coated
- Jersey lined
   Fully coated
- Actifresh<sup>™</sup> or Sanitized treated
- Knit wrist
- Sizes: S-L

**9363** Heavy weight, palm coated, jersey lined, Sizes: S-L

**9473** Light weight, fully coated, interlock lined, Sizes: S-L

**9373** Light weight, palm coated, interlock lined, Sizes: S-L

# Smooth Finish Blue Nitrile with Safety Cuff



#### 9360

- · Heavy weight coated
- · Jersey lined
- Actifresh<sup>™</sup> or Sanitized treated
- · Palm and knuckle coated
- 2 1/2" plasticized safety cuff
- Sizes: S-L

9460 Heavy weight, fully coated

### Rough Finish Blue Nitrile



#### 9430

- · Heavy weight coated
- · Jersey lined
- Actifresh<sup>™</sup> or Sanitized treated
- · Fully coated
- 21/2" plasticized safety cuff
- Size: Mens

9433 Fully coated, knit wrist

9330 Palm coated, safety cuff

9333 Palm coated, knit wrist

### Smooth Finish Black Neoprene



### 9560

- Premium multi-dipped
- Jersey lined
- · Fully coated
- 21/2" plasticized safety cuff
- Size: Mens

**9562** 12" gauntlet, interlock lined

**9563** knit wrist, interlock lined

9564 14" gauntlet, interlock lined

### Rough Finish Black Neoprene



### 9532

- · Premium multi-dipped
- · Interlock lined
- 12" gauntlet
- Size: Mens

**9544** 14" gauntlet, interlock lined

9534 14" gauntlet, foam lined

### Cut & Sewn Blue Nitrile Coated



### 9440

- Straight thumb
- · Slip-on style
- Interlock lined
- Sizes: Mens M-XL

9450 Sizes: Ladies S-L

9441 Perforated back,

Sizes: Mens M-XL

9451 Perforated back,

Sizes: Ladies S-L

### Supported Gloves | Vinyl/Rubber Coated

# Seamless Textured Vinyl Coated



#### 5930

- Slip-on style
- · Seamless knit lined
- Actifresh<sup>™</sup> or Sanitized treated
- Sizes: S-L

**5920** Interlock lined, Sizes: S-L

MARNING: Cancer - www.P65Warnings.ca.gov

# Seams Out Textured Vinyl Coated



#### 5910

- Slip-on style
- Jersey lined
- Actifresh<sup>™</sup> or Sanitized treated
- Sizes: S-L

WARNING: Cancer - www.P65Warnings.ca.gov

### Rust Vinyl Impregnated



### 5310

- Slip-on style
- · Stretch fabric
- · Cotton lined
- · Color coded hem
- Sizes: Mens M-XL

**5320** Sizes: Ladies S-L

MARNING: Cancer - www.P65Warnings.ca.gov

### Canvas with Vinyl Impregnated Palm



### 5343

- Yellow vinyl impregnated palm and index finger
- · Canvas fabric back
- Knit wrist
- Size: Mens

**WARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Natural Rubber Crinkle Latex Finish Coated



### 2320

- · Premium grade rubber
- Jersey lined
- 21/2" heavy canvas cuff
- Size: Mens

2300 Standard weight rubber, 2½" starched safety cuff, Sizes: S & L

### Natural Rubber Latex Crinkle Finish Coated



### 2323


- · Premium grade rubber
- Knit wrist
- Jersey lined
- Sizes: S & L

**2303** Standard weight rubber, knit wrist, Sizes: S & L

### SUPPORTED GLOVE SIZING CHART (Cuff thread color code)



### SYNTHETIC RUBBERS



Neoprene and Nitrile gloves normally function well in temperatures ranging from 25°F (-4°C) to 300°F (149°C).

### **Supported Gloves | PVC Coated**

### Smooth Finish Black PVC



#### 2233

- · Single dipped
- Interlock lined
- 12" gauntlet
- Sizes: S-L

**2231** Knit wrist, Sizes: S & L

**2232** 10" gauntlet

**2234** 14" gauntlet

**2238** 18" gauntlet

WARNING: Cancer - www.P65Warnings.ca.gov

### Semi-Rough Black PVC



#### 2131

- Single dipped
- Interlock lined
- Knit wrist
- Size: Mens

**21310B** Open back

**2132** 10" gauntlet

**2133** 12" gauntlet

**2134** 14" gauntlet

WARNING: Cancer - www.P65Warnings.ca.gov

### Rough Finish Black PVC



#### 12433

- Double dipped Jersey lined
- 12" gauntlet
- Size: Mens

12431 Knit wrist

12432 10" gauntlet

12434 14" gauntlet

12438 18" gauntlet

**12421** Interlock lined, knit wrist

12423 Interlock lined, 12" gauntlet

**12424** Interlock lined, 14" gauntlet

**MARNING:** Cancer - www.P65Warnings.ca.gov

### Sandy Finish Green PVC



### 2733

- Double dipped
- · Jersey lined
- 12" gauntlet
- Size: Mens

**2731** Knit wrist

**2734** 14" gauntlet

**2738** 18" gauntlet

### Sandy Finish Blue PVC



#### 2723BL

- Triple dipped
- · Interlock lined
- 12" gauntlet
- Size: Mens

2753BL 12" gauntlet, thermal lined

### Sandy Finish Black PVC



#### 2633

- Double dipped
- ped Jersey lined
- 12" gauntlet
- Size: Mens

2631 Knit wrist

**2632** 10" gauntlet

**2634** 14" gauntlet

2638 18" gauntlet

2622 10" gauntlet, interlock lined

2623 12" gauntlet, interlock lined

2624 14" gauntlet, interlock lined

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

**★WARNING:** Cancer - www.P65Warnings.ca.gov

## **Supported Gloves | PVC Coated**

Foam Insulated Fully Coated

Smooth Finish PVC

### Smooth Finish Yellow PVC



#### 2333

- Single dipped
- Interlock lined
- 12" gauntlet
- Size: Mens

2331 Knit wrist

2334 14" gauntlet

**2331JL** Jersey lined, knit wrist

233JL Jersey lined, 12" gauntlet

2334JL Jersey lined, 14" gauntlet

**★WARNING:** Cancer - www.P65Warnings.ca.gov

# Foam Insulated Fully Coated Smooth Finish PVC



#### 2521

- Fluorescent orange
- Knit wrist
- · Size: Mens


#### 2530

- Tan color
- 2 1/2" rubberized safety cuff
- Size: Mens

2520 Rubberized safety cuff

2523 12" gauntlet

2524 14" gauntlet



MARNING: Cancer - www.P65Warnings.ca.gov

★WARNING: Cancer - www.P65Warnings.ca.gov

# Sandy Finish Fluorescent



#### 2544

- Double dipped
- Polar fleece lining
- 14" gauntlet
- Size: Mens

2540 2 ½" rubberized safety cuff

2541 Knit wrist

2543 12" gauntlet

### Sandy Finish Black PVC



### 2640

- · Double dipped
- Black PVC over yellow
- · Jersey lined
- 2 1/2" plasticized safety cuff
- Size: Mens

### **PVC Chips Finish on Red PVC**



#### 2450

- Triple dipped
- · Jersey lined
- · Band top
- Size: Mens

2451 Knit wrist

**2453** 12" gauntlet

**2454** 14" gauntlet

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

**WARNING:** Cancer - www.P65Warnings.ca.gov

### Unsupported Gloves | Neoprene/Latex/Nitrile/Rubber Coated

### 30 Mil Black Neoprene



### 28 Mil Orange Heavy Weight Neoprene/Latex



### 28 Mil Blue Neoprene over Yellow Latex



### 2650SP

- Embossed grip on palm and fingers
- 13" length
- Flock lined
- Bacteriostatic and fungistatic additives
- FDA conformance for repeated use with food
- Sizes: S-2XL

### 2876SP

- Embossed grip on palm and fingers
- 13" length
- · Flock lined
- Bacteriostatic and fungistatic additives
- FDA conformance for repeated use with food
- Sizes: S-XL

### 2570SP

- Embossed grip on palm and fingers
- 13" length
- · Flock lined
- Bacteriostatic and fungistatic additives
- FDA conformance for repeated use with food
- Sizes: S-XL

### Green Nitrile



# 40 Mil Black Natural Rubber with Diamond Grip



# 40 Mil Black Natural Rubber with Crinkle Finish



### 2970SL

- 15 mil 13" length
- · Embossed grip on palm and fingers
- · Flock lined
- Sizes: S-2XL

2980SL 11 mil, unlined, Sizes: S-2XL

**2960SL** 15 mil, unlined, Sizes: S-2XL

2950SL 22 mil, 18" length, unlined, textured grip, Sizes: M-2XL

### 2814

- Embossed diamond grip on palm and fingers
- 14" length
- · Rolled cuff
- · Individual poly bag per pair
- Size: 10

**2818** 18" length, Sizes: 10, 11

**2824** 24" length, Size: 11

### 2844

- Embossed diamond grip on palm and fingers
- 14" length
- · Rolled cuff
- Individual poly bag per pair
- Sizes: 10, 11

2848 18" length, Size: 11

# **Unsupported Gloves | Latex/Rubber Coated**

# 50 Mil Heavy Rubber Core Layer



# 18 Mil Natural Latex Canners



# 18 Mil Natural Latex Canners



#### 2820

- Diamond grip on palm and fingers
- · Lightly powdered
- · Rolled cuff
- Individual poly bag per pair
- Sizes: 9, 9.5, 10, 10.5, 11

#### 2860

- Crinkle finish on palm and fingers
- Unlined
- · Rolled cuff
- Individual poly bag per pair
- Sizes: 8, 9, 9.5, 10, 11

#### 2880SL

- Embossed grip on palm and fingers
- 12" length
- Unlined
- Sizes: S-XL

**2880** ■ 18 mil, natural canners, Sizes: S-XL

**2881SL** Individual generic poly bag per pair, Sizes: S-XL

#### **CAUTION:**

Natural rubber products contain proteins that may cause allergic reactions in some individuals

#### **Blue Latex Canners**



# 2886SL

- 18 mil
- · Embossed grip on palm and fingers
- 12" length
- Unlined
- Sizes: XS-XL

**2886** ■ 18 mil, blue canners, Sizes: S-XL

**2884** 14 mil, blue canners, Sizes: S-XL

# 18 Mil Yellow Latex Household



#### 2870SL

- Embossed diamond grip on palm and fingers
- 12" length
- Flock lined
- Sizes: S-XL

**2871** ■ Duraskin® retail package per pair, Sizes: S-XL

**2874SL** 20 mil, rolled cuff, individual generic poly bag per pair, Sizes: S-XL

# 18 Mil Blue Latex Household



# 2870BSL

- Embossed grip on palm and fingers
- 12" length
- Flock lined
- Sizes: S-XL



Our gloves are manufactured in ISO-9001 approved facilities with state of the art equipment. These measures ensure consistently high quality gloves with every shipment.



# DuraSkin® Industrial Grade Gloves

Disposable Latex
Disposable Nitrile
Disposable Vinyl
Disposable Chloroprene
Disposable Polyetheylene

# BioSkin® Medical Grade Gloves

Medical Examination Latex Medical Examination Nitrile Medical Examination Vinyl



# **Disposable Gloves**

Latex (Rubber) gloves are the choice for the industry when optimal barrier protection is a requirement. Latex is also considered to provide the greatest fit of any disposable glove. These gloves are available both in powdered and powder-free, medical and industrial grade. Industrial grade latex gloves are made from component materials which meet requirements for food contact and handling. Our medical grade latex gloves comply with FDA regulations.

**Nitrile** gloves are manufactured using synthetic polymers and are more puncture resistant than natural rubber. Offering superior resistance to punctures and abrasions, they are a perfect choice for protection from a variety of chemicals. Easily donned, this product is the perfect choice for your disposable needs when latex allergens are a concern. Industrial grade nitrile gloves are made from component materials which meet requirements for food contact and handling. Our medical grade nitrile gloves comply with FDA regulations.

Chloroprene (CR) gloves are a proprietary formulation of completely synthetic polymers, closely related to neoprene. This unique compound combines the barrier performance of a synthetic glove with the superior comfort found only in natural latex. Chloroprene gloves are ideal against abrasive and corrosive chemicals, grease, contaminated soil and composites, and sharp edges from plastic and other materials. These gloves are popular for food handling due to the extra comfort and exceptional tactile sensitivity. Industrial grade chloroprene gloves are made from component materials which meet requirements for food contact and handling.

**Vinyl** gloves which are derived from synthetic PVC resins offer a cost-effective alternative to latex. They are ideal for food preparation, light duty cleaning and general maintenance. Like latex and nitrile, vinyl gloves are available in powdered and powder-free versions. Industrial grade vinyl gloves are made from component materials which meet requirements for food contact and handling. Our medical grade vinyl gloves comply with FDA regulations.

**Polyethylene** gloves serve as a cost-effective solution for creating a barrier between hands and product. Mainly used in food service environments and parts handling, polyethylene disposable gloves are ambidextrous as well as have an embossed grip.

Complying with FDA and USDA regulations, our vast selection is suitable for every application and budget.

# **Icon Legend**
















# **Disposable Latex**



# Disposable Industrial Grade Latex Gloves



- Standard grade
- 100 gloves per dispenser box
- Sizes: XS XL

**2800W** Lightly powdered, textured finish, Sizes: XS-XL

**S2810W** Powder-free, single chlorinated, smooth finish, Sizes: S-XL

**2810ML** Medical grade, Powder-free, textured finish, Sizes: S-XL

# Disposable Industrial Grade Blue Latex Gloves



#### 2816W

- · Standard grade
- 100 gloves per dispenser box
- Sizes: S-XL

# Disposable Industrial Grade Safety Latex Gloves



#### 2830HR

- 10 mil thickness
- 12" length
- 50 gloves per dispenser box
- Sizes: S-XL

# Medical Examination Grade Blue High Risk Latex Gloves



#### 2846HR

- 14 mil thickness
- 12" length
- 50 gloves per dispenser box
- Sizes: S 2XL













# **Disposable Nitrile**





# Medical Examination Grade Blue Nitrile Gloves

T2000W Lightly powdered, Sizes: S-XL F2010WC Powder-free, Sizes: XS-2XL F2000WC Lightly powdered, Sizes: S-XL



#### 2010ML

• Sizes: XS - 2XL

- · Standard grade
- 100 gloves per dispenser box
- Sizes: XS XL

**F2010MLC** Powder-free, Sizes: S-XL







# Disposable Industrial Grade Blue Nitrile Gloves



#### 2016W

- 6 mil thickness
- 100 gloves per dispenser box
- Sizes: S 2XL







# Disposable Industrial Grade Blue Nitrile Gloves



# 2018W

- 8 mil thickness
- 50 gloves per dispenser box
- Sizes: S 2XL

**2008W** Lightly powdered, Sizes: S-XL







# **Disposable Nitrile**





Disposable Industrial Grade **Blue Nitrile Gloves** 



#### 2022W

- 8 mil thickness
- 12" length
- 50 gloves per dispenser box
- Sizes: S 2XL



- Standard grade
- 100 gloves per dispenser box

2016BK 6 mil, Powder-free,

Disposable Industrial Grade

Sizes: S - 2XL

Ultra Soft Velvet

**Blue Nitrile Gloves** 

• Sizes: S-XL

# Disposable Industrial Grade White Nitrile Gloves



#### 2026W

#### 2017W

- Standard grade
- 100 gloves per dispenser box
- Sizes: S-XL



















# **Disposable Nitrile**





- 8 mil thickness
- Diamond textured
- 100 gloves per dispenser box

Disposable Industrial Grade

• Sizes: M - 2XL

# Disposable Industrial Grade **Black Nitrile Gloves**



#### 2026BK

- 6 mil thickness
- Diamond textured
- 100 gloves per dispenser box
- Sizes: M 2XL



# Disposable Industrial Grade **Orange Nitrile Gloves**



# 2010HO

- Standard grade
- 100 gloves per dispenser box
- Sizes: S 2XL

# **Disposable Vinyl**



# Disposable Industrial Grade **Vinyl Gloves**



- 100 gloves per dispenser box
- Sizes: S 2XL

**2910W** Powder-free, Sizes: S-XL







WARNING: Cancer - www.P65Warnings.ca.gov

# **Medical Examination Grade Vinyl Gloves**



# Disposable Industrial Grade **Green Vinyl Gloves**



# Disposable Industrial Grade **Blue Vinyl Gloves**



#### 2910

- · Standard grade
- 100 gloves per dispenser box
- Sizes: S-XL
- **MARNING:** Cancer www.P65Warnings.ca.gov









# 2904W

- 6.5 mil thickness
- 100 gloves per dispenser box
- Sizes: S 2XL

2905W Lightly powdered, 100 gloves per polybag, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 2906W

- Standard grade
- 100 gloves per dispenser box
- Sizes: S 2XL

2916W Powder-free, Sizes: S-XL







# Polyethylene & Chloroprene (CR Pro)

# Clear Polyethylene Gloves



- Embossed grip
- 100 gloves per dispenser box, 100 dispensers per case
- Sizes: S-L











# 2011W

- 6 mil thickness
- 100 gloves per dispenser box
- Sizes: S XL







# Disposable Industrial Grade Chloroprene Gloves



# 2012W

- 8 mil thickness
- 12" length
- 50 gloves per dispenser box
- Sizes: S 2XL

















**WASP™ DEFENDER™** 

**NEOKNIGHT™** 1STKNIGHT™

**BLACKNIGHT REINFORCER**™

**BLUEKNIGHT ONYXWARRIOR™** 

**COUGAR™ GOLDENKNIGHT**<sup>™</sup>

**CRIMSONWARRIOR™** 



# **Mechanic Gloves**

Lightning Gear<sup>™</sup> gloves were designed to take on the tough jobs, providing you with the latest hand protection technology. Made from soft and supple synthetic or grain leathers, these gloves offer comfort, durability, and safety that can be used in a variety of multi-purpose tasks.

# **Icon Legend**



Synthetic



Goatskin



**Pigskin** 



Deerskin



Extra Grip Padded palm to enhance grip



Durability Synthetic leather fingertips, thumb, and palm increases durability



Extra Grip Silicone honeycomb dots on the palm and fingers to enhance grip



Durability Genuine leather palm and thumb crotch increases durability



Abrasion Enhanced abrasion G-patch palm



Durability Genuine leather fingertips, thumb, and palm increases durability



Secure Fit Anatomically designed two-piece palm eliminates material bunching for a snug fit



**Durability** Thumb crotch increases durability



Dexterity High-density palm form-fits the hand for precision work



Durability Synthetic leather fingertips, thumb, and palm increases durability



#### 0915

- Premium black synthetic leather G-patch palm
- · Red spandex fabric
- Knuckle strap
- · Hook and loop closure
- Sizes: XS-XL



**Abrasion** Enhanced abrasion G-patch palm

**MARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov



# CrimsonWarrior ™







#### 0915Q/H0

- · Premium black synthetic leather G-patch palm
- · Hi-viz orange spandex fabric
- . Hook and loop closure
- Sizes: S-2XL



**Abrasion** Enhanced abrasion G-patch palm

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# OnyxWarrior™



# 0915BK

- · Premium black synthetic leather G-patch palm
- · Black spandex fabric
- Knuckle strap
- · Hook and loop closure
- Sizes: XS-2XL



**Abrasion** Enhanced abrasion G-patch palm

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# OnyxWarrior ™





#### 0915Q/BK

- · Premium black synthetic leather palm patch
- Black spandex fabric
- Hook and loop closure
- Sizes: M-2XL



Abrasion Enhanced abrasion G-patch palm



#### 0961

- · Premium gray synthetic leather palm patch
- · Hi-viz orange spandex fabric
- Silicone printed palm
- · Shirred elastic slip on cuff
- Sizes: S-XL



# **Extra Grip** Silicone honeycomb dots on the palmand

fingers to enhance grip

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# **NeoKnight**™ SYNTHETIC

#### 0915HY/RT

- Premium black synthetic leather G-patch palm
- · Hi-viz yellow spandex fabric
- Knuckle strap
- Reflective tape at backside and fingertips
- · Hook and loop closure
- Sizes: S-2XL



#### **Abrasion** Enhanced abrasion G-patch palm

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# BlueKnight™



SYNTHETIC



#### 0916

- Premium black synthetic leather palm
- · Blue spandex fabric
- Knuckle strap
- · Hook and loop closure
- Sizes: XS-2XL



#### **Dexterity**

High-density palm form-fits the hand for precision work

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# CrimsonWarrior™







#### 0906H0

- Premium black synthetic leather palm
- Hi-viz orange spandex fabric
- Knuckle strap
- · Shirred elastic slip on cuff
- Sizes: S-XL



# **Dexterity**

High-density palm form-fits the hand for precision work

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# 1stKnight™





#### 0906BK

- Premium black synthetic leather palm
- · Black spandex fabric
- Knuckle strap
- · Shirred elastic slip on cuff
- Sizes: S-XL



# **Dexterity**

High-density palm form-fits the hand for precision work

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# 1stKnight™



SYNTHETIC



#### 0916BK

- Premium black synthetic leather palm
- · Black spandex fabric
- Knuckle strap
- . Hook and loop closure
- Sizes: S-XL



# **Dexterity**

High-density palm form-fits the hand for precision work

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



- · Premium grain pigskin
- · Black spandex fabric
- · Synthetic, non-slip palm, and fingertip reinforcement
- · Hook and loop closure
- Sizes: S-2XL

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



# **Durability**

Synthetic leather fingertips, thumb, and palm increases durability



# GoldenKnight™





#### 0913

- Premium grain pigskin
- · Black spandex fabric
- Synthetic, non-slip, anti-vibration palm with fingertip reinforcement
- · Hook and loop closure
- Sizes: S-2XL



# **Durability**

Synthetic leather fingertips, thumb, and palm increases durability

**MARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# GoldenKnight™





# 0914

- Premium grain pigskin
- · Blue spandex fabric
- · Hook and loop closure
- Sizes: S-2XL



# Secure Fit

Anatomically designed two-piece palm eliminates material bunching for a snug fit

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# Weight Lifting





#### 6887BK/FL

- · Black goatskin
- Fingerless
- Padded palm
- Hook and loop closure
- Size: L



Extra Grip Padded palm to enhance grip





#### 0817

- · Premium grain goatskin
- Black spandex fabric
- · Double reinforced fingertips and palm
- · Hook and loop closure
- Sizes: S-2XL

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



#### Durability

Genuine leather fingertips, thumb, and palm increases durability



# 0815BK

- Premium black grain goatskin
- · Black spandex fabric
- · Leather palm patch
- · Hook and loop closure
- Sizes: S-2XL



# Secure Fit

Anatomically designed twopiece palm eliminates material bunching for a snug fit

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



#### 0816

- Premium grain goatskin
- · Blue spandex fabric
- · Hook and loop closure
- Sizes: XS-XL

**○856** Black spandex fabric, 3M<sup>TM</sup> Thinsulate<sup>TM</sup> lined, Sizes: S-2XL



# **Durability**

Thumb crotch increases durability

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



#### 0818

- Premium grain goatskin
- Split leather palm and thumb patches
- · Black spandex fabric
- · Hook and loop closure
- Sizes: S-2XL



#### **Durability**

Genuine leather palm and thumb crotch increases durability

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



#### 0918

- Premium golden grain deerskin
- Black spandex fabric
- · Hook and loop closure
- Sizes: XS-XL



#### **Secure Fit**

Anatomically designed two-piece palm eliminates material bunching for a snug fit

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov



# 0918BK

- Premium black grain deerskin
- Black spandex fabric
- · Hook and loop closure
- Sizes: XS-XL



#### Secure Fit

Anatomically designed two-piece palm eliminates material bunching for a snug fit

**MARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov











# DAYBREAKER

# **Impact Gloves**

Daybreaker® gloves were specially engineered to reduce the possibility of impact. TPR (thermoplastic rubber) tread designs are reinforced across back of hand to protect against unexpected impact or abrasion. The anatomically shaped abrasion resistant palm paddings reduce hand fatigue. These performance driven heavy duty work gloves deliver 360° hand protection. Equip yourself with these multi-purpose, comfort-flex gloves that take on the most demanding environments.

# **Glove Features**



1. Proprietary high density polyurethane palm coating (HDPU) provides optimal abrasion, breathability and comfort.



2. Abrasion resistant synthetic based rubber (SBR) pads enhance grip comfort and increase palm protection.



3. Thermoplastic rubber (TPR) die cuts on fingers and fingertips provide ergonomic impact protection.

# Daybreaker® **Multi-task Gloves Impact Gloves**















4. Hi-visibility premium cotton cord absorbs liquid in slick or oily conditions.



5. Reflective material on neoprene for a higher level of visibility.



6. Thumb crotch prevents blow outs and provides additional protection.

# Impact Gloves | Daybreaker®

# Striker V™ 0920

- Hi-viz yellow nylon spandex shell
- Synthetic leather non-slip padded palm and fingertips
- 3-D TPR guardrails to protect knuckles
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: S-2XL

#### **0950** Striker X™

3M<sup>™</sup> Thinsulate<sup>™</sup> / RAOTEX waterproof lining, Sizes: S-2XL

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov













#### 0922

- Hi-viz green nylon spandex shell
- Synthetic leather non-slip padded palm and fingertips
- · Water repellent shell
- · Abrasion-resistant SBR pads
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: S-2XL



#### 0923

- ANSI cut level: A4
- · Hi-viz orange nylon spandex shell
- Synthetic leather palm
- Additional palm layer of cut resistance
- 3-D TPR guardrails to protect knuckles
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: M-2XL









Tear Puncture

















# Impact Gloves | Daybreaker®



# Xscepter™



# 0928

- · Hi-viz yellow nylon spandex shell
- Premium hi-viz yellow cotton cord palm patch
- TPR along fingers and back of hand and thumb crotch reinforcement
- Armortex thumb crotch reinforcement
- · Double stitched neoprene cuff
- Sizes: M-2XL

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov





- ANSI cut level: A4
- Seamless salt and pepper cut resistant knit shell
- Premium HDPU palm coating
- 3-D TPR guardrails to protect knuckles
- TPR along fingers and back of hand and thumb crotch reinforcement
- Sizes: M-2XL









# Impact Gloves | Daybreaker®



# 0935

- ANSI cut level: A4
- Premium grain goatskin
- Shirred elastic back
- Keystone thumb
- TPR along fingers and back of hand
- Sizes: S-2XL


**MARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov







- ANSI cut level: A9
- Hi-viz green seamless cut resistant knit shell
- Hi-viz red sandy nitrile palm coating
- TPR along fingers and back of hand and thumb crotch reinforcement
- · Hook and loop closure
- Sizes: M-2XL















# **Leather Drivers**

**Grain Cowhide** 

**Pigskin** 

Deerskin

Goatskin

Split Cowhide

# **Leather Palm**

Standard Full Feature

Specialty

**Double Palm** 

**Knit Wrist** 

Kevlar® Thread Sewn

Canvas Back

**Grain Cowhide** 

**Pigskin** 

Insulated

# **Leather Gloves**

Leather hand protection is available in grain and split cowhide, pig, goat or deerskin leathers. While cowhide is the most popular in the industry, pigskin has higher abrasion resistance, great air circulation qualities and retains its flexibility when wet. Goatskin has an excellent abrasion resistance and high tensile strength; its high lanolin content makes this leather exceptionally soft. Deerskin has the highest density strength of all leathers that offers dexterity as well as softness.

Our selection of leather hand protection offers a variety of styles:

**Driver gloves** include slip-on configuration for ease of donning and available with a straight, wing or keystone thumb.

**Leather palm gloves** range in full featured safety cuff, knit wrist, or gauntlet cuff for more protection.

**Double palm gloves** feature reinforced palm area to provide added protection and wear. Kevlar® sewn thread is used on certain styles for additional strength and abrasion resistance on the seams. For additional air circulation, our cotton canvas on the back of leather palm gloves is another popular style.

Lined gloves with jersey, piled or 3M<sup>™</sup> Thinsulate<sup>™</sup> can be used if the job requires insulation for additional protection from cold weather.

When the tasks require leather hand protection, we have many styles to choose from that would satisfy both your needs as well as your budget.



Customized printing is available. Contact your customer service representative for more details.



# 6114

- · Premium grain leather
- Keystone thumb
- · Color coded fabric hemmed cuff
- Sizes: S-XL

**6124** Quality grain, Sizes: S-XL

6126 Quality grain, ball & tape fastener, Sizes : S-XL

**★WARNING:** Cancer - www.P65Warnings.ca.gov



# Grain Cowhide Driver with Wing Thumb

6002

• Sizes: S-XL

• Premium grain leather

· Shirred elastic back





# Grain Cowhide Driver with Rolled Cuff





# Grain Cowhide Driver with Keystone Thumb



# 6117

Premium grain leather

6108

- · Shirred elastic back
- Kevlar® thread sewn
- Keystone thumb
- Sizes: XS-2XL

**6118** Premium grain, Cotton thread sewn, Sizes: XS-2XL

**6128** Quality grain, Cotton thread sewn, Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

- Premium grain leather
- Shirred elastic back
- · Color coded fabric hemmed cuff
- Sizes: XS-XL

**6127** Quality grain, Sizes: XXS-3XL

6137 Standard grain, Sizes: XS-5XL

**6147** Economy grain, Sizes: S-3XL

WARNING: Cancer - www.P65Warnings.ca.gov



· Color coded fabric hemmed cuff

**6022** Quality grain, Sizes: S-2XL

# Grain Cowhide Driver with Straight Thumb





# Standard Grain Cowhide Driver with Fluorescent Orange **Fingertips**



# Grain Cowhide Driver with Fluorescent Orange Fingertips





#### 6110

- Premium grain leather
- Shirred elastic back
- · Color coded fabric hemmed cuff
- Sizes: S-XL

6120 Quality grain, Sizes: S-XL

6130 Standard grain, Sizes: S-XL

6140 Economy grain, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### H6137F

- Standard grain leather
- Shirred elastic back
- · Color coded fabric hemmed cuff
- Keystone thumb
- Sizes: S-2XL

16137F

- Standard grain leather
- Shirred elastic back
   Keystone thumb
- · Color coded fabric hemmed cuff
- "WATCH YOUR HANDS" logo
- Sizes: S-3XL

16147F Economy grain, Sizes: S-2XL

16147G Economy grain, fluorescent green fingertips, Sizes: S-2XL

MARNING: Cancer - www.P65Warnings.ca.gov

Cowhide Double

Golden Grain

Palm Driver







# Golden Grain Cowhide Driver with Leather Pull Strap

MARNING: Cancer - www.P65Warnings.ca.gov



# Grain Cowhide Driver with Bourbon Brown \ Split Leather Back





#### 6504

- · Premium grain leather
- · Reinforced palm
- Keystone thumb
- · Leather pull strap
- · Rolled cuff
- Kevlar® thread sewn
   Sizes: XS-2XL

# MARNING: Cancer - www.P65Warnings.ca.gov

#### SIZING COLOR CHART

Color coded cuffs help ensure proper sizing everytime - improve comfort and compliance.

#### 6004

- · Premium grain leather
- · Rolled cuff
- Keystone thumb
- Sizes: XS-XL

MARNING: Cancer - www.P65Warnings.ca.gov

# XX-Small X-Small Small Medium Large X-Large XX-Large XXX-Large

#### 6427R

- Quality grain leather
   Keystone thumb
- · Color coded fabric hemmed cuff
- Shirred elastic back Sizes: S-XL

**6427** Gray colored back, Sizes: S-2XL

**16427K** Gray colored back, Kevlar® thread sewn, Sizes: S-XL

**6487** Reinforced patch palm, Sizes: S-2XL



# 7007

- · Quality grain leather
- · Rolled cuff
- Shirred elastic back
- Sizes: XS-2XL

**7008** Premium grain, Kevlar® thread sewn, Sizes: S-XL

**7017** Standard grain, color coded fabric hemmed cuff, Sizes: XS-2XL

**WARNING:** Cancer - www.P65Warnings.ca.gov



# **Grain Pigskin Driver** with Flourescent **Orange Fingertips**





# 7017FQ

- · Standard grain leather
- · Shirred elastic back
- "WATCH YOUR HANDS" logo
- · Color coded fabric hemmed cuff
- Keystone thumb
- Sizes: S-2XL

# Grain Pigskin Leather Palm with Reflective Knuckle Strap Tape



#### 0225

- · Premium grain leather
- · Shirred elastic back
- Gunn pattern
- Orange fluorescent polyester back
- 2 1/2" Rubberized safety cuff
- Sizes: S-XL

MARNING: Cancer - www.P65Warnings.ca.gov

# Grain Pigskin Leather Palm with Reflective Knuckle Strap Tape





#### 7000

- Premium grain leather
- Shirred elastic back
- Orange fluorescent polyester back
- · Color coded fabric hemmed cuff
- Keystone thumb
- Sizes: S-XL

**0223** Knit wrist, Sizes: S-XL





#### 6908

- · Shirred elastic back
- · Heavy duty superior grain leather
- · Rolled cuff
- Sizes: XS-2XL

6918 Premium grain, Sizes: XXS-2XL

**6958** Premium grain, 3M<sup>™</sup> Thinsulate<sup>™</sup> lined, Sizes : XS-2XL

6988 Premium grain, double palm, Sizes: XS-2XL

**WARNING:** Cancer - www.P65Warnings.ca.gov

Black Deerskin Driver with Keystone Thumb











# Grain Goatskin Driver with Split Leather Reinforced Palm Patch





# 6918BK

- · Premium grain leather
- · Shirred elastic back
- Rolled cuff
- Sizes: XXS-2XL

6958 B K Premium grain, black deerskin, 3M<sup>™</sup> Thinsulate<sup>™</sup> lined, Sizes: XS-3XL

WARNING: Cancer - www.P65Warnings.ca.gov

# 6817

- Premium grain leather
- · Shirred elastic back
- · Color coded fabric hemmed cuff
- Sizes: XXS-2XL

6827 Quality grain, Sizes: XS-2XL

**6820** Quality grain, straight thumb, Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

# 6857

- Premium grain leather
- · Shirred elastic back
- Keystone thumb
- · Color coded fabric hemmed cuff
- Sizes: S-XL

# Shoulder Split Cowhide Driver

#### 8440

- Shirred elastic back
- Color coded fabric hemmed cuff

**Bourbon Brown Select** 

• Sizes: S-XL

· Straight thumb

- 8447 Keystone thumb, Sizes : S-XL
- 8446 Keystone thumb, ball & tape fastener, Sizes : S-XL

MARNING: Cancer - www.P65Warnings.ca.gov



# Golden Grain Goatskin Cut Resistance Lined Driver





# 6892

- Premium grain leather
- ANSI cut level: A6
- Twaron®/Steel core lining
- Shirred elastic back
- Color coded fabric hemmed cuff
- Wing thumb
- Sizes: S-2XL

# Bourbon Brown Premium Side Split Cowhide Driver with Rolled Cuff



# 8438

- · Shirred elastic back
- Keystone thumb
- Sizes: S-XL

Pearl Gray Select Shoulder Split Cowhide Driver





# 8247

- · Shirred elastic back
- · Color coded fabric hemmed cuff
- Keystone thumb
- Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

# **Leather Palm Gloves**





#### 3230

- Premium side split leather
- · Gunn pattern

Full Feature

Leather Palm

- 2 1/2" Rubberized safety cuff
- Knuckle strap
- Sizes: S-XL

**3240** Side split, Size: Mens

**MARNING:** Cancer - www.P65Warnings.ca.gov

# Full Feature with Green Fabric Back





# 3260Q/G

- Regular shoulder leather
- Gunn pattern
- · Knuckle strap
- 2 1/2" Rubberized safety cuff
- Size: Mens

3260SP/G Standard shoulder 3260SQ/G Value shoulder

#### 3250A

- Premium select shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Rubberized safety cuff
- Size: S-XL

**3260Q** Regular shoulder, Sizes: S-2XL

**3260SQ** Value shoulder, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

# Full Feature with Gauntlet Cuff





#### 3254A

- Premium select shoulder leather
- Gunn pattern
- Knuckle strap
- 4 1/2" Rubberized gauntlet cuff
- Size: Mens

**3264Q** Regular shoulder, Sizes: S-2XL

3264SQ Value shoulder

**3274** Regular shoulder, plasticized cuff

# **Leather Palm Gloves**

# Full Feature with Starched Cuff



# Full Feature with Reinforced Palm Patch



# Full Feature with Denim Fabric Back & Cuff









# 3270Q

- Regular shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Starched safety cuff
- Sizes: S & L

**3270SP** Value shoulder, Blue and red fabric back, Size: Mens

**MARNING:** Cancer - www.P65Warnings.ca.gov

#### 3280

- · Standard shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Starched safety cuff
- Size: Mens

**3280Q** Value shoulder

**3280R** Regular shoulder, plasticized cuff

WARNING: Cancer - www.P65Warnings.ca.gov

#### 3276

- · Regular shoulder leather
- Gunn pattern
- · Knuckle strap
- 2 1/2" Denim starched safety cuff and back
- · Size: Mens

**3286** Standard shoulder, reinforced palm patch

**3286Q** Value shoulder, reinforced palm patch

**↑ WARNING:** Cancer - www.P65Warnings.ca.gov

**¾ Leather Back** 





# Full Leather Back





# Assorted Color Canvas Back with Safety Cuff





#### 3330

- Premium side split leather
- Gunn pattern
- 2 1/2" Rubberized safety cuff
- Size: Mens

**3334** 4 ½" gauntlet cuff

**3350** Premium select shoulder, 2 ½" safety cuff

**3354** Premium select shoulder, 4 ½" gauntlet cuff

WARNING: Cancer - www.P65Warnings.ca.gov

# 3450

- · Premium select shoulder leather
- Gunn pattern
- 2 1/2" Rubberized safety cuff
- Size: Mens

**3454** 4 ½" gauntlet cuff

**3460Q** Regular shoulder, 2 ½" safety cuff

**3464Q** Regular shoulder, 4 ½" gauntlet cuff

MARNING: Cancer - www.P65Warnings.ca.gov

#### 3259

- Premium select shoulder leather
- Gunn pattern
- · Knuckle strap
- 2 1/2" Rubberized safety cuff
- Sizes: XS-XL



# **Gray Cowhide** Double Palm with Safety Cuff















#### 3550

- Premium select shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Rubberized safety cuff
- · Size: Mens

3550Q Select shoulder

3580Q Select shoulder, jointed leather double palm

WARNING: Cancer - www.P65Warnings.ca.gov

#### 3554

- · Premium select shoulder leather
- Gunn pattern
- Knuckle strap
- 4 1/2" Rubberized gauntlet cuff
- · Size: Mens

**3584Q** Select shoulder, jointed leather double palm

MARNING: Cancer - www.P65Warnings.ca.gov

#### 3581

- · Premium select shoulder leather
- Gunn pattern Knuckle strap
- 2 ½" Rubberized safety cuff
- · Size: Mens

3581Q Select shoulder, Sizes: S-XL

3581SP Standard shoulder,

Sizes: S-2XL

3581Q/PE Select shoulder, plasticized cuff, Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

# Green Cowhide Double Palm with Safety Cuff





# Split Pigskin

# Grain Pigskin

#### 3551

- Premium select shoulder leather
- Gunn pattern Knuckle strap
- 2 1/2" Rubberized safety cuff
- Sizes: S & L

3551Q Select shoulder, Size: Mens

3551SP Regular shoulder,

Size: Mens

#### 0265Y

- · Gold pattern back
- Gunn pattern · Knuckle strap
- 2 1/2" Heavy canvas safety cuff
- Sizes: S & L

#### 0265

- · Reverse grain pigskin leather
- Gunn pattern Knuckle strap
- 2 ½" Rubberized safety cuff
- · Size: Mens

**0235** Quality grain pigskin, yellow pattern back, Sizes: S & L

MARNING: Cancer - www.P65Warnings.ca.gov



MARNING: Cancer - www.P65Warnings.ca.gov

# **DOUBLE PALM, DOUBLE PROTECTION**

The outer layer of leather on the palm, index finger, and thumb area provides extra protection for applications involving heavy abrasion such as the rubbish and lumber handling.

# **Leather Palm Gloves**

# Grain Pigskin Leather Palm with Reflective Knuckle Strap Tape





# **Grain Cowhide**



# Grain Cowhide with Reinforced Palm Patch





#### 0225

- Premium grain leather
- · Shirred elastic back
- Gunn pattern
- · Orange fluorescent polyester back
- 2 1/2" Rubberized safety cuff
- · Sizes: S-XL

0223 Knit wrist, Sizes: S-XL

MARNING: Cancer - www.P65Warnings.ca.gov

#### 3110

- · Premium grain leather
- Gunn pattern
   Knuckle strap
- 2 1/2" Rubberized safety cuff
- Sizes: S-XL

3114 4 1/2" gauntlet cuff, Sizes: M-XL

**3120** Quality grain, 2 ½" safety cuff, Sizes: S-2XL

**3124** Quality grain, 4 ½" gauntlet cuff, Sizes: S-XL

**WARNING:** Cancer - www.P65Warnings.ca.gov

#### 3180

- Standard grain leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Plasticized safety cuff
- · Size: Mens

**3180Y** Yellow grain leather, Size: Mens

**WARNING:** Cancer - www.P65Warnings.ca.gov

# Gunn Pattern with Knit Wrist





# 3866

Select shoulder leather
 Si

Size: Mens


**3866Q** Regular shoulder

**3866Q/SP** Standard shoulder

WARNING: Cancer - www.P65Warnings.ca.gov

#### SIZING COLOR CHART

The glove cuff color corresponds to a certain size as follows:



# Clute Pattern with Knit Wrist



#### 3863

- · Regular shoulder leather
- Sizes: S & L

**3873** Standard shoulder, white knit wrist, Sizes: S & L

**3851** Select shoulder, yellow canvas back, blue knit wrist, Size: Mens

WARNING: Cancer - www.P65Warnings.ca.gov

# Premium Side Split Cowhide Leather Palm with Reflective Knuckle Strap Tape



#### 3231

- Orange fluorescent polyester back
- Reflective material on knuckle
- Gunn pattern
- 2 1/2" Rubberized safety cuff
- · Size: Mens

# Cowhide with White Canvas Back



# Cowhide with Yellow Canvas Back









#### 3267

- Select shoulder leather
- Knuckle strap
- Gunn pattern
- 2 1/2" Plasticized safety cuff
- Sizes: L & XL

**3257** Premium select shoulder, Size: Mens

**3268** 4 ½" canvas gauntlet cuff,

Size: Mens

**3277** Regular shoulder, 2 ½" canvas safety cuff, Size: Mens

**WARNING:** Cancer - www.P65Warnings.ca.gov

#### 3265

- Select shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Rubberized safety cuff
- Sizes: S-XL

**3269** Select shoulder, 4 ½" gauntlet cuff, Size: Mens

MARNING: Cancer - www.P65Warnings.ca.gov

#### 3265HO

Cowhide with

Hi-Viz Orange

Canvas Back

- Select shoulder leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Rubberized safety cuff
- · Size: Mens

WARNING: Cancer - www.P65Warnings.ca.gov

# **Bourbon Brown** Cowhide with Yellow Canvas Back





# White Canvas Back with Reinforced Palm Patch





# 2 1/2" Full Leather **Cuff with White** Canvas Back





# 3255

- Premium select shoulder leather
- Gunn pattern
- Kunckle strap
- 2 1/2" Rubberized safety cuff
- Size: Mens

# 3287A

- Regular shoulder leather
- · Gunn pattern
- Knuckle strap
- 2 1/2" Canvas safety cuff
- Size: Mens

#### 3261

- Select shoulder leather
- Gunn pattern
- Knuckle strap
- · Size: Mens

3261SQ Value shoulder,

Size: Mens



# **Leather Palm Gloves**

# Kevlar® Thread Sewn Cowhide Full Feature Leather Palm





# Kevlar® Thread Sewn Cowhide Full Feature Leather Palm





# Kevlar® Thread Sewn Cowhide Full Feature Double Palm





#### 3210

- Premium side split leather
- Gunn pattern
- Kunckle strap
- · White heavy canvas back
- 2 3/4" Rubberized safety cuff
- · Sizes: S-XL

3210K Kevlar® lined, Sizes: M-XL

3220 Side split, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 3214

- Premium side split leather
- Gunn pattern
- Kunckle strap
- · White heavy canvas back
- 4 1/2" Rubberized gauntlet cuff
- · Size: Mens

#### 3510

- Premium side split leather
- Gunn pattern
- Knuckle strap
- White heavy canvas back
- 2 3/4" Rubberized safety cuff
- Sizes: S-XL

MARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

# Kevlar® Thread Sewn ¾ Cowhide Leather Back





#### 3511

- Premium side split leather
- Gunn pattern
- · White heavy canvas back
- 2 3/4" Rubberized safety cuff
- Fully guilted double palm and fingers
- Reinforced thumb
- Sizes: M-XL

# Kevlar® Thread Sewn Cowhide Full Leather Back



#### 3410

- · Premium side split leather
- Gunn pattern
- 2 ¾" Rubberized safety cuff
- Size: Mens

**3310** ¾ Cowhide leather back, Size: Mens

WARNING: Cancer - www.P65Warnings.ca.gov


# Kevlar® Thread Sewn Cowhide Full Feature Double



#### 3515

- Premium side split leather
- Gunn pattern
- Knuckle strap
- 2 3/4" Rubberized safety cuff
- White heavy canvas back
- Size: Mens

**3514** Premium side split, 4 ½" gauntlet cuff



# Insulated Grain Cowhide Driver



# Insulated Tan Split Shoulder Cowhide Driver



# Insulated Goatskin Driver







#### 6518

- · Premium grain leather
- 3M<sup>™</sup> Thinsulate<sup>™</sup> lined
- Shirred elastic back
- · Rolled cuff
- Keystone thumb Sizes: S-2XL

**6227** Quality grain, red fleece lined, color coded fabric hemmed cuff, Sizes: S-2XL

**6317** Premium grain, pile lined, color coded fabric hemmed cuff, Sizes: S-2XL

MARNING: Cancer - www.P65Warnings.ca.gov

#### 8544

- Select shoulder split leather
- 3M<sup>™</sup> Thinsulate<sup>™</sup> lined
- Shirred elastic back
- · Rolled cuff
- Keystone thumb
- Sizes: S-2XL

#### 6837

- Premium grain leather
- · White fleece Lined
- Shirred elastic back
- · Color coded fabric hemmed cuff
- Keystone thumb
- Sizes: XS-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

# Pile Lined **Bourbon Brown** Cowhide Driver









# Pile Lined **Bourbon Brown** Cowhide Mitten





# 8354

- Select shoulder split leather
- Shirred elastic back
- · Rolled cuff
- Keystone thumb
- Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 8454

- Select shoulder split leather
- Shirred elastic back
- · Rolled cuff
- · Straight thumb
- Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 8355

- · Select shoulder split leather
- Shirred elastic back
- · Color coded fabric hemmed cuff
- Wing thumb
- Sizes: L-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### LEATHER COMPARISON

**Cow:** By far, the most commonly used leather in the safety industry due to good abrasion resistance and attractive appearance. Offers the best abrasion resistance and breathability. The naturally high lanolin content in pigskin allows it to return to softness, even after repeated contact with water.

Goat: Excellent abrasion resistance with strong tensile strength. High lanolin content makes the leather soft.

Deer: Highest tensile strength of all leathers. Excellent dexterity and softness.

# **Insulated Gloves**

# Red Jersey Foam Lined Cowhide Full Feature Leather Palm





#### 3650

- Premium select shoulder split leather
- Gunn pattern
- Knuckle strap
- 2 1/2" Rubberized safety cuff
- · Size: Mens

Pile Lined Bourbon **Brown Cowhide Full** Feature Leather Palm





#### 3655

- Premium select shoulder split leather
- Gunn pattern
- · Knuckle strap
- Yellow heavy canvas back
- 2 1/2" Rubberized safety cuff
- Sizes: L & XL









# 3656

- Premium select shoulder split leather
- Waterproof lining
- Yellow heavy canvas back
- 2 1/2" Rubberized cuff
- Gunn pattern Kunckle strap
- Wing thumb • Sizes: L-2XL

**3653** Safety cuff and knit wrist, Sizes: M-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

3M™ Thinsulate™

Deerskin Driver

Lined Black

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

# Heatlok Lined Black Deerskin Driver with Reinforced Palm Patch



#### 6984

- Premium split leather Rolled cuff
- · Polar fleece back
- · Straight thumb
- Shirred elastic back Sizes: XXS-2XL

MARNING: Cancer - www.P65Warnings.ca.gov



# 3M™ Thinsulate™ Lined Golden Deerskin Driver



#### 6958

- · Premium grain leather
- · Shirred elastic back · Rolled cuff
- Keystone thumb
- Sizes: XS-2XL

MARNING: Cancer - www.P65Warnings.ca.gov

#### Premium grain leather

- · Rolled cuff
- Shirred elastic back

6958BK

Keystone thumb

Sizes: XS-XL

WARNING: Cancer - www.P65Warnings.ca.gov

Fleece: The most commonly used glove liner, made of napped brushed cotton.

3M™ Thinsulate™: The warmest thin insulation on the market, Thinsulate™ has about 1.5 times more warmth than down feather lining, and absorbs less than 1% of its own weight in water which allows it to retains its insulating ability even in damp conditions.

Pile: This synthetic wool is popular because of its relatively low cost and realistic similarity to wool.

Foam: With the comfort of a fleece layer and an additional 2 layers of polyester and polyurethane foam, this lining offers the most value for warmth insulation.

# 3M™ Thinsulate™ **Lined Pigskin Driver**







# 3M™ Thinsulate™ **Lined Pigskin**



# Thermal Lined Pigskin





#### 7507

- · Premium grain leather
- · Shirred for elastic back
- · Rolled cuff
- Keystone thumb
- Sizes: S-2XL

**7207** Premium grain, red fleece lined, rolled cuff, Sizes: S-XL

**7217** Standard grain, red fleece lined, color coded fabric hemmed cuff, Sizes: S-2XL MARNING: Cancer - www.P65Warnings.ca.gov

#### 0233

- · Premium grain leather
- Gunn pattern
- Knuckle strap
- · Blue knit wrist
- · Sizes: L & XL

**0236** 3" Plasticized thermal lined cuff, Sizes: L & XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 0239

- · Premium grain leather
- Gunn pattern
- Knuckle strap
- •3" thermal lined cuff
- Sizes: M-XL

MARNING: Cancer - www.P65Warnings.ca.gov

# **Thermal** Lined Pigskin





Lined Pigskin

Thermal





# Thermal Lined Pigskin





# 0233H0

- · Premium grain leather
- · Gunn pattern
- · Reflective tape knuckle strap
- Knit wrist
- · Hi-viz orange water resistant nvlon fabric back
- Sizes: S-2XL

O233HO/WP Waterproof thermal lined, Sizes: S-2XL

MARNING: Cancer - www.P65Warnings.ca.gov

#### 0233HG

- · Premium grain leather
- · Gunn pattern
- · Reflective tape knuckle strap
- Knit wrist
- Hi-viz green water resistant nvlon fabric back
- Sizes: S-2XL

# O233HG/WP Waterproof thermal lined, Sizes: S-2XL


WARNING: Cancer - www.P65Warnings.ca.gov

#### 0238HG

- · Premium grain leather
- Gunn pattern
- · Reflective tape knuckle strap
- 3" thermal lined cuff
- · Hi-viz green water resistant nylon fabric back
- Sizes: S-2XL

**0238HO** Hi-viz orange, Sizes: S-2XL

# **CUTS OF SPLIT LEATHER**



# **Side Split:**

The portion of the hide that covers the rib area of the animal. This premium leather is more uniform and offers the greatest protection because there are fewer scars with weaker fibers.

# **Shoulder Split:**

The portion of the hide on the neck and shoulder of the animal. More economical than side split, this leather has more visible texture differences and less fiber density. We offer the widest range of shoulder quality split leather in the industry. Different grades of shoulder leather have been carefully selected to construct a glove that fits your budget.

# **Belly Split:**

From the belly portion of the animal, this leather is generally used for economy grade gloves.



# **GENERAL CUFF CONSTRUCTION & MATERIAL**

#### Leather:

Provides durability & longer wear.

# **Rubberized:**

Rubber material laminated in between two fabric layers.

#### **Plasticized:**

Waterproof polyethylene adhesive laminated between pieces of fabric.

#### Denim:

Economical single-ply fabric material.

#### Starched:

Two layers of fabric laminated together, then starched.

#### FEATURES OF A FULL FEATURE LEATHER PALM



#### LEATHER PALM CUFF CONSTRUCTION



2 ½" Safety Cuff: The most common cuff design, protects the wrist area. Slides on and off easily.



4 ½"Gauntlet Cuff: This longer cuff offers the same protection as a Safety Cuff, with increased protection to the forearm.



**Knit Wrist:** This design holds the glove in place while preventing debris from entering.











# **Textile Work Gloves**

Canvas

Double Palm

Hot Mill

Chore

Jersey

Inspector - Parade

Terry Cloth

Gardening

# **String Knit Work Gloves**

Plain Seamless Knit

Plain Seamless Knit with Dots

# Textile/String Knit Work Gloves

Textile/string knit work gloves are commonly used in different industries, ranging from light to heavy duty applications. These gloves are made from different materials including natural cotton fibers, synthetics such as cotton/poly TC blend, nylon or polyester. Assembled through cut and sewn or seamless knits, these gloves retain functionality while offering custom fitting for any general purpose applications.

Choose from a variety of different materials, product constructions, and coatings to fit your application:

**Cotton canvas gloves** offer an economical, comfortable and durable choice for industrial applications. Styles are available in clute pattern to prevent seams from splitting, knit wrist to provide a snug fit, band top for additional comfort, and gauntlet cuff for extended protection. PVC dots are cured on these gloves for additional grip, abrasion resistance, and durability.

**String knit gloves** are extremely soft, providing excellent dexterity and are ideal for glove liners. PVC dots are cured on these gloves for additional grip, abrasion resistance, and durability. These gloves are available in hand specific and reversible styles.

**Inspection gloves** are made from 100% cotton, polyester cotton blends or nylon materials. These are used to protect small parts or keep the product clean from contamination. Selections of lisle or nylon inspection gloves are available in light, medium, or heavy weight.

**Hot mill gloves** are designed for heat protection. Constructed with multiple layers of cotton or non-woven materials provide superior comfort. Available in various weights with standard features, these gloves are an excellent choice for additional heat protection.

**Cotton chore gloves** provide abrasion protection for general purpose applications. Available in various weights, these gloves are perfect for insulation and heavy duty applications.

**Terry gloves** are used in light to moderate heat applications. Loopout terry gloves have more intermittent heat dissipation while loopin knits are a safeguard from snags. Terry gloves are available in various weights and colors to best suit your application.

**Gardening gloves** are perfect for home gardeners, professional landscapers and are a great general purpose glove.

### **Textile Gloves**

Formal White Dress Gloves

### Light Weight Lisle



#### 4401

- 100% Cotton
- Two-piece reversible
- Unhemmed
- Sizes: S, L & XL

**4401P** Cotton/polyester blend, Sizes: Mens & Ladies

4414 14" length, Size: Mens

### Medium and Heavy Weight Lisle



#### 4421

- · Heavy weight
- Two-piece reversible
- Self-hemmed
- · Sizes: Mens & Ladies

**4411** Medium weight, Sizes: Mens & Ladies

#### 4

4621

- 100% Cotton
- · Full fashion style
- Trim pipes on back
- · Individual polybag per pair
- Sizes: S-XL

**4622** 100% Cotton with snaps on cuff, Sizes: S-XL

**4625** 100% Cotton with mini PVC dots on palm & thumb, Sizes: S-XL

**WARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Full Fashion Stretch Nylon



#### 4611

- In-set thumb
- Color coded hem
- · Stretch nylon fabric
- Sizes: Mens & Ladies

### **Tricot Nylon**



#### 4601

- · Regular weight
- Two-piece reversible
- Color coded hem
- Sizes: Mens M-XL

**4601Q** Standard weight, Sizes: Mens M-2XL

4602 Sizes: Ladies S-L

### Reversible Stretch Nylon



#### 4613

- · Regular weight
- Two-piece reversible
- · Color coded hem
- Sizes: Mens & Ladies

**4613Q** Standard weight,

Sizes: Mens & Ladies

### **Brown Jersey**



#### 4503

- 9 oz.
- · Clute pattern
- Knit wrist
- · Sizes: Mens & Ladies

**4513** 13 oz., Size: Mens

4503A 10 oz., Size: Mens

4503Q Regular weight,

Sizes: Mens & Ladies

# Brown Jersey with PVC Dots



#### 4504

- Clute pattern
- Knit wrist
- Mini PVC dots on palm, index finger & thumb
- Sizes: Mens & Ladies

**4504Q** Regular weight, Sizes: Mens & Ladies

**WARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Lined Brown Jersey



#### 4308

- Full fashion style
- Red fleece lined
- Slip-on style
- In-set thumb
- Size: Mens

**4308Q** Gunn pattern, straight thumb

### Reversible Natural Jersey



#### 4509Q

- Regular weight Knit wrist
- Two-piece reversible
- Sizes: Mens & Ladies

**4509SP** Standard weight, Sizes: Mens, XL, Ladies

**4508** Regular weight, brown jersey, reversible, Sizes: Mens & Ladies

### Heavy Weight Jersey



#### 4526

- Blaze orange
- Clute pattern
- Knit wrist
- Size: Mens

### Heavy Weight Hunting Jersey



#### 4506

- · Green camouflage
- Clute patternKnit wrist
- Size: Mens

4516 Orange camouflage

4536 Brown camouflage

### **Textile Gloves**

### **Cotton Canvas**



#### 4501

- 8 oz.
- · Clute pattern
- Straight thumb
   Knit wrist
- Sizes: S, L & XL

4501Q Regular weight, Sizes: Mens & Ladies

4501R 8 oz., reversible,

Sizes: Mens

4501BL 8 oz., blue knit wrist,

Sizes: Mens & Ladies

### **Cotton Canvas**



#### 4512

- 12 oz.
- Clute pattern
- · Straight thumb
- Knit wrist
- · Size: Mens

4512Q Regular weight

4510 10 oz.

4510CR 10 oz. corduroy

### Cotton Canvas with **Band Top**



#### 4501B

- 8 oz.
- Clute pattern
- · Straight thumb
- · Size: Mens

**4501W** 8 oz., Wing thumb, knit wrist, Size: Mens

### Cotton Canvas with Black PVC Dots



#### 4505

- 8 oz.
- · Clute pattern
- Straight thumb
   Knit wrist
- Sizes: Mens & Ladies

4505W 8 oz., Wing thumb, Size: Mens

4505Q Regular weight, Size: Mens

4505A 10 oz., Size: Mens

WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### **Colored Cotton Canvas** with Black PVC Dots



#### 4505A/0

- 10 oz.
- · Clute pattern
- Straight thumb
   Matching knit wrist
- Size: Mens

4505A/G Fluorescent green

4505A/Y Fluorescent yellow

4505A/B Fluorescent blue

### Cotton Canvas with Fluorescent Orange PVC Dots



#### 9505A

- 10 oz.
- · Clute pattern
- Straight thumb
   Matching knit wrist
- Size: Mens

**9505** 8 oz., Size: Mens

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov 🛕 WARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Fluorescent Orange Double Palm Canvas with Black PVC Dots



#### 4518D/0

- · Straight thumb
- Clute pattern
- Nap-in double palm
- Knit wrist
- · Size: Mens

**4518D/B** Fluorescent blue **4518D/Y** Fluorescent yellow **4518D/G** Fluorescent green

### 20 oz. Cotton/Polyester Corduroy Double Palm



#### 4518CR

- · Straight thumb
- Nap-in double palm
- Clute pattern
- Knit wrist
- Sizes: M & L

4518CR/FL Fully lined, Size: Mens

4532CR Band top,

Size: Mens

### **Double Palm Canvas**



#### 4531

- 20 oz.
- · Straight thumb
- · Nap-In double palm
- Clute pattern
- 2 1/2" band top
- · Size: Mens

**4534** 24 oz., 4 ½" heavy canvas gauntlet cuff

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

### Double Palm Canvas



#### 4518

- 20 oz. Straight thumb
- Clute pattern Knit wrist
- Nap-in double palm
- Size: Mens

**4524** 24 oz., Knuckle strap, red knit wrist

4524FL 24 oz., Fully lined, knuckle strap, blue knit wrist

### Fluorescent Green Cotton/Polyester Corduroy Double Palm



#### 4518CR/G

- Straight thumb
- Nap-In double palm
- · Clute pattern
- Knit wrist
- Size: Mens

**4518CR/O** Fluorescent orange **4518CR/Y** Fluorescent yellow

### Fluorescent Orange Cotton Corduroy Double Palm



#### 4518C/0

- Straight thumb
- Nap-In double palm
- · Clute pattern
- Knit wrist
- Size: Mens

**4518C/Y** Fluorescent yellow **4518C/G** Fluorescent green

### **Textile Gloves**

### Standard Feature Hot Mill



#### 4551

- 24 oz.
- · Straight thumb
- Clute pattern
   Knuckle strap
- Nap-out cotton canvas
- 2 1/2" band top
- · Size: Mens

**4554** 24 oz., 4 ½" heavy canvas gauntlet cuff

4543 20 oz., Knit wrist

4553ML 24 oz., Knit wrist

**4581** 36 oz., 2 ½" band top

### 30 oz. Green Hot Mill



#### 4571

- Straight thumb
- · Nap-out cotton canvas
- Clute pattern
- Knuckle strap
- 2 1/2" band top
- · Size: Mens

4571B Burlap lined, 2 ½" band top

**4574B** Burlap lined, 4 ½" heavy canvas gauntlet cuff

# 28 oz. Hot Mill with Burlap Lining



#### 4564

- Straight thumb
- · Nap-out cotton canvas
- Clute pattern
- · Knuckle strap
- · Burlap lined for extra heat insulation
- 4 ½" heavy canvas gauntlet cuff
- Size: Mens

4561 2 ½" band top

### 30 oz. Green Hot Mill



#### 4571A

- 18 oz. outer layer Rayon lining
- · Straight thumb
- Clute pattern
- Nap-out cotton canvas
- 2 1/2" band top
- Knuckle strap
- Size: Mens

4574A 4 ½" heavy canvas gauntlet cuff 4574A/FL 4 ½" heavy canvas gauntlet cuff, fully lined

### Golden Chore with Matching Knit Wrist



#### 4203

- · Heavy weight
- · Straight thumb
- Clute pattern
- Two-layer fleece quilted palm and back
- Size: Mens

4203Q Medium weight

### Green Chore with Matching Knit Wrist



#### 4206

- · Heavy weight
- · Straight thumb
- · Clute pattern
- Two-layer fleece quilted palm and back
- Size: Mens

4206Q Medium weight

# Heavy Weight Golden Chore with Canvas Back



# Heavy Weight Golden Chore with Gauntlet Cuff



### Heavy Weight Golden Chore with Turtle Neck Gauntlet Cuff



### 4211

- Straight thumb
- Clute pattern
- Two-layer fleece quilted palm and back
- 2 1/2" canvas band top
- Size: Mens

4213 Knit wrist

#### 4214

- · Straight thumb
- · Clute pattern
- · Canvas back with elastic
- 4 1/2" heavy canvas gauntlet cuff
- Two-layer fleece quilted palm
- Size: Mens

### 4214ST

- · Straight thumb
- · Clute pattern
- · Canvas back with elastic
- 4 1/2" heavy canvas gauntlet cuff
- Two-layer fleece quilted palm
- Size: Mens

### Seamless Gray Terry Cloth



### Seamless Loop-In Terry Cloth



### Seamless Terry Cloth



#### 4123G/C

- 24 oz.
- Reversible
- Knit wrist
- Loop-out
- Ambidextrous
- Sizes: S & L

# Terry Cloth



- 18 oz.
- Reversible
- Knit wrist
- Loop-in
- Ambidextrous
- Sizes: S & L

### 4123

- 24 oz.
- Reversible
- Knit wrist
- Loop-out
- Ambidextrous
- Sizes: S, L & XL

4113 18 oz., Sizes: S & L

### **Textile Gloves**

### Reversible Gray Cotton/Polyester Knit



#### P4517G

- · Regular weight
- · Elastic knit wrist
- Seamless knit
- Sizes: S-L

P4527G Heavy weight, Sizes: S-L

### Reversible Natural White Cotton/Polyester Knit



#### P4527

- · Heavy weight
- · Elastic knit wrist
- · Seamless knit
- Sizes: KD-L

4517T Medium weight, Sizes: S-XL

P4517Q Regular weight, Sizes: KD-L

K4517Q Standard weight, Sizes: KD-L

### Reversible Natural White 100% Cotton Knit



#### 4527C

- · Heavy weight
- · Elastic knit wrist
- · Seamless knit
- Sizes: S-L

4517C Medium weight, Sizes: S-L

4537C 13-gauge knit, Sizes: XS-L

### Bleach White Cotton/ Polyester Knit



#### 4507

- · Medium weight
- · Elastic knit wrist
- · Seamless knit
- Reversible
- Sizes: S-L

P4507Q Regular weight 4507Q Standard weight

### Thermastat ™



#### 4597

- · White color
- · Elastic knit wrist
- Seamless knit
- Reversible
- Hollow-core hydrophobic polyester fiber
- Size: One Size

4597BU Blue Color

### 100% Nylon Knit



#### 4547NY

- 10 gauge
- Reversible
- · Seamless knit
- · Elastic knit wrist
- Sizes: XS-XL

**4517NP** 7-gauge, nylon/polyester, Sizes: XS-XL

4557NY 13-gauge,

### Regular Weight Fingerless Natural White Cotton/Polyester Knit



#### F4517Q

- Cotton/polyester knit
- · Elastic knit wrist
- Seamless knit
- Reversible
- Sizes: Mens & Ladies

### Two-Sided Black PVC Dots



#### 4715Q

- · Natural white color
- Cotton/polyester knit
- · Elastic knit wrist
- Reversible
- Sizes: S-L

**4715** Bleach white, Sizes: Mens & Ladies

MARNING: Cancer - www.P65Warnings.ca.gov

### One-Sided Black PVC Dots



#### 4716Q

- Natural white cotton/ polyester knit
- Elastic knit wrist
- · PVC dots on palm
- Sizes: Mens & Ladies

**MARNING:** Cancer - www.P65Warnings.ca.gov

### Two-Sided Blue PVC Blocks



#### P4717

- Natural white cotton/polyester knit
- · Elastic knit wrist
- Reversible
- · Sizes: Mens & Ladies

### One-Sided Brown PVC Palm Coated



#### 4718

- Natural white cotton/polyester knit
- · Elastic knit wrist
- Brown PVC coated on palm
- Sizes: Sizes: Mens & Ladies

WARNING: Cancer - www.P65Warnings.ca.gov

### Heavy Weight Two-Sided Clear PVC Honeycomb



#### 4707

- · Orange color
- · Elastic knit wrist
- Reversible
- Sizes: S-XL

4707G Gray color, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

### **Textile Gloves**

### Ultra-Thin Nitrile Palm Coated





- 13 gauge seamless nylon/polyester knit shell
- · Assorted pastel nitrile coating colors
- Matching shell
- Size: Ladies





### Ultra-Thin Nitrile Palm Coated



#### 4632LD

- 13-gauge seamless nylon knit shell
- Assorted pastel nitrile coating colors
- White shell
- Size: Ladies



# *Ultra-Thin Clear Nitrile Palm Coated*



#### 4633LD

- 13-gauge seamless nylon knit shell
- Assorted floral print shell
- Size: Ladies



# *Ultra-Thin Clear Nitrile Palm Coated*



### 4634LD

- 13-gauge seamless nylon knit shell
- Assorted floral print shell
- Size: Ladies













ANSI-ISEA 107-2015
Non-Rated Garments
ANSI-ISEA 107-2015
Class 2 Garments
ANSI-ISEA 107-2015
Class 3 Garments
ANSI-ISEA 107-2015
Class E Garments



# **Hi-Viz Protective Apparel**

HiVizGard<sup>™</sup> has a broad selection of hi-viz apparel. These garments are to alert drivers or other vehicle operators of a worker's presence, especially in low light and dark conditions. All of our products are engineered and manufactured by certified ISO 9002-2000 facilities. Without compromising your safety, we are committed to designing with comfort, style, and functionality in mind. Gear up with HiVizGard<sup>™</sup> as your hi-viz protective apparel solution.



Customized printing is available. Contact your customer service representative for more details.

### Sizing Chart

PANTS						
SIZE	М	L	XL	2XL	3XL	4XL
WAIST	40	44	48	52	56	60
INSEAM	31	31	32	32	33	33

MESH PANTS				
SIZE	M/L	XL/2XL	3XL/4XL	5XL/6XL
WAIST	49	53	57	61
INSEAM	30	31	31	32

SAFETY VE	STS & SHIR	TS			
SIZE	S	М	L	XL	2XL
CHEST	36-38	40-42	44-46	48-50	52-54
SIZE	3XL	4XL	5XL	6XL	
CHEST	56-58	60-62	64-66	68-70	

2-SIZE VEST	Ī		
SIZE	S/XL	2XL/5XL	
CHEST	36-50	52-66	

WINDBRE	AKER & BC	MBER J	ACKETS			
SIZE	М	L	XL	2XL	3XL	4XL
CHEST	52-54	54-56	56-58	58-60	60-62	64-66

# Hi-Viz Apparel | HiVizGard™

### American ANSI/ISEA 107-2015 Revision | High Visibility Standards

**ANSI/ISEA 107-2015** The standard will now combine the **ANSI/ISEA 107** (roadway) and the **ANSI/ISEA 207** (public safety) into one. This revision is primarily a change in how garments are categorized and labelled and not about protection.

1 Current ANSI/ISEA 107-2010 and ANSI/ISEA 207-2011 garments are still acceptable to use - there are no requirements made to change any existing High Visibility garments. The new standard will help to improve High Visibility by offering more clarification and enhancements for the future.

### 2 New Garment HVSA Types added to Class Definitions New HVSA Types

- Type O = Off Road Non Roadway (Includes Class 1)
- Type R = Roadway (Includes Class 2 and Class 3)
- Type P = Public Safety (Includes Class 2 and Class 3) (ANSI 207 merged)

#### **New HVSA Class Definitions**

- Type O Class 10
- Type R Class 2R and Class 3R
- Type P Class 2P and Class 3P
- Type Supplemental Class E

**3** Smallest Size Garments Type R - Smaller sized workers wearing oversized garments can be a safety hazard. The standard now allows for less background material required for the "smallest" size for both Roadway type Classes.

Smallest size garment may have less background material

- Class 2R = smallest size decreases from 775 sq. inches to 540 sq. inches
- Class 3R = smallest size decreases from 1,240 sq. inches to 1,000 sq. inches
- 4 Non FR labeling Now Required The label will now read "This garment is non flame resistant as defined by ANSI/ISEA 107-2015 Section 10.5" Garments not tested to meet flame resistant performance criteria of standards listed in ANSI are required to have Non FR labelling.





**5** Balanced Design including Logo Allowances - the front and back of garments are now required to have no less than 40% of the minimum required background material and reflective. Logos of non-ANSI compliant materials will not cover more than 72 sq. inches of the background material, no more than 22 sq. inches of reflective material, and will not make a break in the Horizontal reflective greater than 1.97 inches.

As a leader in the Personal Protective Equipment industry, Liberty Glove and Safety will continue to serve its customers by providing high quality, high visibility garments by incorporating a running change that is ANSI/ISEA 107-2015 compliant. As the PPE industry changes to adopt these new standards, we will continue to offer the right protection for the job. Please contact your Liberty Glove & Safety account manager if you have any additional questions at (800) 327-8333.

### Hi-Viz Lime Green Plain Mesh Safety Vest



#### N16000G

- · Hook and loop front closure
- · Elastic side straps
- Size: One Size

N16000F Hi-viz orange

### Hi-Viz Orange Plain Mesh Safety Vest





#### N16001F

- Hook and loop front closure
- 1" silver reflective tape
- · Elastic side straps
- Size: One Size

N16001G Hi-viz lime green

### Hi-Viz Orange Plain Mesh Safety Vest



### Hi-Viz Lime Green Plain Mesh Safety Vest



### Hi-Viz Orange Traditional Surveyor Solid Fabric with Multiple Pockets Safety Vest



#### N16230

- Hook and loop front closure
- 1" high reflective stripes
- · Elastic side straps
- Size: One Size

N16210 Hi-viz lime green

#### N16220

- · Hook and loop front closure
- 2" silver reflective tape with contrasting trim
- · Elastic side straps
- Size: One Size

N16240 Hi-viz orange

#### N16020F

- Zipper closure
- 2" hgih reflective stripes with contrasting trim
- Four inside pockets, two outside cargo pockets
- Sizes: S-4XL

**N16020G** Hi-viz lime green, Sizes: S-5XL

# **Non-Rated Garments | HiVizGard™**

### Hi-Viz Orange Traditional Surveyor Solid Fabric Front and Mesh Back Safety Vest



#### N16011F

- Zipper closure
- 2" silver reflective tape with contrasting trim
- One outside upper left 4-division pencil pocket, one outside upper right 2-division pocket, two inside pockets, and two outside cargo pockets
- Sizes: S-4XL

N16011G Hi-viz lime green, Sizes: S-4XL





Hi-Viz Orange Traditional Surveyor Mesh Top and Solid Bottom Safety Vest



### Hi-Viz Orange Light Weight Long Sleeve Mesh T-Shirt



### Hi-Viz Lime Green Light Weight Short Sleeve Mesh T-Shirt



#### N16012F

- 2" silver reflective tape with contrasting trim
- One outside upper left 4-division pencil pocket, one outside upper right 2-division pocket, two inside pockets, and two outside cargo pockets
- Zipper closure Sizes: S-4XL

N16012G Hi-viz lime green, Sizes: S-4XL

#### N16700F

- One outside upper chest pocket
- Moisture wicking polyester
- Sizes: M-3XL

N16700G Hi-viz lime green, Sizes: M-3XL

#### N16600G

- Moisture wicking polyester
- One outside upper chest pocket
- Sizes: S-4XL

N16600F Hi-viz orange, Sizes: S-4XL



### Hi-Viz Lime Green Surveyor Mesh Top and Solid Bottom Fabric Safety Vest





#### C16032G

- Zipper closure
- 2" silver reflective tape
- One outside upper left 2-division pocket, one outside upper right clear panel chest pocket, one reach thru pocket on back with two metal snap closures, three inside pockets, and two outside media compatible pockets with hook and loop closure
- · Grommets at neck for tool tethers
- Sizes: S-4XL

### Hi-Viz Lime Green Surveyor Solid Fabric Vest with Multiple Pockets



### C16021G

- Zipper closure 2" silver reflective tape
- One outside upper left 4-division pencil pocket, one outside upper right pocket, two inside pockets, and two outside cargo pockets
- Sizes: S-4XL

C16021F Hi-viz orange,

Sizes: S-4XL

### Hi-Viz Lime Green Surveyor Mesh Safety Vest



#### C16802G

- Zipper closure
- 2" high reflective stripes
- Two front inside pockets, two outside upper pockets
- Sizes: M-4XL

C16802F Hi-viz orange, Sizes: M-4XL

### Hi-Viz Lime Green Surveyor Solid Front and Mesh Back Safety Vest



#### C16010G

- Zipper closure 2" silver reflective tape
- One outside upper left 4-division pencil pocket, one outside upper right 2-division pocket, two inside pockets, and two outside cargo pockets
- Sizes: S-4XL

C16010F Hi-viz orange, Sizes: S-4XL

### Hi-Viz Lime Green with Black Bottom Mesh Safety Vest





#### C16002QGB

- Zipper closure
- 2" silver reflective tape
- One upper left pocket
- Sizes: S-6XL

C16002G Hi-viz lime green, Sizes: S-6XL

C16002F Hi-viz orange, Sizes: S-7XL



### Hi-Viz Orange Mesh Safety Vest



#### FR16002F

- Zipper closure
- 2" silver reflective tape
- One outside upper chest pocket
- · Self-extinguishing treated material
- Sizes: M-5XL

FR16002G Hi-viz lime green, Self extinguishing material, Sizes: S-5XL

### Hi-Viz Lime Green Open Weave Mesh T-Shirt



#### C16600G

- Moisture wicking polyester
- One outside upper chest pocket
- 2" silver reflective tape Sizes: S-6XL

C16600F Hi-viz orange, Sizes: S-6XL C16700G Hi-viz lime green, Long sleeve, Sizes: S-4XL

**C16700F** Hi-viz orange, Long sleeve, Sizes: M-4XL

### Hi-Viz Lime Green Open Weave Mesh T-Shirt with Collar



#### C16500G

- Moisture wicking polyester
- 2" silver reflective tape
- Sizes: S-4XL

C16500F Hi-viz orange, Sizes: S-4XL



### Hi-Viz Lime Green 5-Point Break-Away Mesh Safety Vest



5-Point Break-Away





- the top, sides, and front
- 2" silver reflective tape
- Two inside pockets
- Sizes: S-6XL

C16005F Hi-viz orange, Sizes: S-6XL

### Hi-Viz Lime Green Mesh Safety Vest



### Hi-Viz Orange Solid Fabric Safety Vest



### Hi-Viz Lime Green Mesh Safety Vest



#### C16022G

- Zipper closure
- 2" silver reflective tape
- Two outside upper pockets, two inside pockets
- Sizes: M-5XL

C16022F Hi-viz orange, Sizes: M-5XL

#### C16822F

- Zipper closure
- 2" high reflective stripes
- Two inside pockets, two outside upper pockets, and two outside cargo pockets with hook and loop closure
- Sizes: M-6XL

C16822G Hi-viz lime green, Sizes: M-6XL

#### C16003G

- Zipper closure
- 2" silver reflective tape
- One outside upper left pocket, two inside pockets
- Sizes: S-6XL

C16003F Hi-viz orange, Sizes: S-4XL

### Hi-Viz Lime Green Mesh Safety Vest





#### C16013G

- Zipper closure
- 2" silver reflective tape with contrasting trim
- Two outside upper pockets, two outside cargo pockets with hook and loop closure
- Sizes: S-5XL



### Hi-Viz Lime Green Mesh Safety Vest



### Hi-Viz Orange Solid Front and Mesh Back Safety Vest



### Hi-Viz Lime Green Mesh Safety Vest



#### C16007G

- Zipper closure
- 2" silver reflective tape with contrasting trim
- Two chest pockets, two inside pockets, and one radio pocket
- Hook and loop expandable side panels
- Sizes: S-4XI



### C16012F

- 2" silver reflective tape with contrasting trim
- One outside upper left 4-division pencil pocket, one outside upper right 2-division pocket, one radio pocket, two inside pockets, two mic tabs, and two outside cargo pockets with hook and loop closure
- Zipper closure
   Sizes: M-5XL

C16012G Hi-viz lime green, Sizes: M-5XL

#### C16852G

- · Hook and loop front closure
- 2" high reflective stripes and 1 3/8" PVC chevron style on the back
- Expandable side panels
- Universal Sizes: S-XL Plus Sizes: 2XL-5XL

C16852F Hi-viz orange, Universal sizes: S-XL, Plus sizes: 2XL-5XL



### Hi-Viz Lime Green Mesh Safety Vest with Sleeves



- Zipper closure
- 2" silver reflective tape with contrasting trim
- . Two outside chest pockets, two outside cargo pockets with hook and loop closure
- Sizes: S-6XL

C16014F Hi-viz orange, Sizes: M-6XL

### Hi-Viz Lime Green Mesh Fabric Safety Vest with Sleeves



### Hi-Viz Lime Green Shirt



### Hi-Viz Lime Green Weatherproof Windbreaker



#### C16004G

- Zipper closure 2" silver reflective tape
- One upper left 4-division pencil pocket, two inside pockets • Sizes: M-4XL

C16004F Hi-viz orange, Sizes: M-4XL

- ▲FR16004G Hi-viz lime green, Selfextinguishing treated material, Sizes: M-5XL
- 🙎 FR16004F Hi-viz orange, Selfextinguishing treated material, Sizes: M-4XL

#### (Self-Extinguishing Treated Material)

### C16614G

- · Moisture wicking polyester lightweight fabric
- 2" silver reflective tape with contrasting trim
- One outside upper chest pocket
- Sizes: S-4XL

C16614F Hi-viz orange, Sizes: S-4XL

#### C16720G

- PU coated 300 denier polyester oxford
- Zipper closure with storm flap
- 2" silver reflective tape
- · Concealed attached hood
- Adjustable wrist straps
- One radio pocket, two lower pockets
- Polyester mesh liner
   Sizes: S-7XL

C16720F Hi-viz orange, Sizes: M-4XL

### Hi-Viz Lime Green Bomber Jacket



#### C16722G

- PU coated 300 denier polyester oxford
- Zipper closure 2" silver reflective tape
- Fully insulated fleece liner and collar
- · Hidden detachable hood with drawstrings and stoppers
- · Elastic waistband and cuff
- One 2-division pencil pocket, two slash zipper pockets, one inside pocket, and one radio pocket
- Sizes: M-6XL

C16722F Hi-viz orange, Sizes: M-3XL





### Hi-Viz Lime Green Black Bottom Bomber Jacket



#### C16725G

- PU coated 300 denier polyester oxford
- Zipper closure 2" silver reflective tape
- · Black quilted liner and insulated collar
- Hidden detachable hood with adjustable pull cords
- Two slash zipper pockets, one inside pocket, and one radio pocket
- Elastic waistband and cuff Sizes: M-5XL

### Hi-Viz Lime Green Sweatshirt



#### C16724G

- 100% polyester fleece
- Zipper closure 2" silver reflective tape
- · Elastic ribbed cuff and waistband
- Hood with adjustable pull cord
- Two side pockets Sizes: M-3XL

C16724F Hi-viz orange, Sizes: M-5XL

### Hi-Viz Lime Green Black Bottom Sweatshirt



#### C16734GB

- 100% polyester fleece
- Zipper closure
- 2" silver reflective tape
- · Elastic ribbed cuff and waistband
- Hood with adjustable pull cord
- Two side pockets
- Sizes: M-4XL



### Hi-Viz Lime Green with Black Bottom Softshell Jacket



### C16728GB

- Weatherproof outer contour softshell
- Zipper closure
- 2" silver reflective tape

• 2" silver reflective tape

• Sizes: M-4XL

• Fully insulated fleece liner and collar

• One radio pocket, two lower cargo pockets

• Hidden detachable hood with adjustable pull cords

- Fully insulated fleece liner and collar
- Adjustable cuffs with rubber pulls tabs
- Two outside slash zipper pockets
- Left chest media compatible pocket, two mic tabs
- Sizes: M-4XL




# Hi-Viz Lime Green Black Bottom Parka C16727GB • PU coated 300 denier polyester oxford · Zipper closure with storm flap

### Hi-Viz Lime Green Black Bottom Rain Pants



#### C16920GB

- PU coated 300 denier polyester oxford
- 2" silver reflective tape
- · Elastic waist with drawstring
- Adjustable ankle snaps
- Two upper slash through pockets
- Sizes: M-4XL







### Hi-Viz Orange Mesh Pants



- C16925F
- Elastic waist with drawstring

• 2" silver reflective tape

• Dual Sizes: M/L, XL/2XL, 3XL/4XL, 5XL/6XL

C16925G Hi-viz lime green, Dual sizes: M/L, XL/2XL, 3XL/4XL, 5XL/6XL

### Hi-Viz Lime Green Rain Pants



- PU coated 300 denier polyester oxford
- 2" silver reflective tape
- · Elastic waist, drawstring, and ankle snaps
- Two upper slash through pockets
- Sizes: S-7XL

C16920F Hi-viz orange, Sizes: M-3XL

### Hi-Viz Orange Thermal Pants



- PU coated 300 denier polyester oxford
- 2" silver reflective tape
- Elastic waist, drawstring, and ankle snaps
- Two upper slash through pockets
- Sizes: M-6XL

C16921G Hi-viz lime green, Sizes: M-6XL





### **Welding Gloves**

Deerskin

**Pigskin** 

Goatskin

Grain Cowhide | Split Cowhide

### **Welding Apparel**

Jackets | Cape Sleeves | Aprons | Chaps



Premium Welding Gear

# **Welding Gloves and Apparel**

Introducing a line of premium welding protective gear made for your industry. Products are made from versatile premium leathers to meet your working demands. Standard welding hand protection is ideal for high heat applications. Where dexterity is needed for welding, MIG/TIG is your perfect choice. Our safety products are specialized for trade pros. Work with confidence.

### **Icon Legend**



Cowhide



Goatskin



**Pigskin** 



Deerskin



#### 7985

- 14" length
- · Cotton foam lined back, unlined reverse grain palm
- · Wing thumb with reinforced thumb strap
- Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov



#### 7975

- 14" length
- · Cotton foam lined back, unlined reverse grain palm
- · Wing thumb with reinforced thumb strap
- Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

# Welding Gloves | MASTERS™



#### 7732

- Unlined
- 4" split leather cuff
- · Straight thumb
- Kevlar<sup>®</sup> thread sewn
- Sizes: S-XL

**7742** Unlined palm with added reinforced thumb strap, cotton/foam lined back, Sizes: S-XL

**WARNING:** Cancer - www.P65Warnings.ca.gov



### Premium Grain Pearl Pigskin TIG Welder





### Premium Grain Pearl Kidskin TIG Welder





### Premium Grain Goatskin TIG Welder



#### 7730

- Unlined
- 4" split leather cuff
- Straight thumb
- Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

### 7804A

- Unlined
- 4" split leather cuff
- Straight thumb Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

**7804** Seamless forefinger, wing thumb

**7800A** 2" cuff

**7800** Seamless forefinger, 2" cuff, wing thumb

WARNING: Cancer - www.P65Warnings.ca.gov

#### 7814

- Unlined
- 4" split leather cuff
- Wing thumb
- Gunn pattern
- · Seamless forefinger
- Kevlar<sup>®</sup> thread sewn
- Sizes: S-XL

### Premium Grain Goatskin TIG Welder





### Lightweight Split Pearl Deerskin TIG Welder









#### 7810

- Unlined
- 2" grain leather cuff
- · Straight thumb
- · Clute pattern
- · Cotton thread sewn
- Sizes: S-2XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 7925

- Unlined
- 4" split leather cuff
- · Straight thumb
- Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

#### 7935

- Unlined palm, cotton/foam lined back
- 4" split leather cuff
- Straight thumb with reinforced thumb strap
- Gunn pattern
- Kevlar® thread sewn
- Sizes: S-XL

MARNING: Cancer - www.P65Warnings.ca.gov

### Grain Cowhide MIG Welder





#### 7114

- Unlined
- · Wing thumb
- Premium grain leather
- 4" split leather cuff
- · Seamless forefinger
- · Gunn pattern
- Kevlar® thread sewn
- Sizes: M-XL

7124 Quality grain, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov

### Premium Select Shoulder Cowhide Foundry



#### 7684

- · Full sock lined
- Wing thumb with reinforced thumb strap
- · Clute pattern
- Kevlar® thread sewn
- Size: Mens


### Premium Side Split Blue / Gray Cowhide Welder





#### 7324

- · Full sock foam lined
- · Wing thumb with reinforced thumb strap
- · Gunn pattern
- Kevlar® thread sewn
- Size: Mens



# Welding Gloves | MASTERS™



#### 7344

- Premium side split leather
- · Wing thumb with reinforced palm
- Full sock foam lined
- Gunn pattern
- Kevlar<sup>®</sup> thread sewn
- Sizes: S, L & XL

**7354** Premium select shoulder leather, Sizes: S-XL

WARNING: Cancer - www.P65Warnings.ca.gov



### **Gray Cowhide** Welder















#### E7270

- · Standard shoulder leather
- Wing thumb
- · Gunn pattern
- · Cotton thread sewn
- Size: Mens

**7250** Premium select shoulder leather, full sock lined, Kevlar® thread sewn, Size: Mens

MARNING: Cancer - www.P65Warnings.ca.gov

# Cowhide Welder



### 7650A

- Premium select shoulder leather
- · Full sock lined
- Gunn pattern
- Wing thumb
- Kevlar® thread sewn
- Size: Mens

**7670** Standard shoulder leather, cotton thread sewn

**7654** Straight thumb with reinforced thumb strap

**MARNING:** Cancer - www.P65Warnings.ca.gov

### Regular Shoulder Black Cowhide Welder



#### 7770

- · Full sock lined
- Wing thumb
- · Gunn pattern
- · Cotton thread sewn
- Size: Mens

# Welding Apparel | MASTERS™



Premium Golden Brown Side Split Cowhide Welding Jacket

#### A7530

- 30" length
- Kevlar<sup>®</sup> thread sewn throughout
- One soap stone pocket on each sleeve
- Adjustable wrist snaps
- One outside pocket
- Underarm gusset
- Sizes: M-4XL

A7526 26" length welding jacket







Premium Golden Brown Side Split Cowhide Cape Sleeves

#### A7521

- 21" length
- Kevlar<sup>®</sup> thread sewn throughout
- One soap stone pocket on each sleeve
- · Adjustable wrist snaps
- Underarm gusset
- Open back for ventilation
- Sizes: M-4XL

Attaches to leather bibs:

**A7114** 14" leather bib

**A7120** 20" leather bib

**A7124** 24" leather bib



# Welding Apparel | MASTERS™

### Premium Golden Brown Side Split Cowhide Bib Apron A7442

- Two chest pockets
- Heavy duty adjustable waist straps
- · Side release buckles for easy on/off
- Cotton crossed back straps Size: 24" x 42"

WARNING: Cancer - www.P65Warnings.ca.gov

### Bib Apron A7436

- Two chest pockets Cotton crossed back straps
- · Side release buckles for easy on/off
- · Heavy duty adjustable waist straps
- Size: 24" x 36"

WARNING: Cancer - www.P65Warnings.ca.gov

### **Bench Apron** A7428

- Two chest pockets
- One waist D-ring
- Apron flares to 30" at bottom
- Size: 24" x 28"

**WARNING:** Cancer - www.P65Warnings.ca.gov





Cotton crossed back straps with side release (available on bib & bench aprons)



Two chest pockets (available on all aprons except waist apron)



Waist D-ring (available on bench apron and split leg bib apron)



### Split Leg Bib Apron

#### **A7300**

- Two chest pockets
- 3 Adjustable straps on each leg with side release buckles for easy on/off
- Double reinforced crotch area
- One waist D-ring
- · Heavy duty adjustable waist straps
- Size: 24" x 54"



### Chaps

#### A7330

- · Double reinforced crotch area
- 3 Adjustable straps on each leg with side release buckles for easy on/off
- Heavy duty adjustable waist straps
- Size: 24" x 38"

MARNING: Cancer - www.P65Warnings.ca.gov



Three adjustable straps on each leg with side release buckles (Available on split leg bib apron & chaps)



### Waist Apron

#### A7224

- · Heavy duty adjustable waist straps
- Size: 24" x 24"








SIZE CHART	JACKET	PANTS
SMALL	34 – 36	28 – 30
MEDIUM	38 – 40	32 – 34
LARGE	42 – 44	36 – 38
XL	46 – 48	40 – 42
2XL	50 – 52	44 – 46
3XL	54 – 56	48 – 50
4XL	58 – 60	52 – 54
5XL	62 – 64	56 – 58
6XL	66 – 68	60 – 62
7XL	70 – 72	64 – 66


Reference only



### **Protective Rainwear**

DuraWear® rainsuits offer a reliable solution for a variety of job applications. Our attention to quality, comfort, and functionality are critical when faced with hazardous or extreme weather conditions. Our rainwear is available with different features and fabric thickness without compromising your protection.





the broadest part of the chest area.



Measure around waist and over shirt (do not measure over pants).



Customized printing is available. Contact your customer service representative for more details.

### FR PVC/Polyester/PVC 3-Piece Yellow Rainsuit

#### FR1340

- 0.35mm thickness
- Jacket with detachable hood & bib overall pants
- · Storm-fly front snaps closure
- · Underarm air vents
- Cape-vented back
- · Heavy PVC reinforced joints
- Self-extinguishing treated material
- Sizes: S-5XL



**WARNING:** Cancer - www.P65Warnings.ca.gov

### PVC/Nylon/PVC 2-Piece Green Acid Suit

#### 1370

- 0.40mm thickness
- Jacket with attached hood & bib overall pants
- Storm-fly front snaps closure
- Underarm air vents
- Cape-vented back
- · Heavy PVC reinforced joints
- Self-extinguishing treated material
- Sizes: S-5XL
- 1374 Coverall, Sizes: S-5XL





# **Protective Rainwear | DuraWear**™



# *PVC/Polyester 3-Piece Lime Green Rainsuit with Reflective Stripes*

#### **1260HIVIZ**

- 0.35mm thickness
- Jacket with detachable hood & bib overall pants
- Corduroy collar jacket
- Zipper front with storm-fly front snaps
- · Underarm air vents
- · Cape-vented back
- Heavy PVC reinforced joints
- Sizes: S-5XL



### 2 Layers Orange PVC/Polyester 3-Piece Rainsuit

### 1240

- 0.35mm thickness
- Jacket with detachable hood & bib overall pants
- · Corduroy collar jacket
- Zipper front with storm-fly front snaps
- · Underarm air vents
- · Cape-vented back
- Heavy PVC reinforced joints
- Sizes: S-5XL

**1260** Lime green, 3-Piece set






### Protective Rainwear | DuraWear™



### 2 Layers PVC/Polyester 3-Piece Yellow Rainsuit



#### 1220

- 0.35mm thickness
- Corduroy collar jacket
   Underarm air vents
- Two front flap pockets
   Cape-vented back
- Jacket with detachable hood & bib overall pants
- · Zipper front with storm-fly front snaps
- Adjustable ankle snaps & cuff snaps
- · Heat welded stitches and heavy PVC reinforced joint
- Adjustable suspender clips
   Sizes: S-7XL

1222 Jacket with detachable hood only, Size: S-3XL


**1223** Bib overall pants only, Sizes: S-3XL

1220EW 3-Piece set, elastic waist pants, Size: S-4XL



**MARNING:** Cancer - www.P65Warnings.ca.gov

### 3 Layers PVC/Polyester/PVC 3-Piece Yellow Rainsuit



#### 1320

- 0.35mm thickness
- Jacket with detachable hood & bib overall pants
- · Corduroy collar jacket
- Zipper front with storm-fly front snaps
- · Underarm air vents
- Adjustable ankle snaps and cuff snaps
- Two front flap pockets
- Adjustable suspender clips
- · Cape-vented back
- Heavy PVC reinforced joint
- Sizes: S-4XL

**MARNING:** Cancer - www.P65Warnings.ca.gov

### 3 Layers PVC/Nylon /PVC 3-Piece Yellow Rainsuit




#### 1330

- 0.40mm thickness
- Jacket with detachable hood & bib overall pants
- · Corduroy collar jacket
- Zipper front with storm-fly front snaps
- · Underarm air vents
- Adjustable ankle snaps and cuff snaps
- Two front flap pockets
- Adjustable suspender clips
- · Cape-vented back
- Heavy PVC reinforced joint
- Sizes: S-5XL

WARNING: Cancer - www.P65Warnings.ca.gov

### Single Layer PVC 3-Piece Yellow Rainsuit



#### 1020

- 0.10mm thickness
- · Elastic waist pants
- Jacket with detachable hood
- · Storm-fly front snaps
- Sizes: S-3XL

1020 3-Piece Rainsuit with elastic pants





## **Protective Rainwear | DuraWear™**





### PVC/Polyester Raincoat

#### 1225

- 0.35mm thickness
- 48" length coat with detachable hood
- · Cape-vented back
- · Storm-fly front snaps
- Two flapped pockets
- Sizes: S-6XL

**1245** Orange, Sizes: S-5XL








### PVC/Polyester 2-Piece Slicker

### 1228

- 0.35mm thickness
- Slicker with detachable hood
- 60" length
- · Storm-fly front snaps
- Sizes: S-3XL






### **PONCHO**

#### 1026

- · Heat-sealed seams
- Attached hood
- Side snap closure
- · Reach-through sleeves
- Size: 52" x 80"



10260D Olive drab green

10260R

Orange

1026NB

Navy blue

1025 [

Clear polyethylene, 0.02mm thickness, sealed sides, Size: 50" x 80"



















# **Protective Apparel**

**APA™ AllGard Protective Apparel** offers disposable protective garments from economical to proprietary materials which pro-vide excellent barrier protection, comfort, and breathability. It is designed to deliver confidence without compromising safety.

PlusGard™ is exclusively developed by our research and development team to promote excellent breathability, durable abrasion resistance, and high-level protection against blood borne pathogen penetration.

**PureGard™** is an economical alternative for excellent splash protection against light non-hazardous liquid.

**PermaGard™** is a general purpose protective clothing that can be used in any non-hazardous application to protect against dirt, light liquid splashes, and particles.

**ProGard™** is made with a durable material that provides non-hazardous particulate protection while offering excellent breathability.

**PolyGard™** is the most economical solution for general applications.



Customized printing is available. Contact your customer service representative for more details.

# **AllGard Protective Apparel Features** 1. Raglan back construction for greater range of motion 2. Storm-flap over zipper front closure 4. Elastic back prevents liquid waist for comfort splashes and fit 5. Elastic wrists keep out particulates 6. Reinforced overlock 6 stitching at crotch reinforcement provides fewer blowouts 3. Two-way zipper allows convenient access to interior clothing 7. Elastic ankles provide snug fit 0 over shoes




### **RAGLAN BACK CONSTRUCTION**

Creates stronger seams for a wider range of arm movement, which has less exposure than standard sewing construction

# **CAPE BACK**For quick moisture discharge

# PP SPUNBOND BACK For continuous breathable comfort


### **STITCHING CONSTRUCTION**



Stitching: each inch of seam has 7 stitches that give the suit added strength at the seams and better particulate barrier protection.



Serged seams: four threads are interlocked to form a strong seam. This is the standard method to attach 2 raw edges together.



**Bound seams:** a serged seam with an added outer binding for strength and extra splash barrier.

### **CHOOSING THE RIGHT SUIT FOR THE JOB**

	PlusGard an AllGard Protective Apparel	PermaGard	ProGard	PureGard	PolyGard or Addard Primaries Asparal
VIRAL & BLOOD PENETRATION PROTECTION	•	N/A	N/A	N/A	N/A
WATERPROOF	N/A	N/A	N/A	N/A	N/A
NON-HAZARDOUS SPLASH PROTECTION	•	•	N/A	•	N/A
NON-HAZARDOUS VAPOR PROTECTION	•	•	•	•	N/A
NON-HAZARDOUS PARTICULATE PROTECTION	•	•	•	•	•
Available Features					
SERGED SEAM	•	•	•	•	•
BOUND SEAM	AVAILABLE	AVAILABLE	N/A	N/A	N/A
CAPE BACK	AVAILABLE	AVAILABLE	N/A	N/A	N/A
PP SPUNBOND BACK	AVAILABLE	AVAILABLE	N/A	N/A	•
STORM-FLY FRONT	•	•	•	N/A	N/A

<sup>\*</sup>THIS CHART HAS BEEN PROVIDED AS A REFERENCE FOR RECOMMENDED USE ONLY.



MICRO-POROUS FILM OVER SPUNBONDED POLYPROPYLENE PermaGard® is a general purpose protective material that can be used in any non-hazardous applications to protect against dirt, light liquid splashes and particles.

#### PROPERTIES OF PERMAGARD® APPAREL FABRIC

Physical Property	Unit	Test Method	Result
Basic Weight	(g/m2)	ASTM D3776	63
Tensile Grab-Method -MD / -CD	lbs	ASTM D5034	171.9 98.2
Elongation Grab-Method -MD / -CD	%	ASTM D5034	58.4 75.5
Bursting Strength	psi	AATCC 127	39.8
Water Resistance <resistance by="" penetration="" to="" water=""> Hydrostatic Head</resistance>	mmH2O	mmH2O	746.6
M.V.T.R <moisture rate="" transmission="" vapor=""></moisture>	g/m2/24 hours	ASTM E96	4330
Air Permeability	Mm/sec	ASTM D737	1.69

#### **CHEMICAL TEST DATA** (Measured per ASTM F903)

Chemical	Result
Bleached 5% (household)	Pass
Hydraulic Jack Oil	Pass
Isocyanate Based Paint Hardener (DuPont 792S)	Pass
Motor Oil (40W)	Pass
Muriatic Acid	Pass
PVC Purple Primer	Pass
Sodium Hydroxide	Pass
Malathion	Pass




ProGard™ is a strong and durable 3-layered material that provides non-hazardous particulate protection while offering excellent breath-ability and comfort.

#### PROPERTIES OF PROGARD® APPAREL FABRIC

Physical Property	Unit	Test Method	Result
Basic Weight	(g/m2)	ASTM D3776	50
Tensile Grab-Method -MD / -CD	lbs	ASTM D5034	25 18
Elongation Grab-Method -MD / -CD	%	ASTM D5034	50 50
Trap Tear (-MD / -CD)	lbs	IST100.2	97
Hydrostatic Head	mmH2O	AATCC 127	350
Bursting Strength	psi	ISO 2578	45
Air Permeability	Mm/sec	ASTM D737	70
Static Decay	Sec	IST 40.2	<0.5

Sources for all test data were performed in independent laboratories. All tests were performed under laboratory conditions and not under actual use. Tests are performed on material samples, not actual garments.

	Coverall with Elastic Wrists & Ankles	Coverall	Coverall with Hood & Boots	Coverall with Hood	Shirt	Pants	Apron	Sleeve
PLUSGARDTM SPUNBONDED POLYPROPYLENE/ MICRO POROUS PPM FILM/ SPUNBONDED POLYPROPYLENE		18220B	18222B	18227B				
PermaGard  PermaGard  Micro-Porous Film OVER SPUNBONDED POLYPROPYLENE	18125	18120	18122	18127	18303	18350	18470	18500
PROGARD TM SPUNBONDED/MELTBLOWN/ SPUNBOND POLYPROPYLENE FABRIC(SMS)	19125 19125B	19120	19122 19122B	19127 19127B				
POLYGARDTM SPUNBONDED POLYPROPYLENE	15125 15135 15145		15122 15122B 15132 15142	15127				15500 15500B
PUREGARD <sup>TM</sup> POLYETHYLENE FILM OVER SPUNBONDED POLYPROPYLENE	17125		17122					17500
TYVEK®	TY125	TY120	TY122	TY127	TY303S	TY350S	TY273B TY274B	TY500S
			Casalidade,			A CONTRACTOR OF THE PARTY OF TH		
	Shoe Covers	Boot Covers	Shoulder Length Hood	Bouffant	Beard Cover	Lab Coat	Lab Coat with 3 Pockets	Lab Coat with 3 Pockets & Knit
PLUSGARDTM SPUNBONDED POLYPROPYLENE/ MICRO POROUS PPM FILM/ SPUNBONDED POLYPROPYLENE		_ ~	Shoulder Length Hood	Bouffant	Beard Cover		Lab Coat	Lab Coat
SPUNBONDED POLYPROPYLENE/ MICRO POROUS PPM FILM/		_ ~	Shoulder Length Hood	Bouffant	Beard Cover		Lab Coat	Lab Coat with 3 Pockets
SPUNBONDED POLYPROPYLENE MICRO PROCUS PPM FILM/ SPUNBONDED POLYPROPYLENE  PERMAGARD MICRO-POROUS FILM OVER SPUNBONDED OVER SPUNBONDED	Shoe Covers	Boot Covers		Bouffant	Beard Cover	Lab Coat	Lab Coat with 3 Pockets	Lab Coat with 3 Pockets
SPUNBONDED POLYPROPYLENE MICRO PROCUS PPM HILM/ SPUNBONDED POLYPROPYLENE  PERMAGARD MICRO-POROUS FILM OVER SPUNBONDED POLYPROPYLENE  PROGARD  PROGARD  SPUNBONDED/MELTBLOWN/ SPUNBONDED/MELTBLOWN/ SPUNBONDED POLYPROPYLENE	Shoe Covers	Boot Covers	18386 15386B 15386W	Bouffant  15819(B/W) 15821 (W/B/R/G/Y) 15824 (W/B/R/G/Y)	15803 15803B 15803R	Lab Coat	Lab Coat with 3 Pockets	Lab Coat with 3 Pockets & Knit
SPUNBONDED POLYPROPYLENE MICRO POROUS PPM HILM/ SPUNBONDED POLYPROPYLENE  PERMAGARD MICRO-POROUS FILM OVER SPUNBONDED POLYPROPYLENE  PROGARD SPUNBONDED POLYPROPYLENE  PROGARD SPUNBONDED POLYPROPYLENE  PROGARD SPUNBONDED POLYPROPYLENE  PROGARD SPUNBONDED POLYPROPYLENE FABRIC(SMS)  POLYGARD TM	18400 15420 15420W 15440	Boot Covers	18386 15386B 15386W	15819(B/W) 15821 (W/B/R/G/Y) 15824	15803 15803B	18300 19300	Lab Coat with 3 Pockets 18301 19301	Lab Coat with 3 Pockets & Knit



#### **WARNING:**

There are certain applications, chemicals, and environments which AllGard™ Protective Apparel are not suitable for. It is always the responsibility of the user to determine risk, review and understand available data to assess the appropriate use of the apparel for a particular application, and perform "on-site" testing before putting the product to actual use. The manufacturer, distributor, and sales representative do not accept responsibility for the user's choice of product against any particular risk.

#### **CAUTION:**

These products are not intended for fire protection. Avoid open flames, sparks, and intense heat.

#### **WARRANTY / LIMITATION OF DAMAGES:**

Since the condition of use is beyond the scope and control of AllGard™ Protective Apparel Company, APA makes no further warranties of any kind, expressed or implied, oral or written, including, without limitations, no warranties of fitness for a particular purpose. The sole and exclusive remedy for users and purchasers for any and all claims, injuries, losses, or damages arising from APA Apparel and accessories found to contain a manufacturing defect upon inspection by APA shall not exceed the purchase price of the product. In addition, in no event shall APA be liable for any special, incidental, consequential, indirect, or punitive damages arising from breach of contract, tort, warranty, manufacturing defect, or any other cause that exceeds the purchase price of the product. Claims must be received by APA within 90 days of the date the apparel or accessory was shipped to the user or purchaser to be considered for remedy. Warranty, at APA's sole discretion, may be in the form of replacement, refund, or repair of the product.

PlusGard<sup>™</sup>, PermaGard<sup>™</sup>, ProGard<sup>™</sup>, PureGard<sup>™</sup>, and PolyGard<sup>™</sup> are trademarks of AllGard<sup>™</sup> Protective Apparel.

## **Protective Apparel - PlusGard™**





#### Spunbonded Polypropylene/Meltblown/ Spunbonded Polypropylene/APTRA®/ Spunbonded Polypropylene

- Proprietary technology
- Protects against viral & bloodborne penetration
- Breathable material
- Abrasion resistant

#### Test Methods:

- ASTM F1670-08 (Synthetic Blood Penetration)
- ASTM F1671-07 Method B (Viral Penetration)

#### Applications:

- Health care
- Emergency medical response
- Laboratory
- · Environmental clean up
- Sanitation
- Forensics/embalming





#### WHITE COVERALL WITH HOOD & BOOTS

18222

Serged seams

Attached hood

Attached boots

Elastic wrists

Elastic waist

Closure at chin

Zipper front closure with storm-fly

Sizes: M-5XL

Packaged: 25 pieces/case



#### **BLUE COVERALL WITH HOOD & BOOTS**

18222B

Serged seams

Attached hood

Attached boots

Elastic wrists

Elastic waist

Zipper front closure with storm-fly

Closure at chin Sizes: M-5XL

Packaged: 25 pieces/case



#### **BLUE COVERALL WITH HOOD**

18227B

Serged seams

Attached hood

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with storm-fly

Closure at chin Sizes: M-5XL

Packaged: 25 pieces/case



#### **Mechanical Properties of Breathable PPM Film:**


Properties		Test Method	Results
Tensile Streng	gth (MD)	ASTM D5034	57.55 Lbs.
	(CD)		46.22 Lbs.
Trapezoidal Tear(MD)		ASTM D5733	9.19 lbs
	(CD)		13.88 lbs
Elongation	(MD)	ASTM D5034	0.85%
	(CD)		0.69%

## **Protective Apparel - PureGard™**



#### **COVERALL WITH ELASTIC WRISTS & ANKLES**


17125 Serged seams Collar Elastic wrists Elastic ankles Zipper front closure Sizes: M-4XL





17122 Serged seams Attached hood Attached boots Elastic wrists Zipper front closure Closure at chin Sizes: L-3XL





#### **SLEEVES**

17500 Serged seams Elastic top Elastic wrists 18" length

Packaged: 500 pieces/case



#### LAB COAT WITH POCKETS

17301 Serged seams Collar Elastic wrists 3 pockets Zipper front closure Sizes: L-3XL Packaged: 30 pieces/case








### **Polyethylene Film Over SpunBonded Polypropylene**

- Economical solution
- · Splash protection against light nonhazardous liquids
- · Breathable material

#### Applications:

- General maintenance
- Spray painting



## Protective Apparel - PermaGard™






### **Micro-Porous Film Over Spunbonded Polypropylene**

- · General purpose
- Non-hazardous applications to protect against dirt, light liquid splashes, and particles
- Anti-static

#### Applications:

- Agriculture
- · General maintenance
- Food processing Environmental clean up
- Spray painting
- Asbestos abatement



#### **COVERALL**

18120

Serged seams

Collar

Elastic waist

Zipper front closure with

storm-fly

Sizes: M-5XL

Packaged: 25 pieces/case





#### **COVERALL WITH HOOD & BOOTS**

18122

Serged seams

Attached hood

Attached boots

Elastic wrists

Elastic waist

Elastic ankles Zipper front closure with

storm-fly

Closure at chin

Sizes: M-4XL

Packaged: 25 pieces/case

#### **COVERALL WITH ELASTIC WRISTS & ANKLES**

18125

Serged seams

Collar

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with

storm-fly

Sizes: S-5XL

Packaged: 25 pieces/case



#### **COVERALL WITH HOOD**

18127

Serged seams

Attached hood

Elastic wrists

Flastic waist

Elastic ankles

storm-fly

Closure at chin

Sizes: M-4XL

Packaged: 25 pieces/case

Zipper front closure with



## **Protective Apparel - PermaGard™**

#### LAB COAT WITH POCKETS

18301 Serged seams Collar 3 pockets Snap front closure Sizes: S-4XL

Packaged: 30 pieces/case



#### LAB COAT

18300 Serged seams Collar Snap front closure Sizes: M-4XL

Packaged: 30 pieces/case



#### **APRON**

18470 Serged seams Bib style Bound neck strap and ties Dimension: 28" x 36"

Packaged: 100 pieces/case



18303 Serged seams Collar Long sleeve Snap front closure Sizes: L-3XL

Packaged: 50 pieces/case



#### **PANTS**

18350 Serged seams Elastic waist Sizes: M-3XL Packaged: 50 pieces/case



#### **SLEEVES**


18500 Serged seams 18" length Elastic top Elastic wrists Packaged: 200 pieces/case



#### **BOOT COVER**

18444 Serged seams 18" length Elastic top Mens large

Packaged: 100 pieces/case



#### SHOE COVER

18440 Serged seams Elastic top Sizes: L-XL Packaged: 200 pieces/case



#### HOOD

18386 Serged seams Elastic face Shoulder length

Packaged: 100 pieces/case



## **Protective Apparel - ProGard™**






## Spunbonded/MeltBlown/Spunbonded Polypropylene (SMS)

- · Strong durable material
- Non-hazardous particulate protection
- Breathable material
- Minimal lint

#### Applications:

- General maintenance
- Janitorial/Cleaning





#### COVERALL

19120

Serged seams

Collar

Elastic waist

Zipper front closure with storm-fly

Sizes: M-4XL

Packaged: 25 pieces/case



## **COVERALL WITH ELASTIC WRISTS & ANKLES**

19125

Serged seams

Collar

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with storm-fly

Sizes: M-6XL

Packaged: 25 pieces/case



## BLUE COVERALL WITH ELASTIC WRISTS & ANKLES

19125B

Serged seams

Collar

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with storm-fly

Sizes: M-4XL

Packaged: 25 pieces/case



## **Protective Apparel - ProGard™**

#### **COVERALL WITH HOOD & BOOTS**

19122

Serged seams

Attached hood

Attached boots

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with

storm-fly

Closure at chin Sizes: M-4XL

Packaged: 25 pieces/case



#### **COVERALL WITH HOOD**

19127

Serged seams

Attached hood

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with

storm-fly

Closure at chin

Sizes: S-4XL

Packaged: 25 pieces/case



#### **BLUE COVERALL WITH HOOD & BOOTS**

19122B

Serged seams Attached hood

Attached boots

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with

storm-fly

Closure at chin

Sizes: M-4XL

Packaged: 25 pieces/case



#### **BLUE COVERALL WITH HOOD**

19127B

Serged seams

Attached hood

Elastic wrists

Elastic waist

Elastic ankles

Zipper front closure with

storm-fly

Closure at chin

Sizes: M-4XL

Packaged: 25 pieces/case



#### LAB COAT

19300

Serged seams

Collar

Snap front closure

Sizes: M-4XL

Packaged: 30 pieces/case



#### LAB COAT WITH POCKETS

19301

Serged seams

Collar

3 pockets

Snap front closure

Sizes: M-4XL

Packaged: 30 pieces/case



#### LAB COAT WITH POCKETS. KNIT COLLAR & CUFF

19311

Serged seams

Knit collar

Knit cuff

3 pockets

Snap front closure Sizes: S-4XL

Packaged: 25 pieces/case



#### **BLUE LAB COAT**

19300B

Serged seams

Collar

Snap front closure

Sizes: M-4XL

Packaged: 30 pieces/case



#### **BLUE LAB COAT WITH POCKETS**

19301B Serged seams

Collar

3 Pockets

Snap front closure Sizes: M-4XL

Packaged: 30 pieces/case



## **Protective Apparel - PolyGard™**





#### **Spunbonded Polypropylene**

- Economical solution
- Non-hazardous particulate protection
- Breathable material
- Soft and lightweight

#### Applications:

- · Spray painting
- Sun dry applications





#### **HEAVY WEIGHT**

#### **COVERALL WITH ELASTIC WRISTS & ANKLES**

15145 Serged seams Collar Elastic wrists Elastic ankles Zipper front closure Sizes: L-5XL



#### **COVERALL WITH HOOD & BOOTS**

15142 Serged seams Attached hood Attached boots Elastic wrists Zipper front closure Closure at chin Sizes: L-3XL Packaged: 25 pieces/case



#### LIGHT WEIGHT

#### **COVERALL WITH HOOD & BOOTS**

15122 Serged seams Attached hood Attached boots Elastic wrists Zipper front closure Closure at chin Sizes: S-6XL Packaged: 25 pieces/case



#### **BLUE COVERALL WITH HOOD & BOOTS**

15122B Serged seams Attached hood Attached boots Elastic wrists Zipper front closure Closure at chin Sizes: L-4XL Packaged: 25 pieces/case



#### **COVERALL WITH ELASTIC WRISTS & ANKLES**

15125 Serged seams Collar Elastic wrists Elastic ankles Zipper front closure Sizes: M-6XL Packaged: 25 pieces/case



#### **COVERALL WITH HOOD**

15127 Serged seams Attached hood Elastic wrists Elastic ankles Zipper front closure Closure at chin Sizes: M-5XL Packaged: 25 pieces/case



## **Protective Apparel - PolyGard™**

#### **MEDIUM WEIGHT**

## COVERALL WITH ELASTIC WRISTS & ANKLES

15135
Serged seams
Collar
Elastic wrists
Elastic ankles
Zipper front closure

Sizes: M-3XL

Packaged: 25 pieces/case



## COVERALL WITH HOOD & BOOTS


15132
Serged seams
Attached hood
Attached boots
Elastic wrists
Zipper front closure
Closure at chin
Sizes: L-3XL
Packaged: 25 pieces/case



#### **SLEEVES**

15500 White 15500B Blue Serged seams Elastic top Elastic wrists 18" length

Packaged: 500 pieces/case



#### LAB COAT

15300 Serged seams Collar Elastic wrists Snap front closure Sizes: M-5XL

Packaged: 30 pieces/case



#### LAB COAT WITH POCKETS

15301
Serged seams
Collar
Elastic wrists
3 pockets
Snap front closure
Sizes: M-3XL
Packaged: 30 pieces/case



#### **BRIEFS**

15351 Serged seams Elastic waist Size: XL

Packaged: 100 pieces/case



#### WHITE SHOE COVER

15420W Light weight Size: L 15440W Standard weight Non-skid tread Elastic top

Sizes: L-XL Packaged: 1

Packaged: 100 pieces/ dispenser, 4 dispensers/case



#### **BLUE SHOE COVER**

15440 Standard weight Sizes: L-2XL 15420 Light weight Non-skid tread Elastic top

Sizes: L-XL

Packaged: 100 pieces/ dispenser, 4 dispensers/case



#### **BEARD COVER**

15803 White 15803B Blue 15803R Red


Packaged: 1000 pieces/case




Also Available: 15803/5 500 pieces/case



Color	Packaging	19"	21"	24"
White	500pcs/case 1000pcs/case	15819W	15821W 15821W/10	15824W 15824W/10
Blue	500pcs/case	15819B	15821B	15824B
Red	500pcs/case		15821R	15824R
Green	500pcs/case		15821G	15824G
Yellow	500pcs/case		15821Y	15824Y





All garment patches are now in the shape of a stop sign and each is assigned a color.



DuPont™ Tychem® Orange



DuPont™ Tyvek® Blue



DuPont™ ProShield® Grav

We've simplified our product identification system by replacing the original product names with an easy-to-follow numeric system. The higher the number, the greater the protection—it's that simple.

For example, Tychem® QC is now Tychem® 2000.

Tyvek® is now Tyvek® 400.

#### **New Packaging**

Non-hazardous

particles, liquids

and aerosols

Non-hazardous particles

Hazardous

particles Non-hazardous light liquid splash and

aerosols

particles and

aerosols

Flame resistance

Our new packaging is labeled with the same stop sign shapes as the garments.



,

Original	New		
Tychem Reflector® Reflector®	Tychem® 10000 FR	1	
Tychem® TK	Tychem® 10000		Heavy Chemical Exposure
Tychem Tychem Responder CSM	Tychem® RESPONDER® CSM		
Tychem® BR	Tychem® 9000		
Tychem® ThermoPro	Tychem® 6000 FR		
Tychem Tychem F	Tychem® 6000		
Tychem CPF 3	Tychem® 5000		
Tychem SL	Tychem® 4000		
new garment	Tychem° 2000 SFR	NOI	
Tychem® QC	Tychem® 2000	OF PROTECTION	
new garment	Tyvek® 800	L OF PI	
Tyvek® Plus	Tyvek° 600	LEVEL	
Tyvek Tyvek® Xpert	Tyvek° 500		Light Chemical Exposure
Tyvek Tyvek°	Tyvek° 400		Non-hazardous particles Hazardous particles
Tyvek <sup>®</sup> Dual	Tyvek° 400 D		Non-hazardous light liquid splash and aerosols
ProShield® 3	ProShield® 70		
ProShield ProShield NexGen®	ProShield® 60		Non-hazardous particles, liquids and aerosols
new garment	ProShield® 50	_	
Proshield ProShield® Basic	ProShield® 10		Non-hazardous particles
Tempro DuPont™ Tempro®	ProShield® 6 SFR		Non-hazardous particles and aerosols Flame resistance

**D** = Dual **FR** = Flame Resistant **SFR** = Secondary Flame Resistant

### DuPont™

#### **Product Part Numbers**

To simplify ordering and inventory management, we developed a simple, logical and intuitive product part numbering system. Using only 16 characters, each part number comprises abbreviations that provide all the information you need.

#### **Fabric**

The first two characters are the fabric description.

Abbreviations

#### DuPont™ Tvchem®

**RF** 10000 FR TK 10000 RC RESPONDER® CSM

**BR** 9000

**TP** 6000 FR **TF** 6000

**TYF** 6000 **C3** 5000

**SL** 4000 2000 SFR

OC 2000

99 Accessories

#### DuPont™ Tyvek®

**TJ** 800 J DuPont™ ProShield® **TY** 600 P<sub>3</sub> 70 **TY** 500 NG 60 **TY** 400 **NB** 50 **TD** 400 D **PB** 10

a unique three-digit code.

120

DuPont offers a wide

from hoods, aprons

and coveralls to fully

encapsulated suits.

Each garment style has

array of garment

Style

styles-

#### **Seam Construction Color**

Abbreviations **S** Serged or Sewn **B** Bound

T Taped or

Double Taped

## WH

Several DuPont fabrics are available in color options.

Abbreviations

**BU** Blue GY Gray LY Lime Yellow

**OR** Orange SV Silver

TN Tan WH White YL Yellow

#### LG Size

Many DuPont garments are available in a range of sizes; refer to catalog descriptions for details.

Abbreviations\*

**SM** Small MD Medium

LG Large XL Extra large

2X 2 Extra large 3X 3 Extra large

4X 4 Extra large 5X 5 Extra large

6X 6 Extra large 7X 7 Extra large

oo Universal

The number of garments per case.

## 00

**Options** Abbreviations such as

TV Trade Agreement Act compliant **VP** Vend packed

Not all option codes are available for all products; refer to catalog descriptions for details.

\*Not all sizes are available in all styles.

#### Stock Items versus Make to Order


For ProShield® and Tyvek® garments, sizes Medium to 4X are identified as stock items. Sizes Small and 5X and above are identified as Make to Order, Certain accessory items are also identified as Make to Order.

Most garments in the Chemical/HazMat line (Tychem® 2000, Tychem® 4000, Tychem® 6000, Tychem® 9000, Tychem® RESPONDER® CSM and Tychem® 10000) are identified as Make to Order. A small grouping is identified as stock items, following the same size guidelines as indicated above.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.


#### FC 400 FC TM 6 SFR Sizing Charts

#### Sizing for protective garments



#### Sizing for fully encapsulated suits

This chart is based on individuals wearing SCBA, safety helmet and standard work clothing. Fit varies with individual body shape.



#### Choosing a Garment

Before searching for an appropriate chemical protective garment, you should assess the nature of the hazard and the working environment. Different factors including concentration, temperature and pressure must be matched to the garment's fabric, design and seam construction.

#### **Fabric**

No matter what the brand or trade name, almost all limited-use protective apparel products can be classified into one of a few general fabric technologies. It is important to understand the performance attributes of the fabric being used for a given application. Why? Not all fabrics used in chemical protective garments are the same. From exclusive DuPont technologies such as DuPont™ Tychem® and DuPont™ Tyvek® to SMS and microporous film fabrics, DuPont offers a variety of fabrics with different levels of comfort, durability, breathability and protection to meet your specific needs.

In order to select the appropriate protective garment, it is crucial to know how well the fabric used in the garment provides a barrier to specific hazardous materials.

Testing for chemical protective fabrics can be divided into two primary categories:

- 1) penetration testing—appropriate for particle hazards
- 2) permeation testing-appropriate for liquid and

#### gaseous hazards

Penetration occurs when there is bulk movement of a material through a pore, hole, gap or defect in the fabric and is the proper method to evaluate particle barrier. Permeation, on the other hand, occurs when there is movement of the material through the barrier fabric on a molecular level. It is possible for a liquid or vapor to permeate through a fabric even when there is no observed opening in the fabric. Permeation testing is a more sensitive and representative way of characterizing the interaction of liquids and gases with the barrier fabric. Permeation testing is critical for fabrics that are exposed to hazardous liquids, vapors or gases.

#### Fabric technologies typically used in protective garments.

All images are magnified.

#### **Exclusive DuPont Technologies**



**DuPont™ Tychem®** Chemical barrier fabrics specifically engineered for protection over a range of hazards.



DuPont™ Tyvek® Tyvek® is 100% high-density polyethylene fibers entangled into a protective material—with no fillers or thin films to wear away. Made only by DuPont, it offers superior protection and durability.



Microporous Films (SF or MF) Bi-laminate with a thin microporous film layer on a spunbonded polypropylene nonwoven, these fabrics offer limited durability—barrier protection is lost when the film layer is abraded.



Spunbond-Meltblown-Spunbond (SMS) SMS fabrics rely on the meltblown polypropylene layer in the middle of the open tri-laminate polypropylene structure to act as the main filter for particles. They have limited durability and barrier performance, especially against liquids.


Spunbonded Polypropylene (SBPP) With their highly open structure, SBPP fabrics offer negligible barrier protection.

### DuPont™

## **Choosing a Garment**

#### Seam construction

Seams are a critical component of the overall barrier protection provided by a chemical protective garment. It is vital to select the appropriate seam configuration for your application needs and to know that the garment will be constructed with strong, tight seams. One loose thread or gap and the barrier between you and your environment unravels—leaving you vulnerable.




#### Serged or Sewn\*

A seam produced when multiple threads are interlocked around the raw edges of two pieces of material for a strong, stress-resistant seam.



#### Bound\*

Tightly sewn with a reinforced outer binding to increase seam strength and barrier. For potential misting exposure to non-hazardous liquids or particle penetration through the seam.



#### **Taped**

Both sewn and taped to provide strong chemical resistance against heavy liquid splashes and tough seam stress. A sewn seam is covered with a strip of compatible material by heat-sealing.



#### **Double Taped**

Sewn, then taped on the inside and the outside of the seam for a very strong chemical- and stress- resistant seam.

\*Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.





**High Visibility** 

**Low Visibility** 

High visibility can be either a help or a hindrance for emergency responders. For example, in hazardous situations, it is critical that emergency responders can be easily seen. In addition, hazardous material emergencies often occur in poorly lit environments— thus the need for high visibility.

The high-visibility colors chosen for DuPont™ Tychem® fabrics were based on extensive research. For example, the human eye is more sensitive to the lime yellow of Tychem® 10000 and the safety yellow color of Tychem® 9000 and Tychem® 2000 fabrics. On the other hand, there are instances when being visible is dangerous. When discretion is preferred—or required—special low-visibility fabrics, such as Tychem® 5000, are harder to see and blend into a variety of environments.

#### **Garment style**

DuPont offers a wide variety of garment styles—from hoods and shoe covers to aprons, coveralls and fully encapsulated suits. Fully encapsulated suits are available with front or rear entry, with a flat back for airline accommodation or an expanded back for SCBA accommodation.

#### Hoods





**Standard** 

**Respirator Fit** 

In addition to our standard hood design, many of our garments offer a respirator fit hood. These hoods are designed with a longer zipper for complete coverage of the neck area.

#### **Faceshields**





**Standard** 

EX (extra-wide)

In addition to the standard faceshield, DuPont has several garment styles that offer a greater field of vision, enabling the wearer to see more of what they are dealing with, reducing missteps and allowing more natural movement and better eye contact.

The EX (extra-wide) faceshield options on Tychem® 10000 and Tychem® 9000 Level A garments feature a wrap-around design that provides ample room for a mask-mounted regulator. This faceshield is wider and longer, providing expanded peripheral and vertical viewing.

## **DuPont<sup>™</sup> ProShield<sup>®</sup> 10**

## Original Name: ProShield® Basic





PB127S

Comfort and quality at an affordable price

Spunbond-meltblown-spunbond (SMS) garments

Uses include general maintenance, janitorial/cleaning and other dirty work assignments

ProShield® 10 is available in blue or white, and gray in style 127

#### Coverall

Coverall

serged seams

elastic wrists elastic ankles

front zipper closure storm flap

collar

MD-5X

PB120SWHXX002500



PB120SBUXX002500

PB125SWHXX002500

PB125SBUXX002500

serged seams collar front zipper closure storm flap MD-5X



#### Coverall

PB127SWHXX002500




PB127SBUXX002500



PB127SGYXX002500

serged seams attached hood front zipper closure storm flap elastic wrists elastic ankles





## **DuPont<sup>™</sup> ProShield<sup>®</sup> 50**







NB127S

Coverall

NB120SWHXX002500

serged seams front zipper closure SM-6X



#### Coverall



NB122SWHXX002500

serged seams attached hood front zipper closure elastic wrists elastic ankles attached skid-resistant boot covers SM-6X



Provides a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles

Microporous film laminated to a nonwoven fabric

Industries and applications include janitorial, sanitation, general industrial maintenance

Lighter weight and roomy design make for greater comfort and mobility

ProShield® 50 is white

<sup>1</sup> Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area Standard hoods only extend to the neck. See page 7 for photos.

Bound and sewn seams and closures have less barrier than fabric. Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.

#### Coverall



NB125SWHXX002500

serged seams collar front zipper closure elastic wrists elastic ankles SM-6X



#### Coverall



NB127SWHXX002500

serged seams attached hood (respirator fit)1 front zipper closure storm flap elastic wrists elastic ankles SM-6X



WARNING: ProShield® 50 should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Garments made of ProShield® 50 fabric should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers, or other garment surfaces in conditions where slipping could occur.

## **DuPont<sup>™</sup> ProShield<sup>®</sup> 60**

## Original Name: ProShield® NexGen®



#### Coverall



NG120SWHXX002500

serged seams collar front zipper closure SM-6X



#### Coverall



NG125SWHXX002500









Coverall



NG127SWHXX0025NP

serged seams attached hood (respirator fit)1 front zipper closure storm flap elastic wrists elastic ankles SM-7X



Coverall



NG122SWHXX002500

serged seams attached hood front zipper closure elastic wrists elastic ankles attached skid-resistant boots SM-6X



Barrier against a variety of non-hazardous aerosols, liquids and dry particles

Microporous film laminated to a nonwoven fabric

Uses include automotive refinishing, waste cleanup and sanitation engineering

ProShield® 60 is white

1 Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Bound and sewn seams and closures have less barrier than fabric.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.

WARNING: ProShield® 60 should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Garments made of ProShield® 60 fabric should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers, or other garment surfaces in conditions where slipping could occur.

## **DuPont<sup>™</sup> ProShield<sup>®</sup> 70** Original Name: DuPont® ProShield®3



#### **Boot Cover**



P3452SGYXX010000

serged seams elastic opening 10" height ProShield® 70 fabric skid resistant one size fits most




Skid-resistant material for shoe/boot covers to help prevent slipping

Provides non-hazardous liquid splash protection ProShield® 70 is gray

Bound and sewn seams and closures have less barrier than fabric.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

WARNING: ProShield® 70 should not be used around heat, flames, sparks or in potentially flammable or explosive



EVEL OF PROTECTION

## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 400**

**Original Name: Tyvek®** 





Comfort fit design allows for a greater range of motion

Breathable inherent barrier protection against hazard-

Excellent abrasion resistance; protects against hazard-

ous dry particles, aerosols and non-hazardous light

When used with other PPE, can help reduce risk of cross-contamination in pandemic response activities

TY120SWHXX002500 MD-7X

TY120SWHXX0006G1 MD-4X

TY120SWHXX0025VP MD-7X

TY120SWHXX0025NF MD-7X

**★NAFTA/TAA COMPLIANT** 

serged seams front zipper closure





collar storm flap elastic waist comfort fit design

#### Coverall

TY125SWHXX002500 MD-7X

TY125SWHXX0006G1 MD-4X

TY125SWHXX0025VP MD-7X



Coverall

Coverall

MD-7X

MD-4X

MD-7X

MD-7X

serged seams

storm flap

elastic wrists

elastic ankles

comfort fit design

elastic waist

TY122SWHXX002500

TY122SWHXX0006G1

TY122SWHXX0025NF

TY122SWHXX0025VP

attached hood (respirator fit)1 front zipper closure

attached skid-resistant boots

TY127SWHXX002500 MD-7X

TY127SWHXX0006G1 MD-4X

TY127SWHXX0025VP MD-7X

TY127SWHXX0025NF MD-7X

**★NAFTA/TAA COMPLIANT** 

serged seams attached hood (respirator fit)1 front zipper closure storm flap elastic wrists elastic ankles elastic waist



One garment for many applications:

ous particles down to one micron in size

- General maintenance/operations
- Microcrystalline silica
- Lead abatement

liquid splash

- Environmental cleanup Agriculture
- Asbestos abatement
- · Food processing
- Mold remediation
- Spray painting Crime scene investigation
- Wind turbine manufacturing

Tyvek® 400 is white

G1 = Reduced case quantity

NS = Non-skid material

NF = NAFTA/TAA compliant

VP = Vend packed





TY121SWHXX0025NS

serged seams collar front zipper closure storm flap elastic wrists elastic ankles attached skid-resistant boots MD-7X




#### Coverall

TY151SWHXX002500

serged seams collar front snap closure XL-3X

comfort fit design





Only NF option codes are NAFTA/TAA compliant.

<sup>1</sup> Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area Standard hoods only extend to the neck. See page 7 for photos.

Storm flaps: All standard bound and taped seam coveralls have a single storm flap with a pressure-sensitive tape closure. Serged seam coveralls do not have a storm flap.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.

WARNING: Tyvek® and ProShield® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Garments made of Tyvek® and ProShield® fabrics should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers, or other garment surfaces in conditions where slipping could occur. Certain accessory items are also identified as Make to Order, Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 400 Original Name: Tyvek®**



#### Frock

TY210SWHXX003000 SM-7X

TY210SWHXX0030VP MD-4X

serged seams collar front snap closure



#### Frock

TY211SWHXX003000

serged seams collar front snap closure elastic wrists knee length SM-7X



#### Frock

TY216SWHXX003000

collar front zipper closure storm flap with tape closure elastic wrists elastic ankles



#### Shirt

TY303SWHXX005000

SM-7X

TY303SWHXX0012G1

MD-4X

TY303SWHXX0050VP MD-3X

serged seams collar

front snap closure long sleeve



#### **Pants**

TY350SWHXX005000

SM-7X

TY350SWHXX0012G1

MD-4X TY350SWHXX0050VP

MD-3X

serged seams elastic waist



#### Apron

TY273BWHXX010000

TY273BWHXX0100VP

bound seams bound neck & ties bib style 28" x 36" one size fits most



#### Labcoat

TY212SWHXX003000

TY212SWHXX0008G1 MD-4X

TY212SWHXX0030VP

MD-4X

TY212SWHXX0030NF

SM-7X

**★NAFTA/TAA COMPLIANT** 

serged seams collar front snap closure two pockets



#### Sleeve

TY500SWHXX020000

TY500SWHXX0200NF

**★NAFTA/TAA COMPLIANT** 

serged seams elastic top elastic wrist 18" length one size fits most



#### Hood

TY657SWHXX010000

serged seams pullover elastic face shoulder length one size fits most



#### **Shoe Cover**

TY450SWHXX020000


Tyvek® fabric serged seams elastic opening 5" height one size fits most




#### Boot Cover-Tyvek® 400 FC

TY454SWHXX020000

Tyvek® FC fabric serged seams elastic opening 18" height skid resistant one size fits most






#### Only NF option codes are NAFTA/TAA compliant.

Bound and sewn seams and closures have less barrier than fabric.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.



## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 400D**Original Name: Tyvek<sup>®</sup> Dual







Tyvek® 400 D garments provide an ideal balance of comfort, durability and protection for workers

Comfort fit design helps enable a greater range of movement while stretching and bending

Designed for very specific applications where demanding comfort requirements are combined with limited protective requirements for frontal exposures

Well suited for workers who are involved in a variety of strenuous activities that can lead to heat stress in applications that include:

- Wind turbine manufacturing
- Composites manufacturing
- Boat manufacturing
- Remediation
- UtilitiesMaintenance
- Glass manufacturing

DuPont™ Tyvek® 400 fabric on the front and hood

Tyvek® fabric is composed of flashspun high-density polyethylene, which creates a unique nonwoven material available only from DuPont

Tyvek® 400 fabric provides an ideal balance of protection, durability and comfort compared to any limiteduse fabric technology

Tyvek® 400 fabric's durability delivers a consistently better barrier, even after wear and abrasion

Tyvek® 400 is white

DuPont™ ProShield® 10 fabric on the back

 $\label{eq:proshield} \textbf{ProShield} \textbf{@ 10 fabric has been optimized for comfort,} \\ \textbf{softness and breathability}$ 

ProShield® 10 fabric is designed for nonhazardous dry particle and light liquid splash applications

 $\label{proshield norm} \mbox{ProShield \@0.05em} \mbox{ nade from a polypropylene spunbond-meltblownspunbond (SMS) fabric}$ 

ProShield® 10 is blue

Coverall

TD125SWBXX0025CM

serged seams collar front zipper closure storm flap thumb loops elastic wrists elastic ankles elastic waist MD-4X



Coverall

( ) TD127SWBXX0025CM

serged seams attached hood (respirator fit)<sup>1</sup> front zipper closure storm flap thumb loops elastic wrists elastic ankles elastic waist MD-4X



Pants

 $\bigcirc$ 

TD350SWBXX0025CM

serged seams elastic waist MD-5X




Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.

**WARNING:** Tyvek® and ProShield® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Garments made of Tyvek® and ProShield® fabrics should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers, or other garment surfaces in conditions where slipping could occur.

Certain accessory items are also identified as Make to Order. Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.



## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 500**Original Name: Tyvek<sup>®</sup> Xpert



#### Coverall



TY198SWHXX002500

external serged seam attached hood storm flap elastic wrists elastic ankles CE certified Category III Type 5-B and 6-B SM-7X



Tyvek® 500 garments are composed of flashspun high-density polyethylene, which creates a unique, nonwoven material available only from DuPont

Suitable for applications such as pharmaceutical handling, chemical processing, automatic spray painting,

maintenance and many others Chemical protective clothing, Category III Type 5-B and 6-B

Tyvek® 500 is white



## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 600**Original Name: Tyvek<sup>®</sup> Plus



#### Coverall



TY198TWHXX0025PI

taped seam attached hood (respirator fit)¹ storm flap elastic wrists elastic ankles CE certified Category III Type 4-B, 5-B and 6-B SM-7X



Tyvek® 600 garments are composed of flashspun high-density polyethylene, which creates a unique, nonwoven material available only from DuPont

Tyvek® 600 Type 4/5/6 coveralls offer the following safety and comfort benefits:

- Chemical protective clothing, Category III Type 4-B, 5-B and 6-B
- Protection against infective agents (EN 14126), including resistance to penetration by blood and body fluids using synthetic blood (ISO 16603)
- Fabric and seams offer chemical permeation barrier to low concentration water-based inorganic chemicals

Tyvek® 600 is white

PI = Packaged individually



## **DuPont<sup>™</sup> Tyvek<sup>®</sup> 800 J**

Original Name: new garment



#### Coverall



TJI98TWHXX0025PI

taped seam attached hood (respirator fit)<sup>1</sup> storm flap elastic wrists elastic ankles CE certified Category III type 3-B, 4-B, 5-B and 6-B SM-3X



Tyvek® 800 garments combine resistance to lowconcentration, water-based, inorganic chemicals (even under pressure) with the durability of Tyvek® thanks to their innovative fabric technology and enhanced garment design

Chemical protective clothing, Category III, Type 3-B, 4-B, 5-B and 6-B

Suitable for applications such as industrial cleaning; chemical packaging and redistribution; waste treatment and disposal; environmental remediation and many others

Tyvek® 800 is white


PI = Packaged individually

<sup>1</sup>Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Bound and sewn seams and closures have less barrier than fabric.

Serged and/or bound seams are degraded by some hazardous liquid chemicals, such as strong acids, and should not be worn when these chemicals are present.

Note: Not all sizes available in all styles.



TJ198T

WARNING: Tyvek® should not be used around heat, flames, parks or in potentially flammable or explosive environments. Garments made of Tyvek® fabrics should have slip-resistant or anti-slip materials on the outer surface of boots, shoe covers, or other garment surfaces in conditions where slipping could occur.

## DuPont<sup>™</sup> Tychem<sup>®</sup> 2000

Original Name: Tychem® QC





#### Coverall

QC120SYLXX001200

serged seams collar front zipper closure SM-7X



#### Coverall

QC125BYLXX001200 Bound seams, MD-6X



QC125TYLXX000400 Taped seams, MD-7X

collar front zipper closure storm flap with tape closure elastic wrists elastic ankles



#### Coverall



QC120BYLXX001200

bound seams collar front zipper closure storm flap with tape closure MD-7X



#### Coverall



QC122SYLXX001200

serged seams attached hood front zipper closure storm flap elastic wrists attached socks<sup>1</sup> MD-7X



Light liquid splash protection

Used extensively in the petroleum; pulp and paper; food and chemical processing; and pharmaceutical industries

Tychem® 2000 is polyethylene-coated Tyvek® fabric Flexible, durable and lightweight

Tychem® 2000 provides at least 30 minutes of protection against >40 chemical challenges

When used with other PPE, can help reduce the risk of cross-contamination in pandemic preparedness

Meets ASTM F1670 and ASTM F1671 tests, offering bloodborne pathogen protection

Tychem® 2000 is yellow for high visibility





QC125SYLXX001200

serged seams collar front zipper closure storm flap elastic wrists elastic ankles MD-7X



#### Coverall



QC122BYLXX001200 Bound seams

QC122BYLXX0012BN

Bound seams

★BERRY AMENDMENT



QC122TYLXX000400 Taped seams

attached hood front zipper closure storm flap with tape closure elastic wrists attached socks<sup>1</sup> MD-6X



Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

¹These Tychem® 2000 garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.

<sup>2</sup> **Respirator fit hoods** are designed with a longer zipper, extending to the chin for complete coverage of the neck area. **Standard hoods** only extend to the neck. See page 7 for photos.

**Storm flaps**: All taped seam coveralls have a storm flap or double storm flap, see product description for details.

Seams and closures have less barrier than fabric.

Note: Not all sizes available in all styles.


#### Coverall



QC127SYLXX001200

serged seams attached hood front zipper closure elastic wrists elastic ankles MD-7X





WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.

## **DuPont<sup>™</sup> Tychem<sup>®</sup> 4000**

**Original Name: Tychem® SL** 



#### Coverall

SL120BWHXX001200 Bound seams, SM-6X SL120TWHXX000400 Taped seams, MD-4X

collar front zipper closure storm flap with tape closure



#### Coverall

SL122BWHXX001200 Bound seams, MD-7X SL122TWHXX000600 Taped seams, MD-6X

attached hood front zipper closure storm flap with tape closure elastic wrists attached socks<sup>1</sup>



#### Coverall

SL125BWHXX001200 Bound seams, SM-6X SL125TWHXX000600 Taped seams, MD-5X

collar front zipper closure storm flap with tape closure elastic wrists elastic ankles



#### Coverall

SL127BWHXX001200 Bound seams

SL127TWHXX000600 Taped seams

attached hood front zipper closure storm flap with tape closure elastic wrists elastic ankles MD-7X





#### Coverall

SL121BWHXX001200 Bound seams, MD-6X SL121TWHXX000400 Taped seams, MD-5X

collar front zipper closure storm flap with tape closure elastic wrists attached socks<sup>1</sup>



#### Coverall

SL128TWHXX000600

taped seams attached hood (respirator fit)<sup>2</sup> front zipper closure storm flap with tape closure elastic wrists attached socks<sup>1</sup> outer boot flaps with elastic SM-5X



Effective protection against a range of chemicals

Uses include waste management, hazardous response and nuclear environments

Tychem® 4000 is Saranex™ 23-P film laminated to Tyvek® fabric

Rugged and durable

Tychem® 4000 is white for high visibility Tychem® 4000 provides at least 30 minutes of protection against 120 chemical challenges

When used with other PPE, can help reduce the risk of cross-contamination in pandemic preparedness

Meets ASTM F1670 and ASTM F1671 tests, offering bloodborne pathogen protection

#### Coverall


SL122BWHXX0012BN Bound seams

**★**BERRY AMENDMENT COMPLIANT

SL122TWHXX0006BN Taped seams

**★**BERRY AMENDMENT COMPLIANT

attached hood front zipper closure storm flap with tape closure elastic wrists attached socks<sup>1</sup> MD-7X



WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.

#### Only BN option codes are Berry Amendment compliant.

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

- ¹ These Tychem® 4000 FR garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.
- <sup>2</sup> **Respirator fit hoods** are designed with a longer zipper, extending to the chin for complete coverage of the neck area. **Standard hoods** only extend to the neck. See page 7 for photos.

Seams and closures have less barrier than fabric.

Note: Not all sizes available in all styles.

## **DuPont<sup>™</sup> Tychem<sup>®</sup> 5000** Original Name: Tychem® CPF 3





Coverall

C3122TTNXX0006BN SM-5X

**★BERRY AMENDMENT** COMPLIANT

C3122TTNXX000600 SM-7X

taped seams attached hood front zipper closure storm flap with tape closure elastic wrists attached socks1



#### Coverall

C3127TTNXX000600

taped seams attached hood front zipper closure storm flap with tape closure elastic wrists elastic ankles SM-7X



#### Combo Suit (Jacket and Bib Overall)




C3750TTNXX000600

#### **JACKET**

taped seams mandarin collar iam fit cuff front zipper closure double storm flaps

#### **BIB OVERALL**

taped seams adjustable webbing straps with closure SM-4X



#### **Encapsulated Level B**



C3525TTNXX000600

front entry taped seams standard faceshield (20 mil PVC) zipper closure double storm flaps with hook-and-loop closure one exhaust vent flat back elastic wrists elastic ankles air access left side SM-4X



### Strong and durable garments with broad chemical

Tychem® 5000 is a multi-layer barrier film laminated to a durable polypropylene fabric

Tychem® 5000 provides at least 30 minutes of protection against >145 chemical challenges

Uses include chemical and petrochemical handling, hazardous materials/waste cleanup, industrial HazMat teams, utilities and domestic preparedness

Tychem® 5000 is tan for discretionary purposes

Tychem® 5000 198T/199T are certified to NFPA 1992

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

<sup>1</sup> These Tychem® 5000 garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.

<sup>2</sup> Respirator fit hoods are designed with a longer zipper. extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Storm flaps: All taped seam coveralls have a storm flap or double storm flap, see product description for details

Seams and closures have less barrier than fabric.

Note: Not all sizes available in all styles.

#### **Encapsulated Level B**




C3526TTNXX000600

rear entry taped seams standard faceshield (20 mil PVC) zipper closure double storm flaps with hook-and-loop closure one exhaust vent flat back (airline access) elastic wrists attached socks1 outer boot flaps SM-4X





WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.




## **DuPont<sup>™</sup> Tychem<sup>®</sup> 6000 FR**

## Original Name: Tychem® ThermoPro



#### Coverall -Certified to NFPA 1992 and NFPA 2112 and Meets NFPA 70E Category 2





**★**BERRY AMENDMENT COMPLIANT



TP198TORXX0002BN **★**BERRY AMENDMENT COMPLIANT

taped seams attached hood with drawstring (respirator fit)2 front zipper closure double storm flaps with hook-and-loop closure elastic wrists hemmed ankles SM-5X







**★**BERRY AMENDMENT COMPLIANT



TP199TORXX0002BN **★BERRY AMENDMENT** COMPLIANT

taped seams attached hood with drawstring (respirator fit)2 front zipper closure double storm flaps with hook-and-loop closure elastic wrists attached socks1 outer boot flaps SM-5X





Provides triple hazard protection from chemicals, flash fire and electric arc, combining the trusted chemical protection of DuPont™ Tychem® with the flame and arc flash protection of DuPont™ Nomex® into a single

> Tychem® 6000 FR 198T/199T meet the requirements of NFPA 1992 Standard on Liquid-Splash Protective Ensembles and Clothing for Hazardous Materials Emergencies and NFPA 2112, Standard on Flame-Resistant Garments for Protection of Industrial Personnel Against

Tychem® 6000 FR 198T/199T exceed the Hazard Risk Category 2 requirement of 8 cal/cm2 outlined in NFPA 70E, Standard for Electrical Safety in the Workplace

Constructed for heavy use, yet lightweight and easy to

Tychem® 6000 FR provides at least 30 minutes of protection against >180 chemical challenges

Tychem® 6000 FR has an arc rating of 15 cal/cm2 Ebt

Tychem® 6000 FR is available in orange for high visibility and gray for discretionary purposes

#### Only BN option codes are Berry Amendment compliant.

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

<sup>1</sup> These Tychem® 6000 FR garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.

<sup>2</sup> Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Seams and closures have less barrier than fabric

Note: Not all sizes available in all styles.

WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.

#### **Backless Coverall**



TP800TORXX000200

open back coverall buckle closure around waist snap closure around neck LG-5X



#### **Sleeved Apron**



TP275TGYXX000200



TP275TORXX000200

taped seams two buckle closure system 45" long SM-4X





#### Combo Suit (Jacket and Bib Overall)



TP750TGYXX000200



TP750TORXX000200

#### JACKET

taped seams mandarin collar elastic wrists front zipper closure double storm flaps w/ hook and loop closure and elastic at waist (jacket)



taped seams adjustable webbing straps with buckle closure SM-4X



#### Apron




TP284TGYXX000400



TP284TORXX000400

taped seams sleeveless apron buckle closure system waist strap SM-4X







## **DuPont<sup>™</sup> Tychem<sup>®</sup> 9000**

## Original Name: Tychem® BR





Broad protection for hazardous material handlers Uses include chemical handling and etrochemical manufacturing

Multi-layer composite barrier laminated to a strong, nonwoven substrate

Tear-, puncture- and abrasion-resistant for lasting, consistent protection

Tychem® 9000 provides at least 30 minutes of protection against .... 280 chemical challenges

Tychem® 9000 is yellow for high visibility

#### Only BN option codes are Berry Amendment compliant.

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

- $^{\mbox{\tiny 1}}$  These Tychem® 9000 garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot covering.
- <sup>2</sup> Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. See page 7 for photos.

Storm flaps: All taped seam coveralls have a single storm flap

Seams and closures have less barrier than fabric.

Note: Not all sizes available in all styles.

WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem \$ 6000 FR and Tychem \$ 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.

#### **Encapsulated Level A**



BR557TYLXX00017R

rear entry taped seams EX (extra wide) three-layer faceshield (PVC 40 mil / Teflon™ 5 mil / PVC 20 mil) gas-tight PVC zipper closure double storm flaps with hook-and-loop closure two exhaust valves flat back internal adjustment belt attached internal multi-laver laminate gloves attached butyl gloves attached socks1 outer boot flaps with elastic XL-4X



#### Coverall



BR127TYLXX000200 SM-6X



BR127TYLXX0002BN SM-5X

**★BERRY AMENDMENT** COMPLIANT

taped seams attached hood (respirator fit)2 front zipper closure double storm flaps with tape closure elastic wrists elastic ankles




#### Hood



BR651TYLXX000200

taped seams standard faceshield (20 mil PVC) pullover hook-and-loop waist closure one size fits most



#### **Encapsulated Level A**



BR528TLXX000100

rear entry taped seams standard faceshield (20 mil PVC) zipper closure double storm flaps with hook-and-loop closure two exhaust vents expanded back elastic wrists attached socks1 outer boot flaps with elastic MD-4X



#### Coverall



BR125TYLXX000200

taped seams collar front zipper closure double storm flaps with tape closure elastic wrists elastic ankles SM-5X



#### Coverall



BR128TYLXX000200




BR128TYLXX0002BN SM-5X



taped seams attached hood (respirator fit)2 front zipper closure double storm flaps with tape closure elastic wrists attached socks1 outer boot flaps with elastic





#### Combo Suit (Jacket and Bib Overall)



BR753TYLXX00060

## JACKET

taped seams mandarin collar jam cuff front zipper closure double storm flaps

#### **BIB OVERALL**

taped seams adjustable webbing straps with closure packaged individually



SM-4X

## **DuPont<sup>™</sup> Tychem<sup>®</sup> 10000** Original Name: Tychem® TK



Premium protection against toxic and corrosive gaseous, liquid and solid chemicals

Leading garment chosen by HazMat responders worldwide

Extremely durable, puncture- and tear-resistant fabric

Wide range of garment styles, including totally encapsulated, vapor protective Level A and liquid-splash protective Level B suits

Tychem® 10000 provides at least 30 minutes of protection against ...}320 chemical challenges

Tychem® TK612T/613T certified to NFPA 1994 Class 2

Tychem® 10000 is high-visibility lime yellow

All Tychem® 10000 encapsulated suits are NAFTA/TAA compliant

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

1 These Tychem® 10000 garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot

WARNING: Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments.

#### **Encapsulated Level A**

TK554TLYXX000100 MD-4X



TK554TLYXX00015C MD-4X



TK554TLYXX00017S call for sizing

front entry

double taped seams EX (extra wide) three-layer faceshield (PVC 40 mil/Teflon™

5 mil/PVC 20 mil) gas-tight PVC zipper closure

double storm flaps with hook-and-loop closure

two exhaust valves

expanded back


internal adjustment belt

attached internal multi-layer laminate gloves attached outer butyl or Viton™ gloves

knee wear pads attached socks1

outer boot flaps with elastic

**★NAFTA/TAA** compliant







## **DuPont<sup>™</sup> Tychem<sup>®</sup> 10000 FR** Original Name: Tychem® Reflector®

"Single skin" garment offers broad chemical holdout Ideally suited for industrial and HazMat situations

Chemical protection in one garment that is easy to don and doff

Tychem® 10000 FR provides at least 30 minutes of protection against >290 chemical challenges

Certified to NFPA 1991, with flash fire escape and liquefied gas options

Tychem® 10000 FR is high-visibility silver

All Tychem® 10000 FR suits are NAFTA/TAA compliant

Please note that Tychem® fabrics have different permeation performance. Please check SafeSPEC™ on our website for permeation data that meets your specific needs.

Stock/Make to Order designations are based on sales volume and production efficiencies. Therefore, designations are subject to change without notice.

1 These Tychem® garments have attached socks made of the garment material. These attached socks must be worn inside protective outer footwear and are not suitable as outer footwear. These attached socks do not have adequate durability or slip resistance to be worn as the outer foot

Seams and closures have less barrier than fabric.

#### **Fully Encapsulated Level A** Tychem® 10000 FR - Certified to NFPA 1991



RF600TSVXX000100



RF600TSVXX00017M



RF600TSVXX00017N

front entry triple taped seams three-layer faceshield (PVC 40 mil/Teflon™ 5 mil/PVC 20 mil) gas-tight zipper closure double storm flaps with

hook-and-loop closure two Pirelli® exhaust valves expanded back

glove liners

multi-layer attached gloves (multi-layer laminate/neoprene/

Kevlar® knit) attached socks1 outer boot flaps

SM-4X


**★NAFTA/TAA** compliant

WARNING: 1) Suits do not provide thermal skin protection for direct contact with hot solids or liquids. They do not provide protection from continuous radiant heat sources such as furnaces or smelters. Tychem® should not be used around heat, flames, sparks or in potentially flammable or explosive environments. Only Tychem® 6000 FR and Tychem® 10000 FR garments are designed and tested to help reduce injury during escape from a flash fire. Users of Tychem® 6000 FR and Tychem® 10000 FR garments should not knowingly enter an explosive environment. Consult the Tychem® user manual, located on our website, for instructions on proper use, care and maintenance of your Tychem® garments















Workrite® Uniform Company stands alone in having spent the last 40-plus years working of trusted experience in flameresistant (FR) clothing, backed by strong partnerships with top fabric manufacturers. We have a dedicated North American sales force and experienced customer service team to meet all your FR needs. Williamson-Dickie Manufacturing Company is the number-one global workwear brand, and as an affiliate, Workrite® Uniform remains a leader in FR workwear worldwide. Today, Workrite® Uniform offers three top-quality FR brands—Workrite® FR, Dickies FR and Walls FR.

### **Workrite®FR**

Specify garment size

#### **APPAREL SIZES**

Workrite Uniform takes great pride not only in the superb quality of our garments, but in the wide range of sizes we offer. Please refer to the following information to help you select the correct sizes. Sizes outside of the stock size range as well as custom garments are available, subject to surcharges. If you have any questions, please visit workritefr.com.

#### CHEST:

Measurement should be taken around the fullest part of the chest with arms down, just under the arms and across the shoulder blades.

#### **SLEEVE:**

With elbow bent, measure from center of neck (back side) to elbow and over to wrist

#### WAIST:

Measure around waist (not pulling tightly) at the height you prefer to wear the waistband.

Take a pair of pants that fit you well and measure from the crotch to the bottom of the leg.

#### **WORKRITE UNIFORM STYLE NUMBERS**

It's easy to determine a Workrite Uniform style number for ordering or information purposes. Each style number consists of a garment style code, fabric type, fabric weight and color.

For example, the style number for a Navy 4.5-ounce Industrial Coverall made of Nomex® IIIA is...

#### WEIGHT CODE

GARMENT COLOR STYLE CODE - 110-NX-45-NB -

#### FABRIC CODE

	Color Codes					
BK	Black	KH	Khaki	RB	Royal Blue	
BR	Brown	LB	Light Blue	RD	Red	
CB	Cool Blue	MB	Medium Blue	SD	Soft Denim	
CG	Charcoal Gray	MG	Medium Gray	SG	Silver Gray	
DN	Denim	MN	Midnight Navy	SP	Spruce	
FY	Hi-Vis Yellow	NA	Natural	VG	Visual Green	
GR	Gray	NB	Navy Blue	YL	Yellow	
HG	Heather Gray	OR	Orange			

Fabric Codes						
GlenGuard®	GG					
Indigo™ Denim	ID					
UltraSoft®	UT					
UltraSoft AC®	UC					
Nomex® IIIA	NX					
Nomex®/Kevlar®	KB					
Nomex® MHP	MH					
Protera®	PO					
Tecasafe® Plus Knit	TK					
TechT4 <sup>™</sup>	T4					

Fabric Code	s
GlenGuard®	GG
Indigo™ Denim	ID
UltraSoft®	UT
UltraSoft AC®	UC
Nomex® IIIA	NX
Nomex®/Kevlar®	KB
Nomex® MHP	МН
Protera®	PO
Tecasafe® Plus Knit	TK

#### **COVERALLS**

Important! Order coveralls based on your chest size and height. For a roomy fit, please order coveralls two sizes (4 inches) larger than your chest measurement.

## **Stock Chest Sizes**

Even sizes from 38 to 58 or Small to 3XL

Your Height	Garment Length
5'5" to 5'7"	SHORT
5'8" to 5'11"	REGULAR
6'0" to 6'3"	LONG

#### Specify chest size and garment length

#### **SHIRTS**

Important! Order shirts based on your chest size and sleeve length. For a roomy fit, please order shirts one size (2 inches) larger than your chest measurement.

Stock		Sle	eeve Lengths	
Ches	t Sizes	Short	Regular	Long
	36	30	32	34
S	38	30.5	32.5	34.5
	40	31	33	35
М	42	31.5	33.5	35.5
	44	32	34	36
L	46	33	35	37
	48	33.5	35.5	37.5
XL	50	34	36	38
	52	35	37	39
2XL	54	36	38	40
	56	37	39	41
3XL	58	38	40	42

#### **OUTERWEAR AND BIB OVERALLS**

Important! Order the garment size that corresponds with your measured chest size.

Stock Chest Sizes	Garment Sizes
34 to 36	SMALL
38 to 40	MEDIUM
42 to 44	LARGE
46 to 48	X-LARGE
50 to 52	XX-LARGE

#### PANTS

Weight (oz/ yd²) 4.5

5.3

5.5

6

6.1

6.4

6.5

6.7

7

7.5

8

8.5

9

9.5

11

12

14

45

53

55

60

61

64

65

67

70

75

80

85

90

95

11

12

14

**Important!** Order pants based on your waist measurement.

Stock Waist Sizes	Inseam
28 29 30 31 32 33 34	Up to 34"
35 36 38 40 42 44 46 48 50	Up to 36"

Specify waist size and inseam length

Size Codes			
А		S, M, L, XL, 2XL*	
В	Regular	S, M, L, XL, 2XL*, 3XL*	
С		L, XL, 2XL*	
D	Regular	38-50, 52*-54*	
	Long	38-50, 52*-54*	
	Short	38-50, 52*-58*	
E	Regular	38-50, 52*-58*	
	Long	38-50, 52*-58*	
F	Waist	S, M, L, XL, 2XL*, 3XL*	
	Inseam	30", 32", 34", 36"	
н	Regular	38-50, 52*-56*	
	Long	38-50, 52*-56*	
J	Regular	38-50, 52*-58*	
J	Long	38-50, 52*-58*	
К	Regular	S, M, L, XL, 2XL*	
K	Long	S, M, L, XL, 2XL*	
L	Regular	S, M, L, XL, 2XL*, 3XL*	
	Long	S, M, L, XL, 2XL*, 3XL*	
M	Regular	S, M, L, XL, 2XL*, 3XL*	
IVI	Long	S, M, L, XL, 2XL*	
N	Average	S, M, L, XL, 2XL*	
IN	Tall	S, M, L, XL, 2XL*	
	Waist 28-34	Inseam to 34"	
P	Waist 35-42	Inseam to 36"	
·	Waist 44*-50* *No odd waist sizes after 35"	Inseam to 36"	
Q	Waist	S, M, L, XL, 2XL*	
Q	Inseam	to 36"	
R	Sizes 4-20	Inseam to 34"	
n	Sizes 22"-24"	Inseam to 34"	
S		One size fits all	
т	Regular	38-50, 52*-58*	
'	Long	40-50, 52*-58*	
U	Regular	40-50, 52*-58*	
U	Long	40-50, 52*-58*	
V	Regular	40-50, 52*-58*	
V	Long	40-50, 52*-58*	

<sup>\*</sup>Size subject to surcharge

### Workrite<sup>®</sup> FR

#### Flame-resistant (FR) workwear — protection that fits

Workrite® Uniform Company are an expert FR supplier. Standing alone for over 40-plus years working solely in FR to ensure their products hold up to the highest standards.





#### INDUSTRIAL COVERALL

- Action back for ease of movement
- Pass-through access to inner clothing
- Two-way solid brass breakaway zipper
- Adjustable snap wrist closures
- Roomy leg cut to fit over boots
- Double-stitched outer and seat seams for enhanced durability
- Elastic waistband for a superior fit

2112 UL certified to NFPA 2112

• Pockets include two extra-deep front inset pockets, two rear patch pockets (one with a snap closure), two large double-stitched chest pockets (one with a snap flap closure) and a reinforced tool pocket (right leg)

10NX-45 omex® IIIA / 4.5 oz olors: Navy, Royal ize Code: E	2112	₹ 1 ₹ 4.4  DuPont"  Nomex.	112NX-45 Nomex® IIIA / 4.5 oz Colors: Khaki, Orange, Red Size Code: L	•	2112	DuPor No	
110NX-60 Nomex® IIIA / 6 oz Colors: Navy, Royal, Spruce Size Code: E	11 2112	DuPont <sup>™</sup> Nomex.	112NX-60 Nomex® IIIA / 6 oz Colors: Khaki, Orange, Red Size Code: L	•	2112	S I DuPor No	

Suitable for industrial laundering

#### **UTILITY SHIRT**

- Two-piece, banded, button-down collar
- Button front fully finished placket
- Double needle stitched yolk
- Fully finished cuffs with adjustable button closures
- Generously cut with dropped shoulders for a more comfortable fit
- Autoclaved with Workrite Uniform's PerfectPress® process for permanent creases (Nomex only)
- Two large chest pockets with flaps and button closures



288UC-70

Size Code: K

UltraSoft® AC / 7 oz

Colors: Khaki, Medium Blue, Navy

1 2 5 2 ₹ 8.3 Westex UltraSoft AC

Westex

UltraSoft®

290NX-45

Nomex® IIIA / 4.5 oz Colors: Khaki, Light Blue, Navy, Red, Royal Size Code: D\*

\*Sizes vary by color. Please call for details.

290NX-60

Nomex® IIIA / 6 oz Colors: Khaki, Navy Size Code: D

11 2112 5 1 6 6.0

11 2112 5 1 \$ 4.4

DuPont" Nomex.

Nomex.

#### STONEWASH JEAN

- Relaxed fit
- Double-felled inner and seat seams
- Stone washed for stylish look and comfort
- Enhanced back pocket embroidery design
- Fully finished waistband
- Pockets include two front pockets, enhanced coin and back pockets
- Pending NFPA 2112 UL certification

448ID-12 Indigo™ Denim / 12.5 oz Colors: Denim Size Code: P



134

### Workrite® FR

Proud supporter of

National Breast Cancer Foundation, Inc.®

#### Women's flame-resistant (FR) workwear — protection that fits

New features keep women's trends in mind, offering a more comfortable and tailored fit for women in industrial professions. Our classic Workrite FR industrial garments now include shirts with vertical darts in the front and contoured seams in the back. Pants feature a lower rise and a more tailored fit through the waist, seat and thighs.



#### STRETCH JEAN

- New, lower-rise, contoured waistband
- Stretch fabric for comfort
- Prewashed
- Pending UL certification to NFPA 2112
- Double-felled stitching on inner and seat seams for durability
- Solid brass nail button and zipper closure
- Bartacks at stress points for durability
- Pockets include two front inset pockets, a coin pocket and two enhanced back pockets with embroidery design

#### 449ID-12DN

Westex® Indigo/12.5 oz Color: Denim Size Code: R



#### **UTILITY SHIRT**

- New tapered fit with vertical and horizontal darts
- Autoclaved with Workrite Uniform's PerfectPress® Process for permanent creases (Nomex only)
- Two-piece banded button down collar
- Double needle stitched yolk
- Button front fully finished placket
- Two double-stitched chest pockets with flaps and button closures
- Fully finished cuffs with adjustable button closures

#### 291NX-45

Nomex® IIIA / 4.5 oz Colors: Khaki, Navy Size Code: A



Size Code: A

Ultrasoft® / 7 oz Colors: Khaki, Medium Blue, Navy Westex UltraSoft<sup>®</sup>



11 2112 5 1 \$ 4.4









291UC-70

Size Code: A

Ultrasoft AC® / 7 oz

- Pleated elastic waist band for a superior fit
- Action back for ease of movement
- Pass-through access to inner clothing
- Solid brass breakaway zipper
- Adjustable snap wrist closures
- Pockets include two front inset pockets, two rear patch pockets, two double-stitched chest pockets (one with a snap front closure) and a tool pocket (right leg)

#### 111NX-45



119UT-70 Ultrasoft® / 7 oz. Colors: Navy Size Code: N



Nomex® IIIA / 4.5 oz.

111NX-60

Colors: Navy, Royal Size Code: N







Nomex® IIIA / 6 oz. Colors: Navy, Royal Size Code: N





## SIZE INFORMATION

#### APPAREL SIZES

Workrite Uniform Company takes great pride not only in the superb quality of our garments, but also in the wide range of sizes.

Please refer to the following information to help you select the correct sizes.

Sizes outside of the stock size range and custom garments are available, subject to surcharges. If you have any questions, please visit dickiesfr.com.

#### SIZE CODES

A	Short Regular Long	M, L, XL S, M, L, XL, 2XL*, 3XL*, 4XL*, 5XL* M, L, XL, 2XL*, 3XL*, 4XL*
В	Regular Long	S, M, L, XL, 2XL*, 3XL* S, M, L, XL, 2XL*, 3XL*
С	Waist	30-34 (even only), inseam to 34" 36-42 (even only), inseam to 36" 44*-46* (even only), inseam to 36"
D	Waist	28-34, inseam up to 34" 35-42, inseam up to 36" 44*-50* (even only), inseam to 36" No odd waist sizes after 35"
E	Waist	30-34 (even only), inseam up to 34" 36-42 (even only), inseam up to 36" 44*, inseam to 36"
— F	S, M, L, XI	_, 2XL*, 3XL*

<sup>\*</sup> Size subject to surcharge

## CHEST: -Measurement should be taken around the fullest part of the chest with arms down, just under the arms and across the shoulder blades. SLEEVE: With elbow bent, measure from center of neck (back side) to elbow and over to the wrist. WAIST: -Measure around the waist (not pulling tightly) at the height you prefer to wear the waistband. INSEAM: -Take a pair of pants that fit you well and measure from the crotch to the bottom of the leg.

## DICKIES FR STYLE NUMBERS


It's easy to determine a Dickies<sup>®</sup> FR style number for ordering or information purposes. Each style number consists of a garment style code, fabric type, fabric weight and color. For example, the style number for a Navy 6.5-ounce Knit T-shirt made of UltraSoft<sup>®</sup> knit is...



### **Dickies FR**

#### PROTECTION, COMFORT, DURABILITY, VALUE.

Protection and peace of mind — you should expect nothing less from the number-one brand in workwear. Dickies FR has had an unwavering commitment to and proud heritage of providing innovative, tough, quality clothing.







#### **HI-VIS VEST**

- Meets ANSI/ISEA 107-2015 Class 2, Type R requirements
- · Industrial laundry friendly
- 2-inch segmented 3M™ Scotchlite™ Reflective Material on suspender front, back and around the waist
- Snap front closure with YKK high-temperature snaps

349UT70 Fabric: 7 oz UltraSoft® Color: Hi-Vis Yellow Size Code: F











2112 UL certified to NFPA 2112

#### Suitable for industrial laundering

#### CONTEMPORARY FIVE-POCKET JEAN

- · Relaxed fit
- Two front inset pockets with coin pocket on right side
- Two back tapered pockets with design
- Extra-durable double-stitched inner and back seams
- · Bartacks at stress points for added strength

#### WRD910

Fabric: 14.75 oz Denim 100% FR cotton

Color: Stonewashed Denim

Sizes: 28-34, Inseam up to 34" 35-42, Inseam up to 36"

44\*-46\* (even only), Inseam to 36" No odd waist sizes after 35" \*Size subject to surcharge



2112 UL certified to NFPA 2112



Suitable for industrial laundering





#### BASE LAYER LONG SLEEVE T-SHIRT

- · Slim fitting
- Long sleeve with hemmed cuff
- Ribbed collar
- Side inset for athletic look

#### 241T450

Fabric: 5.0 oz Tencate TechT4™

Color: Khaki


Sizes: S, M, L, XL, 2XL\* \*Size subject to surcharge



### **APPAREL SIZES**

Workrite Uniform takes great pride not only in the superb quality of our garments, but also in the wide range of sizes. Please refer to the following information to help you select the correct sizes.

Sizes outside of the stock size range as well as custom garments are available, subject to surcharges.



#### SIZE CODES

Α	Regular Tall	S, M, L, XL, 2X, 3X*, 4X*, 5X* S, M, L, XL, 2X, 3X*, 4X*, 5X*				
В	Regular Tall	34–52, 54*–66* 38–52, 54*–66*				
С	Regular Tall	S, M, L, XL, 2X, 3X*, 4X*, 5X* M, L, XL, 2X, 3X*, 4X*, 5X*				
D	Regular Tall	S, M, L, XL, 2X, 3X*, 4X*, 5X* L, XL, 2X, 3X*, 4X*				
Е	Regular	S, M, L, XL, 2X, 3X*, 4X*, 5X*				
F	Unhemmed	30-44, 46*-60*				
	Hemmed Waist 30–44 Waist 46*–50* Waist 52*–60*	Inseam 30", 32", 34", 36" Inseam 30", 32", 34" Inseam 30", 32"				
G	Unhemmed Hemmed	30-44, 46*-54*				
	Waist 30–44 Waist 46*–50* Waist 52*–54*	Inseam 30", 32", 34" Inseam 30", 32", 34" Inseam 30", 32"				
Н	Unhemmed	30-44, 46*-60*				
	Hemmed Waist 32–40 Waist 42–44	Inseam 30", 32", 34" Inseam 30", 32"				
ı	Regular Tall	M, L, XL, 2X, 3X*, 4X*, 5X* M, L, XL, 2X, 3X*, 4X*, 5X*				
J		One size fits all				
K	Regular	S, M, L, XL, 2X, 3X*				
L	Regular	M, L, XL, 2X				

<sup>\*</sup> Size subject to surcharge

## **SIZE CHART**

SIZE CONVERSION	SIZE	S	М	L	XL	2X	3X	4X	5X
	WAIST	30-32	34-36	38-40	42-44	46-48	50-52	54-56	58-60
	CHEST	34-36	38-40	42-44	46-48	50-52	54-56	58-60	62-64
	NECK	14-14.5	15-15.5	16-16.5	17-17.5	18-18.5	19-19.5	20-20.5	21-21.5
INSEAM	SIZE	SHORT	REGULAR	TALL	НЕІСНТ	SIZE	SHORT	REGULAR	TALL
	INSEAM	28″	30″	32″	堇	HEIGHT	5.4″-5.7″	5.8″-6.0″	6.1″-6.5″

#### INNOVATION

Each Walls FR garment is engineered for comfort and durability to act as a seamless extension of the working body in motion. They are proud to know their FR coveralls are often considered to be the "benchmark" for FR garment comparison.



Walls FR



#### **VENTED COVERALL**

- + Banded waist with elastic inserts
- + Vented back with a concealed mesh panel
- + Two-way front zipper with snap-over fly
- + Pockets include a ruler pocket (right leg), side-entry swing pockets and hip pockets (left has a concealed snap closure)

#### 62502

100% cotton FR twill 7 oz Colors: Gray, Khaki, Navy Size Code: A









UL certified to NFPA 2112

#### STONEWASHED FIVE-POCKET JEAN

2112 \( \frac{1}{2} \) \( \frac{1} \) \( \frac{1} \) \( \frac{1}{2} \) \( \frac{1}{2}

- + Relaxed fit with bartacks at stress points for added strength
- + Zip fly
- + Traditional five-pocket jean style, including a coin pocket

#### 55395 (Hemmed) 55U395 (Unhemmed)

100% cotton FR denim 14 oz

Color: Denim Size Code: F

UL certified to NFPA 2112







#### **NEW HOODED ZIP FRONT SWEATSHIRT**

- + Three-piece hood with a drawstring
- + Two-piece sleeves and one-piece back
- + Concealed zip front closure with interior and exterior flaps
- + Ribbed-knit cuffs and waistband
- + Two lower front patch pockets

#### 37073


60% Modacrylic / 38% Cotton / 2% Antistatic 10 oz

Color: Navy Size Code: L





## **DuraShell**<sup>™</sup> **Head Protection**



# **D**URAWEAR<sup>™</sup>

## **Foot Protection**



for more details.

### REPLACEMENT SUSPENSION

RS1406

6-Point Ratchet Suspension

PS1406

6-Point Pinlock Suspension







4-Point Ratchet Suspension



Hard Hat Full Brim Style 6-Point Pinlock Suspension

RS1404

4-Point Ratchet Suspension

PS1404

4-Point Pinlock Suspension



6-Point Pinlock Suspension



6-Point Ratchet Suspension



Bump Cap Style 4-Point Pinlock Suspension





Hard Hat Full Brim Style

6-Point Ratchet Suspension

#### 1404

- Shell constructed from high density polyethylene
- · Low profile design with pillow brow pad and top ribbon pad for comfort
- DuraShell<sup>™</sup> suspension is designed for easier adjustments by the wearer
- · Rain trough on sides and back of helmet channel moisture away
- · Cap style available in 4- and 6-point suspensions
- . Complies with ANSI Z89.1-2014, Type 1, Class C, G, E







4-Point Ratchet 1406R/W 6-Point Ratchet



1404P/Y 4-Point Pinlock 1406P/Y 6-Point Pinlock

1404R/Y 4-Point Ratchet 1406R/Y 6-Point Ratchet



1404R/R

1406R/R

6-Point Ratchet

1404P/R 1404P/B 4 Point Pinlock 4-Point Pinlock 1406P/R

6-Point Pinlock 1404R/B 4-Point Ratchet 1406R/B

1406P/B 6-Point Pinlock 4-Point Ratchet

6-Point Ratchet

Blue

Hi-Viz Green

1404P/HG 4-Point Pinlock



1404R/HG 4-Point Ratchet 1406R/HG

6-Point Ratchet

Hi-Viz Orange

1404P/H0 4-Point Pinlock

1406P/H0 6-Point Pinlock

1404R/H0 4-Point Ratchet

1406R/H0 6-Point Ratchet

## Head Protection | DuraShell™

#### ABS Vented Cap Style



#### 1436R/BK


- Shell constructed from ABS material a strong and light weight material
- · Low profile design with pillow brow pad and top ribbon pad for comfort
- DuraShell<sup>™</sup> suspension is designed for easier adjustments by the wearer
- · Rain trough on sides and back of helmet channel moisture away
- · Vented cap style available in 6-point ratchet suspension
- Complies with ANSI Z89.1-2014, Type 1, Class C





#### · Shell constructed from high density polyethylene

- · Low profile design with pillow brow pad and top ribbon pad for comfort
- DuraShell<sup>™</sup> suspension is designed for easier adjustments by the wearer
- · Rain trough on sides and back of helmet channel moisture away
- Vented cap style available in 6-point ratchet suspension





## Head Protection | DuraShell™



#### Full Brim Style

## 1416

- Shell constructed from high density polyethylene
- Low profile design with pillow brow pad and top ribbon pad for comfort
- DuraShell<sup>™</sup> suspension is designed for easier adjustments by the wearer

Hi-Viz

Orange

1416R/HO

1416P/H0

6-Point Ratchet

6-Point Pinlock

Blue

- Full brim style available in 6-point suspensions with snap lock
- · Available in ratchet and pinlock styles



## Non-ANSI Bump Cap 1400Y

#### **BUMP CAP FEATURES:**

- · Shell constructed from high density polyethylene
- · Light weight working cap where hard hats are not required
- DuraShell™ 4-point glide lock suspension is designed for easier adjustments by the wearer
- Air holes on both sides of cap for ventilation
- DuraShell® bump caps are not designed to meet the safety standards for industrial head protection

#### 1400W 1400R 1400B 4 Point Pinlock 4 Point Pinlock 4 Point Pinlock Hi-Viz Green Gray Orange 1400GN 1400GY 1400HO 4 Point Pinlock 4 Point Pinlock 4 Point Pinlock

White

Red

### Non-ANSI Baseball Bump Cap 1410BK

#### BASEBALL BUMP CAP FEATURES:

- · All-in-one bump cap and baseball cap
- · Inner foam cushion for extended wear
- · Adjustable hook and loop strap for a secure fit
- · Air holes on both sides of cap for ventilation
- DuraShell™ baseball bump caps are not designed to meet the safety standards for industrial head protection



# Head Protection | DuraWear™

# 16" Black PVC Boots



# 1550

- · One piece injection molded
- · Black high molecular PVC compound
- · Bar cleat outsole
- · Over-the-sock style
- Sizes: 5-15
- 1551 Steel safety toe, Sizes: 5-15

MARNING: Cancer - www.P65Warnings.ca.gov

# 16" Black Rubber Boots



# 1500

- · Fabric lined
- · Steel shank
- · Bar-tread outsole
- · Over-the-sock style
- Sizes: 6-15

1501 Steel safety toe, Sizes: 5-15

# 5-Buckle Black Rubber Boots



### 1520

- · Fabric lined
- · Bar-tread outsole
- · Over-the-shoe style
- Sizes: 6-16

# 17" Yellow Rubber Slush Boots



# 1510

- · Top strap and buckle
- · Fabric lined
- · Bar-tread outsole
- · Over-the-shoe style
- Sizes: 6-18

# 32.5" Black Hip Wader



# 1531

- · Steel safety toe · Belt loop strap
- · Fabric lined
- Steel shank
- · Buckle adjustment
- · Reinforced knee & front
- · Cushion insole
- Bar-tread outsole
- · Over-the-sock style
- Sizes: 6-16





Bar-Cleat Outsole

Bar-Tread Outsole



DuraWear<sup>™</sup> boots are available with steel toes, which give the user extra protection from foot injuries.

# Ear Muffs | DuraPlugs™

# **DuraPlugs**

# **Hearing Protection**

Hearing protection is required in work environments that are exposed to noise levels equal or greater than 85 decibels (dB) averaged over an eight hour period. It is critical in choosing the appropriate hearing protection devices based on performance, selection, care and use.

**Single-Use Ear Plugs** are easy-to-use and ranging in different attenuation ratings. These disposable foam ear plugs provide the right fit for every user. Products are available in corded or uncorded styles.

**Multiple-Use Ear Plugs** have a unique three-flange design for a better seal in the ear canal providing protection. The firm stem facilitate as easy insertion and removal and increased comfort for long-term wear. Products are available in corded or uncorded styles.

**Detectable Ear Plugs** have a small piece of metal attached to the ear plugs itself or built into the cord. The purpose is when the product is screened for final inspection the screeners are able to locate it and avoid contamination. Products are available in single-use and multiple-use styles.

**Banded Ear Plugs** consist of two ear plugs held over the ends of the ear canal by a rigid headband. These types of ear plugs create less bulk for easy don and doff.

**Ear Muffs** are made from sound-attenuating materials and padded ear cups for a secure fit without compromising comfort.



# 1437Y

- Foldable lightweight headband design
- Adjustable 3 position ear cups for a snug and comfortable fit

**MARNING:** Cancer & Reproductive Harm - www.P65Warnings.ca.gov



# 1425Y

- Foam filled padded ear cups for a snug and comfortable fit
- Adjustable lightweight nylon padded headband

MARNING: Cancer & Reproductive Harm - www.P65Warnings.ca.gov

# Ear Plugs | DuraPlugs™

# DuraPlugs™ Blue Metal Detectable NRR 32 dB

# 14321

- · Detectable in an industrial metal detection scanner
- Tapered bullet shape foam for easy insertion and removal
- Low pressure, self-adjusting foam which offers long wearing comfort and quick recovery time
- Compliance with food industry regulations
- 100 pairs individually packaged per box

**14322** Detectable cord and earplugs, 100 pairs individually packaged per box



# 14421

- Flexible band with conical self-adjusting foam shape fits all size ear canals
- Round ear caps are comfortable for long time wearing comfort
- Each pair individually wrapped, 1 set of replacement buds are included
- 40 pairs individually packed per box

**REP 21** Orange, replacement pods, 20 pairs per polybag, 20 polybags per box

# DuraPlugs™ Hi-Viz Orange Reusable





# 14270

- Unique reusable 3-layer flange fits all size ear canals
- Firm stem for easy insertion and removal
- Uncorded, 100 pairs individually packaged per box

**14271** Corded, 100 pairs individually packaged per box

# DuraPlugs™ Hi-Viz Orange Foam





### 14310

- Tapered bullet shape foam for easy insertion and removal
- Low pressure, self-adjusting foam offers long wearing comfort and quick recovery time
- Uncorded, 200 pairs individually packaged per box

**14311** Corded, 100 pairs individually packaged per box



# **Eyewear Protection**

# iNOX™ Testing and Technology

# Safety Standards \_

# optical Tests

- Optical quality free of bubbles, waves, and visible defects.
- Luminous transmission clear lenses keep a minimum transmission of 85%.
- Physical requirements free from sharp edges, defects that is likely to cause discomfort or injury.
- Minimum coverage area appropriate areas of the user's eyes and face are protected efficiently.

# **High Impact Tests**

The "drop ball" test determines the basic impact safety classification for lenses. A one-inch diameter steel ball is dropped onto the lens from a height of 50 inches.

High impact testing, a high velocity test is performed by shooting a quarter-inch diameter steel ball at the lens at a speed of 150 feet per second for spectacles and 250 feet per second for goggles.

All iNOX™ safety glasses comply with the highest industry safety standards and carries "Z87" or "Z87+" marking on the lens(es) and frame.

# Construction Features .

### **TPR Technology**

iNOX<sup>™</sup> utilizes special TPR (thermo plastic rubber) to prevent slippage from moisture and perspiration. This technology is used in the temple tips and nose pieces to keep glasses on the wearer's face.


### Frame Technology

- Frames consist of flexible and durable nylon materials
- Wrap around frames prevent side shield distortion
- · Straight temples rest comfortably on head without pinching

### Lens Technology

- All iNOX<sup>™</sup> lenses filter
   99.9% of UVA/UVB rays
- Polycarbonate lenses comply with:
- 1. ANSI Z87.1-2015
- 2. Polarized lenses
- 3. Military MIL-PRF-31013 clause 3.5.1.1


· Anti-fog & scratch resistant lenses



# iNOX™ Eyewear Solutions

### Wide Fit

Wider frames offered for different head sizes



# Anti-Fog Options

Anti-fog coating on polycarbonate lenses




# Magnifiers

Available in magnification 1.0, 1.5, 2.0, 2.5, and 3.0



# Polarized Lenses

Polarization for improved glare reduction outdoors



### Foam Gaskets

Provides a comfortable seal to keep out particles



# Interchangeable Lenses

Lenses can be changed for different conditions



# Adjustable Temples

Ratchet inclination temples for a custom fit



# Infrared (IR) Lenses

Green filters protect from UV rays and flash burns



# **UV Filter | Lens Color Guide**

### Ultraviolet Filtration

All iNOX™ eyewear lenses provide 99.9% protection from UVA/UVB rays.



A. UVA (320-400nm) - UVA rays remain at a relatively stable intensity all year round. Exposure to high levels of this light without the proper sunglasses protection may cause damage to your central vision.

B. UVB (290-320nm) - UVB are considered the sun's burning rays, mostly associated with sunburns. Exposure to high levels of this light without the proper sunglasses protection may cause permanent damage to the cornea and lens.

### Lens Color Guide

Understanding the functionality of task-specific lenses and determines what color or tint may be best for your application and environment.



### Clear

Provides excellent optics for general indoor applications where impact protection is required.



### Blue, Red, Orange, Brown, Gold and Silver Mirror

Use outdoors where sunlight and glare cause eyestrain and fatigue. Mirror coating reflects light, reducing the amount of light that passes through the lens.



### Grav

For outdoor applications where light and glare can cause eyestrain and fatigue.



# Brown, Mocha, Bronze and Orange

For outdoor applications where sunlight and glare cause eyestrain and fatique.



### Indoor/Outdoor

A clear lens with a slight mirror coating serves the same purpose as the gray lens, yet allows more visible light through the lens for indoor /outdoor use. Reduces glare from artificial light.



### Amber

Blocks the blue portion of the visible light spectrum, creating maximum contrast enhancement, particularly in low light.



# Infrared

Green filters protect from UV rays & flash burns.



### Light Blue

Reduce glare and the yellow tint often given off by industrial/sodium vapor lighting

# **General Markings**

The ANSI/ISEA Z87.1-2015 standard proscribes certain markings for eye and face protection devices. In addition to markings that are required for all protectors, additional optional markings may be present to indicate a specific lens type or application as claimed by the manufacturer.

# Required markings

A manufacturers mark or logo

The standard designation (Z87 or Z87-2 for prescription eyewear)

H = product has been tested on a smaller headform

NOTE: The location of the standard designation varies depending on the product configuration.

# Optional markings

+ = protector is impact-rated

W (followed by a shade number) = suitable for certain welding applications

U (followed by a scale number) = ultraviolet light protector

L (followed by a scale number) = visible light (glare) protector

V (followed by a scale number) = infrared radiations protector

S = protector is a special purpose protection

V = lens is a variable tint lens

D3 = splash protector

D4 = dust protector

D5 = fine dust protector



Customized printing is available. Contact your customer service representative for more details.



# Camotek™



# 1718T/AF (Anti-Fog)

Lens: Indoor/Outdoor | Frame: Camo

- Camouflage frame
   Scratch resistant polycarbonate lenses
- Durable co-injection rubber temples with non slip nosepiece
- · Includes a mushroom neck cord

1718G/AF

(Anti-fog)



1718BR/AF (Anti-fog) Lens: Brown Frame: Camo



1718A/AF

(Anti-fog)

Lens: Amber

Frame: Camo

1718BM/AF (Anti-fog)

Frame: Camo

Lens: Blue Mirror

1718LB/AF



(Anti-fog) Lens: Light Blue



Frame: Camo

1718C/AF (Anti-fog) Lens: Clear Frame: Camo



Lens: Gray Frame: Camo 1718SM/AF

(Anti-fog) Lens: Silver Mirror Frame: Camo

**MARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# Shadowtek™

# **BK1718C/AF**

(Anti-Fog)

Lens: Clear | Frame: Black

- Durable co-injection rubber temples
- Non slip nosepiece
- · Includes a mushroom neck cord
- Scratch resistant polycarbonate lenses







MARNING: Reproductive Harm - www.P65Warnings.ca.gov



# SL1720BM/AF (Anti-Fog)

Lens: Blue Mirror I Frame: Silver

- Wide temple frame with straight back temples
- Durable co-injection rubber temples with non slip nosepiece
- Scratch resistant polycarbonate lenses



WT1720RM/AF (Anti-fog)

Lens: Red Frame: White



1720G/AF (Anti-fog) Lens: Gray



GD1720BR/AF (Anti-fog) Lens: Brown Frame: Gold

1720T/AF (Anti-fog)

Lens: Indoor/Outdoor

Frame: Black





(Anti-fog) Lens: Brown Mirror Frame: Brown

Enforcer™



# 1724C

Lens: Clear I Frame: Black

- Wide temple frame Straight back temples
- Non slip nosepiece Durable co-injection rubber temples
- Scratch resistant polycarbonate lenses



# 1724A

Lens: Amber Frame: Black



# 1724SM

Lens: Silver Mirror Frame: Black



# 1724G

Lens: Gray Frame: Black



1724BM

Lens: Blue Mirror Frame: Black



# 1724T

Lens: Indoor/Outdoor Frame: Black

**MARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# Aura ™




# 1764RG | POLARIZED

Lens: Gray | Frame: Red/Black

- Sport wrap around frame Scratch resistant polycarbonate lenses
- Polarized lenses contain a special filter that blocks intense reflected light, reducing glare and eye fatigue
- Co-injection rubber temples with non slip nosepiece

MARNING: Reproductive Harm - www.P65Warnings.ca.gov



### **Polarized Lenses**

Polarization for improved glare reduction outdoors







# 1715A

# Lens: Amber I Frame: Amber

- Single piece wrap around polycarbonate temple and lenses
- Integrated nosepiece
- Scratch resistant lenses



1715BM Lens: Blue Mirror Frame: Gray



1715C | 1715C/AF (Anti-fog) 1715N/C (Narrow Frame) Lens: Clear

Frame: Clear



ens: Mocha Frame: Mocha



1715G | 1715G/AF (Anti-fog) 1715N/G (Narrow Frame) Lens: Gray Frame: Gray



1715BM/C Lens: Blue Mirror Frame: Clear



1715SM Lens: Silver Mirror Frame: Gray



1715T Lens: Indoor/Outdoor Frame: Clear



F1715C/AF (Anti-fog) Lens: Clear Frame: Clear





# Foam Gaskets

Provides a comfortable seal to keep out particles



# **Anti-Fog Options** Anti-fog coating on polycarbonate lenses





# 1715RT/C | 1715RT/C/AF (Anti-Fog)

**Lens: Clear I Black Temple Tips** 

- Single piece wrap around polycarbonate lenses
- · Integrated nosepiece
- Durable rubber temples tips
- Scratch resistant lenses



1715RT/A Lens: Amber Black Temple Tips



1715RT/OR Lens: Orange Black Temple Tips





**1715RT/BM**Lens: Blue Mirror
Black Temple Tips



**1715RT/BR** Lens: Brown Black Temple Tips



1715RT/G | 1715RT/G/AF (Anti-fog) Lens: Gray Black Temple Tips



1715RT/SM Lens: Silver Mirror Black Temple Tips



**1715RT/T**Lens: Indoor/Outdoor
Black Temple Tips



**1715RT/3.0** Lens: 3.0 Infrared (IR) fiter Black Temple Tips



**1715RT/5.0** Lens: 5.0 Infrared (IR) filter Black Temple Tips



Infrared (IR) Lenses Green filters protect from UV rays and flash burns

WARNING: Reproductive Harm - www.P65Warnings.ca.gov



# Boomerang ™



# 1705T

# Lens: Indoor/Outdoor | Frame: Clear

- Light weight spectacles 16 grams
- Single piece wrap around polycarbonate temple and lenses
- Integrated nosepiece
- · Scratch resistant lenses



1705A Lens: Amber Frame: Amber



Lens: Gray Frame: Gray



1705C Lens: Clear Frame: Clear

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# **F-III** ™

# 1715RTN/G 1715RTN/G/AF (Anti-Fog)

Lens: Gray | Frame: Black/Orange

- Single piece wrap around polycarbonate lenses
- Durable co-injection rubber temples
- · Non slip nosepiece
- Scratch resistant lenses





1715RTN/A Lens: Amber Frame: Black/Orange



1715RTN/C 1715RTN/C/AF (Anti-fog)

Lens: Clear Frame: Clear/Orange



1715RTN/BM Lens: Blue Mirror Frame: Black/Orange



1715RTN/SM Lens: Silver Mirror Frame: Black/Orange



1715RTN/T Lens: Indoor/Outdoor Frame: Clear/Orange

MARNING: Reproductive Harm - www.P65Warnings.ca.gov



# 1767G | 1767G/AF (Anti-Fog)

Lens: Gray I Frame: Black

- Sporty, semi-frame, and lightweight design
- Durable co-injection rubber temples with non slip nosepiece

WARNING: Reproductive Harm - www.P65Warnings.ca.gov





# **NOX**<sup>m</sup>

# Roadster II™

# 1757C

Lens: Clear | Frame: Black

- Sporty, semi-frame, and light weight design
- Durable temples with non slip nosepiece
- · Scratch resistant polycarbonate lenses
- · Includes a neck cord















# Brea ™



# 1766C | 1766C/AF (Anti-Fog)

Lens: Clear I Frame: Black

- · Sporty, semi-frame, and light weight design
- Durable co-injection rubber temples with non slip nosepiece
- Scratch resistant polycarbonate lenses



# Surfer™



# 1768G

# Lens: Gray | Frame: Black

- Sporty semi-frame light weight design
- Durable co-injection rubber temples with non slip nosepiece
- Scratch resistant polycarbonate lenses

# 1768BM

ens: Blue Mirror Frame: Black



# 1768TM

Lens: Indoor/Outdoor Frame: Black



1768LB Lens: Light Blue Frame: Black



# G1768C

Lens: Clear Frame: Gray

1768C



# 1768C/AF (Anti-fog) Lens: Clear

# Frame: Black

WARNING: Reproductive Harm - www.P65Warnings.ca.gov



# 1755C | 1755C/AF (Anti-Fog)

# Lens: Clear | Frame: Gray/Red

- Built-in ventilation channel between frame and lens
- Durable co-injection rubber temples
- Single piece wrap around scratch polycarbonate lenses
- Integrated nosepiece 3-point ratcheting temples



# 1755A

Lens: Amber Frame: Gray/Red



# 1755SM

Lens: Silver Mirror Frame: Gray/Red



# 1755BM

Lens: Blue Mirror Frame: Gray/Red



# 1755T

Lens: Indoor/Outdoor Frame: Gray/Red



1755G | 1755G/AF (Anti-fog) Lens: Grav

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Magnum ™



# 1717C | 1717C/AF (Anti-Fog)

Lens: Clear | Frame: Black

- Wrap around lenes for additional front and side protection
- Durable co-injection rubber temples with non slip nosepiece
- Scratch resistant polycarbonate lenses
- · Temples adjust to four different lengths



CF1717A Lens: Amber Frame: Camo



CF1717C Lens: Clear Frame: Camo



CF1717G Lens: Gray Frame: Camo



CF1717T Lens: Indoor/Outdoor Frame: Camo



BU1717C Lens: Clear Frame: Blue



BU1717G Lens: Gray Frame: Blue



RD1717C Lens: Clear Frame: Red



RD1717G Lens: Gray



1717A Lens: Amber Frame: Black



1717BM Lens: Blue Mirror Frame: Black



1717BRM Lens: Brown Mirror Frame: Black



1717G 1717G/AF (Anti-fog) Lens: Gray

Frame: Black



17170R Lens: Orange Frame: Black



1717SM Lens: Silver Frame: Black



Frame: Black MARNING: Reproductive Harm - www.P65Warnings.ca.gov

# NOX

# Cyclone ™

# **RD1726C** RD1726C/AF (Anti-Fog)

Lens: Clear I Frame: Red

- Sport wrap design with lobster tail temples
- Durable non slip rubber temples and nosepiece
- Scratch resistant polycarbonate lenses



1726C Lens: Clear Frame: Black



1726G Lens: Gray Frame: Black



1726T Lens: Indoor/Outdoor Frame: Black



1726SM Lens: Silver Mirror Frame: Black



17260M

Lens: Orange Mirror Frame: Black



1726BM

Lens: Blue Mirror Frame: Black



SL1726BM Lens: Blue Mirror

Frame: Silver



SL1726G/AF (Anti-fog)

Lens: Gray Frame: Silver



BU1726G

Lens: Gray Frame: Blue



BU1726BM

Lens: Blue Mirror Frame: Blue



BU1726C Lens: Clear

Frame: Blue



BU1726SM Lens: Silver Mirror Frame: Blue



RD1726G Lens: Gray Frame: Red



RD1726SM Lens: Silver Mirror Frame: Red







# 1770A | 1770A/AF (Anti-Fog)

Lens: Amber I Frame: Black strap

- Dual pane scratch resistant polycarbonate lenses
- · Removable head strap
- Foam carriage provides a tight and comfortable seal to keep out dust and airborne particles



**1770C**Lens: Clear
Frame: Black strap



1770G I 1770G/AF (Anti-fog) Lens: Gray Frame: Black strap

**WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# Challenger II™

# 1778C/AF (Anti-Fog)

Lens: Clear | Frame: Black

- Dual pane scratch resistant polycarbonate lenses
- Foam carriage provides a tight and comfortable seal to keep out dust and airborne particles
- Quick release interchangeable temples and strap









# Gazer™



# RD1773SM/AF (Anti-Fog)

Lens: Silver Mirror I Frame: Red

- Dual pane scratch resistant polycarbonate lenses
- Soft non slip rubber nose piece and insert temple tips
- · Removable vented foam carriage



SL1773G/AF (Anti-fog) Lens: Gray Frame: Silver



1773A/AF (Anti-fog) Lens: Amber Frame: Black

Lens: Brown



1773C/AF (Anti-fog) Lens: Clear Frame: Black



1773T/AF (Anti-fog) Lens: Indoor/Outdoor Frame: Black

**WARNING:** Reproductive Harm - www.P65Warnings.ca.gov





# 1772T

Lens: Indoor/Outdoor | Frame: Black

- Wide temple frame
- Dual pane scratch resistant polycarbonate lenses
- Foam carriage provides a tight and comfortable seal to keep out dust and airborne particles





1772A/AF (Anti-fog) Lens: Amber Frame: Black



1772BM Lens: Blue Mirror Frame: Black



1772SM Lens: Silver Frame: Black



1772G/AF (Anti-fog) Lens: Gray Frame: Black



1772C/AF (Anti-fog) Lens: Clear Frame: Black



**MARNING:** Reproductive Harm - www.P65Warnings.ca.gov



# Gravity ™



# 1735G

Lens: Gray | Frame: Black

- Light weight spectacle 21 grams
- · Sporty semi-frame design
- Durable co-injection rubber temples with non slip nosepiece
- · Scratch resistant polycarbonate lenses



1735A Lens: Amber Frame: Black



1735C Lens: Clear Frame: Black



1735T Lens: Indoor/Outdoor Frame: Black

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Hawk™

# 1727GM

Lens: Gold Mirror I Frame: Black

- Sporty semi-frame design
- Durable co-injection rubber temples with non slip nosepiece
- Single piece wrap around scratch resistant polycarbonate lenses





1727C Lens: Clear Frame: Black



1727R Lens: Red Frame: Black



1727G Lens: Gray Frame: Black



1727SM Lens: Silver mirror Frame: Black



1727A Lens: Amber Frame: Black



1727BM Lens: Blue mirror Frame: Black



Lens: Indoor/Outdoor Frame: Black

MARNING: Reproductive Harm - www.P65Warnings.ca.gov

# **Velocity** ™ NOX

# RD1769RM (Anti-Fog)

Lens: Red Mirror I Frame: Red

- · Modern and light weight contour frame
- Co-injection rubber temples with non slip nosepiece
- Scratch resistant polycarbonate lenses



1769G/AF (Anti-fog) Lens: Gray Frame: Black



BU1769G/AF (Anti-fog) Lens: Gray Frame: Blue



OR1769T/AF (Anti-fog) Lens: Indoor/Outdoor Frame: Orange





1769LB/AF (Anti-fog) Lens: Light Blue Frame: Black



SM1769C/AF (Anti-fog) Lens: Clear Frame: Smoke



WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Dasher™

# 1738BM

Lens: Blue I Frame: Black

- Single piece wrap around scratch polycarbonate lenses
- Durable co-injection rubber temples with non slip nosepiece
- Temples adjust to four different lengths





1738A Lens: Amber Frame: Black





1738R Lens: Red

Frame: Black

Lens: Clear

Frame: Black

1738C



1738G Lens: Gray Frame: Black



Lens: Indoor/Outdoor Frame: Black



Lens: Silver Mirror Frame: Black

Lens: Gold Mirror

Frame: Black

1738TM





# 1730C | 1730C/AF (Anti-Fog)

Lens: Clear | Frame: Black

- Single piece wrap around scratch polycarbonate lenses
- Integrated nosepiece
- 3-point ratcheting temples



Lens: Gray Frame: Black



1732C Lens: Clear Frame: Red/White/Blue



1731C Lens: Clear Frame: Blue



1732G Lens: Gray Frame: Red/White/Blue

**WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# Guardian ™

# 1710C 1710C/AF (Anti-Fog)

Lens: Clear | Frame: Black

- Single piece wrap around scratch polycarbonate lenses
- · Integrated nosepiece
- . Temples adjust to four different lengths





1710A 1710A/AF (Anti-fog) Lens: Amber Frame: Black



1711C 1711C/AF (Anti-fog) Lens: Clear Frame: Blue



1712G Lens: Gray Frame: Red/White/Blue



1710G 1710G/AF (Anti-fog) Lens: Gray Frame: Black



1711G Lens: Gray Frame: Blue



1714C Lens: Clear Frame: Yellow



1710SM Lens: Silver Mirror Frame: Black



1712C Lens: Clear Frame: Red/White/Blue



1714G Lens: Gray Frame: Yellow

MARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Master™



# Pulsar ™



# 1780C | 1780C/AF (Anti-Fog)

Lens: Clear | Frame: Blue strap

- Direct ventilation for added splash protection
- Adjustable strap
- PVC frame, polycarbonate lenses

**MARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# 1790C | 1790C/AF

(Anti-Fog)

Lens: Clear | Frame: Blue strap

- Indirect ventilation goggles
- Adjustable strap
- PVC frame, polycarbonate lenses

**WARNING:** Reproductive Harm - www.P65Warnings.ca.gov

# Armour ™ Series



# NOX



# 1750G

Lens: Gray | Frame: Gray

- Single piece wrap around scratch polycarbonate lenses and temples
- Integrated nosepiece
- Light weight and economical



# 1750C

Lens: Clear Frame: Clear



# 1750A

Lens: Amber Frame: Amber

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# 1751C/AF (Anti-Fog)

**Lens: Clear | Black Temples** 

- Single piece wrap around scratch polycarbonate lenses
- Integrated nosepiece
- 3-point ratcheting temples



1751C/AF (Anti-Fog) Lens: Clear

**Black Temples** 

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# 1752G/AF (Anti-Fog)

**Lens: Gray | Black Temples** 

- · Single piece wrap around scratch polycarbonate lenses
- Integrated nosepiece
- Extendable and ratcheting temples



1752C/AF (Anti-fog) Lens: Clear

# Synergy Readers ™



# 1775C15

Lens: Clear +1.5 | Frame: Black

- Scratch resistant polycarbonate 8-base curve lenses
- Durable co-injection rubber temples with non slip nosepiece

1775C10 Clear +1.0 lens with Black frame

1775C20 Clear +2.0 lens with Black frame

1775C25 Clear +2.5 lens with Black frame

**1775C30** Clear +3.0 lens with Black frame

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Synergy Readers ™



### 1775G10

Lens: Gray +1.0 | Frame: Black

- · Scratch resistant polycarbonate 8-base curve lenses
- Durable co-injection rubber temples with non slip nosepiece

1775G15 Gray +1.5 lens with Black frame

1775G20 Gray +2.0 lens with Black frame

**1775G25** Gray +2.5 lens with Black frame

**1775G30** Gray +3.0 lens with Black frame

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# F Reader™



# 1765C10

Lens: Clear +1.0 | Frame: Black/Red

- Scratch resistant polycarbonate 8-base curve lenses
- Durable co-injection rubber temples
- Integrated nosepiece

1765C15 Clear +1.5 lens with Black/Red frame

1765C20 Clear +2.0 lens with Black/Red frame

1765C25 Clear +2.5 lens with Black/Red frame

1765C30 Clear +3.0 lens with Black/Red frame

WARNING: Reproductive Harm - www.P65Warnings.ca.gov

# Accessories

17CORD1 Glasses Cords



17CORD3 Mushroom cord for glasses, fits on temples





Microfiber drawstring spectacle case

# 17LED


Speclight clipped onto the temples of glasses for lighting in the dark

# 17CTD

100 individually packaged lens cleaning towelettes

# ALSO AVAILABLE FOR GLASSES DISPLAY:

17DIS6 6 piece stationary display



# Respiratory Protection | DuraMask®

# **DuraMask®**

DuraMask® protective respirators are designed with your comfort and respiratory protection in mind. Hazardous substances such as gases, solvents, powdered chemicals and sprays can be present in the workplace in different physical states. Air contaminates are commonly classified as particulates or gas and vapor contaminates. Breathe easy with DuraMask® on the job.

# **Duramask® Particulate Respirators**



### 1895N

- Compliant with 42 CFR Part 84
- Niosh N95 approved
- Adjustable aluminum nosepiece

• 20 pieces per box, 12 boxes per case

- Meets CDC guidelines for TB exposure control

· Latex-free double head strap

· Comfortable nose foam

**1895N/V** Exhalation valve, 10 pieces per box, 12 boxes per case

# **Duramask® Nuisance Masks**



### 1890

- Polypropylene spunbondSingle strap
- Fabric wrapped elastic head strap
- Adjustable aluminum nose piece
- 50 pieces per box, 20 boxes per case

**1890D** Double strap

# **Duramask® Nuisance Masks**



### 1891

- Polypropylene spunbond
- 3-Ply face mask, ear loop
- Fabric wrapped elastic head strap
- Adjustable aluminum nose piece
- 50 pieces per box, 20 boxes per case

# Back Support Belts & Knee Pads | DuraWear™

# **Black Back Support Belt**



# 1908

- Adjustable attached suspenders
- · Rubber track webbing
- Stretchable bias binding with zig zag stitching
- . Hook and loop closure
- Sizes: S-5XL

1909 Detachable suspenders, Sizes: S-5XL

# Hi-Viz Back Support Belt



# 1908HO

- Hi-viz orange
   Rubber track webbing
- Adjustable attached suspenders
- Stretchable bias binding with zig zag stitching
- · Hook and loop closure
- Sizes: S-3XL

1908HG Hi-viz green, Sizes: S-3XL

# EVA Foam Knee Pads



# 1920

- Lightweight one piece EVA foam
- Provides comfort for extended kneeling
- Water resistance
- · Hook and loop closure

# Heavy Duty Hard Plastic Cap Knee Pads



# 1921

- Abrasion resistant hard caps
- Soft 600D cloth padding and adjustable straps for extended comfort
- Double hook and loop closure

# HARD PLASTIC CAP KNEE PADS

### 1924

- Exterior polyester fabric with expandable PE liner
- PE cap secured with rivets
- Double hook and loop closure

# Deluxe Butterfly Knee Pads



# 1922

- Offers excellent protection with non-marring plastic hard caps.
- Slip resistant ridges prevent against sliding and slipping on surfaces.
- Soft 600D cloth padding and adjustable straps for extended comfort
- Double hook and loop closure

# Heavy Duty Turtleback Shell Knee Pads



# 1923


- Heavy duty non-marring abrasion resistant turtleback plastic hard caps.
- Slip resistant ridges prevent sliding on surfaces.
- Soft 600D cloth padding with PE gel inserts
- Double hook and loop closure

# Accessories | DuraWear™

# **Nylon Hairnets**

- 100% Soft nylon
- 1/8" Honeycomb pattern holes
- 100 pieces per polybag, 10 polybags per case
- Sizes: 18", 21", 24", 26"





Color	18"	21"	24"	26"
White	A1918W/C	A1921W/C	A1924W/C	A1926W/C
Black	A1918BK/C	A1921BK/C	A1924BK/C	
Brown	A1918BR/C	A1921BR/C	A1924BR/C	
Blue		A1921BL/C	A1924BL/C	

# **Beard Covers**





# 15803

- Polypropylene spunbond White
- 1000 pieces per case
- Size: One size

15803B Blue

15803R Red

**15803/5** White, 500 pieces per case

# **SOFT 100% NYLON BEARD NETS**

• 1000 pieces per case

1903 White

**1903BK** Black

1903BL Blue

# Spray Sock



- Protection against overspray and other particulates
- Fits over the head and can be worn with goggles, half-masks, and full-mask respirators
- 144 pieces per case

# **Polypropylene** Hood



# 15386W

- Polypropylene spunbond
- · Bouffant and beard cover all-in-one
- Latex-free
- 100 pieces per polybag, 10 polybags per case

15386B Blue

# Accessories | DuraWear™

# Spunbonded Polypropylene Bouffant Caps



Latex-free

• Sizes: 19", 21", 24"

Color	Packaging	19"	21"	24"
	500 pieces/case	15819W 1819W/C/5	15821W 1821W/C/5	15824W 1824W/C/5
White	1000 pieces/case		15821W/10 1821W/C	15824W/10 1824W/C
	2000 pieces/case (pleated)		1821W/P	1824W/P
	500 pieces/case	15819B	15821B 1821B/C/5	15824B 1824B/C/5
Blue	1000 pieces/case		1821B/C	1824B/C
	2000 pieces/case (pleated)		1821B/P	
	500 pieces/case		15821R	15824R
Red	2000 pieces/case (pleated)		1821R/P	1824R/P
Green	500 pieces/case		15821G	15824G
Yellow	500 pieces/case		15821Y	15824Y











Blue Denim Apron



Yellow PVC/ Polyester Apron



**Vinyl Apron** 



Disposable Polyethylene Apron



# 1348PN

- 100% Pre-shrunk blue denim
- Adjustable ties
- Individually packed,
   72 pieces per case
- Metal grommets, sewn edges and seams
- No Pockets
- Size: 28" X 36"

1348P2 2 Pockets 1348P1 1 Pocket

# 1328

- 0.35mm thickness
- · Adjustable neck strap
- Individually packed,
   48 pieces per case
- Size: 35" X 47"

# 1338W

- 6 mil thickness
- · White, adjustable ties
- Individually packed,
   50 pieces per case
- Size: 35" X 45"

**1338B** Blue, adjustable ties



- Embossed
- Individually packed, 100 pieces per box, 10 boxes per case
- Size: 28" X 46"

**2846** Bulk packed, 100 pieces per bag, 10 bags per case

**2846B** Blue, bulk packed, 100 pieces per bag, 10 bags per case

WARNING: Cancer - www.P65Warnings.ca.gov

WARNING: Cancer - www.P65Warnings.ca.gov

# Disposable Sleeves



# 2818C

- Clear polyethylene
- · Elastic ends
- 2000 pieces per case
- Size: 18"

**2818B** Blue polyethylene, 2000 pieces per case

**2818W** White polyethylene, 2000 pieces per case

# Disposable Sleeves



# 15500

- · White polyethylene spunbond
- · Elastic ends
- 500 pieces per case
- Size: 18"

**15500B** Blue polypropylene spunbond, 500 pieces per case

**17500** Polyethylene film over white spunbonded polypropylene, 500 pieces per case

**18500** White micro-porous film over spunbond polypropylene, 200 pieces per case

# Terry Cloth Sleeves



# 2818TY

- · Elastic ends
- Seamless
- 12 pieces per polybag,6 polybags per case
- Size: 18"

# 100% Kevlar® Sleeves



# **2818KVT**

- · Double-ply
- Thumb slot
- 100 pieces per case
- Size: 18"

**2814KVP** 14", Plain

**2814KVT** 14", Thumb slot

**2818KVP** 18", Plain

**2824KVP** 24", Plain

2824KVT 24", Thumb slot

# **Vinyl Sleeves**



# 2818BV

- 8 mil thickness
- Blue colored
- · Elastic ends
- · Heat welded seams
- 12 pairs per polybag,
  12 polybags per case
- Size: 18"

2818WV White colored

# **MARNING:** Cancer - www.P65Warnings.ca.gov

# Blue Denim Sleeves



# 2818DM

- · Standard weight
- Elastic ends
- 12 pieces per polybag,
  6 polybags per case
- Size: 18"

# **Product Index**

Product SKU#	Page #	Product SKU#	Page #	Product SKU#	Page	Product SKU#	Page #	Product SKU#	Page #	Product SKU#	Page #	Product SKU#	Page #	Product SKU#	Page #
0223	63	1400GY	142	15386W	165	1717C	155	1765C15	162	18222B	108	2333	33	288UT-70	134
0225	63	1400HO	142	15420W	115	1717C/AF	155	1765C20	162	18227B	108	2333JL	33	2900W	42
0233	68	1400R	142	15440	115	1717G	155	1765C25	162	1824B/C	166	2334	33	2904W	42
0233HG	68	1400W	142	15440W	115	1717G/AF	155	1765C30	162	1824B/C/5	166	2334JL	33	2905W	42
0233HG/WP	68	1400Y	142	1550	143	17170R	155	1766A	154	1824R/P	166	241T450	137	2906W	42
0233H0 0233H0/WP	68	1404P/B 1404P/HG	140	15500 15500B	167	1717SM 1717T	155	1766BM 1766C	154	1824W/C 1824W/C/5	166	2450	33	290NX-45 290NX-60	134
0235	68 62	1404P/HO	140 140	1551	167 143	17171 1718A/AF	155 148	1766C/AF	154 154	1824W/P	166 166	2451 2453	33 33	2910	134 42
0236	68	14041/110 1404P/R	140	15803	165	1718BM/AF	148	1766G	154	18300	111	2454	33	2910W	42
0238HG	68	1404P/W	140	15803/5	165	1718BR/AF	148	1766G/AF	154	18301	111	2520	33	2916W	42
0238HO	68	1404P/Y	140	15803B	165	1718C/AF	148	1766SM	154	18303	111	2521	33	291NX-45	135
0239	68	1404R/B	140	15803R	165	1718G/AF	148	1766T	154	18350	111	2523	33	291UC-70	135
0265	62	1404R/HG	140	15819B	166	1718LB/AF	148	1767A	153	18386	111	2524	33	291UT-70	135
0265Y	62	1404R/H0	140	15819W	166	1718SM/AF	148	1767BM	153	18440	111	2530	33	2950SL	34
0815BK 0816	48 48	1404R/R 1404R/W	140 140	15821B 15821G	166 166	1718T/AF 1720G/AF	148 149	1767C 1767C/AF	153 153	18444 18470	111 111	2540 2541	33 33	2970SL 2980SL	34 34
0817	48	1404R/Y	140	15821R	166	1720G/AF 1720T/AF	149	1767G/AF	153	18500	167	2543	33	2988SL	34
0818	48	1406P/B	140	15821W	166	1724A	149	1767G/AF	153	1890	163	2544	33	300	20
0856	48	1406P/HG	140	15821W/10	166	1724BM	149	1767LB	153	1890D	163	2570SP	34	300B	20
0906BK	46	1406P/H0	140	15821Y	166	1724C	149	1767SM	153	1891	163	2600	43	3001/451	21
0906HO	46	1406P/R	140	15824B	166	1724G	149	1767T	153	1895N	163	2622	32	305	20
0912	47	1406P/W	140	15824G	166	1724SM	149	1768BM	154	1895N/V	163	2623	32	306	23
0913	47	1406P/Y	140	15824R	166	1724T	149	1768C	154	1903	165	2624	32	3110	63
0914	47	1406R/B 1406R/HG	140	15824W 15824W/10	166	1726BM 1726C	155	1768C/AF 1768G	154	1903BK 1903BL	165	2631	32	3114 3120	63
0915 0915BK	45 45	1406R/HG 1406R/HO	140 140	15824VV/10 15824Y	166 166	1726C 1726G	155 155	1768LB	154 154	1903BL 1908	165 164	2632 2633	32 32	3120	63 63
0915HY/RT	46	1406R/R	140	1705A	152	17260M	155	1768TM	154	1908HG	164	2634	32	3180	63
0915Q/BK	45	1406R/W	140	1705C	152	1726SM	155	1769G/AF	159	1908HO	164	2638	32	3180Y	63
0915Q/HO	45	1406R/Y	140	1705G	152	1726T	155	1769LB/AF	159	1909	164	2640	33	3210	65
0916	46	1410A	165	1705T	152	1727A	158	1770A	156	19120	112	2650SP	34	3210K	65
0916BK	46	1410BK	142	1710A	160	1727BM	158	1770C	156	19122	113	2723BL	32	3214	65
0918	49	1410BL	142	1710A/AF	160	1727C	158	1770C/AF	156	19122B	113	2731	32	3220	65
0918BK	49	1410HO	142	1710C	160	1727G	158	1770G	156	19125	112	2733	32	3230	60
0920	51	1410HY	142	1710C/AF	160	1727GM	158	1770G/AF	156	19125B	112	2734	32	3231	63
0922 0923	51 51	1416P/B 1416P/HG	142 142	1710G 1710G/AF	160 160	1727R 1727SM	158 158	1772A/AF 1772BM	157 157	19127 19127B	113 113	2738 2753BL	32 32	3240 3250A	60 60
0925	52	1416P/HO	142	1710G/AF	160	17273W	158	1772BW	157	1920	164	2800W	38	3254A	60
0928	52	1416P/R	142	1711C	160	17301	109	1772G/AF	157	1921	164	281	23	3255	64
0929	53	1416P/W	142	1711C/AF	160	1730C	160	1772SM	157	1922	164	2810ML	38	3257	64
0935	53	1416P/Y	142	1711G	160	1730C/AF	160	1772T	157	1923	164	2810W	38	3259	61
0950	51	1416R/B	142	17122	109	1730G	160	1773A/AF	157	1924	164	2814	34	3260Q	60
0961	46	1416R/HG	142	17125	109	1731C	160	1773C/AF	157	19300	113	2814KVP	167	3260Q/G	60
1020	100	1416R/H0	142	1712C	160	1732C	160	1773T/AF	157	19300B	113	2814KVT	167	3260SP/G	60
1025	101	1416R/R	142	1712G	160	1732G	160	1775C10	162	19301	113	2816W	38	3260SQ	60
1026 1026NB	101 101	1416R/W 1416R/Y	142 142	1714C 1714G	160 160	1735A 1735C	158 158	1775C15 1775C20	162 162	19301B 19311	113 113	2818 2818B	34 167	3260SQ/G 3261	60 64
10260D	101	1425Y	144	1715A	150	1735G	158	1775C25	162	2008W	39	2818BV	167	3261SQ	64
10260R	101	1426R/B	141	1715BM	150	1735T	158			2010AL	40	2818C		32640	60
110NX-45	134	1426R/HG	141	1715BM/C	150	1738A	159		162	2010CB	41	2818DM	167	3264SQ	60
110NX-60	134	1426R/HO	141	1715C	150	1738BM	159	1775G15	162	2010HO	41	2818KVP	167	3265	64
111NX-45	135	1426R/R	141	1715G	150	1738C	159	1775G20		2010ML	39	2818KVT	167	3265H0	64
111NX-60	135	1426R/W	141	1715G/AF	150	1738G	159	1775G25		2011W	43	2818TY	167	3267	64
112NX-45	134	1426R/Y	141	1715M	150	1738GM 1738R	159	1775G30		2012W	43	2818W 2818WV	167	3268	64
112NX-60 119UT-70	134 135	14270 14271	145 145	1715N/G 1715RT/3.0	150 151	1738SM	159 159	1778A/AF 1778C/AF	156 156	2015W 2016BK	40 40	2818VVV	167 23	3269 3270Q	64 61
1220	100	14310	145	1715RT/5.0	151	1738TM	159	1778G/AF	156	2016W	39	2820	35	3270SP	61
1220AH	101	14311	145	1715RT/A	151	17500	167	1780C	161	2017W	40	2824	34	3274	60
1220EW	100	14321	145	1715RT/BM	151	1750A	161	1780C/AF	161	2018FL	41	2824KVP	167	3276	61
1222	100	14322	145	1715RT/BR	151	1750C	161	1790C/AF		2018W	39	2824KVT	167	3277	64
1223	100	1436R/BK	141	1715RT/C	151	1750G	161	17BAG	162	2022W	40	2830HR	38	3280	61
1225	101	1437Y	144	1715RT/C/AF	151	1751C/AF	161	17CORD1		2026BK	41	2844	34	32800	61
1228	101	14421	145	1715RT/G 1715RT/G/AF	151	1752C/AF 1752G/AF	161	17CORD3		2026W 2028H0	40	2845	166	3280R	61
1240 1245	99 101	1500 1501	143 143	1715RT/OR	151	1752G/AF 1755A	161 154	17CTD 17DIS36		2131	41 32	2846 2846B	166 166	3286 3286Q	61 61
1260	99	1510	143	1715RT/SM	151	1755BM	154	17DIS6		21310B	32	2846HR	38	3287A	64
1260HIVIZ	99	15122	114	1715RT/T		1755C	154	17LED		2132	32	2848	34	330	21
1320	100	15122B	114	1715RTN/A		1755C/AF	154	18120		2133	32	2860		3310	65
1328	166	15125	114	1715RTN/BM	152	1755G	154	18122	110	2134	32	2870BSL	35	3330	61
1330	100	15127	114	1715RTN/C	152	1755G/AF	154	18125	110	2231	32	2870SL	35	3334	61
1338B	166	15132	115	1715RTN/C/AF	152	1755SM	154	18127	110	2232	32	28711	35	3350	61
1338W	166	15135	115	1715RTN/G	152	1755T	154	1819W/C/5	166	2233	32	2874SL	35		61
1348P1	166	15142	114	1715RTN/G/AF	152	1757A	153	1821B/C		2234	32	2876SP	34	3410	65
1348P2 1348PN	166 166	15145 1520	114 143	1715RTN/SM 1715RTN/T	152 152	1757C 1757C/AF	153 153	1821B/C/5 1821B/P	166 166	2238 2300	32 31	2880I 2880SL	35 35	3450 3454	61 61
1350	99	15300	115	1715N1N/1	150	1757C/AF 1757G	153	1821R/P		2303	31	2881SL	35	3460Q	61
1370	98	15300	115	17155W	150	1757G/AF	153	1821W/C		2320	31	2884	35	3464Q	61
1374	98	1531	143	1717A	155	1757T	153	1821W/C/5	166	2323	31	28861	35	349UT70	137
1400B	142	15351	115	1717BM	155	1764RG	149			2331	33	2886SL	35		21
1400GN	142	15386B	165	1717BRM	155	1765C10	162	18222	108	2331JL	33	288UC-70	134	3510	65

# **Product Index**

Product SKU#	Page #	Product SKU#	Page #												
3511	65	4512	73	4729	13	6887BK/FL	47	9534	30	C16500G	85	G1768C	154	RD1717G	155
3514	65	45120	73	4729BK	12	6892	59	9544	30	C16600F	85	GD1720BR/AF	149	RD1726C	155
3515	65	4513	72	4729CA	13	690	24	9560	30	C16600G	85	H6137F	56	RD1726C/AF	155
3550	62	4516	72	4729G	13	6908	58	9562	30	C16614F	88	12421	32	RD1726G	155
3550Q	62	4517C	77	4729HO	12	6918	58	9563	30	C16614G	88	12423	32	RD1726SM	155
3551	62	4517NP	77	4729HY	12	6918BK	58	9564	30	C16700F	85	12424	32	RD1769RM/AF	159
3551Q	62	4517T	77	4729SP	13	6958	67	9700PF	27	C16700G	85	12431	32	RD1773SM/AF	157
3551SP	62	4518	74	4749	13	6958BK	67	A1918BK/C	165	C16720F	88	12432	32	REP 21	145
		4518C/G	74	4749BL		6984		A1918BR/C	165	C16720F	88		32	RF600T	
3554	62 62	4518C/O	74 74	4749DL 4759	13 17	6988	67	A1918W/C		C16720G		12433 12434		RS1404	131 140
3580Q							58		165		89		32		
3581	62	4518C/Y	74	477	23	7000	57	A1921BK/C	165	C16722G	89	12438	32	RS1406	140
3581Q	62	4518CR	74	4779RD	13	7005/PF	26	A1921BL/C	165	C16724F	89	16137F	56	S2810W	38
3581Q/PE	62	4518CR/FL	74	4789BL	14	7007	57	A1921BR/C	165	C16724G	89	16147F	56	SL120B	127
3581SP	62	4518CR/G	74	4789H0	14	7008	57	A1921W/C	165	C16725G	89	16147G	56	SL120T	127
3584Q	62	4518CR/0	74	4789LG	14	7017	57	A1924BK/C	165	C16727GB	90	16427K	56	SL121B	127
3650	67	4518D/B	74	4815	11	7017FQ	57	A1924BL/C	165	C16728GB	90	K4517G	77	SL121T	127
3653	67	4518D/G	74	4815FL	11	7066/R	25	A1924BR/C	165	C16734GB	89	K4517Q	77	SL122B	127
3655	67	4518D/0	74	4816	11	7114	94	A1924W/C	165	C16802F	84	KV300	22	SL122T	127
3656	67	4518D/Y	74	4817	11	7124	94	A1926W/C	165	C16802G	84	KV350	22	SL125B	127
37073	139	4524	74	4830	11	720	24	A4938	7	C16822F	86	KV4729	11	SL125T	127
370B	21	4524FL	74	4883	11	7207	68	A4940	7	C16822G	86	KV660	22	SL127B	127
376	22	4526	72	4908HG	6	7217	68	A7114	96	C16852F	87	N16000F	82	SL127T	127
377	23	4527C	77	4920HG	8	7250	95	A7120	96	C16852G	87	N16000G	82	SL128T	127
380	21	4531	74	4925	8	7324	94	A7124	96	C16920F	91	N16001F	82	SL1720BM/AF	149
381	23	4532CR	74	4926	9	7344	95	A7224	97	C16920G	91	N16001G	82	SL1726BM	155
3851	63	4534	74	4928HG	8	7354	95	A7300	97	C16920GB	91	N16011F	83	SL1726G/AF	155
3863	63	4536	72	4930HV	7	7500PF	26	A7330	97	C16921F	91	N16011G	83	SL1769SM/AF	159
3866	63	4537C	77	4936	7	7507	68	A7428	97	C16921G	91	N16012F	83	SL1773G/AF	157
3866Q	63	4543	75	4941	7	7650A	95	A7436	97	C16925F	91	N16012G	83	SM1769C/AF	159
3866Q/SP	63	4547NY	77	4944	7	7654	95	A7442	97	C16925G	91	N16020F	82	SP4636	19
3873	63	4550	21	4969	11	7670	95	A7521	96	C3122T	128	N16020G	82	SP4637	19
4113	76	4551	75	4987	11	7684	94	A7526	96	C3127T	128	N16210	82	SP4638	19
4113LI	76	4553ML	75	5310	31	7705PFT	26	A7530	96	C3525T	128	N16220	82	SP4638BK	18
4123	76	4554	75	5320	31	7714/R	25	BK1718A/AF	148	C3526T	128	N16230	82	SP4639G	18
4123G/C	76	4557NY	77	5343	31	772	24	BK1718BM/AF	148	C3750T	128	N16240	82	SP4640	19
4203	75	4561	75	541	22	7730	93	BK1718C/AF	148	C9905PF	27	N16600F	83	T2000W	39
4203Q	75	4564	75	545	22	7732	93	BK1718G/AF	148	CF1717A	155	N16600G	83	T2010W	39
4206	75	4571	75	55395	139	7742	93	BK1718LB/AF	148	CF1717C	155	N16700F	83	TD125S	124
4206Q	75	4571A	75	55U395	139	7770	95	BK1718SM/AF	148	CF1717G	155	N16700G	83	TD127S	124
4211	76	4571B	75	5910	31	7800	93	BK1718T/AF	148	CF1717T	155	NB120S	120	TD350S	124
4213	76	4574A	75	5920	31	7800A	93	BR125T	130	E2600/5L	43	NB122S	120	TJI98T	125
4214	76	4574A/FL	75	5930	31	7804	93	BR127T	130	E7270	95	NB125S	120	TK554T	131
4214ST	76	4574B	75	600	24	7804A	93	BR128T	130	F1715C/AF	150	NB127S	120	TP198TGY	129
4308	72	4581	75	6002	55	7810	94	BR1720BRM/AF	149	F1715G/AF	150	NG120S	121	TP198TOR	129
4308Q	72	4597	77	6004	56	7814	93	BR1773BR/AF	157	F2000WC	39	NG122S	121	TP199TGY	129
4401	71	4597BU	77	6022	55	7925	94	BR528T	130	F2010MLC	39	NG125S	121	TP199TOR	129
4401P	71	4601	71	6108	55	7935	94	BR651T	130	F2010WC	39	NG127S	121	TP275TGY	129
4411	71	4601Q	71	6110	56	7975	92	BR557T	130	F4030BK	17	OR1769T/AF		TP275TOR	129
4414	71	4602	71	6110PF	27	7985	92	BR753T	130	F4517Q	78	P3452SGY		TP284TGY	129
4421				6112PF		8005/PF		BU1717C		F4600	16		121	TP284TOR	
	71	4611	71		27		27	BU1717G	155			P4507Q	77	TP750TGY	129
448ID-12	134	4613	71	6114	55	8247	59		155	F4601	16 16	P4517G	77	TP750TOR	129
449ID-12DN	135	4613Q	71	6117	55	8354	66	BU1726BM	155	F4602		P4517Q	77		129
4501	73	4621	71	6118	55	8355	66	BU1726C	155	F4603	16	P4527	77	TP800TOR	129
4501B	73	4622	71	6120	56	8438	59	BU1726G	155	F4605	16	P4527G	77	TY120S	122
4501BL	73	4625	71		55	8440	59	BU1726SM	155	F4610	17	P4638	19	TY121S	122
4501Q	73	4630G	17	6126	55	8446	59	BU1769G/AF	159	F4630G	17	P4638BK	18	TY122S	122
4501R	73	46300	17	6127	55	8447	59	C16002F	85	F4631BK	17	P4639	18	TY125S	122
4501W	73	4631G/BK	17	6128	55	8454	66	C16002G	85	F4779LG	13	P4639G	18	TY127S	122
4503	72	4631Q/BK	17	6130	56	8500PF	27	C16002Q/GB	85	F4781	15	P4640	19	TY151S	122
4503A	72	4631Q/BL	17	6137	55	8544	66	C16003F	86	F4782	15	P4717	78	TY198S	125
4503Q	72	4631Q/RD	17	6140	56	874/R	25	C16003G	86	F4789H0	15	PB120S	120	TY198T	125
4504	72	4632C/LD	79	6147	55	892	25	C16004F	88	F4789LG	15	PB120SBU	120	TY210S	123
4504Q	72	4632LD	79	620	24	9330	30	C16004G	88	F4900HG	6	PB125S	120	TY211S	123
4505	73	4633LD	79	6227	66	9333	30	C16005F	86	F4901HG	6	PB125SBU	120	TY212S	123
4505A	73	4634LD	79	62502	139	9360	30	C16005G	86	F4902HG	6	PB127S	120	TY216S	123
4505A/B	73	4638	19	6317	66	9363	30	C16007G	87	F4903HG	6	PB127SBU	120	TY273B	123
4505A/G	73	4638BK	18	6427	56	9373	30	C16010F	84	F4905HG	6	PB127SGY	120	TY303S	123
4505A/O	73	4639	18	6427R	56	9430	30	C16010G	84	F4910HG	9	PS1404	140	TY350S	123
4505A/Y	73	4639G	18	6487	56	9433	30	C16012F	87	F4920BK	9	PS1406	140	TY450S	123
4505Q	73	4639G/BK	18	6504	56	9440		C16012G	87	F4920SD	9	QC120B	126	TY454S	123
4505W	73	4640	19	6518	66	9441	30	C16013G	87	F4923	14	QC120S	126	TY657S	123
4506	72	4700	12	660	24	9450		C16014F	88	F4930BK	7	QC122B	126	WRD910	137
4507	77	4707	78	66NFW	25	9451	30	C16014G	88	F4960	8	QC122S	126	WT1720RM/AF	149
4507Q	77	4707 4707G	78	6797/R	25	9460		C16021F	84	F4980	11	QC122T	126	** : : / ZUI (IVI/ A(F	1+3
4508 45000	72 72	4715 47150	78 70	6817	58 50	9463	30	C16021G	84 oc	FR1340	98	QC125B	126		
4509Q	72	4715Q	78 70	6820	58 50	9473		C16022F	86	FR16002F	85 or	QC125S	126		
4509SP	72	4716Q	78 70	6827	58 cc	9505	73	C16022G	86	FR16002G	85	QC125T	126		
4510 4510CR		4718	78	6837	66	9505A		C16032G	84	FR16004F	88	QC127S	126		
	13	4719	13	6857	58	9532	30	C16500F	85	FR16004G	88	RD1717C	155		

# **Our Brands**









Mechanic Gloves Lifting Gloves



Impact Gloves



Disposable Protective Apparels



High Visibility **Protective Apparels** 



Premium Welding Gear



Professional Protective Eyewear



Reliable Protective Gear



**Head Protection** 



Hearing Protection



Respiratory Protection

# **Proud Industrial Partners**















433 Cheryl Lane, City of Industry, CA 91789 (800) 327-8333 | www.libertyglove.com