

TABLE OF CONTENTS



LUBR	ICANTS	4
C10	Break Away	
C300	Fusion 3.0	4
C320	Liqui Shield	
C123	Red Grease	4
C34	White Grease	
C33V	Silicone Spray	ļ
C305	ZLube 10 oz	ļ
C305II		
C306II		
C307II		
C400	Faster	ļ
C3322	, ,	
C661	Chain Lube	,
	ADDITIVES	
C44	Max44 Gasoline	
C44B	Max44 Gasoline 8 oz	
C43	Gas Treatment	
C40	Fuel Injector Clean Up	
C41	Fuel Injector & Carb Clean	
C47	Octane Boost	
C290 C292	Fuel Stabilizer 8 fl oz	
6292	Fuel Stabilizer 32 fl oz	,
DIEGE	EL ADDITIVES 1	•
C44D	Max44 Diesel	
C260	6XT Diesel Fuel Treatment 12 fl oz	
C261	6XT Diesel Fuel Treatment 8 fl oz	
C285	Diesel Water Remover1	
C24	Diesel Fuel Treatment & Anti-Gel 32 fl oz 1	(
CDFA	Diesel Fuel Treatment & Anti-Gel 8 fl oz1	
C23	Diesel Fuel Treatment Year Round	
C21	Diesel Fuel Injector Cleaner1	
	•	
	E1	4
C111	Brake & Parts Clean1	2
_C1110		
	A10V0C Brake & Parts Clean Low VOC1	
C111S		
C1010		
C1080		
C32	Brake & Parts Clean Chlorinated1	
C109	Parts, Tools & Brake Cleaner1	
C36	Disc Brake Quiet1	
C55	DOT 3 Brake Fluid 12 fl oz1	
C56	DOT 3 Brake Fluid 32 fl oz1	•
ハフィ		
C71	DOT 4 Brake Fluid 12 fl oz1	,
C97 C98		

BREAK THRU

CLEANERS		. 14
C30	No Stink Engine Clean	. 14
C39	No Stink Engine Clean Foaming	
C1	Carb Clean 12 oz	
C5	Carb Clean 19 oz	
	Carb Clean Low VOC 12 oz	
C1INTL	Carb Clean 12 oz	
C85		
	Energized Circuit & Contact Cleaner	
C87	Quick Dry Electronic Cleaner	
C37	Electric Motor Cleaner	. 14
ENGINE &	TRANSMISSION	. 16
C521	PermaStop	. 16
C19	Motor Flush 15 fl oz	. 16
C20	Motor Flush 30 fl oz	. 16
C99	Fast Start Starting Fluid 7.2 oz	
C100	Fast Start Starting Fluid 10.7 oz	. 16
C50	Fast Flush	
C45	Trans Stop Leak Conditioner	
C2100	Smoke Treatment	
C240M	Aluminized Stop Leak	
C51	Anti-Rust & Water Pump Lubricant	
C52		
	Stop Leak & Sealer	
C53	Coolant Booster	
C27	Power Steering Fluid 12 fl oz	
C28	Power Steering Fluid 32 fl oz	
C233	Power Steering Stop Leak	
C89	Engine Stop Leak	
C91	Premium Concentrated Oil Treatment	
C90	Premium Gold Concentrated Oil Treatment.	. 18
ADDEADAI	NCE	10
C392	Max Clean All-Purpose Cleaner	
C395	Deep Defend Upholstery & Carpet Cleaner	
0001		
C331 C0801	Glass Clean Headlight Restorer	10
C206	Windshield Washer Solvent Concentrate	. It
C200		
C62	Windshield Washer Concentrate w/ Anti-freeze	
C62	Foam Away Tire Care Cleaner & Shine	
C179	Bug & Tar Clean Citrus Hand Cleaner with Pumice 1 gal	. 22
6179		. 22
	Rally	
	<i>Kallu</i>	
82116	Rally Cream Car Wax	. 23
05140	Rally Liqui-Cream Way	23



Look for this icon to identify NSF Registered Products NSF Registration assures inspection officials and end users that products and labels meet appropriate food safety regulations. This program endorses that NSF registered products from Cyclo are safe for use in food processing equipment and environments.

Bulk sizes available on most products. Inquire for details.



	Preserve Preserve	
65864 65893	Tanner's Preserve Leather Cleaner	
2510 2540 2233 2931 2550	Rain Dance Premium Liquid Wax	
16140 16330 16340 01110 06610 09610 10120 08610	No7 Car & Truck Wash 8 oz	
	DELLIAMETD	
ULTRAWEL C904 C301 C943 C944 C910 C991-6 C951 C992-6 C952 C993-6 C953 C956 C997-6 C999	Headliner & Carpet Adhesive	

. 7 ^ -	- 11	Ib r	1:3	AV	11/	50	

ULTRAWE	LD ANAEROBICS	30
C29010	Green Penetrating Grade 10 mL	
C29050	Green Penetrating Grade 50 mL	30
C24006	Blue Medium Strength Gel 6 mL	30
C24350	Blue Surface Insensitive 50 mL	
C24210	Blue Medium Strength 10 mL	30
C24250	Blue Medium Strength 50 mL	30
C22210	Purple Small Screws 10 mL	30
C22250	Purple Small Screws 50 mL	
C920	Blue Medium Strength 6 mL	
C925	Red High Strength 6 mL	
C27750	Red Large Diameter 50 mL	
C27725	Red Large Diameter 250 mL	
C27250	Red High Temperature 50 mL	
C26250	Red Permanent Strength 50 mL	31
C27110	Red High Strength 10 mL	31
C27150	Red High Strength 50 mL	31
C27006	Red High Strength Gel 6 mL	
C51550	Gasket Maker General Purpose 50 mL	
C51850	Gasket Maker Solvent Resistant 50 mL	
C66050	Worn Part Retaining Compound 50 mL	
C68050	Max Strength Retaining Compound 50 mL.	
C54550	Pneumatic/Hydraulic Sealant 50 mL	
C56750	Extreme Temp Pipe Sealant 50 mL	32
C56550	Controlled Strength Pipe Sealant 50 mL	
C59250	High Temp Pipe Sealant 50 mL	32
SPECIALT		
C501	Tire SOS Non-Flammable	
C530	Engine Coolant Year Round	
C35	Rubberized Under Coating	
C120	Battery Cleaner & Acid Detector	
C121	Battery Protector	
C124-6	Belt Dressing	
C682	Anti-Seize	
C706	Dielectric Grease	
C800	Cold Galvanize	
C3352	Rust Converter	35
	SCORES CONTES	
	Will Preshence	
AIR FRES	HENERS	36
NEW PRO	DUCT SHOWCASE	
C570	SOS Spray Off Salt 22 oz	
C573	SOS Spray Off Salt 1 gal	
·	-17 9	



Customer Service 800,843,7813

C959

Look for this icon to identify Cyclo winter & storage related products

NSF.

Stock #: C10

12 Pack

13 oz / 369 g



Break Away

The BEST At Loosening The Toughest Jobs

- Penetrant & super lubricant
- Breaks loose rusted joints & bolts
- Controls rust, corrosion & squeaks

Stock #: C300 6 Pack



Fusion 3.0

The Ultimate 3 in 1 Lubricant

- Reduces friction & stops annoying squeaks
- Penetrates & frees rusted frozen parts
- Inhibits future rust & corrosion



NSF.

Stock #:

12 Pack

Silicone Spray

200% More Silicone Than the Competition

- Lubricates, seals & protects
- Great for sliding mechanisms
- Prevents sticking, freezing & squeaks



Z Lube®

For Every Job A to Z

- 4X faster penetration than the competition
- Displaces moisture, & stops squeaks
- Great for cleaning surfaces of grease, tar, marker, adhesives & more

C305INTL C306INTL C307INTL

Stock #:

12 Pack

10 oz. /

12 pack 12 pack 12 pack 10 oz. / 284 g 5.5 oz. / 156 g 3.3 oz. / 94 g



Stock #: C320 12 Pack

12 Pack 10 oz / 284 g



Liqui Shield

The Longest Lasting Waterproof Lubricant


- Weather proof & waterproof
- The best prevention against rust & corrosion
- Does not attract dirt or slingoff making it great for moving parts



Red Grease

Conquers All of the Toughest Elements

- Up to 400°F / 204°C working temperature
- Protects & lubricates
- Red coloring provides easy visual inspection



White Grease

2X Longer Lasting Lithium Lubricant

- Long lasting & stays pliable
- Reduces wear & stops squeaks
- Repels moisture to protect against rust & corrosion



Faster

Deep Penetrating Formula

- Loosens, cleans & lubricates rusted parts
- Penetrates instantly
- Silicone free



Dry Moly

50% Friction Reduction

- Fills in metal imperfections to create a smooth surface
- Low shear resistance & quick air-drying
- Up to 800°F / 427°C working temperature



Chain Lube

Strongest Cling to Reduce the Sling


- Up to 800°F / 427°C working temperature
- Foams on to stay in place then penetrates to provide maximum lubrication
- O-ring safe

Professional Performance cyclo.com Customer Service 800.843.7813



SELECTION GUIDE











Max44®

Total Fuel System Cleaner & Lost Power Restorer

- 15% increase in fuel economy on average
- Improves acceleration &
- Synthetic formula mixes with all gasolines

Stock #:

12 Pack

12 fl oz /

12 pack 8 fl oz / 237 mL



Stock #:

12 Pack

8 fl oz /

Gasoline Treatment

Removes Water & Stops Fuel System Corrosion

- Detergent formula cleans fuel
- Improves performance & saves gas
- Removes water, fights rust & corrosion



Fuel Injector Clean Up

Opens Clogged Injectors To Restore Power & Acceleration

- One bottle cleans injectors fast
- Restores lost power & performance
- Dissolves injector & manifold deposits



Stock #:

12 Pack 12 fl oz /

Fuel Injector & Carb Cleaner

Opens Clogged Injectors To Restore Power & Acceleration

- Helps save gas
- Reduces exhaust emissions
- Keeps injectors & fuel systems clean



Octane Boost

More Octane = More Horsepower!

- Increases octane up to 30 points (3 numbers)
- Boosts octane & cleans fuel system for improved performance
- Helps stop knocks, pings & "run-on"
- Powerful street legal formula
- Helps "bad fuel" burn cleaner



Fuel Stabilizer

Keeps Fuel Fresh for Ouick Starts

- Prevents fuel deterioration & gum/varnish build up
- No need to drain fuel for storage
- For all 2 & 4 cycle engines

6 pack 32 fl oz / 946 mL

A Total Fuel System Cleaner & Lost Power Restorer









Unique blend of concentrated synthetic cleaners formulated to help restore maximum power & increase fuel economy.

An advanced synthetic formula specifically designed to clean...

- Fuel InjectorsManifolds Intake ValvesCarburetors
- Combustion Chambers

I was hesitant to put anything in my vehicle, but I'm glad I did. Besides better mileage – my vehicle is running like it did when I first bought it.

- Vinnie M., Charlotte, VA

I thought my car was dead! It was making noise, had poor acceleration and constantly hesitating. After one bottle it came back to life and keeps getting better with each additional bottle.

- Dina K., Cleveland, OH



Total Fuel System Cleaner & Lost Power Restorer

- 7.5% increase in fuel economy on average
- Reduces smoke & exhaust emissions
- Synthetic formula mixes with all diesel formulas
- Removes water
- Added lubricity for lowsulphur fuels



6XT Diesel Fuel Treatment

Cleans Injectors to Maintain Power & Performance

- Cleans injectors & fuel systems
- Reduces smoke & emissions
- Saves fuel, restores power & removes water

12 pack 8 fl oz / 237 mL



Stock #:

12 Pack



Diesel Fuel Injector Cleaner

50% Reduction in Smoke

- Cleans injectors & restores performance to save fuel
- Reduces smoke emissions
- Lubricant for low sulfur fuel



Diesel Water Remover

Improves Diesel Performance

- Disperses water
- · Reduces freezing point
- Cleans injectors
- No alcohol



Diesel Anti-gel Fuel Treatment

Best for Cold Weather Environments

- Prevents formation of wax crystals & ice formation, preventing filter plugging
- Keeps injectors clean & disperses water
- Lubricant for low sulfur fuel

CDFA 12 pack 8 fl oz / 237 mL

Why Diesel Fuel Needs to be Treated During Winter Months

PROBLEM

Cold weather in diesel fuel causes wax formation, ice crystals, & poor stability, resulting in a loss of mileage efficiency, power and increased downtime.

PREVENTION

Prevent these winter problems by adding Cyclo's Diesel Fuel Treatment with Anti-Gel (C24 & CDFA) to your diesel. Our formula is designed to help prevent the major problems and downtime caused by cold weather diesel fuel wax, ice crystals and poor stability. This unique formula, which contains no alcohol attacks and helps reverse the effect of paraffin wax, water and carbon — the three major problems associated with water and carbon – the three major problems associated with diesel fuel.

PROCESS

Anti-Gel: Provides up to 50°F lower operating temperature than untreated fuel (depending on the fuel and treatment level – see chart) to help prevent fuel line and fuel filter plugging.

Water Remover & De-Icer: Inhibits ice crystal formation to prevent blocked fuel filters and fuel lines. This formula permits water to be blended into the fuel in a very fine dispersion to safely burn the water in the combustion chamber.

Fuel Stabilizer: helps maintain fuel stability to reduce carbon and varnish buildup and helps keep fuel injectors clean. Cyclo is formulated to assure good storage stability and protect against deterioration at elevated engine temperatures.

Treatment (Gallons Treated) 250 1000 **Winter Temperatures** Recommended Treatment Chart 1 Gallon 1 Quart Additional 25° F Protection **Zero Temperatures** 2 Quarts 2 Gallons Additional 35° F Protection **Sub-Zero (Severe Conditions) Temperatures** 4 Quarts 4 Gallons -30° Additional 50° F Protection

Professional Performance cyclo.com Customer Service 800.843.7813



Brake & Parts Clean

One Can Cleans All 4 Brakes - Quickest Drying & Strongest Cleaning

Stock #	Pack Size	Fill	Stock #	Pack Size	Fill			
Original Non-Chlorinated Formula		Meth	anol Forr	nula				
C111	12	14 oz / 397 g	C101C	12	13 oz / 369 g			
Low VOC Formulas			Low-0	Odor For	mula			
C111C	12	14 oz / 397 g	C108C	12	14 oz / 397 g			
C111-CA10VOC 12 14 oz / 397			Chlorii	nated Fo	rmula			
C111SC	12	14 oz / 397 g	C32	12	18 oz / 510 g			
Other fill sizes available, please inquire								



Parts, Tools & Brake Cleaner

Chlorinated & Non-Flammable

- Excellent cleaner, quick drying
- . Metal surfaces, CV joints, clutches & brakes



Disc Brake Quiet

High Temperature Formula

- Stops disc brake squeal
- Fast drying
- Applies smoothly & evenly



DOT 3 Brake Fluid

450°F DOT 3

- High-temp formula 450°F (232°C) min. dry boiling point
- Mixes with all DOT 3 brake
- Formulated for disc & drum brakes

C56 12 pack 32 fl oz / 946 mL



DOT 4 Brake Fluid

500°F DOT 4

- High-temp formula 500°F (260°C) min. dry boiling point
- 336°F (168°C) min. wet boiling
- Mixes with all DOT 4 brake fluids



Air Brake Anti-Freeze & Dryer

Protects Air Brake Systems from Icing & Removes Moisture

- Dissolves ice on contact
- Year-round protection

4 pack 1 gal / 3.79 L

Brake Cleaner Guide

	C111	C111C/ C119C	C111- CA10VOC	C111SC	C101C	C108C	C32	C109
FLAMMABLE	((<u>•</u>	(O)	(<u>(a)</u>	(<u>(a)</u>	(i)	032	6109
NON-CHLORINATED	((((((
NON-FLAMMABLE							((
LOW ODOR						(
CHLORINATED							((
VOC COMPLIANT FOR OTC STATES		(((
LOW VOC FOR CA			(
MEETS SCAQMD STANDARDS				(



Break Thru® Engine Clean

Degrease Without The Stink

- · Heavy duty citrus scented degreaser
- Quickly removes grease &
- Penetrating solvent formula
- Non-foaming & foaming formulas available
- Cleans all engines

Break Thru® Carb Clean

Fast Gum Cutter

Stock #:

12 Pack

12.5 oz /

- Powerful solvent spray removes varnish, carbon & dirt
- Safe for oxygen sensors
- Applications: carbs, automatic chokes, PCV valves & linkages, fuel injector throttle plates. throttle bodies

C5	12 pack	19 oz. wt. / 539 g
1CA10VOC	12 pack	12.5 oz. wt. / 354 g
C1INTL	12 pack	12.5 oz. wt. / 354 g



Energized Circuit & Contact Cleaner

Industrial Grade

- 141b alternative
- No flash point & no residue
- · Quickly cleans dust, dirt, lint, hair, sand, sawdust, moisture and microscopic debris from hard-to-reach areas
- Safe in enclosed areas
- . Applications: office equipment, lab equipment, electronics, photo equipment, clean rooms



Break Thru® Electronics Cleaner

Quick Dry Formula Leaves No Residue

- · Instantly removes oil, grease, dirt & grime
- Precision cleaner designed to replace CFC products where lower flashpoint solvents may be used
- Applications: electronics, lighting, contacts, terminals, plugs, plastics, computers, circuits, nylon, sockets, PVC



Stock #: C37

12 Pack

18 oz /

Electric Motor Cleaner

Cleans, Degreases & **Quickly Evaporates**

- Cleans & degreases electrical systems, starters, generators, alternators, solenoids & equipment
- Non-flammable
- Use without disassembling
- · Applications: electrical motors, alternators, starters, solenoids, distributors, portable tools, batteries





Permastop®

The 60 Second Solution

- Permanent total cooling system repair
- 33% more effective than the leading competition
- 1 step multi-purpose system for coolant leak repair, head gaskets, radiators, heater cores, water pump casings, cylinder heads & engine blocks



Motor Flush

Cleans Engine In 3 Minutes

- · Easy to use, add to oil before changing
- · Removes power-robbing deposits
- Dissolves gum, sludge & varnish & helps free sticking valve lifters & rings

12 pack | 32 fl oz / 946 mL



Trans Stop Leak & Conditioner

Boosted with Special Anti-foaming Agents

- Stops leaks
- Conditions seals & assures smooth, quiet shifting & performance
- Compatible with all transmission fluids
- Guards against wear & slippage
- For all automatic transmissions



Stock #:

12 Pack

14.5 fl oz. /

429 mL

Smoke Treatment

Reduces Exhaust Smoke & Oil Consumption

- Reduces metal-to-metal contact
- Quiets noisy lifters, valves & pistons
- Increases surface film thickness to help loss of lubrication
- Use every oil change

Stock #: C52

12 Pack

12 fl oz /





Aluminized Stop Leak

Stops Leaks Fast & Permanently

- · Repairs leaks in radiators, water pumps, cylinder heads, hose connections, engine blocks, freeze plugs, heaters & gasket joints
- Inhibits rust

Stock #: C53

12 Pack

12 fl oz /



Fast Start Starting Fluid

High Ether Formula

- · Professional quality, for gasoline & diesel engines
- Fast cold weather starts to -65°F (-53°C)
- Contains upper cylinder lubricant & rust inhibitor

C100 | 12 pack | 10.7 oz. wt. / 303 g



Fast Flush

The 10-Minute Cooling System Cleaner

- Quickly removes rust & scale
- · Safe for all cooling systems
- Cleans radiators & operates cooler & trouble-free



Anti-Rust & Water Pump Lubricant

Fights Corrosion, Rust & Scale

- Lubricates water pump seals & parts
- Keeps cooling system clean & running cool
- · Safe for all cooling systems



Stop Leak & Sealer

The Purest Silicate Technology to Prevent Clogging

- Quickly finds & seals leaks with natural fibers
- · Safe for all cooling systems
- Circulates without clogging & is effective on all metals



Coolant Booster

Restores Additives to Extend Coolant Life

- Extends coolant life & restores additives contained in a full gallon of quality anti-freeze
- Stops rust & corrosion
- Lubricates water pump seals & moving parts to stop squeaks
- Safe for all cooling systems

Professional Performance cyclo.com Customer Service 800.843.7813



Power Steering Fluid

Protects Against Wear Helps Stop Squeaks

- Meets service requirements for most car manufacturers
- Helps stop squeals & protects against wear
- Smooth year-round performance

12 pack | 32 fl oz / 946 mL

Stock #: 12 Pack 12 fl oz /

Power Steering Stop Leak

Sealer, Protector & Conditioner

- Formulated to stop or reduce loss of fluid caused by dry, hard or leaky seals
- Conditions seals to keep them soft and pliable
- Protects from wear and stops squeals
- Compatible with all power steering fluids



Engine Stop Leak

Stops Oil Leaks

- Formulated to help reduce or stop oil leaks
- Revitalizes & conditions "dried out" seals & gaskets
- diesel engines
- · Easy to use, just add to oil



Oil Treatment

- Restores compression & lost power
- Quiets noisy lifters, valves & pistons & reduces oil



Gold Concentrated Oil Treatment

CX3 Technology

- Cleans & quiets noisy lifters & valves



12 Pack

18 oz / 510 g



Max Clean®

The Best for Any Dirty Job

- Multi-purpose foaming cleaner boosted with citrus activators
- Deep-cleaning foaming action
- Spray on, wipe off
- Applications: vinyl, chrome, fiberglass, aluminum, granite, fabric, appliances, machinery, tools, clothing, & many more



Stock #:

12 Pack

Deep Defend®

4X Deeper Clean

- Upholstery and carpet foaming cleaner and protector
- Stain shield technology
- · Defeats dirt & stains and defends against future accidents
- Applications: carpet, fabric, upholstery



C331

12 Pack

19 oz /



Glass Clean®

100% Streakproof Formula

- Safe for window tinting film & all auto, marine, farm & industrial equipment
- Cuts grease, grime & nicotine
- Does not run, contains no ammonia
- Applications: windshields, plastics, fiberglass, plexiglass, lexan, acrylic, chrome, aluminum, stainless steel



Headlight Restore

Restores to Like-New Condition

- Removes surface oxidation, pitting and scratches with long-lasting shine and protection
- Not harmful to surrounding chrome and paint
- No sanding or harsh chemicals
- Added UV protection
- · Safe for all polycarbonate

- Recommended for gasoline &

Stock #: C91 24 Pack



Concentrated

Premium Formula

- Fortifies oil; stops oil burning
- consumption & exhaust smoke

Added Protection with

- Fights oil breakdown

Professional Performance



APPEARANCE



Windshield Washer Solvent w/ Ammonia

Removes Bugs, Road Film & Grime

- Add to windshield washer fluid reservoir
- Use 1 oz. per 1 quart of water



Stock #:

12 Pack

16 fl oz /

Stock #:

4 Pack

1 GAL

Windshield Washer Solvent w/ Antifreeze

The Year-Round Windshield Cleaner

- All-season product: winter anti-freeze & summer cleaner
- 100% concentrated formula (compared to most others at 40% water)
- User may custom blend solvent to match weather conditions





Cream Car Wax

The Fast, Easy Way to Clean & Shine

- Easy on! Easy off!
- Cleans deep & shines deep
- Special blend of premium silicone & imported montan wax



Stock #:

05140

12 Pack

14 fl oz /

Liqui-Cream™ Wax

The Longest Lasting

- Easy on! Easy off! Leaves a rich, beautiful shine
- Safely cleans & polishes metalic, enamel & clearcoat finishes
- Long-lasting protection



Foam Away Tire Care

One-Step Foam Cleans, Shines & Protects

- Dissolves & removes dirt & brake dust
- Restores a lustrous like-new finish
- Builds a barrier against cracking, fading & discoloration
- No rinsing or wiping required



Bug & Tar Clean

Extra Strength Cream Formula

- Dissolves & removes tar, tree sap, bugs & more
- Unique creamy formula does not flash off
- Safe for all automotive finishes



Hand Cleaner

Citrus Lotion with Pumice

- Removes grease, oil, ink, undercoating, pipe dope & more
- No water needed
- Conditioner enriched with 6 skin care ingredients



Tanner's Preserve® Leather Cleaner

The Safest Cleaner to Remove the Toughest Grime

- · Safe & easy leather cleaner
- Made without harsh chemicals
- Will not harm leather finishes
- Applications: Car interiors, furniture, clothing, bags, luggage & accessories



Tanner's Preserve® Leather Conditioner

The BEST at Rejuvenating & Protecting Longer

- Restores worn leather surfaces
- Returns leather to a rich luster
- Applications: Car interiors, furniture, clothing, bags, luggage & accessories



Vehicle Manufacturers¹ Trusted Choice

Professional Performance cyclo.com Customer Service 800.843.7813 23



Long Lasting, Less Waxing

Stock #: Rain Conce 6 Pack 16 fl oz /

Premium Liquid Wax

Brilliant Reflective Shine

- Leaves a velvet-touch feel on paint surface
- Added shine element for show-car shine
- Rich formula leaves no residue
- · Clear coat safe

Stock #:

6 Pack

22 fl oz /

Beading Shine

- durable waxes that seal a vehicle's finish
- Smooth fine scratches & swirl marks to create a brilliant & shiny surface
- cause oxidation

Stock #: 2550

6 Pack

16 fl oz /

Carnauba Car Wax

Long-Lasting Water-

- Contains only the purest grades of carnauba & other
- Blocks out damaging elements that fade paint &



Wet Tire Shine

No Wiping! No Rinsing!

- Unique sprav & shine formulation for deep shine & high gloss
- Helps prevent browning, cracking & pre-mature aging of tires
- Features unique nozzle application to direct the spray to the precise areas & restores deep black appearance



Quick Detailer

Multi-Surface Tool for a Quick Shine

- · Great tool for detailing everyday
- Touch-ups & in-between washing & waxing
- Formulated for superior shine & to enhance vehicle wax protection



Premium Cleaner Wax

3 in 1 - Cleaner, Polisher & Protector

- Formulated to go deeper for a thoroughly clean surface
- · Gentle abrasive formula to remove fine lines, swirl marks & contaminants not removable by regular waxes or cleaners
- · Helps restore original vehicle appearance & leaves surface smooth & protected

Power to the MAX Savings to the MAX

Want From

Your Car?







Stock #: 06610 12 Pack

8 fl oz / 237 mL



Clearcoat Polishing Compound

"Smooth as Glass" Finish

- Safely eliminates minor scratches & light oxidation
- Cleans stains, grime & road film
- Restores vehicle appearance

Stock # 01110 6 Pack

14 fl oz /



Auto Polish & Cleaner

New Car Beauty Fast & Easy

- Cleans deep down & removes grime & stains, weathered paint & dulling road film
- Restores "new-car" brilliance
- Gives a bright, long-lasting shine

Stock #:
08610

12 Pack

10 fl oz /
296 mL

RUBBING
COMPOUND
CLANS A BESTORS DUIL TRINSHES
HER HANNER OF MERCH OF MERCH

Rubbing Compound

Cleans & Restores Dull Finishes

- Heavy duty paste
- Cleans & smooths rough surfaces
- Removes deep scratches & stains

Stock #: 07610

12 Pack

10 fl oz / 296 mL



White Polishing Compound

Cleans & Shines

- Removes scratches, cleans & shines dull finishes
- Removes heavy traffic film & weathered paint
- Provides smooth, shiny surface quickly & easily

Car & Truck Wash Concentrate

Floats Off Dirt Fast

- Safe for waxed cars
- Does not harm finishes
- Low foam, water saving formula
- Also great as household cleaner for walls, woodwork, windows, floors & tile

16330 16340 4 pack 1 pack 4 lb / 1.8 kg 16 lb / 7.24 kg



Scratch Remover

Formulated with Diminishing Abrasives

- Safely removes light scratches/swirls
- Super-fine particles break down from friction to gently buff away any surface blemishes
- Safe for all finishes, hand or machine uses



Chrome & Metal Polish

Fast & Easy Cleaner, Polish & Rust Remover

- Cleans & polishes nickel, brass, copper & stainless steel in one operation
- Bright mirror shine for chrome bumpers & trim
- Removes traffic film, bug residue & rust stains quickly & easily



DHESIVES & SEALANTS



Ultraweld® Headliner Adhesive

Professional Strength Non-Staining Formula

- Superior moisture/ water temperature resistance
- 3-way adjustable spray
- The strongest bond
- Applications: bonds carpet, fabric & foam to metal, leather, plastic, wood, paper, fiberglass & more



Ultraweld® Epoxy Stick

5 Minute Quick Set

- Super strong, high temp formula, even sticks & cures underwater
- No odor, no mess, no drips, shrinkage, sags, or waste like liquid epoxy
- Applications: intake manifolds, water tanks, radiators, engine blocks & all wood, steel, aluminum, fiberglass & plastic



Ultraweld® Clear Epoxy

Colorless Bonding Compound

- 4 Minute Quick Set
- Waterproof / solvent-resistant
- Can be drilled, sanded & machined
- Applications: concrete, metal, wood, glass, china, plastic, tile & more



Ultraweld® Epoxy Steel

Cold Welding Compound

- · Fast, strong & odorless
- Quick to mix & fast to apply
- Cures to a metal-like finish overnight
- Can be drilled, tapped or machined like original metal



Ultraweld® Rear View Mirror Adhesive

5 Minute Quick Fix

- . Bonds bracket to windshield
- Permanent in minutes
- O.D.C free

J. H. RAWELD







Ultraweld® Silicone Instant Gasket Makers

- Oxygen sensor-safe
- Forms instant leak-proof gaskets on all engines
- Low volatile formula meets GM 9985443 specs
- Pressure resistant
- Great adhesive & sealant on many materialsmetal, glass, plastic, wood, rubber, fiberglass, etc.
- Instant RTV (Black OX & Grey OX) Gasket Makers
- Hi-temp up to 650°F (343°C) & oxygen sensor safe
- Low odor / non-corrosive
- Forms instant leakproof gaskets on all engines

Stock #	Pack Size	Fill						
	Black Silic	one						
C991-6								
C951	3 fl oz / 89 mL							
Red Silicone								
C992-6	6	9.8 fl oz / 290 mL						
C952	12	3 fl oz / 89 mL						
	Clear Silice	one						
C993-6	6	9.8 fl oz / 290 mL						
C953	12	3 fl oz / 89 mL						
	Blue Silico	one						
C956	12	3 fl oz / 89 mL						
	White Silic	one						
C997-6	6	9.8 fl oz / 290 mL						
	Grey OX Sili	cone						
C999	6	13 fl oz / 384 mL						
C959	12	3.35 fl oz / 99 mL						
	Black OX Sil	icone						
C961	12	3.35 fl oz / 99 mL						

Professional Performance cyclo.com Customer Service 800.843.7813

ULTRAWELD°

ANAEROBIC THREAD LOCKERS












PRODUCT	PENETRATING GRADE	MEDIUM STRENGTH GEL	SURFACE INSENSITIVE	MEDIUM STRENGTH	SMALL SCREWS
TYPICAL SIZE FASTENER	#2 to 1/2" 2.2 to 12 mm	1/4" to 1" 6 to 25 mm	1/4" to 3/4" (6 to 20 mm)	1/4" to 3/4" (6 to 20 mm)	Up to 1/4" (6 mm)
BREAK/PREVAIL (INCH POUNDS)	97 / 266	115 / 50	186 / 53	115 / 53	62 / 35
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	12	75,000 / 900,000	2,250 / 12,000	1,200 / 6,000	1,200 / 5,000
SIZES	C29010 10 mL C29050 50 mL	C24006 6 mL	C24350 50 mL	C24210 10 mL C24250 50 mL	C22210 10 mL C22250 50 mL
USE ON	Carburetors; electrical connectors; instrumentation screws; pre-assembled fasteners	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Pumps; motor mounting bolts; gear boxes; presses	Tools; pumps, compressors; gear boxes; bolts - (mounting, pulley, coupling)	Set screws; throttle body assembly screws; panel mounting fasteners; meters & gauges

CONVENTIONAL THREAD LOCKERS



THREAD LOCKERS - BLUE Medium Strength - Removable

- Locks, fastens & seals threads • Prevents loosening due
- to vibration
- Removable with normal hand tools





THREAD LOCKERS - RED HIGH Strength - Permanent

- Locks, fastens & seals threads securely
- Prevents loosening due to vibration
- Disassembly requires extra effort

Stock #: 6 pack .20 oz. / 6 mL

ULTRAWELD

ANAEROBIC THREAD LOCKERS











PRODUCT	LARGE DIAMETER	HIGH TEMPERATURE	PERMANENT STRENGTH	HIGH Strength	HIGH STRENGTH GEL
TYPICAL SIZE FASTENER	1" and over (25 mm+)	3/8" to 1-1/2" (10 to 38 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)	3/8" to 1" (10 to 25 mm)
BREAK/PREVAIL (INCH POUNDS)	284 / 284	213 / 230	177 / 266	239 / 266	195 / 248
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 450° F (-54° to 230°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)	-65° to 300° F (-54° to 149°C)
VISCOSITY CP	7,000	10,000	1,800 / 5,000	500	75,000 / 900,000
SIZES	C27750 50 mL C27725 250 mL	C27250 50 mL	C26250 50 mL	C27110 10 mL C27150 50 mL	C27006 6 mL
USE ON	Heavy duty equipment such as construction & railroad assemblies; suspension bolts; gear bolts	Camshaft sprockets bolts; crankshaft bolts; transmission input & output shaft threads; idler bearings; ring gear or shock bolts	Suspension fasteners; shock absorber mounts; frame brackets; wheel studs	Cylinder block bolts; transmission shaft bolts; ring gear bolts	Cylinder block / rocker arms studs; shock absorber mounts; ring gear & frame bolts



GASKET MAKER General Purpose

- Flexes with flanges
- Extended work time

Stock #: 6 pack

TEMP. RANGE

CURE SPEED

VISCOSITY

COLOR

1.69 fl oz. / 50 mL tubes

-65° to 300° F (-54° to 149°C)

275,000 / 950,000



GASKET MAKER

- Fast work time
- For aluminum & rigid machined flanges

Stock #: C51850 6 pack

1.69 fl oz. / 50 mL tubes

-65° to 300° F (-54° to 149°C) 800,000 / 3,750,000 15 min. to 2 hrs. (primed) 1 to 12 hrs (unprimed)

Water pumps; engine cases; timing covers; thermostat housing Transmission pans; trans axle **USES**

ULTRAWELD®

ANAEROBIC RETAINING COMPOUNDS




ANAEROBIC PIPE SEALANT



	C54550	C56750	C56550	C59250
PRODUCT	Pneumatic / Hydraulic Sealant	Extreme Temperature with PTFE	Controlled Strength with PTFE	High Temperature with PTFE
MAX PIPE DIAMETER	2" (50 mm)	3" (75 mm)	2" (50 mm)	2" (50 mm)
SEALS TO OPERATING PRESSURE	10,000 psi	10,000 psi	10,000 psi	10,000 psi
TEMP. RANGE	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)	-65° to 300° F (-54° to 149°C)	-65° to 400° F (-54° to 200°C)
VISCOSITY	14,000 (cP)	300,000 (cP)	300,000 (cP)	350,000 (cP)
USES	Fitting on hydraulic lines, brakes, transmission fluid	Tapered pipe threads & fittings	Stainless steel fittings; oil & coolant lines; fuel fittings	Oil psi switches & sensors; transmission oil & coolant lines; head bolts

ANAEROBIC GUIDE

THREAD LOCKING



Plunger

THREAD SEALING

(see opposite side to select the right Pipe Sealant for your application)

start approximately 2 band from bottom

desired setting

Step 2

Apply C290 where screw and body meet

PRE-ASSEMBLED

Step 1

Assemble all parts to desired strength

Step 2

For maximum locking, apply C290 where nut and bolt meet

PIPE, HYDRAULIC OR AIR FITTINGS



GASKETING


SEALING CAST RIGID FLANGES

Step 1

Apply an even, unbroken bead of Gasket Maker

Step 2

Assemble and tighten parts to required strength




SEALING FLANGES

Step 1

Apply C518 to both sides of precut gasket

Step 2

Apply gasket to flange surface and assemble immediately



Step 3 Use C242,

C243 or C24006 on bolt and hole threads

HEAVY DUTY KEYED ASSEMBLIES

Apply C660 on shaft, key and in keyway

Step 2

Assemble parts and remove any excess



SHAFT MOUNTED ASSEMBLIES

Step 1

Trim sleeve for appropriate slip fit

Step 2

Apply C680 or C660 around shaft and install sleeve

Step 3

Apply C660 to sleeve and install component



HOUSED COMPONENTS - SLIP FIT





Step 1

Reduce component O.D. (or housing I.D.) for .002-.004" slip fit


Step 2

Step 3

Apply C660 to component Remove O.D. and assemble with a any excess twisting motion

DISASSEMBLY OF HIGH STRENGTH FASTENERS

• APPLY LOCALIZED HEAT TO ASSEMBLED UNIT FOR 5 MINUTES. FOR BEST RESULTS, USE TEMPERATURES OF 450°F (232°C) OR HIGHER •DISASSEMBLE WITH HAND TOOLS WHILE HOT





Apply Sealant to

male threads


Step 1

Step 1

Apply Sealant to male threads

Step 2

Assemble without overtightening



Step 2

COMPRESSION FITTINGS

Step 1

Apply Sealant onto tubing where ferrule will eventually rest

Push ferrule into place and apply Sealant to ferrule Step 3

Apply Sealant to male threads and assemble without

Step 2

without

Assemble

overtightening



Non-Flammable Tire S.O.S

Emergency Tire Rescue

- Quickly reinflates & seals punctures from the inside of a damaged tire
- Non-flammable product
- Comes with a handy hose applicator for easy use

Stock #: C530 6 Pack 1 gal / 3.73 L CGUID PROFESSIONAL FERFORMANCE Not Round Professional FERFORMANC

Engine Coolant

Year Round Protection

- Boosted with glycol for improved high & low temperature performance
- Anti-corrosion formula
- Not an anti-freeze



Stock #: C124-6

6 Pack

8 oz /

Belt Dressing

Protective Coating Prevents Drying & Cracking

- Stops squeaks, adds traction
- Protects against further slippage
- Protects fan belts & motor driven belts against drying & cracking



Anti-Seize

- Protects metal parts from extreme heat, pressure, rust & corrosion
- Prevents galling, seizing & pitting & reduces wear & friction

Ensures accurate torque &

easy disassemble



Stock #: C706

3 fl oz /

Dielectric Grease

- Lubricates, seals & protects electrical connections
- Rust & corrosion protection
- Locks out moisture, oil, salt & dirt

Stock #:
C35

12 Pack

16 oz /
454 g

Heavy Duty
Liberty ED

Liber

Under Coating

Professional Looking Textured Finish

- Fights rust, soundproofs & restores protection
- Paintable & quick drying
- . Blocks out salt & water
- Rubberized formula



Battery Cleaner & Acid Leak Detector

Extends Battery Life

- Cleans & helps protect battery terminals, clamps, connectors, cables & carriers
- Removes corrosion & extends battery life
- · Locates & identifies acid leaks



Battery Protector

Extends Battery Life

- Protective red-colored coating prevents corrosion on terminals & brackets
- Soft pliable formula flows into cracks & crevices for maximum protection
- Extends battery life



Cold Galvanize

Industrial Grade

Stock #:

12 Pack

13 oz /

- 98% pure zinc coating provides long-term protection against rust & corrosion
- Heat resistant coating up to 300°F
- Combines tough properties of epoxy & galvanic protection of zinc



Rust Converter

- Seals & converts rusted surface into paintable area
- Neutralizes rust & is longlasting
- Use on gates, bridges, marine equipment, farm tools, metal roofs & more

Extra strength - up to 8 weeks Refreshes any area - home, office, vehicles Offsets foul and unpleasant odors

SPECIALT



VIVA-SCENT® PALM TREES

- Long lasting up to 8 weeks
- Immediately ready for display/hanging
- Offset foul & unpleasant odors
- Wide variety of most popular scents

Palm T	rees:
D : 1	١ ۵

Display Board:

Display: Case: 12



VIVA-SCENT® ORGANICS

- Three scent infused blocks up to 60 days of scent
- Natural, pleasant scentsAvailable in assorted & individual display boxes
- Immediately ready for counter

Display:	
24	

Contents: 1.5 oz. / 43 g

SCENTS:

VIVA-SCENT® PALM TREES

C-FHCH Cherry C-FHJS Jasmine

C-FHIB Cool Black **C-FHNC New Car**

C-FHPN Pine

C-FHVN Vanilla

C-FHST Strawberry C-FHWD Wildberry

VIVA-SCENT® ORGANICS

C-FN2CH Cherry C-FN2JS Jasmine C-FN2NC New Car C-FN2ST Strawberry C-FN2VN Vanilla

C-FN2WD Wildberry

12 Pack

SPRAY OFF SALT

Inhibits Corrosion

- Removes Salt Deposits
- Biodegradable
- Marine Use
- Engine Flush & Protector

4 pack 1 GAL / 3.78 L

Formula






Safe For All Surfaces & Applications

Available Sizes: 22 fl oz Premix (Stock No. C570), 1 gallon Concentrate (Stock No. C573), Applicator (Stock No. C574)

PROFESSIONAL PERFORMANCE TRUSTED THROUGHOUT THE WORLD



For over 50 years, the Cyclo brand of professional quality products has been used in automotive, heavy duty/fleet, industrial, agricultural and marine services. The brand started as a line of service chemicals which was largely sold through traditional warehouse distributors to jobbers and then to professional mechanics and serious do-it-yourselfers. The line is known for its professional quality formulas and superior packaging since the first Cyclo product was introduced - Carb Clean® Fast Gum Cutter.

The array of colors used in Cyclo packaging was originally introduced for the professional, so he could quickly reach for a product without having to read the label. Cyclo products have always been formulated for professionals who use the products as tools to do their jobs quicker, easier and better. One comment heard over and over from mechanics trying products for the first time is that they are amazed at how much quality and effectiveness they can get out of one can.

In 2000, Cyclo acquired the Rally® and No 7® car care brands from the Clorox® Company. The acquisition of these two world-famous appearance brands broadened Cyclo's offering and stature in the aftermarket. Both lines fit perfectly with Cyclo's professional quality products in both performance and quality. In 2003, the additional acquisition of Tanner's Preserve® Leather Care products from Clorox added another category to Cyclo.

Cyclo developed an export business more than 25 years ago and currently has distributor relationships in over 80 countries around the world. In 2006, Cyclo was acquired by Pidilite USA Inc., a division of Pidilite Industries, Ltd. headquartered in Mumbai, India. Pidilite employs over 3,000 people in 14 countries with customers throughout the world.

Cyclo products are proudly Made in the USA. The company manufactures an American made product line to ensure their impeccable standards are met. Cyclo is continually researching new formulas and products to bring to dedicated customers who have long depended on Cyclo for the latest developments in strong and effective formulas. Whether it is new VOC compliant formulas or new premium products offering the best and newest innovations, Cyclo is the company that has not only been working for the professional in the past, but will continue to do so in the future.

NDEX

Bulk sizes available on most products. Inquire for details.

C27110 C27150

C-FHWD

C-FN2VN C-FN2WD

01110	No.7 Auto Deliah & Classes	00	0100	D . T D OI	_
01110	No7 Auto Polish & Cleaner		C109	Parts, Tools & Brake Cleaner	
05140	Rally Liqui-Cream Wax		C111	Brake & Parts Clean	
06610	No7 Clearcoat Polishing Compound	26	C111C	Brake & Parts Clean Low VOC	. 1
07610	No7 White Polishing Compound	27	C111CA10V0C	Brake & Parts Clean Low VOC	. 1
08610	No7 Rubbing Compound	27	C111SC	Brake & Parts Clean Low VOC	. 1
09610	No7 Scratch Remover		C119C	Brake & Parts Clean Low VOC 5 gal	
10120	No7 Chrome & Metal Polish		C120	Battery Cleaner & Acid Detector	
16140	No7 Car & Truck Wash 8 oz		C121	Battery Protector	
16330	No7 Car & Truck Wash 4 lb		C123	Red Grease	
16340	No7 Car & Truck Wash 16 lb		C124-6	Belt Dressing	. 3
2233	Rain Dance Wet Tire Shine	24	C179	Citrus Hand Cleaner with Pumice 1 gal	. 2
2510	Rain Dance Premium Liquid Wax	24	C206	Windshield Washer Solvent Concentrate	. 2
2540	Rain Dance Carnuba Car Wax		C207	Windshield Washer w/ Anti-freeze	2
2550	Rain Dance Premium Cleaner Wax		C233	Power Steering Stop Leak	
2931	Rain Dance Quick Detailer		C240M	• .	
				Aluminized Stop Leak	
65864	Tanner's Preserve Leather Cleaner		C260	6XT Diesel Fuel Treatment 12 fl oz	
65893	Tanner's Preserve Leather Conditioner	23	C261	6XT Diesel Fuel Treatment 8 fl oz	. 1
82116	Rally Cream Car Wax	23	C285	Diesel Water Remover	. 1
C0801	Headlight Restore	19	C290	Fuel Stabilizer 8 fl oz	
C1	Carb Clean 12 oz		C292	Fuel Stabilizer 32 fl oz	
C1CA10V0C	Carb Clean Low VOC 12 oz		C300	Fusion 3.0.	
C1INTL	Carb Clean 12 oz		C301	Epoxy Sticks	
C5	Carb Clean 19 oz		C305	ZLube	
C10	Break Away	4	C305INTL	ZLube International	
C19	Motor Flush 15 fl oz	16	C306INTL	ZLube International 5.5 oz	
C20	Motor Flush 30 fl oz	16	C307INTL	ZLube International 3.3 oz	
C21	Diesel Fuel Injector Cleaner		C320	Liqui Shield	
C23	Diesel Fuel Treatment Year Round			·	
			C331	Glass Clean	
C24	Diesel Fuel Treatment & Anti-Gel 32 fl oz		C392	Max Clean All-Purpose Cleaner	
C27	Power Steering Fluid 12 fl oz		C395	Deep Defend Upholstery & Carpet Cleaner	. 1
C28	Power Steering Fluid 32 fl oz	18	C400	Faster	
C30	No Stink Engine Clean	14	C501	Tire SOS Non-Flammable	. 3
C32	Brake & Parts Clean Chlorinated	12	C521	PermaStop	1
C33V	Silicone Spray		C530	Engine Coolant Year Round	
C34	White Grease		C570		
				Spray Off Salt 22 oz	
C35	Rubberized Under Coating		C573	Spray Off Salt 1 gal	
C36	Disc Brake Quiet		C661	Chain Lube	
C37	Electric Motor Cleaner	14	C682	Anti-Seize	. 3
C39	No Stink Engine Clean Foaming	14	C706	Dielectric Grease	. 3
C40	Fuel Injector Clean Up	8	C800	Cold Galvanize	. 3
C41	Fuel Injector & Carb Clean		C904	Headliner & Carpet Adhesive	
C43	Gas Treatment		C910	Rear View Mirror Adhesive	
C44	Max44 Gasoline		C920	Blue Medium Strength 6 mL	
C44B	Max44 Gasoline 8 fl oz		C925	Red High Strength 6 mL	
C44D	Max44 Diesel	10	C943	Clear 2 Part Epoxy	
C45	Trans Stop Leak Conditioner	17	C944	Steel 2 Part Epoxy	. 2
C47	Octane Boost	9	C951	Black Silicone Gasket Maker 3 fl oz	. 2
C50	Fast Flush	16	C952	Red Silicone Gasket Maker 3 fl oz	
C51	Anti-Rust & Water Pump Lubricant	17	C953	Clear Silicone Gasket Maker 3 fl oz	
C52	Stop Leak & Sealer			Blue Silicone Gasket Maker 3 fl oz	۰ ۲
			C956		
C53	Coolant Booster		C959	Grey OX Silicone	. 2
C55	DOT 3 Brake Fluid 12 fl oz	13	C961	Black OX Silicone	. 2
C56	DOT 3 Brake Fluid 32 fl oz	13	C991-6	Black Silicone Gasket Maker 9.8 fl oz	. 2
C62	Foam Away Tire Care Cleaner & Shine	22	C992-6	Red Silicone Gasket Maker 9.8 fl oz	. 2
C64	Bug & Tar Clean	22	C993-6	Clear Silicone Gasket Maker 9.8 fl oz	
C71	DOT 4 Brake Fluid 12 fl oz		C997-6	White Silicone Gasket Maker 9.8 fl oz	
C85	Energized Circuit & Contact Cleaner		C999	Grey OX Silicone 9.8 fl oz	
C87	Quick Dry Electronic Cleaner		C2100	Smoke Treatment	
C89	Engine Stop Leak		C3322	Dry Moly	
C90	Premium Gold Concentrated Oil Treatment	18	C3352	Rust Converter	. 3
C91	Premium Concentrated Oil Treatment	18	C22210	Purple Small Screws 10 mL	. 3
C97	Air Brake Anti-Freeze & Dryer 32 fl oz	13	C22250	Purple Small Screws 50 mL	
C98	Air Brake Anti-Freeze & Dryer 1 gal		C24006	Blue Medium Strength Gel 6 mL	
C99	Fast Start Starting Fluid 7.2 oz				
	_		C24210	Blue Medium Strength 10 mL	. ქ
C100	Fast Start Starting Fluid 10.7 oz		C24250	Blue Medium Strength 50 mL	. პ
C101C	Brake & Parts Clean Methanol		C24350	Blue Surface Insensitive 50 mL	
C108C	Brake & Parts Clean Low Odor	12	C26250	Red Permanent Strength 50 mL	. 3

Red High Strength Gel 6 mL	3
Red High Strength 10 mL	3
Red High Strength 50 mL	3
Red High Temperature 50 mL	
Red Large Diameter 250 mL	3
Red Large Diameter 50 mL	3
Green Penetrating Grade 10 mL	3
Green Penetrating Grade 50 mL	
Gasket Maker General Purpose 50 mL	
Gasket Maker Solvent Resistant 50 mL	
Pneumatic/Hydraulic Sealant 50 mL	. 3
Controlled Strength Pipe Sealant 50 mL	
Extreme Temp Pipe Sealant 50 mL	
High Temp Pipe Sealant 50 mL	
Worn Part Retaining Compound 50 mL	
Max Strength Retaining Compound 50 mL	
Air Intake System Cleaner 5 oz	
Diesel Fuel Treatment & Anti-Gel 8 fl oz	
Viva-Scent Palm Trees - Cherry	. 3
Viva-Scent Palm Trees - Cool Black	
Viva-Scent Palm Trees - Jasmine	
Viva-Scent Palm Trees - New Car	
Viva-Scent Palm Trees - Pine	
Viva-Scent Palm Trees - Strawberry	
Viva-Scent Palm Trees - Vanilla	
Viva-Scent Palm Trees - Wildberry	
Viva-Scent Organic - Cherry	
Viva-Scent Organic - Jasmine	
Viva-Scent Organic - New Car	
Viva-Scent Organic - Strawberry	
Viva-Scent Organic - Stawberry	
Viva Coopt Organia - Wild Porny	

Customer Service 800.843.7813

39



PROFESSIONAL PERFORMANCE

AUTOMOTIVE | HEAVY DUTY | INDUSTRIAL | AGRICULTURE | MARINE









Distributed by:

Cyclo Industries, Inc. 902 South US Highway 1 Jupiter, FL 33477 USA Toll Free 800.843.7813 In Florida/International 561.775.9600 National Fax 561.622.1055

cyclo.com facebook.com/CycloIndustries

Cyclo®, Rain Dance®, No 7®, Rally®, Tanner's Preserve® & Viva Scent® are sold throughout the world under the registered trademark of Cyclo Industries, Inc.

©2017 Cyclo Industries, Inc. A division of Pidilite USA, Inc. Source Code: W-CY1608-16





