

**In-Stock  
Product Catalog**

**MUST BE WORN**



**Hard  
Hat**



**Safety  
Boots**



**Safety  
Vest**



**Safety  
Glasses**

**QUEST**  
SAFETY PRODUCTS



Partnering with You to Protect Your Workers in Any Environment

**Spring 2021**

1414 S. West Street, Suite 200

[www.questsafety.com](http://www.questsafety.com)

317-594-4500

Indianapolis, IN 46225

Email: [SafetyCSR@questsafety.com](mailto:SafetyCSR@questsafety.com)

800-878-4872

# Catalog Directory

<b>Abatement Equipment</b>	1	<b>Hand &amp; Arm Protection</b>	29
<b>Absorbents &amp; Spill Control</b>	3	Cut Protection Gloves	29
<b>Adhesives &amp; Tapes</b>	4	Chemical Protection Gloves	31
<b>Disposable Protective Apparel</b>	5	Disposable Gloves	31
Shoe Covers	5	All Purpose Gloves	33
Boot Covers	5	Drivers/Leather Gloves	34
Coverall Suits	6	Arc Flash Leather Gloves	36
Lab Coats, Gowns & Frocks	7	High Performance/Mechanic Gloves	36
Bouffant Caps & Beard Covers	9	Other Gloves	36
<b>Disposal &amp; Glove Bags</b>	9	Insulated: Cold Weather Gloves	36
Glove Bags	9	Electrical Lineman Gloves	36
Printed Bags	10	Sleeves	37
Unprinted Bags	11	<b>Head Protection</b>	37
Woven Printed & Unprinted Bags	12	Head Gear Replacement Parts	38
<b>Electrical Supply</b>	13	Accessories	39
<b>Emergency Eyewash, Shower &amp; Decontamination</b>	13	<b>Hearing Protection</b>	39
<b>Ergonomics &amp; Matting</b>	14	Uncorded Earplugs	39
<b>Eye &amp; Face Protection</b>	14	Corded Earplugs	39
Safety Glasses	13	<b>Heat &amp; Cold Stress</b>	41
Rimless Clear	14	<b>High Visibility Apparel</b>	42
Rimless Non-Clear	15	<b>Hydration &amp; Coolers</b>	43
Semi-Rimless Clear	17	<b>Industrial Chemicals &amp; Coatings</b>	45
Semi-Rimless Non-Clear	17	<b>Janitorial Supplies</b>	47
Indoor/Outdoor	18	<b>Lab Supplies &amp; Equipment</b>	50
OTG	19	<b>Lighting &amp; Batteries</b>	52
Readers	19	<b>Lockout/Tagout</b>	53
Safety Goggles	20	<b>Poly Sheeting</b>	54
Side Shields	21	Zippers	55
Faceshields	21	<b>Respiratory Protection</b>	56
Glasses Cleaning Products	22	Disposable Respiratory Protection	56
<b>Fall Protection</b>	22	Reusable Respiratory Protection	56
<b>First Aid &amp; Pest Control</b>	23	Filters, Cartridges, Accessories	57
<b>Foot Protection</b>	25	<b>Shipping &amp; Material Handling</b>	61
<b>FR &amp; Arc Flash Apparel</b>	26	<b>Signs &amp; Labels</b>	62
<b>Gas Detection &amp; Air Monitoring</b>	28	<b>Tools &amp; Equipment</b>	63
		<b>Towels, Rags &amp; Wipers</b>	65
		<b>Traffic Control</b>	67



## Increase Productivity Using Quest's Online Ordering Website








- Customized company shopping lists available
- Immediate access to product info: stocking and pricing
- Users can also create personal shopping list for individual locations or jobs
- Company decides if shoppers can purchase outside shopping list
- View open and previous orders, tracking, invoices, etc.
- Shopper/Manager roles available: Employee enters order, manager approves
- Customer Service Representatives are still available to help with orders

### Abatement Equipment

Item ID	Description	Extended Information	
103711	<b>Asbestos Removal Kit</b>	<p>Contents: Leather Gloves (1), 6mil Nitrile Gloves (1), 4x4 6mil Clear Poly Sheet (1), 30x40 6mil Black Asbestos Bag Labeled (2), 2x60yd Duct Tape (1), 13 Gallon Garbage Bag (1), 32oz Spray Bottle Amended Water (1), Scrub Pad (1), Zip Lock Bag (1)</p>  <p>Kit Sold Individually</p>	
3MPORTFIL	<b>Omega HEPA Filter Cartridge</b>	<p>One Gallon, Immediate Containment HEPA filter 99.97% Efficient at .3 micron, Three Layers of 56 Pleat Media That Consist of One Cellulose Layer and Two Glass Layers.</p> <p>Sold Individually Atrix International</p>	
AR1616HEP Size: 16" x 16" x 5-7/8"	<b>High Capacity HEPA Filter</b>	<p>Particle Board Framing, Corrugated Alum. Media Separators, 36 pleats/ft., Sealed Internally with Urethane Sealant, Closed Cell Neoprene Gasket</p> <p>Sold individually NC Filtration</p>	
BLK-NI-12	<b>Non-Insulated Ducting</b>	<p>Spring Steel Wire Helix Encapsulated in 2 Layers of Polyester Film</p> <p>Sold 4 Each/Case JP Lamborn Co.</p>	
CH2603	<b>Chapin SureSpray Deluxe Sprayer</b>	<p>3-Gallon Funnel-Top, Translucent Tank for Easy Filling and Cleaning with Pressure Relief Valve, Anti-Clog Filter, Includes Reinforced Hose, Curved Brass Wand, and Adjustable Poly Nozzle, Capacity: 3-Gallon, Hose Length: 34"</p> <p>Sold Individually</p>	
ECUZ930	<b>Euroclean HEPA Canister Vacuum with Tool Kit</b>	<p>Equipped with a 1,000 Hour, 1.25 hp 1,000 Watt Motor, Large 4 Gal. Dump Bag, Dimensions: 13"H x 15"W x 17.5"L, Weight: 17.5 lbs. (less hose and tools),</p> <p>Sold Individually Nilfisk</p>	
ECUZ930BG	<b>Nilfisk Euroclean Vacuum Replacement Bags</b>	<p>Micro-Plus Filter Media, 10 Bags/Pack Nilfisk</p>	







### Abatement Equipment




Item ID	Description	Extended Information	
ECUZ930FI	GD930HSP Vacuum Replacement Hepa Filter	DOP Tested: Euroclean's HEPA filter is Certified 99.99% efficient in capturing particulates with an average size of 0.3 microns and a concentration of 100 mg/m <sup>3</sup> , according to U.S. Military Standard 282 (MIL-STD-282). Sold Individually Nilfisk	
F2100	Novair 2000 Portable Air Filtration System with HEPA Filter	Powerful 2 HP Motor, Consistent Flow Rate, Utilizes All Filter Media Area, Motor Provides Consistent Air Flow of 2000cfm (High Speed) and 1000cfm (Low Speed), 8 Point Motor/Cage Mounting Prevents Motor and Cage Shifting Even Under the Harshest Conditions, Dimensions: 37" X 26" X 31" Sold Individually Novatek	
GF1616PD	Pad Filter	16 x 16 x 1/2 30 Each/Case NC Filtration	
GF1616RI	Ring Panel Filter	16" x 16" x 5-7/8" Internally Self-Supported Polyester Filters 12 Each/Case NC Filtration	
GF242412	High Capacity HEPA Filter	Particle Board Framing, Corrugated Alum. Media Separators, 36 pleats/ft., Sealed Internally with Urethane Sealant, Closed Cell Neoprene Gasket 24" x 24" x 11.5" Sold individually NC Filtration	
GF2424PD	Pad Filter	24" x 24" x 1/2" 30 Each/Case NC Filtration	
GF2424PLT	Standard Pleated Filter	Mid-Grade Pleated Filter, Similar to PLE in Service Conditions But Offers More Media Content. Will Exceed Requirements of Most Non-Specified Filter Installations, Allows for Lengthening of Predetermined Change Intervals, 24" x 24" x 2" 12 Each/Case NC Filtration	














### Abatement Equipment

Item ID	Description	Extended Information	Image
GF2424RI	Ring Panel Filter	24" x 24" x 1/2" Internally Self-Supported Polyester Filters 30 Each/Case NC Filtration	
NUPCMCAS	Air Sampling Cassettes	For Asbestos Air Monitoring 25MM, 3PC, 0.8µm MCE PCM & TEM 25mm Sold 50 Each/Box Zefon	
SSBDX2	Gilian BDX-II Personal Air Sampling Pump Kit	Kit Includes Pump, 120V Charger Tool Kit, Tubing, Clip, & Manual, Dimensions: 3.6"(W) x 3.9"(H) x 2.0"(D) Flow Range: 500 - 3000 cc/min Run Time: 10 hours at 2 LPM Sold Individually Gilian	
TM20500	Poly Lay-Flat Ducting	20" x 500' Fits a 12"- 14" Diameter Duct Manufactured at 4 mil Full Sold By The Roll TM Poly Film Inc.	




### Absorbents & Spill Control

Item ID	Description	Extended Information	Image
22851	EverSoak® Heavy-Duty Absorbent Pad	23.5 Gal. Capacity, Soaks Up Oil, Water, Grease, Transmission Fluid, Hydraulic Fluid, Coolants, Diesel Fuel and Others, Made with 70% Recycled Cellulose Fibers, Class A Fire Retardant When Pad Is Dry (Per ASTM E84). Size: 15" X 19", Made In The USA. Sold 50 Pads/Case Sellars Absorbent Materials	
UP100SMS	HazMat Laminated Sorbent Pads	Heavyweight, Ideal for Wiping Up Chemical Spills, Will Absorb All Liquids from Water Based Fluids To Aggressive Acids, Bonded for Tensile Strength, Absorbs 24 Gallons, Size: 15" x 17" Sold 100 Each/Case Complete Environmental Products	
TWENSORB1	Mastasorb Floor Dry and Paper Shavings	Also Known As Envirosorb. Can Be Spread Under and Around Machinery, or Anywhere Spills or Leaks Occur. When Saturated, Simply Collect The Material and Discard, Has Excellent Fuel Blending Capabilities and Incinerates with Little Ash. Sold By The Bail	

## Adhesives & Tapes

Item ID	Description	Extended Information	Image
AM315	Quest QUESTIK® Heavy-Duty Spray Adhesive	<p>Ideal for Uneven or Porous Surfaces, Wide Web Spray Pattern, Creates Temporary or Permanent Bonds, No Chlorinated Solvents, No Ozone Depleters, Waterproof, Flexible, Transparent, Aerosol, 12 oz. Can                      Sold 12 Cans/Case                      Quest Safety Products</p> 	
QT2: 2" X 60 Yds.  QT3: 3" X 60 Yds.	Quest QUESTAPE® Duct Tape	<p>Specifically Designed for the Asbestos, Mold and Lead Abatement Industries, Low Residue, Holds Longer Adhesion to Steel: 53 oz./in                      Tensile Strength: 20 lb./in                      Operating Temp. Range: 40 to 200 °F                      Silver, Thickness: 10 mil                      QT2: Sold 24 Rolls/Case                      QT3: Sold 16 Rolls/Case                      Quest Safety Products</p> 	
QTEZ2: 2" X 60 Yds.  QTEZ3: 3" X 60 Yds.	Quest QUESTAPE® EZ-TEAR® Poly Film Tape	<p>Heavy Duty, Multi-Purpose, Excellent Adhesion to Steel, Best Vinyl/Cloth Tape Attributes, Repositionable, Pinked Edges for EZ-Tear Adhesion to Steel: 75 oz./in                      Tensile Strength: 25 lb./in                      Operating Temp. Range: 20 to 200 °F                      Yellow, Thickness: 7 mil,                      QTEZ2: Sold 24 Rolls/Case                      QTEZ3: Sold 16 Rolls/Case                      Quest Safety Products</p> 	
FAZTAK2: 2" X 60 Yds.  FAZTAK3: 3" X 60 Yds.	Quest FazTak Multi-Purpose Duct Tape	<p>Polyethylene-Coated Cloth Tape, Conforms Well to Irregular Surfaces Adhesion to Steel: 70 oz./in                      Tensile Strength: 24 lb./in                      Operating Temp. Range: 40 to 200 °F                      Silver, Thickness: 9 mil                      FAZTAK2: Sold 24 Rolls/Case                      FAZTAK3: Sold 16 Rolls/Case                      Quest Safety Products</p> 	
BP703303	Nashua 140B Premium 14-Day Painter's Masking Tape	<p>Thickness: 5.3 mil, 2" x 60 Yds.                      Sold 24 Rolls/Case                      Berry Plastics</p>	
KP100DWP	Polyken 100D Premium Double-Sided Tape	<p>Thickness: 13 mil, 2" x 60 Yds.                      Sold 12 Rolls/Case                      Berry Plastics</p>	
KP2232W	Polyken 223 Multi-Purpose Duct Tape	<p>White, Thickness: 10 mil, 2" x 60 Yds.                      Sold 24 Rolls/Case                      Berry Plastics</p>	

### Adhesives & Tapes

Item ID	Description	Extended Information	Image
N3572	Nashua 357 Premium Duct Tape	Silver, Thickness: 13 mil, 2" x 60 Yds. Sold 24 Rolls/Case Berry Plastics	
N3982	Nashua 398 Professional Grade Duct Tape	Silver, Thickness: 11 mil, 2" x 60 Yds. Sold 24 Rolls/Case Berry Plastics	
PT1493	14 Day UV-Resistant Specialty Paper Masking Tape	Thickness: 5.5 mil, 3" x 60 Yds. Sold 12 Rolls/Case Tape Products Company	

### Disposable Protective Apparel

Item ID	Description	Extended Information	Image
<b>Shoe Covers</b>			
20204: XL 20205: 2XL	Quest Q-STIK2 Shoe Cover White, Anti-Slip	Slip and Water Resistant, High Coefficient of Friction, Non-Linting, Strong 2 Layer Material, Elastic Bottom and Top, Sold 100 Pair/Case Quest QPA	
21202: M 21203: L (Univ) 21204: XL	Quest QPA Traction Shoe Cover, White	Low Top, Proprietary Non-Slip PVC Sole Excellent for Wet and Dry Surfaces, Non-Sterile, Low Linting, ISO Class 5 Compatible, Sold 100 Pair/Case Quest QPA	
DSC-CPE-B: XL	Blue Cast Polyethylene Shoe Cover with Textured Tread	Waterproof, Embossed Grip, Elastic Edge, Sold 150 Pair/Case The Safety Zone	
SH-X1223-B: XL SH-X1224-B: 2XL	Critical Cover® SureGrip® Shoe Covers	Combines Durability and Cleanliness with Outstanding Anti-Skid Properties, Serged Seams, Sold 150 Pair/Case AlphaProTech	
<b>Boot Covers</b>			
02301: S 02302: M 02303: L 02304: XL	Quest QPA Traction Boot Cover Blue	Dry/Light Splash SMS Protection, Proprietary Non-Slip PVC Sole Excellent for Wet and Dry Surfaces, Elastic at Opening and Ankle, Non-Sterile, Low Linting, Clean Mfg. Boot Height: 18", Blue, Sold 50 Pair/Case Quest Safety Products	














## Disposable Protective Apparel







Item ID	Description	Extended Information	
01301HS: S 01302HS: M 01303HS: L 01304HS: XL	Quest QPA Traction Boot Cover with Heel Strap White	<p style="color: #e67e22;"><b>Heel Strap Added to Adjust Fit/Size,</b> Dry/Light Splash SMS Protection, Non-Slip PVC Traction Sole, Elastic at Opening and Ankle, Non-Sterile, Low Linting, Clean Mfg., Boot Height: 18", White, Sold 50 Pair/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	
<b>Coverall Suits</b>			
01144: XL 01145: 2XL 01146: 3XL 01147: 4XL 01148: 5XL 01149: 6XL	Quest QPA Comfortwear® Coverall, Hood & Boot, White	<p>Elastic Back/Waist, Wrists, and Ankles, Reinforced Stress Areas, For Dry Particulate and Light Splash Protection, Disposable, Sold 25 Each/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	
QU01104: XL QU01106: 3XL QU01109: 6XL	Quest QPA Comfortwear® Coverall	<p>No Hood/No Boot, Elastic Back/Waist, Wrists, and Ankles, Reinforced Stress Areas, For Dry Particulate and Light Splash Protection, Disposable, White, Sold 25 Each/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	
30144: XL 30145: 2XL 30146: 3XL 30147: 4XL 30148: 5XL 30149: 6XL	Quest QPA Barrierwear® Coverall: Head & Boot	<p>2-Layer Construction for Reduced Heat and Increased Protection, Elastic Back and Wrists, Reinforced Stress Areas, For Dry Particulate and Wet Splash Protection, Disposable, White, Sold 25 Each/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	
01113: L 01114: XL 01115: 2XL 01116: 3XL 01117: 4XL 01118: 5XL 01119: 6XL	Quest QPA Quantumwear® Coverall: Hood & Boot	<p>Patented Design with Two Dosimeter/Doffing Straps on Chest for Reduced Risk of Contamination, Elastic Back and Wrists, Reinforced Stress Areas, Disposable, White, Sold 25 Each/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	
01173C: L 01174C: XL 01175C: 2XL 01176C: 3XL 01177C: 4XL 01178C: 5XL 01179C: 6XL	Quest QPA Quantumwear® C Coverall: Hood & Boot	<p>Patented Design with Two Dosimeter/Doffing Straps on Chest for Reduced Risk of Contamination, Bound/Tapes Seams Help Prevent Most Penetration of Solids and Liquids, Reinforced Stress Areas, Disposable, Sold 25 Each/Case</p>  <p style="text-align: center;">Quest Safety Products</p>	

See pages 68-75 for additional information on Quest Protective Apparel.

### Disposable Protective Apparel







Item ID	Description	Extended Information	
19125B-2XL 19125B-3XL 19125B-4XL	ProGard™ Coverall	SMS Coverall-Attached, Serged Seams, Elastic Waist, Wrists, Ankles, Zipper Front Closure with Storm-Fly, Closure at Chin, Blue, Sold 25 Each/Case Liberty Glove	
817832: L 817833: XL 817834: 2X 817835: 3X	MICROCHEM by AlphaTec Style 68-1800	Fabric is Lightweight, Breathable Material Suited to Warmer Working Environments. Entry Level, Low Hazard Liquid & Particulate Protection, Low-linting, Anti-static, Zipper with Storm Flap, Bound Seams, Elasticated Wrists, Waist, Finger Loops and Ankles, Sold 25 Each/Case Ansel	
C3806-XL C3806-XXL C3806-XXXL	Posi-Wear M3™ Coverall Attached Hood	Five Layers of Spunbond and Melt Blown Polypropylene (SMMMS), Zipper Front, White, Elastic Wrist & Ankle, Anti-Static, Sold 25 Each/Case PIP 	
QU200XXL QU200XXXL	PolyGard™ Coverall Heavy Weight Hood & Boots	Spunbond Polypropylene, Attached Hood - Elastic Around Face Attached Boot and Elastic Wrists, Zipper Front, Latex Free, Sold 25 Each/Case Liberty Glove	
TY122SWH-LG TY122SWH-XL TY122SWH-XXL TY122SWH-LG	DuPont™ Tyvek® 400 Coverall: Hood & Boot	Comfort Fit Design, Storm flap, Respirator Fit Hood, Elastic Wrists/Ankles/Waist, Attached Skid-Resistant Boots, Serged Seams, White, Sold 25 Each/Case DuPont™ 	
<b>Lab Coats, Gowns &amp; Frocks</b>			
QU01034: XL QU01019: 6XL	Quest QPA Quantumwear® Lab Coat	2-Layer Construction for Reduced Heat and Increased Protection, Designed for Dry Particulate and Wet Splash Protection, Disposable, One Doffing Strap, One Pocket, Zipper, Sold 25 Each/Case Quest Safety Products 	
C50953: L C50954: XL C50955: 2X C50956: 3X	Spunbound Polypropylene Lab Coat	28g Spunbound Polypropylene, Elastic Wrists, No Pockets, 100% Latex Free, Sold 30 Each/Case The Safety Zone 	

### Disposable Protective Apparel





Item ID	Description	Extended Information	
IC264SWHMD00300B: MD IC264SWHLG00300B: LG IC264SWHXL00300B: XL IC264SWH2XL00300B: 2XL IC264SWH3XL00300B: 3XL	Tyvek® IsoClean® Frock	Clean-Processed & Sterile, Serged Seams, Front Zipper, Bound Neck, Raglan Sleeves, Elastic Wrists. White, Tyvek® Flashspun Polyethylene, Meets 1910.120 App B/1910.1450 App A Standards, Sold 30 Each/Case DuPont™	
LC0-RE-NW-2XL-RED LC0-RE-NW-3XL-RED	Keystone® Polypropylene Lab Coat	No Pocket, Elastic Wrists, Snap Front, Single Collar, Red Sold 30 Each/Case Keystone Safety	
LC0-WE-NW-XL LC0-WE-NW-3XL	Keystone® Polypropylene Lab Coat	No Pocket, Elastic Wrists, Snap Front, Single Collar, White Sold 30 Each/Case Keystone Safety	
YE30-W-92-214-03: M YE30-W-92-214-04: L YE30-W-92-214-05: XL YE30-W-92-214-06: 2XL	AlphaTec® 3000 Apron with Sleeves - Model 214	Apron Providing an Effective Barrier Against a Range of Inorganic Chemicals/Biological Agents. Multi-Layer Non-Woven Barrier Laminate Fabric, Welded Seams, Rear Velcro Fastening, Elasticated Wrists. Standards: CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, EN 14126, ASTM F1671) Sold 40 Each/Case Ansell	
YE30-W-92-201-06: 2XL YE30-W-92-201-07: 3XL	AlphaTec® 3000 Jacket - Model 201	Jacket Providing an Effective Barrier Against a Range of Inorganic Chemicals/Biological Agents. 2-piece Hood, Single Zip Closure, Elasticated Hood/Wrists/Hem, Welded Seams. Multi-Layer Non-Woven Barrier Laminate Fabric. Liquid Spray & Splash, Standards: CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, EN 14126) Sold 35 Each/Case Ansell	
YE30-W-92-301-06: 2XL YE30-W-92-301-07: 3XL	AlphaTec® 3000 Trousers - Model 301	Trousers Providing an Effective Barrier Against a Range of Inorganic Chemicals/Biological Agents. Microporous Polypropylene Laminate Non-Woven, Elasticated to Waist and Ankles, No Pockets, Welded Seams. Liquid Spray & Splash, Standards: CE CATEGORY III (Type PB [3]-B, Type PB [4]-B, EN 14126) Sold 40 Each/Case Ansell	






### Disposable Protective Apparel

Item ID	Description	Extended Information	Image
<b>Bouffant Caps &amp; Beard Covers</b>			
1824W/C	Disposable White Bouffant Cap	Spunbond Polypropylene, 24", Latex-Free Elastic Band, Complies with Federal Regulations for Food Contact, White Sold 1000 Each/Case Liberty Glove & Safety	
TOAPP0310241000WT	Disposable White Bouffant Cap	Standard Weight Spunbond Polypropylene, Elastic Band for Flexible Fit, Latex Free Sold 1000 Each/Case PIP 	
15803	PolyGard™ Disposable White Beard Cover	Spunbond Polypropylene, 18", Superior Breathability, Latex-free Elastic, Complies with Federal Regulations for Food Contact, Sold 1000 Each/Case Liberty Glove & Safety	
APP0370-1000	Disposable White Beard Cover	Standard Weight Spunbond Polypropylene, One Size Fits Most, Elastic Band, Latex Free Sold 1000 Each/Case PIP 	

### Disposal & Glove Bags

Item ID	Description	Extended Information	Image
<b>Glove Bags</b>			
GR4460GB	AVAIL® Single 4460 Glove Bags	44" x 60" 6 mil Single Run, Horizontal Configuration, Pipe Diameter: Up to 8", Sold 25 Bags/Case Grayling Industries	
GR4460GR	AVAIL® Extended-Run 4460 Glove Bags	44" x 60" 6 mil Extended Run, Horizontal Configuration, Designed to be Used in Sections of 2 to 25 Chambers at a Time, Work Area of Approximately 24" Per Chamber, Pipe Diameter: Up to 8", Sold 25 Bags/Case Grayling Industries	
GR5460RGB	AVAIL® Extended-Run 5460 Glove Bags	54" x 60" 6 mil Extended Run, Horizontal Configuration, Designed to be Used in Sections of 2 to 25 Chambers at a Time, Work Area of Approximately 30" Per Chamber, Pipe Diameter: Up to 10" Sold 25 Bags/Case Grayling Industries 	





### Disposal & Glove Bags

Item ID	Description	Extended Information	Image
GR6072RGB	AVAIL® Extended-Run 6072 Glove Bags	60" x 72" 6 mil Extended Run, Horizontal Configuration, Designed to be Used in Sections of 2 to 25 Chambers at a Time, Work Area of Approximately 40" Per Chamber, Pipe Diameter: Up to 14", Sold 20 Bags/Case Grayling Industries	
GR72120GB	AVAIL® Single 72120 Glove Bags	72"x 120" 6 mil Single Run, Horizontal Configuration, Pipe Diameter: 30" 2 Sets of Gloves Per Bag, Sold 10 Bags/Case Grayling Industries	
TM4460EXT	44 X 60 Extended-Run Glove Bags	44" x 60" 6 mil Extended Run, Terminator Glove Bags Resin Low Density Polyethylene High Clarity, Liner Grade Sold 25 Bags/Case TM Poly Film Inc.	

#### Printed Bags

TM34100	Black Polyethylene Bags Printed Exterior	30" x 40" 4 mil Sold 100 Bags/Roll, TM Poly Film Inc.	 
---------	--	---	--

### Disposal & Glove Bags



Item ID	Description	Extended Information	Image
TM34C756	Clear Polyethylene Bags Printed Exterior	30" x 40" 6 mil Sold 75 Bags/Roll TM Poly Film Inc.	
TM30406M	Black Polyethylene Bags Printed Exterior	30" x 40" 6 mil Sold 75 Bags/Roll TM Poly Film Inc.	
TM35C1006	Clear Polyethylene Bags Printed Exterior	33" x 50" 6 mil Sold 75 Bags/Roll TM Poly Film Inc.	
TM351006	Black Polyethylene Bags Printed Exterior	33" x 50" 6 mil Sold 75 Bags/Roll TM Poly Film Inc.	

### Disposal & Glove Bags





Item ID	Description	Extended Information	Image
TM36C606	Clear Polyethylene Bags Printed Exterior	36" x 60" 6 mil Sold 50 Bags/Roll TM Poly Film Inc.	
TM3660	Black Polyethylene Bags Printed Exterior	36" x 60" 4 mil Sold 75 Bags/Roll TM Poly Film Inc.	
TM36606	Black Polyethylene Bags Printed Exterior	36" x 60" 6 mil Sold 50 Bags/Roll TM Poly Film Inc.	
<b>Unprinted Bags</b>			
QST-020-ELI	Clear Polyethylene Unprinted Bags	30" x 36" 6 mil Sold 100 Bags/Roll TM Poly Film Inc.	
QST-056-ELI	Clear Polyethylene Unprinted Bags	38" x 56" 6 mil Sold 50 Bags/Roll TM Poly Film Inc.	
TM35CU100	Clear Polyethylene Unprinted Bags	33" x 50" 4 mil Sold 100 Bags/Roll TM Poly Film Inc.	
TM35CU1006	Clear Polyethylene Unprinted Bags	33" x 50" 6 mil Sold 75 Bags/Roll TM Poly Film Inc.	
TM36606BU	Black Polyethylene Unprinted Bags	36" x 60" 6 mil Sold 50 Bags/Roll TM Poly Film Inc.	





### Disposal & Glove Bags

Item ID	Description	Extended Information	Image
TM36CU50	Clear Polyethylene Unprinted Bags	36" x 60 4 mil Sold 50 Bags/Roll TM Poly Film Inc.	
TM36CU506	Clear Polyethylene Unprinted Bags	36" x 60 6 mil Sold 50 Bags/Roll TM Poly Film Inc.	




### Woven Printed & Unprinted Bags

DB2440WPR	Woven Bag Printed	23" x 40" Sold 1000 Each/Bundle Central Bag Company	
DB2440WUN	Woven Bag <u>NO</u> Print	23" x 40" Sold 1000 Each/Bundle Central Bag Company	
DB2840WPR	Woven Bag Printed	28" x 40" Sold 1000 Each/Bundle Central Bag Company	
DB2840WUN	Woven Bag <u>NO</u> Print	28" x 40" Sold 1000 Each/Bundle Central Bag Company	




### Electrical Supply

Item ID	Description	Extended Information	Image
2506-12-1M	Grounding Strap Wrist Hvy Weight 12Ft	Velcro Band, Attached Grounding Rod, 1Meg Resistor Sold Individually	
NCVT-1	Non-Contact Voltage Tester Pen	CAT IV 1000 Volt Safety Rating, 50 to 1000 Volt AC Power Operating Range Sold Individually Klein Tools	





### Electrical Supply

Item ID	Description	Extended Information	Image
RLB00 (36" W x 30' L)	Insulated Rubber Roll Blanket Class 00	Good for Up to 500 Volts, Made from a High-Strength Fabric, Reinforced Type II Rubber, Easy to Cut, Flexible to -40°F, Flame (Self-Extinguishing), Oil, and Ozone Resistant, Meets ASTM F2320 Standard. Sold Individually Salisbury by Honeywell	
124276: Sz 8 124277: Sz 9 124278: Sz 10	Marigold Rubber Insulated Glove Kit Class 0	Kit Includes RIG, Leather Glove, and Glove Bag, ASTM D120, Max Use Volt: 1000V AC, Black, 11" Length, Sold as a Kit Ansell	
113816: Sz 9	Marigold Rubber Insulated Glove Kit Class 4	Kit Includes RIG, Leather Glove, and Glove Bag, ASTM D120, Max Use Volt: 36000V AC, Black, 18 Length" Sold as a Kit Ansell	




### Emergency Eyewash, Shower & Decontamination

Item ID	Description	Extended Information	Image
1001005	D-Con 3 Decontamination Shower  Dimensions: 37" x 37" x 77"	3-Room System (Clean/Shower/Equipment Room), Poles and Shower Nozzle Sold Separately. Made from Two Layers of 6-mil Poly and Has Triple-flap Ingress/Egress Doorways. Meets OSHA and EPA Guidelines for Decontamination Facilities. Sold Individually Grayling	
FS25UM	Matrix Shower Filter Bags	Polypropylene String Wound Filter with Poly Core, Trapping Effectiveness of Up to 99% 25 Micron Rating, Length: 9.8", Cartridge Diameter: 2 1/2" OD Sold Individually	
32-000455-0000EA	Eyesaline Eyewash Refill 32 oz Sterile	A Buffered, Saline Solution That Is Sterile and Superior to Tap Water for Emergency, Delivers Drops or an Irrigating Stream of Solution, FDA-Grade Polyethylene Bottles, DOES NOT MEET the current ANSI Z358.1 15-minute Flushing Requirement. Sold Individually Honeywell	








### Ergonomics & Matting

Item ID	Description	Extended Information	Image
5040	ergoKNEEL® Handy Mat®	Built In Handle, Self Extinguishing, Closed-Cell Foam Rubber, Not Plastic, Silicone Free, Will Not Absorb Liquids, 14" x 21" x 1" Sold Individually Working Concepts	
7102	MaxKnee Knee Pad One Size	Hard PE Cap, Exterior Shell: Polyester Construction for Longer Wear, Interior Shell: EVA Foam Backing, Adjustable Hook & Loop Closure, 13" L x 9" H Sold by the Pair Allegro Industries	
18380	ProFlex® 380 Standard Kneeling Pad	Carrying Handle, Nitrile Rubber (NBR) Closed Cell Foam, Non-Conductive, Oil Resistant, Liquid Resistant, Dry/Wet Grip Technology, Silicone Free, 14" x 21" x 1" Sold Individually Ergodyne	
PAMM11 Fits Size: Men:10/11 Women: 12/13	MEGASole™ Gel Enhanced Dual Layer Memory Foam Insole	Anti-Bacterial, Anti- Perspiration and Anti-Odor, Soft Contoured Arch Support, Temperature Regulating Aeration Holes, Machine Washable Sold by the Pair MEGAComfort Inc.	

### Eye & Face Protection












Item ID	Description	Extended Information	Image
<b>Safety Glasses: Rimless Clear</b>			
MR0110ID-QUEST	Quest Safety Eyewear Clear Lens AS	Economical Dual Wraparound Polycarbonate Lens Provide Impact Resistance, Optically Correct, Distortion Free. Meets ANSI Z87.1+, Standards and Provides 99.9% UVA/UVB Protection, *Imprinting Available* Sold 12 Pair/Box Quest Safety Products	
4680	StarLite® Safety Glasses Clear Lens AS	Economy, Meets ANSI Z87.1+ & Ballistics Impact Standards, MIL-PRF-32432, Wide Viewing Areas, Sold 10 Pair/Box Gateway Safety	
DPG52-1D	DeWALT Contractor Pro™ Safety Glass Clear Lens AS	Rubber Temples/Nose Piece, Exceeds ANSI Z87.1+ Standards and Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Radians	

## Eye & Face Protection











Item ID	Description	Extended Information	Image
RS1-13	Radians Rad-Sequel™ IQ - IQUNITY™ Anti-Fog Safety Eyewear Clear Lens AS, AF	Semi-permanent Anti-fog and Anti-Scratch Hydrophilic Coating that Lasts Longer than Hydrophobic Coatings. Rubber Tipped Temples, Rubber Nose Piece, Polycarbonate Lens, 99.9% UVA/UVB Protection, Follows ANSI Z87.1-2015 Sold 12 Pair/Box Radians	
S1201SGAF	3M™ Solus™ 1000 Series Safety Glasses Clear Lens AS, AF	Wraparound Clear Polycarbonate Lens, Interchangeable Temple Style, Scotchgard™ Anti-fog coating, 99.99% UVA/UVB, Follows ANSI Z87.1 Sold 20 Pair/Box 3M™	
S1201SGAF-KT	3M™ Solus™ 1000 Series Safety Glasses Kit Clear Lens AS, AF	The 3M™ Solus™ 1000 Series Kit Includes a Pair of Green and Black Solus Safety Glasses Featuring Clear Lenses with Scotchgard™ Anti-fog Coating, an Optional Elastic Strap, and a Removable Foam Gasket. Follows ANSI Z87.1-2015 Sold 20 Pair/Box 3M™	
S2510S	Pyramex Ztek® Safety Glasses Clear Lens AS	Economy, Rubber Temples, Integrated Nose Piece, Polycarbonate Scratch-Resistant Lenses, ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Pyramex Safety	
<b>Safety Glasses: Rimless Non-Clear</b>			
MR0120ID-QUEST	Quest Safety Eyewear Smoke Lens AS	Economical Dual Wraparound Polycarbonate Lens, Meets ANSI Z87.1-2003 High Impact, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Quest Safety Products	
4683	StarLite® Safety Glasses Gray Lens AS	Economy, Meets ANSI Z87.1+ & Ballistics Impact Standard MIL-PRF-32432, Dual 9.75 Base Curvature Viewing Areas for Wide, Unobstructed Vision Sold 10 Pair/Box Gateway Safety	
469M	StarLite® Safety Glasses Blue Mirror Lens AS	Economy, Meets ANSI Z87.1+ & Ballistics Impact Standards, MIL-PRF-32432, Dual 9.75 Base Curvature Viewing Areas for Wide, Unobstructed Vision Sold 10 Pair/Box Gateway Safety	










## Eye & Face Protection

Item ID	Description	Extended Information	Image
DPG52-2D	DeWALT Contractor Pro™ Safety Glasses Smoke Lens AS	Rubber Temples and Nose Piece, Meets ANSI Z87.1+, Impact Resistant, Sold 12 Pair/Box Radians 	
DPG52-6D	DeWALT Contractor Pro™ Safety Glasses Sliver Mirror Lens AS	Rubber Temples and Nosepiece, Meets ANSI Z87.1+, Impact Resistant, Provides 99.9% UVA/UVB protection, Sold 12 Pair/Box Radians 	
DPG54-2D	DeWALT Protector™ Safety Glasses Smoke Lens AS	Smoke Rubber Temples, ANSI Z87.1, UV Protection 99.9% Sold 12 Pair/Box Radians 	
MR0120ID	Mirage™ Safety Eyewear Smoke Lens AS	Economical, Frameless Wraparound Polycarbonate Lens, Meets ANSI Z87.1-2003 High Impact, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Radians 	
MR0121ID	Mirage™ Safety Eyewear Smoke Lens AS/AF	Economical Polycarbonate Lens for Impact Resistance, Optically Correct and Distortion Free Lenses, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Radians 	
MR0140ID	Mirage™ Safety Eyewear Amber Lens AS	Economical Polycarbonate Lens for Impact Resistance, Optically Correct and Distortion Free Lenses, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Radians 	
MR01R0ID	Mirage™ Safety Eyewear Rainbow Mirror Lens AS	Economical Polycarbonate Lens for Impact Resistance, Optically Correct and Distortion Free Lenses, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection, Sold 12 Pair/Box Radians 	
S2520S	Ztek® Safety Glasses Gray Lens AS	Economical Polycarbonate Lens, Rubber Temples, Integrated Nose Piece, Meets ANSI Z87.1+, Sold 12 Pair/Box Pyramex Safety	

## Eye & Face Protection

Item ID	Description	Extended Information	Image
<b>Safety Glasses: Semi-Rimless Clear</b>			
3000354	V30 Nemesis® Safety Glasses Clear Lens	Black Frame, Rubber Temples, Neck Cord Included, ANSI Z87.1+, 99.9% UV Protection, Soft Touch Temples Sold 12 Pair/Box Jackson Safety	
250-AN-10111	Bouton Anser™ Semi-Rimless Safety Glasses AS / AF	Black Frame, Clear Lens and Anti-Scratch Coating, Wraparound Temples, Rubberized Tips, Meets ANSI Z87.1+, Includes Neck Cord Sold 12 Pair/Box PIP 	
JR0110ID	Journey® Safety Glasses Clear Lens AS	Polycarbonate Lens, Adjustable Temple, Rubber nosepiece, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection, High Velocity & Mil-PRF-31013 VO Ballistic, Sold 12 Pair/Box Radians 	
SB1810S	Venture II® Safety Glasses Clear Lens AS	Scratch Resistant Polycarbonate Lens, 99% UVA/B/C Protection, Adjustable Temples, Rubber Nosepiece, Full Side Protection, Passes ANSI Z87.1+ & High Velocity Impact Standards Sold 12 Pair/Box Pyramex Safety	
SB1810ST	Venture II® Safety Glasses Clear Lens AS / AF	Scratch Resistant/H2X Anti-Fog Polycarbonate Lens, 99% UVA/B/C Protection, Adjustable Temples, Rubber Nosepiece, Full Side Protection, Passes ANSI Z87.1+ & High Velocity Impact Standards Sold 12 Pair/Box Pyramex Safety	
TK120	Tomahawk® Safety Glasses Clear Lens AS	Economy, Fully Adjustable, Five Position, Ratchet Action Temples, Integral Sideshields, ANSI Z87.1+, 99.9% UV Protection Sold 12 Pair/Box MCR Safety 	
<b>Safety Glasses: Semi-Rimless Non-Clear</b>			
3000356	V30 Nemesis® Safety Glasses Smoke Mirror Lens AS	Rubber Temples, Meets ANSI Z87.1+2010, 99.9% UVA/UVB/UVC protection, Neck Cord Included, Meets ANSI Z87.1+, Sold 12 Pair/Box Jackson Safety	

## Eye & Face Protection













Item ID	Description	Extended Information	Image
250-AN-10125	<b>Bouton Anser™ Semi-Rimless Safety Glasses Silver Mirror Lens AS</b>	<b>Black Frame, Silver Mirror Lens and Anti-Scratch Coating, Wraparound Temples, Rubberized Tips, Meets ANSI Z87.1+, Includes Neck Cord Sold 12 Pair/Box PIP</b>	
250-AN-10126	<b>Bouton Anser™ Semi-Rimless Safety Glasses Grey Lens AS / AF</b>	<b>Black Frame, Gray Lens and Anti-Scratch/Anti-Fog Coating, Wraparound Temples, Rubberized Tips, Meets ANSI Z87.1+, Includes Neck Cord Sold 12 Pair/Box PIP</b>	
JR0120ID	<b>Journey® Safety Glasses Smoke Lens AS</b>	<b>4-Position Telescoping Temples for Superior Fit, Rubber Nosepiece, 99.9% UVA/UVB Protection, Meets ANSI Z87.1 + High Velocity &amp; Mil-PRF-31013 VO Ballistic, Imprinting Available Sold 12 Pair/Box Radians</b>	
SB1820S	<b>Venture II® Safety Glasses Grey Lens AS</b>	<b>Scratch Resistant Polycarbonate Lens, 99% UVA/B/C Protection, Adjustable Temples, Rubber Nosepiece, Full Side Protection, Passes ANSI Z87.1+ &amp; High Velocity Impact Standards Sold 12 Pair/Box Pyramex</b>	
SB1820ST	<b>Venture II® Safety Glasses Grey Lens AS AT</b>	<b>Scratch Resistant Polycarbonate Lens, 99% UVA/B/C Protection, Adjustable Temples, Rubber Nosepiece, Full Side Protection, Passes ANSI Z87.1+ &amp; High Velocity Impact Standards Sold 12 Pair/Box Pyramex</b>	
<b>Safety Glasses: Indoor/Outdoor</b>			
MR0190ID	<b>Mirage™ Safety Eyewear I/O Lens, I/O Frame</b>	<b>Economical Dual Wraparound Polycarbonate Lens for Impact Resistance, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold 12 Pair/Box Radians</b>	
460M	<b>StarLite® Safety Glasses Clear I/O Mirror Lens Clear I/O Frame</b>	<b>Economy, Meets ANSI Z87.1+ &amp; Ballistics Impact Standard MIL-PRF-32432, Dual 9.75 Base Curvature Viewing Areas for Wide, Unobstructed Vision Sold 10 Pair/Box Gateway Safety</b>	

## Eye & Face Protection

Item ID	Description	Extended Information	Image
<b>Safety Glasses: OTG</b>			
360C N/F	Chief™ OTG Safety Eyewear Clear Lens	Economical Polycarbonate Lens for Impact Resistance, Integrally Molded Brow Guard and Nosepiece, Reinforced/Deep Sideshields, Meets ANSI Z87.1+, 99% UV Sold 12 Pair/Box Radians 	
S3510SJ	OTS® Safety Glasses Clear Lens	Adjustable Lightweight Nylon Temples, Scratch Resistant Polycarbonate Lens, 99% UVA/B/C Protection, Fits Over frames up to 5 3/8" W x 1 3/4" H Sold 12 Pair/Box Pyramex Safety	
SH6-10	Sheath™ OTG Safety Eyewear Clear Lens	Polycarbonate Lens Provides Impact Resistance with a Single Protective Lens Design, Adjustable Temples, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold Individually Radians 	
SH1-20	Sheath™ OTG Safety Eyewear Smoke Lens	Polycarbonate Lens Provides Impact Resistance with a Single Protective Lens Design, Adjustable Temples, Meets ANSI Z87.1+, Provides 99.9% UVA/UVB Protection Sold Individually Radians 	
<b>OTG Safety Goggles Are Available Under Goggles.</b>			
<b>Safety Glasses: Readers</b>			
C2-120: 2.0 Strength	C2™ Bi-Focal Safety Eyewear Smoke Lens	Polycarbonate Lens for Impact Resistance, Magnification Diopter Molded into Lens, Soft rubber Nosepiece, ANSI Z87.1+, Sold 12 Pair/Box Radians 	
C2-215: 1.5 Strength C2-220: 2.0 Strength	C2™ Bi-Focal Safety Eyewear Smoke Lens	Polycarbonate Lens for Impact Resistance, Magnification Diopter Molded into the Lens, Soft rubber nosepiece, ANSI Z87.1+, Sold 12 Pair/Box Radians 	
OL3006C1.5I: 1.5 Strength OL3006C2.0I: 2.0 Strength OL3006C2.5I: 2.5 Strength	Readers Safety Glasses Clear Lens	Ergonomic GS7 Frame, Polycarbonate Lenses, Rubber Nose, ANSI Z87.1+, 99.9% UV Protection or Up to 400nm Sold 6 Pair/Box Jackson Safety	













## Eye & Face Protection

Item ID	Description	Extended Information	Image
SB1810R15: 1.5 Strength	Venture II® Readers Safety Glasses Clear Lens AS	V2-Readers, Scratch Resistant Polycarbonate Lens, 99% UVA/B/C Protection, Adjustable Temples, Rubber Nosepiece, Full Side Protection, Passes ANSI Z87.1+ & High Velocity Impact Standards Sold 6 Pair/Box Pyramex Safety	
<b>Safety Goggles</b>			
1790C/AF	Inox® Pulsar™ Safety Goggles Clear Lens AF/AS	Polycarbonate Lens, PVC Frame, Latex-Free Neoprene Spandex Head Strap, Scratch Resistant Lenses Protect from 99% of UV Rays, Meets or Exceeds ANSI Z87.1-2010 High Impact Requirements, Rx Inner Frame for Prescription Inserts Sold 12 Each/Box Liberty Glove	
GOGGLE-W-FIRE C	Wildland Fire Safety Goggles AF	Polymer Frame and FR Elastic Strap, Baffled top and bottom vents, Anti-Fog/Hard Coated Polycarbonate Lens, Meets NFPA 1971, 1977, 1951; ANSI Z87.1 Sold Individually Chicago Protective Apparel 	
S3960HS	Uvex Stealth® Chemical Splash Goggles AF	Indirect Vent, Chemical Splash Impact Goggles with Gray Low Profile Frame and Clear HydroShield® Anti-Fog Lens Sold Individually Honeywell Uvex 	
S39610C	Uvex Stealth® Safety Goggle Clear AS/AF	Indirect Vent Chemical Splash Impact Goggles, Low Profile Frame, Clear Uvextreme® Anti-Fog Lens, Neoprene Headband, Meets ANSI Z87.1-2010 Sold Individually Honeywell Uvex 	
S3970HS	Uvex Stealth® OTG Chemical Splash Safety Goggle AF	Over The Glasses Goggles, Indirect Vent, Chemical Splash, Low Profile Wrap-Around Frame, Clear HydroShield® Anti-Fog Lens, Meets ANSI Z87.1+ - 2015 Sold Individually Honeywell Uvex 	
S700C	Uvex® By Honeywell Replacement Lens, Series: Stealth® Clear	Uvextreme® Anti-Fog Lens Coating, UV-resistant, Anti scratch, Anti static, Polycarbonate Lens, For Use With: Stealth® Safety Goggles (S3960C, S39610C), Meets ANSI Z87.1-2010 Sold Individually Honeywell Uvex 	


## Eye & Face Protection

Item ID	Description	Extended Information	Image
S701C	Uvex® By Honeywell Replacement Lens, Series: Stealth® Gray	Uvextreme® Anti-Fog Lens Coating, UV-resistant, Anti scratch, Anti static, Polycarbonate Lens, For Use With: Stealth® Safety Goggles (S3960C, S39610C), Meets ANSI Z87.1-2010 Sold Individually Honeywell Uvex	
<b>Side Shields for Prescription Glasses</b>			
99705	VisionAid™ SideShields	Flexible, Slip-On Design, ANSI Z87.1, Blocks 100% of UV Rays, No Metal Parts Sold 60 Pair/Box Radians	
<b>Faceshields</b>			
3010343	V90 Shield Safety Goggles	Clear Lens, Blue Frame Goggle, Detachable Shield, Indirect Vent, Splash/Impact Protection, Soft Rubber Nose/Face Seal, Curved Body To Conform To Face, Sold Individually Jackson Safety	
251-01-7204	Bouton® Optical Safety Visor Clear Lens	Clear Polycarbonate, .04" Thickness, Universal Fit, Aluminum Bound Edge, Sold Individually PIP	
251-01-7701	Bouton® Optical Safety Visor Steel Wire Mesh	Painted Steel Wire Screen/Aluminum Edge Binding, 8" x 15.5", 24 Wires Per Inch, Meets ANSI Z87.1-2015/Standard Basic Impact Only, Headgear Not Included. Sold Individually PIP	
4118CL	Fibre-Metal® High Performance Faceshield, Standard Size, Clear	Injection Molded from Propionate for High Performance, 16.5" x 8" x 0.06", Fits F300 Mount, ANSI Z87.1 Sold Individually Honeywell	
4178CLEAR	Fibre-Metal® High Performance Faceshield, Wide Vision, Clear	High Performance Proprietary Faceshield, Wide View, Fits F400 / F500 / FH66 / FM70 / FM71 Mount, ANSI Z87+ High Impact When Used with Fiber Metal Headgear Sold Individually Honeywell	





## Eye & Face Protection

Item ID	Description	Extended Information	Image
<b>Glasses Cleaning Products</b>			
8574GM	Sight Savers Pre-Moistened Lens Cleaning Tissues	Individually Wrapped, Anti-Static, Anti-Fog, Sold 100 Each/Box Bausch and Lomb	
AL0350	Eyewear Pre-Moistened Cleaning Wipes	Individually Wrapped, Anti-Static, Anti-Fog, Silicone-Free Sold 100 Each/Box Allegro Industries	
LCD100	Lens Cleaning Towelette Dispenser	Anti-Fog and Static Reduction, Individually Packaged, For Use On Glass Plastic Polycarbonate, Made In The USA, Sold 100 Each/Box Radians 	
LCT	Lens Cleaning - Spec Saver Towelette	Pre-Moistened, For Plastic/Polycarbonate/Glass Lenses, Anti-Fog, Anti-Static, Silicone-Free, Safe with All Types of Lens Coatings Sold 100 Each/Box MCR Safety 	
S470	Uvex Clear Plus® S470 Lens Cleaning Wipes	Individually Wrapped, Treated with Anti-Static Properties, Contains no alcohol or silicone, Tissue Size: 5" x 6" Sold 100 Wipes/Box Honeywell Safety 	
S479	Uvex® Fog Eliminator Plus Cloths	Delivers 8-Hour Fog Protection, AF Properties Can Last Up To 1 Week Undisturbed, Enhances HydroShield AF Properties by 480 Times, Safe For All Lens Surfaces – Including Polycarbonate: Glass: Coated and Mirrored Sold 100 Each/Box Honeywell 	






## Fall Protection

Item ID	Description	Extended Information	Image
FS185-L/XL	PRO Vest Harness w/ Grommet Legs	1 Dorsal D-ring, Pass-through chest buckle, Grommet leg straps, Non-removable comfort shoulder pads, No tangle D-ring pad, Fall arrest indicators, 420 lb. weight capacity, Meets OSHA 1926-502, ANSI Z359.11, ANSI A10.32 Sold Individually Safewaze	

### Fall Protection







Item ID	Description	Extended Information	Image
T4500SP/UAK Size: Universal	Miller® Titan II Non-Stretch Harness	Full-body harness w/sliding back D-ring; Shoulder pad, tongue buckle legs, mating buckle chest & shoulder straps; sub- pelvic strap, 400 lb. weight capacity, Meets all applicable OSHA, ANSI and CSA standards Sold Individually Honeywell/Miller Fall Protection 	
8578H	Arsenal® General Duty Gear Bag	600D Polyester Durable Material, Reinforced Bottom, Water-Resistant, Dimensions: 23.5" L x 9.5" W x 12" H Two Side Pockets Sold Individually Ergodyne 	

### First Aid & Pest Control

Item ID	Description	Extended Information	Image
122000SD	Honeywell/North SunX® Sunscreen Wrapped Packets	FDA compliant with new FDA Sunscreen Monograph, Contains Aloe Vera Gel and Vitamin E, Broad Spectrum Sunscreen with UVA/UVB protection, FDA rated Water Resistant with maximum allowed duration time (80 minutes), PABA Free and Oil Free, Sold 50 Pouches/Box Honeywell Safety 	
61011	Bee Bopper Wasp and Hornet Spray	14 oz Aerosol Can, Shoots up to 20 feet, Sold 12 Each/Case	
61101	Halt Dog Repellent	Aerosol, Contains .35% Capasicin, An Extract of Peppers, Produces a Liquid Stream Up to 12', Safe Yet Effective, 1.5-oz Bottle. Do Not Get in Eyes, on Skin or Clothing. Wash Thoroughly with Soap and Water After Handling. Sold By The Bottle	
61605	Bug Barrier II Personal Insect Repellent	23.75% Deet, 12 oz Aerosol Can, Repels Mosquitoes, Chiggers, Fleas, Ticks, Flies, and More, Sold 12 Each/Case	







### First Aid & Pest Control

Item ID	Description	Extended Information	Image
90561	25 Person Metal First Aid Kit, ANSI A+, Type III	<p>OSHA Compliant, Class A+ Type III, Weatherproof Steel Case with Handles Or Wall Mount, Contains: Eyewash, Burn Cream, Adh Strips, Bandges, Gauze, Tape, Gloves, Ice Packs, Antiseptic Wipes, Scissors, Pads, First Aid Guide, Exceeds ANSI Z308.1-2015 Class A, Size: 7" x 10" x 3",</p> <p>Sold Individually Acme United/Pac-Kit</p>	
122004X	North Insect BugX Repellent Towelette (Contains Deet)	<p>30% Deet, Individually Packaged, Dispenser Box, Repel Biting Insects Mosquitoes Ticks Fleas Chiggers Flies and More,</p> <p>Sold 50 Each/Box Honeywell</p>	
19-001	Sting Relief Swabs	<p>Medicated Pain Relief of Bug Bites and Stings, Each Box Contains 10 Anesthetic/Antiseptic Swabs</p> <p>Sold 10 Each/Box Acme United/Pac-Kit</p>	
3060-KIT	Blood Borne Pathogen (BBP) Unitized Spill Clean Up Kit, Plastic Case	<p>OSHA Compliant, Plastic Wall Mountable, 2 Modules for Fluid Clean Up and Ppe Apparel, (1) Abs Powder Pack, (1) Biohaz Bag, (1) Bzk Antiseptic Wipe, (1) Clear Bag, Eye/Face Shield, Exam Gloves, Towel, Scoop, Spatula, Surface Disinfect Wipe,</p> <p>Size: 4.5" x 7.5" x 2.75",</p> <p>Sold Individually Acme United/Pac-Kit</p>	
8145-06	HAND MEDIC® Professional Skin Conditioner, Pump Bottle	<p>Fragrance-free skin conditioner, specially formulated for industrial environments. Absorbs quickly with no greasy after-feel, Silicone and fragrance free, includes Glycerin, Dermatologist tested, Latex glove compatible, NSF E4 Registered, Unscented, 8 oz.</p> <p>Sold Individually GOJO Industries</p>	
90754C	10 Person Bulk Plastic ANSI A, First Aid Kit	<p>OSHA Compliant, Contents Exceed 2015 ANSI Class A, Type III Requirements, Plastic Weatherproof Case, Wall Mountable, Handle, Contains 71 Pieces,</p> <p>Sold Individually Acme United/Pac-Kit</p>	

### First Aid & Pest Control

Item ID	Description	Extended Information	Image
BR608	Brief Relief Disposable Urinal Bag	Individually Packaged Bag for Liquid Waste, Includes Antimicrobial Wipes, 3 mil Thick Back, Snap Lock Closure Seal, Meets E.P.A Disposal Requirements, Sold 100 Each/Case	
NO122010X	North Safety IvyX Poison Plant Barrier Towelettes	Apply <u>Before</u> Contact to Poison Plants, Washes Off with Soap and Water, Not Greasy or Sticky, 8" x 6" Towelette, Sold 50 Each/Box Honeywell	
NO122015X	North Safety IvyX Poison Plant Treatment Towelettes	Use <u>After</u> Possible Contact with Poison Ivy, Poison Oak or Poison Sumac to Alleviate Symptoms, Removes Poison Oils From Skin, 8" x 6" Towelette, Sold 50 Each/Box Honeywell	







### Foot Protection

Item ID	Description	Extended Information	Image
801	Aluminum Alloy Metatarsal Guards (no laces)	Protects Against Impact of 75 Foot Pounds, Spring Fastener, Padded with Sponge Rubber, 12" L x, 2" H, x 6" W, 8 oz Weight, Universal Size Sold By The Pair Ellwood Safety	
18821-9 18821-10 18821-11 18821-12 18821-13	Servus® Comfort Technology PVC/Steel Toe Boots	Seamless, 16" Height, 100% Waterproof, Unique Track 10™ Sole to Reduce Slips/Falls, Black PVC/Steel Toe Standard: ASTM F2413-05, Sold By The Pair Honeywell	
16733: M 16734: L 16735: XL 16736: 2XL	TREX® 6300TC Slip-On Ice Cleats	One-piece Stretch Design, Eight Extremely Durable Studs Made of Tungsten Carbide, Full Toot Ice Traction, Flexible in Extreme Temps. Sold By The Pair Ergodyne	
PAMM11 Fits Size: Men:10/11 Women: 12/13	MEGASole™ Gel Enhanced Dual Layer Memory Foam Insole	Anti-Bacterial, Anti- Perspiration and Anti-Odor, Soft Contoured Arch Support, Temperature Regulating Aeration Holes, Machine Washable Sold By The Pair MEGAComfort Inc.	

### FR & Arc Flash Apparel



Item ID	Description	Extended Information	Image
3042185	<b>Cobra™ Ultimate™ Hood</b>	2-Ply Hood, Ara-Tek FR Tri-Blend Material, X-Long Length Cover Chest/Shoulders/Should Blades, Flat-Stitched Seams, X-Heavy 1/2" Wide Elasticized Face Opening, Certified: NFPA 70E, HRC 2, Arc 10.7Cal/Cm <sup>2</sup> , ARC Rating: 23.3, Sold Individually PGI, Inc. Cobra	
2506-12-1M	<b>Grounding Strap Wristat 12 Ft</b>	Heavy Weight, Adjustable Hook and Loop, Attached Grounding Rod, Electrical Contact Maintained with Metal Plate Under Buckle. Band Comes with a Heavy Weight Cord with a 1 MEG resistor. Sold Individually	
6882	<b>N-Ferno® FR 2-Layer Winter Hard Hat Liner Shoulder Length</b>	FR Outer Shell: 60% Modacrylic / 40% cotton twill blend, FR Liner: 60% Modacrylic / 40% cotton fleece blend Certified: ASTM F1506; NFPA 70E CAT2. Arc-rated; ATPV rating of 20 cal/cm <sup>2</sup> , Elastic gather at forehead, Straps to attach to hard hat /helmet suspension Sold Individually Ergodyne 	
AG12-XL-NG (Size: XL)	<b>12 CAL Arc Flash Protection Kit</b>	Kit Includes: • Jacket: SWJ-12 • Bib Overall: SWB-12 • Hard Cap: HC-Color-SLT • Face Shield/Chin Cup: WV-ARC-12AD • Cap Bracket: HB-AD-SLT • Knit Nomex Hood: KN-51 • Gear Bag: 909-ARC • Safety Glasses: SW-SG • Ear Plugs: SW-EAR CPA 	
AG43-CV-XL-NG-FAN (Size: XL)	<b>43 CAL Arc Flash Protection Kit</b>	Kit Includes •Coverall: SW-605-43 •Hood: SWH-43 •Hard Cap: HC-Color-SLT •Gear Bag: 909-ARC •Safety Glasses: SW-SG •Ear Plugs: SW-EAR CPA 	
C88OU62LG32: L C88OU62XL32: XL C88OU622X32: 2X C88OU623X32: 3X	<b>12 Cal Ultrasoft AC Coverall</b>	46"-50" Chest, 42-46" Waist, 37" Sleeve, 32" Inseam, 9 oz Indura Ultrasoft, Arc Rating: 12 cal/cm <sup>2</sup> , Snap Neck/Wrist, Extended Leg Zippers, Elastic Waist, 2 Chest / 1 Back Pocket, Pass Through Pocket, ASTM F1506-10A NFPA 70E-2015 NFPA 2112 CSA Z462-15, Sold Individually NSA 	

### FR & Arc Flash Apparel


Item ID		Description	Extended Information	Image
FR3W050	32x30	Wrangler® Riggs Workwear® FR Flame Resistant Relaxed Fit Jeans	100% Cotton Flame Resistant Denim, 14.5 oz., HRC2 APTV 23.7 cal/cm <sup>2</sup> , NFPA® 2112 Compliant, Classic Five Pocket, Relaxed Fit, Sold Individually Wrangler®	
	34x30			
	34x32			
	34x34			
	36x30			
	36x32			
	36x34			
	38x30			
GOGGLE-W-FIRE C		Wildland Fire Goggles FR and AF	Polymer Frame, FR Elastic Strap Hard Anti-Abrasion Coat on Outer Polycarbonate Lens, Anti-Fog, NFPA 1977, ANSI Z87+ Sold Individually CPA 	
H73RY		UltraSoft Balaclava	6.5 oz Indura Ultrasoft, Single Layer, Single Eyepoint, Flat Lock Seam for Comfort, One Size Fits Most, Extra Long Length, 12 Cal/Cm <sup>2</sup> - HRC 2, OSHA 29 CFR 1910.269 / ASTM F1506-10A / NFPA 70E-2015 Compliant for Arc Flash / CSA Z462-15, Made In The USA, Sold Individually NSA 	
H81NENB		Bibbed Fire Hood	2-Layer (Nomex®), 15" Long, Seamless Bib with Notched Shoulders, Certified: ATPV Rating 4.8 Cal/cm <sup>2</sup> , HRC 1, NFPA 1971 - 2007, Sold Individually Fire-Dex	
O44122-MD O44122-LG O44122-XL O44122-2X		Eclipse™ FR and Arc Flash Rain Overalls	Storm Fly Front, 2 Piece Bib Overall, Snap Fly Front, Take Up Leg Straps, HD Suspender Buckles, Hi Vis/Liquid Proof/Arc/FR, ANSI 107 Class 3, NFPA 70E 8.7 Cal/cm <sup>2</sup> , ASTM F1891, ASTM2733, Sold Individually Tingley 	
PEJ8DW/34X32 Size: 32X34		Pre-Washed Denim Dungaree EXCEL FR®	14.75 oz., 100% Cotton Denim, Sits Slightly Below Natural Waist, Has A Loose Seat/Thigh with Wider Leg Openings, Blue Denim Fabric Is UL Certified, Home Light Soil Wash and Industrial Wash, Arc Rating ATPV 21 cal/Cm <sup>2</sup> , Sold Individually Bulwark 	



### FR & Arc Flash Apparel

Item ID	Description	Extended Information	Image
S85522-L	Job Sight FR™ Hi Visibility Long Sleeve Shirt Class 3	8.5 oz, Cotton Blend, Solid Lime, Long Sleeve, Reflective Tape, One Pocket, ANSI/ISEA 107 Class 3 Compliant, ASTM F1506 Compliant for Flame Resistance and Electric Arc Related Thermal Hazards, Arc Rating 8.8 cal/cm <sup>2</sup> , Conforms To NFPA 70E HRC 2. Sold Individually Tingley	
S88122-M S88122-L S88122-XL S88122-2XL S88122-3XL	Job Sight FR™ Hooded, Zipper Sweatshirt Class 3	10.5 oz, 60% Modacrylic/40% Cotton Blend, ANSI 107, Type R, Class 3, ASTM F1506 Flame/Arc Resistant, Arc Rating 16.0 cal/cm <sup>2</sup> , Conforms To NFPA 70E-HRC 2. Sold Individually Tingley	
US9681ZORQST-M US9681ZORQST-L US9681ZORQST-XL US9681ZORQST-2XL US9681ZORQST-3XL US9681ZORQST-4XL	9 oz. CAT 2 Reflective Coverall	Indura Ultrasoft Fabric, Elasticized Waistband, Full Action Back, 2-Way Concealed Brass Zipper, 2" Green/Silver Reflective Striping, 18 Leg Zippers, Pass Throughs, HRC 2 12.4 cal/cm <sup>2</sup> , NFPA 2112 / 70E, Sold Individually Stanco Safety Products	
VF1110-HY-MED VF1110-HY-LRG VF1110-HY-XLG VF1110-HY-2XL	Hi-Vis Cotton Vest Class 2 / FR	Type R Class 2, 9 oz FR-Treated 100% Cotton, Arc Flash CAT 2, 7 Exterior Pockets, Dual Mic. Tabs, Back Pass-Through for D-Ring, X-Back Reflective Striping, Concealed Snap Fasteners, ANSI/ISEA 107-2015, NFPA 70E Compliant, ASTM F1506 Compliant Sold Individually Revco	

### Gas Detection & Air Monitoring

Item ID	Description	Extended Information	Image
10092523	Altair® Single-Gas Detector: Oxygen (O2)	Oxygen O2 (Low: 19.5%, High: 23.0%), 2 Year Life Span, Maintenance Free, Patented Electrochemical Sensors, Records Last 25 Alarm/Test Events, No-Miss Triple Alarm, Rubberized Housing, One Button Operation Sold Individually MSA Safety	










## Hand & Arm Protection

Item ID	Description	Extended Information	Image
<b>Cut Protection Gloves</b>			
<b>ANSI Cut 2</b>			
00-200-S 00-200-M 00-200-L 00-200-XL 00-200-XXL	Kyorene® Graphene Gloves ANSI Cut A2	15 g Kyorene® Graphene Liner, Black HCT® MicroFoam Nitrile Palm Coating, Bacterio-Static Kills Bacteria, Odor Neutralizing, Reinforced Thumb Crotch, Thermal Regulating, Washable, Sold 12 Pair/Bag Armor Guys	
11-518-7 11-518-8 11-518-9 11-518-10	HyFlex® Ultralight Cut Resistant Glove ANSI Cut A2 ANSI Abrasion 3	White Nylon / Spandex Shell, Blue PU Palm Coating, Knitwrist, 18 Gauge, Dyneema Technology, High Dexterity, Sold 12 Pair/Bag Ansell 	
34-8743-XS 34-8743-S 34-8743-M 34-8743-L 34-8743-XL 34-8743-2XL 34-8743-3XL	MaxiFlex® Cut™ Seamless Knit Glove ANSI Cut A2	Green Shell, Black Premium Nitrile Coated, MicroFoam Grip on Palm & Fingers, 360° Breathability, Launderable, Complies with FDA Food Handling Requirements 21 CFR, Part 177 Sold 12 Pair/Bag PIP 	
4938XS 4938S 4938M 4938L 4938XL 49382XL	X-Grip® Gray Polyurethane Palm Coated Glove ANSI Cut A2	HPPE 13 Gauge Shell, Salt and Pepper, PU Dipped Palm and Fingers, Sold 12 Pair/Bag Liberty Glove	
RWG532S RWG532M RWG532L RWG532XL RWG532XXL	Radians AXIS™ Touchscreen Work Glove ANSI Cut A2	Touchscreen Technology with Cut Protection, 13 Gauge Black HPPE, Foam NBR Palm Dip, Sold 12 Pair/Bag Radians 	
KV13A	Perfect Fit Aramid Knit Glove ANSI Cut 2	13 Gauge, Lightweight, Black, 100% Kevlar Seamless Knit Glove Sold 12 Pair/Bag Honeywell Safety 	
<b>ANSI Cut 3</b>			
00-300-S 00-300-M 00-300-L 00-300-XL 00-300-XXL	Kyorene® ANSI Glove ANSI Cut A3	15 g Gray Kyorene® Graphene A3 Liner, Black HCT® MicroFoam Nitrile Palm Coating, Bacterio-Static Kills Bacteria, Odor Neutralizing, Reinforced Thumb Crotch, Thermal Regulating, Washable, Sold 12 Pair/Bag Armor Guys	

## Hand & Arm Protection











Item ID	Description	Extended Information	Image
16-530/XL	G-Tek® PolyKor® Blended Glove ANSI Cut A3	HPPE 13 Gauge, 1/2 PU Dipped, Polyurethane Coated Smooth Grip, Lightweight, Excellent Dexterity/Tactile Sensitivity/Cut Resistance, Secure Grip in Dry and Slightly Wet/Oily Conditions, Sold 12 Pair/Bag PIP 	
19-D322/L 19-D322/XL 19-D322/XXL	G-Tek® 3GX® Great White® Dyneema® Glove ANSI Cut A3	White Dyneema Seamless Knit Shell, 13 Gauge, Grey Polyurethane Palm and Fingers Dip, Secure Grip in Dry and Slightly Wet/Oily Conditions, Offers High Dexterity/Tactile Sensitivity, Sold 12 Pair/Bag PIP 	
<b>ANSI Cut 4</b>			
16-MPH430-M 16-MPH430-L 16-MPH430-XL 16-MPH430-XXL	G-Tek PolyKor® Seamless Knit Glove ANSI Cut 4 TPR Impact Level 2	PolyKor® Seamless Knit, 13 Gauge, Double Dipped Nitrile Coating MicroSurface Grip on Palm & Fingertips, TPR Impact Protection Level 2, Sold 12 Pair/Bag PIP 	
41-1417/M 41-1417/L 41-1417/XL	G-Tek PolyKor® Double-Dipped Glove ANSI Cut A4	Seamless Knit PolyKor® Blended Glove with Acrylic Liner and Double-Dipped Nitrile Coated Foam Grip on Full Hand Sold 12 Pair/Bag PIP 	
<b>ANSI Cut 5</b>			
00-850-S 00-850-M 00-850-L 00-850-XL 00-850-2XL	Kyorene® Pro/HCT Coating Glove ANSI Cut A5	Liner: 15 g Kyorene® Graphene Liner, Coating: Black HCT® MicroFoam Nitrile Palm Coating, Bacterio-Static Kills Harmful Bacteria, No Stainless Steel or Fiberglass, Odor Neutralizing to Keep the Gloves Smelling Fresh, Thermal Regulating to Keep Hands Comfortable, Sold 12 Pair/Bag Armor Guys 	
<b>ANSI Cut 7</b>			
RWG558M RWG558L RWG558XL	AXIS™ Cut Protection PU Coated Glove ANSI Cut A7	13 Gauge, Hi-Viz Green HPPE Outer Shell with Fiberglass and Stainless Steel, Black Polyurethane Coated Palm Sold 12 Pair/Bag Radians 	

## Hand & Arm Protection









Item ID	Description	Extended Information	Image
<b>Chemical Protection Gloves</b>			
37-175: Sz 10	AlphaTec® Solvex® Glove Nitrile	Chemical Resistant, 13 mil, Green Nitrile, Cotton Flock Lining to Reduce Sweat, Straight Cuff, Silicone Free, Standards: ANSI 4 for High Abrasion Resistance, FDA Food Contact Compliant (21 CFR 177.2600), Sold 12 Pair/Bag Ansell 	
93-260-S 93-260-M 93-260-L 93-260-XL 93-260-2X	Microflex® Chemical Resistant Glove Nitrile/Neoprene	Thinnest (7.8 mil) Chemical Resistant Disposable Glove for Enhanced Tactility, Extended Cuff, 3 Layer Design for Acids/Solvents/Bases Protection, Silicone-Free, 0.65 AQL, Tested against Fentanyl and Gastric Acid to Simulate Hazardous Overdose Situations, Standard: FDA 21 CFR 177-2600, Sold 50 Gloves/Box Microflex 	
NL529: Sz 9 NL5210: Sz 10	StanZoil Chemical Resistance Glove Neoprene	Chemical Resistant, Med Weight, 14" Neoprene, 5 mil Thickness, Interlock Knit Cotton Liner, Natural Rubber Inner Layer In Palm, Two-Tone Wear Indicator, Non-Slip Grip, In Compliance with 21 CFR, 170-199, Sold 12 Pair/Bag MAPA Professional	
SEC-375-M SEC-375-L SEC-375-XL	Microflex® Supreno® Exam Glove Nitrile	Advanced Barrier Chemical Protection - Approved for Handling Chemo Drugs, Exam Grade, 0.65 AQL, Extended Cuff, Powder Free, Textured Fingers, Anti-Static, Standards: FDA21 CFR 177-2600; NFPA 1999:2013; US QSR/FDA 510(k) Medical Examination Grade Sold 50 Gloves/Box Microflex 	
<b>Nitrile Gloves</b>			
2940-M 2940-L 2940-XL 2940-2XL	PosiShield™ Glove Nitrile	7 mil Thick, Powder Free Orange Nitrile, Abidextrous, Loose/Rolled Cuff, Diamond Embossed Textured Palm for Grip In Waters/Oils/Acids/Solvents/Bio, Safe for Food Contact: FDA 21 CFR 177-2600, Sold 90 Gloves/Box PIP 	



### Hand & Arm Protection

Item ID	Description	Extended Information	Image
50603: Sz L	Purple Nitrile-Xtra Exam Gloves Nitrile	Ambidextrous, 12" length, Beaded Cuffs to Prevent Roll-Down, Excellent Dexterity and Tactile Sensitivity with Textured Fingertips, Powder-Free, Cleared for Use in Chemotherapy, AQL 1.5 (Exceeds the ASTM 2.5 Standard for Critical Defects/Pinholes), Sold 50 Gloves/Box Kimberly Clark 	
2015W-L 2015W-XL	BlackShield Industrial Grade Gloves Nitrile	4 mil Thick, Powder-Free, Micro-Textured Finger Tips, Ambidextrous, ISO 9001 Factory Approved, Complies with Federal Regulation for Food Contact, Sold 100 Gloves/Box Liberty Glove	
7500PFXL	Showa Exam Gloves Nitrile	4 mil Thick, 9.5" Cuff, Textured Fingertips, Powder-Free, 21 CFR 170-199, Sold 100 Gloves/Box SHOWA	
92-675-S 92-675-M 92-675-L 92-675-XL	TouchNTuff® Gloves Nitrile	Industrial Grade, Rolled and Beaded Cuff, Textured Grip, Ambidextrous, Powder-Free, Complies with FDA Food Handling 21 CFR 177.2600, Sold 100 Gloves/Box Ansell 	
N127363: M N127363: L N127363: XL	PowerForm® Heavy Duty Exam Gloves Nitrile	12" Cuff, 6.2 mil Thick, Fully Textured Surface for Added Grip, Ambidextrous, Powder Free, Tested for Use with Chemotherapy Drugs, Silicone-Free, Sold 50 Pairs/Box SW Safety Solutions	
SSN55081: S SSN55081: M SSN55081: L SSN55081: XL	Purple Exam Gloves Nitrile	9.5" Long, Ambidextrous, Textured Fingertips, Beaded Cuff, Latex Free, AQL 1.5 (Exceeds the ASTM 2.5 Standard for Critical Defects or Pinholes), Cleared for Use in Chemotherapy, Sold 100 Gloves/Box Kimberly-Clark	
SU-690-M SU-690-L SU-690-XL	Microflex® Supreno SE PF Exam Glove Nitrile	Advanced Barrier Protection Against Contaminants (0.65 AQL). Durable Nitrile Formulation, Ideal for Long Wear Times/Demanding Jobs, Standards: ASTM D6319, FDA21 CFR 177-2600; US QSR/FDA 510(k) Medical Examination Grade, Sold 100 Gloves/Box Microflex 	

### Hand & Arm Protection

Item ID	Description	Extended Information	Image
US-220-L	Microflex® UltraSense® Exam Gloves Nitrile	Light Duty Work, 9.6" Length, 3.1 mil Thick, Powder-Free, Non-Stick Design Resists Tape/Adhesives, 1.5 AQL, Standards: ASTM D6319, FDA21 CFR 177-2600; US QSR/FDA 510(k) Medical Examination Grade, Sold 100 Gloves/Box Microflex 	
WC241210: Sz XL	Premium Unlined 13" Gloves Nitrile	13" in Length, 11 mil Thick, Unlined, Straight Cuff, Bacteriostatic and Fungistatic Additives, Standard: FDA Conformance for Repeated Use with Food, Sold 12 Pair/Bag Liberty Glove 	
<b>Latex Gloves</b>			
MIC-SG375-LG MIC-SG375-XL	Microflex® SafeGrip® Medical Gloves Latex	Three Times Thicker than Standard Latex Gloves to Prevent Rips/Snags/ Tears, 12" Beaded Cuff, Medical Grade, Non-Sterile, Ambidextrous, Single Use, Textured Finger Tips, Blue, Certified NFPA 1999 Sold 50 Gloves/Box Microflex 	
WC23128: Sz 8 WC231210: Sz 10	Premium Flock-Lined Gloves Latex Coated	Chemical, Puncture and Tear Resistant, Embossed Palm and Fingers Give Extra Grip, Beaded Cuff, 18 mil Thickness, Pinked Cuff, Sold 12 Pair/Bag PIP 	
88-356-9	AlphaTec® 88-356 (Previously known as Natural-88356) Latex	Reusable, Unlined Blue Natural Rubber Latex Glove, Food Industry Compliance, 12" Length, 17mil Thickness, Fish Scale for good Dry/Wet Grips, Chlorinated Inside and Out to Minimize Risk of Allergy, Certified 21 CFR 177.2600, Sold 12 Pair/Bag Ansell 	
<b>General Purpose Gloves</b>			
06-021-L	Armor Guys General Purpose Gloves	13g, Black Nylon Liner, Black Crinkle Latex Palm Coating, Enhanced Abrasion Resistance and Positive Grip Sold 12 Pair/Bag Armor Guys	

### Hand & Arm Protection

Item ID	Description	Extended Information	Image
34-874-L 34-874-XL	MaxiFlex® Ultimate™ Seamless Knit Nylon / Lycra Glove ANSI A1	General Duty Purpose, Gray Seamless Knit Nylon/Lycra Shell, Nitrile Coated Microfoam Grip On Palm and Fingers, 100% Silicone-Free, 360° Breathability, Ergonomic Fit, Food Contact Compliant 21 CFR 170-199, Sold 12 Pair/Bag PIP 	
34-875-L 34-875-XL	MaxiFlex® Ultimate™ Seamless Knit Nylon / Lycra Glove	General Duty Work Glove, Grey Shell, Black 3/4 Micro-Foam Dipped, Nitrile Coated MicroFoam Grip on Palm, Fingers & Knuckles, Silicone Free, Sold 12 Pair/Bag PIP 	
750C: Sz L	Men's Jersey Glove	Ramie/Cotton Blend, Standard-Weight, Knit Wrist, Clute Cut, Sold 12 Pair/Bag Cordova 	
MA3385L MA3385XL	A-Grip® - Premium Gloves	10 Gauge, Gray Cotton/Polyester Knit Shell, Elastic Wrist, Blue, Textured Latex Coating on Palm and Fingertips, Uncoated Open Back for Breathability, Washable, Sold 12 Pair/Bag Liberty Glove	
ST8600: Sz L	100% Cotton Lisle Gloves	White, 100% Cotton, Regular Weight, Unhemmed, Reversible, Sold 12 Pair/Bag PIP 	
WC1027: Sz L	Black PVC Gloves	10" Gauntlet, Black, PVC-Fully Coated, Smooth Finish, Single Dipped, Interlock Lined, Men's Size, Sold 12 Pair/Bag Liberty Glove	
WC708SKBS: Sz L	Two-Sided Black PVC Dots Gloves	60% Cotton, 40% Polyester, Standard Weight, 7 Gauge, Elastic Knit Wrist, Clute Pattern, PVC Dots, Reversible, Sold 12 Pair/Bag Liberty Glove	
WC750-PR: Sz L	Brown Jersey Gloves	Brown, Cotton & Polyester Blend, 9 oz., Straight Thumb, Clute Pattern, Knit Wrist, Inner Napping for Extra Comfort, Sold 12 Pair/Bag Liberty Glove	

## Hand & Arm Protection





Item ID	Description	Extended Information	Image
WCMC708S: Sz L	Gray Cotton/ Polyester String Knit Glove	Regular Weight, 7 Gauge, 60% Cotton, 40% Polyester, Elastic Knit Wrist, Reversible, Sold 12 Pair/Bag Liberty Glove	
<b>Drivers/Leather Gloves</b>			
1930L 1930XL	Industry Grain Leather Driver,	2.5" Rubberized Safety Cuff, Top Grain Cowhide, Leather Knuckle Strap, Red/Gray Stripe Shirred Elastic Back, Sold 12 Pair/Bag MCR	
3200L 3200XL	Memphis Road Hustler, Premium Grain Cow Leather	Unlined Premium Cow Grain Leather, Shirred Elastic Back, Rolled Leather Hemmed, and Keystone Thumb Pattern Sold 12 Pair/Bag MCR	
3204L 3204XL 3204XXL	Memphis Drivers Glove	Select Grade Cow Grain Leather Palm, Unlined, Brown Split Leather Back, Sewn with Dupont™ Kevlar®, Shirred Elastic Back, Rolled Hemmed, and Keystone Thumb Pattern, Sold 12 Pair/Bag MCR	
3211M 3211L 3211XL 3211XXL	Leather Drivers Glove	Unlined Select Cow Grain Leather, Shirred Elastic Back, Cotton Hemmed, and Keystone Thumb Pattern, Sold 12 Pair/Bag MCR	
3220L 3220XL	Road Hustler, Leather Drivers Gloves	Unlined Premium Grade Cow Grain Leather, Pull Strap Back, Rolled Leather Hemmed, and Straight Thumb Pattern, Sold 12 Pair/Bag MCR	
1160-L	Leather Palm Gloves	Standard Split Cowhide, 2.5" Safety Cuff, Knuckle Strap, Blue/Red Canvas Back, Wing Thumb, Sold 12 Pair/Bag Seattle Glove	
ST5010-M ST5010-L ST5010-XL ST5010-XXL ST5010-XXXL	Leather Anti-Impact Carpal Tunnel Glove	Cowhide, Visco-Elastic Polymer 3/16" Padding, Elastic Wrist, Channel Over Carpal Tunnel To Keep Pressure Off Nerve, Provides Protection From Vibration and Impact, Sold 12 Pair/Bag Impacto	






## Hand & Arm Protection

Item ID	Description	Extended Information	Image
WC350EA: Sz M	Split Cowhide Leather Palm Gloves	Green Knit Wrist, Green/Pink Canvas Back, Knuckle Strap, Gunn Cut, Sold 12 Pair/Bag PIP 	
WC500SC-PR: Sz L	Full Feature Leather Palm - Starched Cuff	Standard Shoulder Split Cowhide Leather, 2.5 Starched Safety Cuff, Blue/Red Canvas Back, Sold 12 Pair/Bag PIP 	
<b>Arc Flash Leather Gloves</b>			
12-3265-60-S 12-3265-60-M 12-3265-60-L 12-3265-60-XL 12-3265-60-XXL	Youngstown AR Ground Glove 23 Cal Puncture Level 4	Arc Rating 23 Cal, Puncture Level 4, High Quality Goat Grain Leather, Ergonomic Form-Fit, Double Layer Leather, Slip Fit Cuff, NFPA 70E-2015 ANSI 105, Sold By The Pair Youngstown	
<b>Electrical Lineman Gloves</b>			
113816: Sz 9	Marigold Rubber Insulated Glove Kit Class 4	Kit Includes RIG, Leather Glove, and Glove Bag, ASTM D120, Max Use Volt: 36000V AC, Black, 18 Length, Sold as a Kit Ansell 	
124276: 8 124277: 9 124278: 10	Marigold Rubber Insulated Glove Kit Class 0	Kit Includes RIG, Leather Glove, and Glove Bag, ASTM D120, Max Use Volt: 1000V AC, Black, 11" Length, Sold as a Kit Ansell 	
<b>High Performance/Mechanic Gloves</b>			
905M 905L	MCR Safety Multi-Task Glove	Multi-Task, Blue Nylon Spandex Back, Suade Synthetic Leather Palm, G Shape Foam Palm Padding, Adjustable Hook and Loop Wrist Closure, Gunn Patern, Wing Thumb, Sold By The Pair MCR 	
<b>Inspectors' Gloves</b>			
MCR-8610: Sz S	Inspectors' Glove Blended Lisle Ladies	Reversible, Unhemmed, Polyester Fabric Glove, Cotton/Poly Blend Cuff, Straight Thumb Style Sold 12 Pair/Bag MCR 	

## Hand & Arm Protection

Item ID	Description	Extended Information	Image
<b>Other Gloves</b>			
LI2521: Sz L	Foam Insulated Fully Coated Smooth Finish PVC Gloves	Material: 70% PVC 30% Cotton Foam Insulated, Fully Coated Smooth Finish PVC, Sold 12 Pair/Bag Liberty Glove	
<b>Insulated: Cold Weather Gloves</b>			
97-011-9 97-011-10 97-011-11	ActivArmr® Hi-Viz Cold Weather Gloves ANSI Cut A2	Tested to perform at -4°F/-20°C, 10 Guage 2-ply Acrylic Brushed Liner, ¾ Double-dipped Nitrile Coating, Antistatic, A2 Cut Protection, A4 Abrasion Protection Sold 6/Box Ansell	
N9690HVM N9690HVL N9690HVXL	Ninja® Ice Hi-Vis Cold Weather Gloves ANSI Cut A3	15 Gauge Hi-Vis Lime Nylon Shell with 7 Gauge Acrylic Terry Interior Liner, Hi-Vis Lime HPT Coated Palm and Fingertips, Sold 12 Pair/Bag MCR	
<b>Sleeves</b>			
WC2514K	Double Ply Cut Resistant Kevlar Sleeve ANSI Cut 3	100% Kevlar Yellow, 2-Ply, No Thumb Loop, Cut and Heat Resistant, One Size Fits Most, ANSI Cut 3, Sold 25 Each/Bag PIP	



## Head Protection

Item ID	Description	Extended Information	Image
282-ABR170	HardCap A1+	Baseball Style Bump Cap, Standard 2.75" Brim, HDPE Shell, Size Adjustment, Low-Profile, Terry Cloth Sweatband, Reflective Piping, Mesh Panels, Sold Individually PIP	
H-701R	3M™ Hard Hat, Front Brim General Purpose, 4-Point Ratchet Suspension White	Non-Vented, Polyethylene Shell, ANSI Classification: Type 1 / Class: E, Ratchet (4-Point), Accessory Mounting Options Side-Slots, Reverse Don, Fits Hat Size: 6-5/8 to 7-3/4, ANSI Z94.1-05, Sold Individually 3M™	
H-703R-UVX	3M™ Hard Hat, Front Brim General Purpose, 4-Point Ratchet Suspension Blue	Non-Vented, Polyethylene Shell, ANSI Classification: Type 1 / Class: E, Ratchet (4-Point), Accessory Mounting Options Side-Slots, Fits Hat Size: 6-5/8 to 7-3/4, Standards ANSI/ISEA Z89.1-2009 Sold Individually 3M™	



## Head Protection

Item ID	Description	Extended Information	Image
HC22RN	<b>PROTECTOR Bump Cap Navy</b>	Lightweight Micro-Fibre Fabric Reduces Humidity and Permits Air Circulation, Side Mesh Ventilation Enhances Breathability, Sold Individually	
MS475358	<b>MSA V-Gard® Hard Hat, Cap Style Fas-Trac Ratchet Suspension White</b>	Fas-Trac Ratchet Suspension White, Size: Standard, Cap Style, Non-vented Sold Individually MSA Safety	
<b>Head Gear Replacement Parts</b>			
38110	<b>Dual Crown, Window &amp; Ratcheting Headgear</b>	Extended, Wraparound Protection for Tough Working Conditions, Blue Crown and Chin Guard, 6.5" x 19.5" x .04", Chemical and Impact Resistant Sold Individually Sellstrom	
10148708	<b>Fas-Trac III Replacement Suspension, for V-Gard®, V-Gard 500, V-Gard GREEN and SmoothDome® Helmets</b>	For use with MSA Safety Helmets, 4-Point Standard Sized, Flush Rear Lug Attachments Eliminate Pressure Points, Three Levels of Nape Strap Adjustment For Customized Fit, Graspable Ratchet/Ultra-Smooth Rotation and Steadfast Hold, Sold Individually MSA Safety	
F300BP	<b>Fibre-Metal® Headgear Suspension</b>	Light Duty, General Purpose Face Protection, Heat Resistant Noryl 3" Crown, Grey, Removable 3-ER Suspension, Faceshield Not Included, Meets ANSI Z87.1 Sold Individually Honeywell 	
F-400	<b>Fibre-Metal® Headgear Suspension Partial Crown</b>	Heat Resistant Noryl 4" Crown, Grey, Removable 3-C Headgear, Ratchet Suspension, Faceshield Not Included, Meets ANSI Z87.1 Sold Individually Honeywell 	
FM70	<b>Fibre-Metal® Faceshield Bracket Head Gear Cap Style</b>	For Cap Style Hard Hats, High Performance Face Shield Hard Hat Adapter Bracket, Plastic / Dielectric, Fits Fibre-Metal P2 and E2 Hard Hats and Most Others, Does Not Include Face Shield, Sold Individually Honeywell 	




### Head Protection

Item ID	Description	Extended Information	Image
FM71	Fibre-Metal® Faceshield Bracket Head Gear Full Brim Style	For Full Brim Style Hard Hats, High Performance Face Shield Hard Hat Adapter Bracket, Plastic / Dielectric, Fits Fibre-Metal P2 and E2 Hard Hats Plus Most Others, Does Not Include Face Shield, Sold Individually Honeywell	
H-700-RS4	3M™ Hard Hat Ratchet Suspension Replacement	Suspension Replacement, 4-Point Adjustable Ratchet Suspension, Standard Brow Pad, Sold Individually 3M™	

#### Accessories













6609	Chill-Its® Terry Sweatband	100% Cotton Terry, Absorptive, Universal Size, Machine Washable Sold Individually Ergodyne	
UB870N-BE	Snap-On Hard Hat Sweatband	Terry Cloth, Universal Size Sold Individually Occunomix	

### Hearing Protection













Item ID	Description	Extended Information	Image
<b>Uncorded Earplugs</b>			
6645	SparkPlugs® PlugStation® Earplugs+Dispenser Uncorded NRR 33 dB	Plugstation Includes Moldex Sparkplugs, 100% PVC-Free Sold 500 Pair/Dispenser Moldex	
312-1201	E-A-R™ Classic™ Earplugs Uncorded NRR 29	Flame and Moisture Resistant, Poly Bagged, Style: Rool Down Foam Material: PVC Sold 200 Pair/Box 3M™	
312-1219	E-A-R™ TaperFit™ 2 Earplugs Uncorded NRR 32 dB	Poly Bag, Regular Size, Shape: Tapered Style: Roll Down Foam Material: Polyurethane Foam Sold 200 Pair/Box 3M™	



### Hearing Protection

Item ID	Description	Extended Information	Image
6800BX	<b>Pura-Fit® Disposable Earplugs</b> Uncorded NRR 33 dB	<b>100% PVC-Free, Extra-Soft, Low-Pressure Foam, Tapered Shape, Longer Length, Poly Paged, Made in USA</b> Sold 200 Pairs/Box Moldex 	
MAX1BX	<b>Max® Single-Use Earplugs</b> Uncorded NRR 33 dB	<b>Coral Plug, Individual Polybag, Shape: Contoured Bell, Material: Polyurethane Foam</b> Sold 200/Box Howard Leight by Honeywell 	
<b>Corded Earplugs</b>			
6945	<b>Glide® Foam No Roll Twist-In Earplugs –</b> NRR 30dB	<b>Comes with Optional Cord, Multi-Curved Stem Rotates for a Custom Fit, Curved Stem Design, Push &amp; Twist for Glide to Angle Its Way to Find Your Fit.</b> Sold 100 Pairs/Box Moldex 	
311-1115	<b>E-A-R™ EXPRESS™ Pod Plugs™ Earplugs</b> Corded NRR 25 dB	<b>Vinyl Cord, Paddle-Style Grips, No-Roll Design, Pillow Pack,</b> Sold 100 Pair/Box 3M™ 	
311-1252	<b>E-A-Rsoft™ Yellow Neon Blasts™ Earplugs</b> Corded NRR 33 dB	<b>Yellow Neons, Flame Decal On Earplug, Orange Vinyl Cord, Poly Bag, Material: Polyurethane, Shape: Tapered</b> Sold 200 Pair/Box 3M™ 	
318-1003	<b>E-A-R™ Push-Ins™ Earplugs</b> Dielectric Corded NRR 28 dB	<b>Ear Yellow, Blue Vinyl Cord, Dielectric, Poly Bag,</b> Sold 200 Pair/Box 3M™ 	
7313-HEAROS	<b>SoftStar EZ Twist</b> Corded NRR 30 dB	<b>Hybrid Foam Ear Pods: Protection / Comfort of Foam Plus Hygiene / Convenience of Reusable Earplugs.</b> Sold 100 Pair/Box HEAROS / PIP 	
AS30W	<b>AirSoft Multiple-Use Earplug</b> NRR 27 dB	<b>4 Flange Design, Reuseable, Carry Case, Blue Plug, White Nylon Cord,</b> Sold 50 Pair/Box Howard Leight by Honeywell 	



### Hearing Protection

Item ID	Description	Extended Information	Image
DPD1001	Pyramex Disposable Corded Earplugs: Metal and Magnetic Detectable NRR 32 dB	Embedded with an Iron Ball for Metal and Magnetic Detectability, Bullet Ear Plugs, Corded, Blue Sold 100 Pairs/Box Pyramex 	
FP41	Radians Resistor® 27 Corded Earplugs NRR 27 dB	Yellow Plug, Blue Cord, 4 Flange Design, Reusable, 100 Pr/Box Sold 100 Pair/Box Radians 	
MAX30	Max® Single-Use Earplug Corded NRR 33 dB	Coral Earplug, Blue Cord, Shape: Contoured Bell, Material: Polyurethane Foam Sold 100 Pair/Box Howard Leight by Honeywell 	
MO6405	Rockets Corded with Pocket-Pak NRR 27 dB	Reusable, Plastic Case, Purple Plug, Purple Vinyl Cord, Sold 50 Pair/Box Moldex	
P1301	E-A-R™ Skull Screws™ Earplugs Dielectric Corded NRR 32 dB	Vinyl Cord, Reusable, Silver Push-To-Fit Foam, Dielectric, Material: Polyurethane, Shape: Push-to-fit Foam Sold 120 Pair/Box 3M™ 	
STLL30	Laser Lite® Earplug Corded NRR 32 dB	Shape: Contoured T-shape Material: Polyurethane Foam Corded Foam Tip Sold 100 Pair/Box Howard Leight by Honeywell 	
<b>Earmuffs</b>			
1010924	Leightning® L3 Earmuff (Noise Blocking) NRR 33 dB	Air Flow Control™ Technology Delivers Optimal Attenuation Across All Frequencies, Steel Wire Construction, Padded Foam Head Band, Snap-In Ear Cushions, Accessories Available Sold Individually Howard Leight by Honeywell 	
1035197-VS	VeriShield™ Earmuffs (Noise Blocking) NRR 20 dB	Over-the-Head Ear Muffs, Dielectric, No Radio Band, 2.5mm Stereo Jack and 2.5mm Cable, Lightweight Cushioned Headband, Memory Foam Ear Cushions Sold Individually Howard Leight by Honeywell 	













### Heat & Cold Stress

Item ID	Description	Extended Information	Image
6602	Chill-Its Evaporative Cooling Towel Blue	PVA Material, Reusable, Can Last 4 Hours on Single Soak, Washable, 13" x 29.5", Sold Individually Ergodyne	
6990	N-Ferno® Hand Warming Packs	All natural ingredients heat up when they contact oxygen, Hand style warms up to 12 hours Sold 40 Packs/Box Ergodyne	
6882	N-Ferno® FR 2-Layer Winter Hard Hat Liner Shoulder Length	FR Outer Shell: 60% Modacrylic / 40% cotton twill blend, FR Liner: 60% Modacrylic / 40% cotton fleece blend Certified: ASTM F1506; NFPA 70E CAT2. Arc-rated; ATPV rating of 20 cal/cm2, Elastic gather at forehead, Straps to attach to hard hat /helmet suspension Sold Individually Ergodyne	
H73RY	UltraSoft Balaclava	6.5 oz Indura Ultrasoft, Single Layer, Single Eyeport, Flat Lock Seam for Comfort, One Size Fits Most, Extra Long Length, 12 Cal/Cm <sup>2</sup> - HRC 2, OSHA 29 CFR 1910.269 / ASTM F1506-10A / NFPA 70E-2015 Compliant for Arc Flash / CSA Z462-15, Made In The USA, Sold Individually NSA	

### High Visibility Apparel


Item ID	Description	Extended Information	Image
O44122-MD O44122-LG O44122-2X O44122-LG	Eclipse™ FR and Arc Flash Hi-Vis Rain Overalls	Storm Fly Front, 2 Piece Bib Overall, Snap Fly Front, Take Up Leg Straps, Suspender Buckles, Hi Vis/Liquid Proof/Arc/FR, ANSI 107 Class 3, NFPA 70E 8.7 cal/cm <sup>2</sup> , ASTM F1891, ASTM 2733 Sold Individually Tingley	
R30RL06-L	Arc H2O™ FR Hi-Vis Rain Jacket Type R Class 3	Arc Rating: 15 cal/cm <sup>2</sup> , HRC 2, 100% Waterproof, Sealed Seams, Covered D-Ring Opening Access, Covered Zipper/Snap Closures Standards: ANSI/ISEA 107-2010 Class 3, ASTM F1891-12, ASTM F2733-09, CSA Z462-15, NFPA 70E- 2015 Sold Individually NSA	

### High Visibility Apparel

Item ID	Description	Extended Information	Image
R40RL14-L	Arc H2O™ FR Hi-Vis Bib Overall Class E	Arc Rating: 19 cal/cm2, 100% Waterproof, Sealed Seams. Standards: ANSI/ISEA 107-2010 Class E, ASTM F1891-12, ASTM F2733-09, CSA Z462-15, NFPA 70E- 2015, Sold Individually NSA 	
S85522-L S85522-XL S85522-2XL S85522-3XL	Job Sight FR™ Hi-Vis Long Sleeve Shirt Class 3	ANSI/ISEA 107 Class 3 Compliant, ASTM F1506 Compliant for FR and Electric AR Thermal Hazards, Arc Rating 8.8 Cal/Cm2, Conforms To NFPA 70E HRC 2. 8.5 oz, Cotton Blend – Solid Lime, Long Sleeve, Reflective Tape, and One Pocket Sold Individually Tingley 	
S88122-L S88122-XL S88122-2XL S88122-3XL	Job Sight FR™ Hi-Vis Hooded, Zipper Sweatshirt Class 3	Hi-Vis Hybrid Hoodie, ANSI 107 Class 3 and ASTM F1506 Flame/Arc Resistant, 10.5 oz Cotton Blend, Arc Rating 16.0 cal/cm2, Conforms To NFPA 70E-HRC 2. Sold Individually Tingley 	
C16720G-L C16720G-XL C16720G-2XL C16720G-3XL	HivizGard™ Waterproof Jacket Lime Class 3	Weatherproof outer shell constructed of 300 Denier polyester oxford/PU coating, Polyester mesh lining, 2” wide level 2 ANSI-certified silver retroreflective stripes, Zipper and snap closure, Hidden detachable hood, Adjustable wrist straps with three snaps, One radio pocket, one inside chest pocket, two larger lower pockets with flaps Sold Individually Liberty Glove 	
C16920G-L C16920G-XL C16920G-2XL C16920G-3XL	HivizGard™ Waterproof Pant Lime Class E	Weatherproof outer shell constructed of 300 Denier polyester oxford/PU coating, 2” wide silver retro reflective stripes, Elastic waist with drawstring, Adjustable ankle snaps, Two side pockets, ANSI Class E requirements if worn alone, or ANSI Class 3 when worn with an ANSI Class 2 or 3 apparel Sold Individually Liberty Glove 	
SV25-2ZGM-M SV25-2ZGM-XL SV25-2ZGM-3X	Class 2 Self Extinguishing Safety Vest with Zipper Class 2	Economy Option, Self-Extinguishing Fabric, 2 Silver Reflective Tape, 1 Upper Left Front and 1 Lower Right Inside Pocket, Zipper Closure, Meets ASTM D6413, Sold Individually Radians 	



### High Visibility Apparel

Item ID	Description	Extended Information	Image
VF1110-HY-MED VF1110-HY-LRG VF1110-HY-XLG VF1110-HY-2XL	Hi-Vis Class 2 FR Hi-Vis Cotton Safety Vest Class 2	Type R Class 2, 9 oz FR-Treated 100% Cotton, Arc Flash PPE CAT 2, 7 Exterior Pockets, Dual Mic Tabs, Back Pass-Through for D-Ring, X-Back Reflective Striping, Concealed Snap Fasteners, ANSI/ISEA 107-2015, NFPA 70E Compliant, ASTM F1506 Compliant, Sold Individually Revco	



### Hydration & Coolers

Item ID	Description	Extended Information	Image
060100-OR	Sqwincher® ZERO Sugar-Free Qwik Stik Orange	Orange, Yields 20 oz Drink, 0 Calories / 0 Sugar, Sold 50 Each/Bag Sqwincher	
060101-MB	Sqwincher® ZERO Sugar-Free Qwik Stik Mixed Berry	Mixed Berry, Yields 20 oz Drink, 0 Calories / 0 Sugar, Sold 50 Each/Bag Sqwincher	
060102-FP	Sqwincher® ZERO Sugar-Free Qwik Stik Fruit Punch	Fruit Punch, Yields 20 oz Drink, 0 Calories / 0 Sugar, Sold 50 Each/Bag Sqwincher	
060107-GR	Sqwincher® ZERO Sugar-Free Qwik Stik Grape	Grape, Yields 20 oz Drink, 0 Calories / 0 Sugar, Sold 50 Each/Bag Sqwincher	
060109-CC	Sqwincher® ZERO Sugar-Free Qwik Stik Cool Citrus	Fruit Punch, Yields 20 oz Drink, 0 Calories / 0 Sugar, Sold 50 Each/Bag Sqwincher	
13160	G2 Powder Sticks, Glacier Freeze	Low Calorie, 160 mg Sodium, 45 mg Potassium, 7 g Carbs, 0.52 oz, Packet Sold 64 Each/Case Gatorade	
13167	G2 Powder Sticks, Grape	Low Calorie, 160 mg Sodium, 45 mg Potassium, 7 g Carbs, 0.52 oz, Packet Sold 64 Each/Case Gatorade	











### Hydration & Coolers

Item ID	Description	Extended Information	Image
13168	G2 Powder Sticks, Fruit Punch	Low Calorie, 160 mg Sodium, 45 mg Potassium, 7 g Carbs, 0.52 oz, Packet Sold 64 Each/Case Gatorade	
33305-EA	Gatorade Liquid Concentrates, Grape	1 Gallon of Concentrate Yields 6 Gallons of Prepared Drink, No Carbonation, No Caffeine, 80 Calories, 21 g Total Carbs Sold 4 Jugs/Case Gatorade	
03955-EA	Gatorade Liquid Concentrates, Orange	1 Gallon of Concentrate Yields 6 Gallons of Prepared Drink, No Carbonation, No Caffeine, 80 Calories, 21 g Total Carbs Sold 4 Jugs/Case Gatorade	
33977-EA	Gatorade Liquid Concentrates, Fruit Punch	1 Gallon of Concentrate Yields 6 Gallons of Prepared Drink, No Carbonation, No Caffeine, 80 Calories, 21 g Total Carbs Sold 4 Jugs/Case Gatorade	
325-1840999	Orange Rubbermaid 5 Gallon Cooler	Drip-Resistant Spigot and Leak-Resistant Screw-On lid, Insulated to Keep Drinks Cold, 18.875" x 12.875" x 14.75" Sold Individually	




### Industrial Chemicals & Coatings

Item ID	Description	Extended Information	Image
GR06015: 5 Gal. Pail	ATTACK!® Wetting Agent	Surface Active Wetting Agent for Rapid Wetting of Asbestos Containing Materials and Other Particulate Matter. Does Not Harden, Crust, or Leave Residual Matter After Removal. Concentrated Formula Dilutes 3:1 with Water. Non-toxic, Environmentally Safe and Noncombustible. <b>Product Can Freeze in Winter.</b> Sold Individually Quest Safety Products	
QU20005: 5 Gal Pail QU200055: 55 Gal Drum	ATTACK!® 2000 No Odor Mastic Remover <b>CARB Compliant</b>	Designed for Black and Tan Mastics & Adhesives, No Odor Formula for Working in Occupied Areas. Coverage: 150-200 sq.ft./gal Sold Individually Drum: 4 Drums/Skid Pails: 36 Pails/Skid Quest Safety Product	





## Industrial Chemicals & Coatings

Item ID	Description	Extended Information	Image
QUCAR05: 5 Gal. Pail	ATTACK!® Carpet Adhesive Remover	<p>Designed to Remove Latex and Acrylic Based Mastics, Water Based Formula, Works 30% Faster than the Competition, Coverage: 40-80 sq.ft./gal                      Sold Individually                      Quest Safety Products</p> 	
QUCITRUS	ATTACK!® Citrus Degreaser  <b>CARB Compliant</b>	<p>No Runoff, Dissolves Grease, Adhesives, Oils, Wax, Markers, Inks, and More, 17 oz Can,                      Sold 12 Cans/Case                      Quest Safety Products</p> 	
QUSOY: 5 Gal. Pail	ATTACK!® Super Soy Mastic Remover  <b>CARB Compliant</b>	<p>Designed to Dissolve Black Mastic Ultra Low Odor                      Excellent for Projects in Schools                      Coverage: 200-400 sq ft/gal                      Flash Point of Over 425° F                      100% Soybean Based Formula  <b>Do Not Store Below 40° F</b>                      Sold Individually                      36 Pails/Skid                      Quest Safety Product</p> 	
S-8336 PAIL: 5 Gal. Pail  S-8336 DRUM: 55 Gal. Drum	ATTACK!® 2000 Low Odor Mastic Remover	<p>Quick Liquefaction of Black Mastics &amp; Adhesives - Usually within Minutes.                      Coverage: 75-150 sq ft/gal  <b>NOT CARB Compliant</b>  <b>NOT for Sales in NJ, PA, RI, CT, ME, MD, MA, MI, OH, CA.</b>                      Sold Individually                      Drum: 4 Drums/Skid                      Pails: 36 Pails/Skid                      Quest Safety Product</p> 	
F15801: 5 Gal. Pail	Lead Barrier Compound -Type III White	<p>Industrial Lead Encapsulant (Interior/Exterior), Unparalleled Coverage, White, Surpassed the ASTM E-1795 Standard for Lead-Based Paint Encapsulants, UL Classified, Class A Fire Rated                      Sold Individually                      Fiberlock Technologies</p>	
F18310: 1 Gal. Pail	Shockwave Disinfectant and Cleaner	<p>Sanitizes Porous and Disinfects Non-Porous Materials, EPA-Registered, Effective in 98% Soil Load, Over 130 Organism Kill Claims, Effective in 791 ppm Hard Water, Registered for Sewage/Black Water Remediation                      Sold 4 Gallon/Case                      Fiberlock Technologies</p>	

### Industrial Chemicals & Coatings


Item ID	Description	Extended Information	Image
F18360: 5 Gal. Pail	IAQ 6000 - Mold Resistant Coating- White	Tested by Independent Laboratories for Mold Resistance: ASTM G-21 and ASTM D-3273, Resistant to Mold Growth on the Dry Coating Surface Only, Tintable Formula, 100% Acrylic Water Based Coating, Recommended for Use on Wood, Plaster, Wallboard, Sheetrock, Concrete, Masonry Block, Primed Metal and Galvanized Metal. <b>Sold Individually</b> Fiberlock Technologies	
F18390: 5 Gal. Pail	AfterShock Fungicidal Coating White	EPA-Registered Fungicidal Coating, Kills and Prevents Mold and Mildew, 100% Acrylic Sealant, White <b>Sold Individually</b> Fiberlock Technologies	
FIPM5: 5 Gal. Pail	Fiberset PM (Post-Removal Surface Sealant) Clear	Water-Based Coating, UL Classified, Class A Fire Rated, Ideal for Use as a Pull-Down, Compatible with Many Flooring Adhesives <b>Product Can Freeze in Winter.</b> <b>Sold Individually</b> Fiberlock Technologies	

### Janitorial Supplies








Item ID	Description	Extended Information	Image
152-CDC33200-01961	ARM & HAMMER™ Baking Soda	13.5 lb Resealable Bag <b>Sold Individually</b>	
19152	3M™ Doodleduster Cloth	Untreated, Oil-free, Non-Woven Microfiber Cloth Leaves Surface Residue-Free. 7" X 13.8" <b>Sold 250 Sheets/Roll</b> 3M™ 	
19378	Compact® Coreless Standard 2-Ply Toilet Paper Rolls	For use with Compact Coreless dispenser (sold separately), Provides up to twice the sheet count of standard two-ply rolls, Poly carton wrap optimizes storage space, 100% Total recycled content, 2-ply Paper, White, 500ft, <b>Sold 18 Rolls/Case</b> Georgia-Pacific Corporation	









### Janitorial Supplies

Item ID	Description	Extended Information	Image
20376	<b>Benefect Botanical Disinfectant Wipes</b>	<p>A ready-to-use botanical disinfectant, cleaner, bactericide, virucide, fungicide EPA registered for use against COVID-19. Kills over 99.99% of bacteria in 30 seconds! There are no human health warnings or precautionary statements for use or disposal - no need to rinse or wipe off after application.</p> <p><b>250 wipes/bucket</b> <b>Sold Individually</b></p>	
27700	<b>Pacific Blue Select Perforated Paper Towel</b>	<p>Ideal for cleaning and wiping in foodservice, healthcare, laboratory and clinic settings. 8.8 x 11", White, 2-Ply Paper, 250 Perforated Towels/Roll, Sold 12 Rolls/Case</p> <p><b>Georgia-Pacific Corporation</b></p>	
299-3WDS60SAP	<b>Wave Urinal Screen Scent: Spiced Apple</b>	<p>10 times more fragrance for 30 days, Optimized bacteria to eliminate odors,</p> <p><b>Sold 10 Each/Box</b> <b>FlexSol</b></p>	
372-VALH2433N8	<b>High-Density Commercial Can Liners Value Pack Clear</b>	<p>12 to 16 Gal. Capacity, 24 x 31, 7mic thick, Light-Duty Grade, HDPE, Clear, Tie Closure, (50 Bags per Roll/20 Rolls per Case), 12 to 16 Gal. Capacity</p> <p><b>Sold 1,000 bags/Case</b> <b>Inteplast Group</b></p>	
374-H4832HK	<b>Linear Low-Density Can Liners Black</b>	<p>Tear and puncture-resistant, Industrial strength, 12-16 gal capacity, 0.7 mil, 24 x 32, Black, Polyethylene, Premium Grade, LLDPE, 1 mil thick, 12-16 gal capacity</p> <p><b>Sold 500 Bags/Case</b> <b>Heritage Bags</b></p>	
374-X8046QK	<b>Low-Density Can Liner Black</b>	<p>Heavy-gauge liner is suitable for tough trash applications, 40-45 gal capacity, 2 mil thick, 40 x 46, Black, Super-Heavy Grade, Made from Reprocessed Resin, 40-45 gal Capacity</p> <p><b>Sold 100 Bags/Case</b> <b>Heritage Bags</b></p>	
4050000	<b>Sparta® Utility Brush</b>	<p><b>Medium-Stiff Nylon Bristles</b> <b>20" x 3"</b></p> <p><b>Sold 12 Each/Case</b></p>	



### Janitorial Supplies

Item ID	Description	Extended Information	Image
42715	enMotion® Gen 2 Moisturizing Foam Soap Dispenser Refill	<p>1200 mL Refills provide rich soap with foaming lather and a mild conditioning formula to leave skin feeling fresh.</p> <p>Tranquil Aloe® soap fragrance</p> <p>Moisturizing formula, Closed hygienic refill bottles, Used in enMotion automatic dispenser 52056, 52057, 52058, 52060</p> <p>Sold 2 Bottles/Case</p> <p>Georgia-Pacific Corporation</p>	
574-RH3340S	High-Density Commercial Can Liners	<p>Made from high-quality blended resins for superior strength and puncture resistance, recycle material bag, 33 gal capacity, 33 x 40, Natural color, LLDPE, 0.6 mil thick, 33 gal capacity</p> <p>Sold 10 Rolls/Case</p> <p>Jaguar Plastics</p>	
599-HG-5000	Health Gards® Toilet Seat Covers	<p>White, 1/2 fold, Size 16 3/4" x 14 1/8", Sold 250 Sheets/Pack, 20 Packs/Case</p> <p>Hospeco</p>	
599-HS-6141	Waxed Paper Liners for Sanitary Napkin Receptacles	<p>Brown, 10" x 9", Contains Metazene® brand odor neutralizer, For use in receptacles #6140, Sold 250 Bags/Case</p> <p>Hospeco</p>	
603-16880	Angel Soft PS 2-Ply Premium Embossed Bathroom Tissue	<p>Meets or Exceeds EPA Comprehensive Procurement Guidelines for Minimum Post Consumer Fiber Content, white, 135' per Roll</p> <p>Sold 80 Rolls/Case</p> <p>Georgia-Pacific Corporation</p>	
695237SCJ	Windex® Blue Glass Cleaner with Ammonia-D	<p>32 oz Capped Bottle w/ Trigger, Perfect for windows, mirrors, shower doors, glass top stoves, and much more. Removes dirt, grime, fingerprints, &amp; more. Streak-free shine,</p> <p>Sold Individually</p> <p>SC Johnson Professional®</p>	
89420	enMotion® Paper Towel Roll Refills	<p>High-quality roll paper towels, specifically designed for our enMotion® 8" Recessed or Impulse® 8" Automated Touchless Roll Paper Towel Dispenser, white, 700 L x 8.2 W (700 ft total),</p> <p>Sold 6 Rolls/Case</p> <p>Georgia Pacific Corporation</p>	

### Janitorial Supplies

Item ID	Description	Extended Information	Image
89460	enMotion® Paper Towel Roll Refills	<p>High-quality roll paper towels are specifically designed for enMotion® Classic or enMotion® Impulse® 10 automated electronic roll towel systems, white, 800 L x 10 W (800 ft total),                      Sold 6 Rolls/Case                      Georgia Pacific Corporation</p>	
GOJ9659	PURELL® Advanced Hand Sanitizer Gel	<p>12 fl o.z Table Top Pump Bottle.                      Sold Individually</p>	
LBI220C	Ha-Ste Tiger Wet Mop	<p>20 oz, 4 ply cotton,                      Sold 12 Each/Case</p>	
LBI224C	Ha-Ste Tiger Wet Mop	<p>24 oz, 4 ply cotton,                      Sold 12 Each/Case</p>	
QE-RPLNBB	RP Pro Wet Mop	<p>20 oz, Rayon/Polyester Blend of Low Melt 6 ply Yarn, White, Blue Narrow Vinyl Coated Mesh Head Band and Blue Fan                      Sold 12 Each/Case</p>	
REC74278	Lysol® Toilet Bowl Cleaner	<p>32 oz. Bottle, Kills Staph, Pseudomonas, E. coli, HIV-1 (AIDS Virus) and other harmful germs on hard, nonporous surfaces. The thick acid formula coats cleans, disinfects and deodorizes the entire bowl by dissolving stubborn stains on contact.                      Sold 12 Each/Case</p>	
SMP13005	Simple Green Cleaner/Degreaser	<p>Concentrate Dilutes up to 1:30. Cuts through Thick Grease, Oils, Hydraulic Fluids and Built-Up Grime on All Washable Surfaces. Non-Abrasive, Non-Corrosive, Non-Flammable and VOC Compliant Formula.                      Chemical Compound: Aqueous Based Mixture, Applicable Materials: Water-Safe Surfaces                      Sold 6 (1 gal.) Bottles/Case</p>	

## Janitorial Supplies






Item ID	Description	Extended Information	Image
SM302	Blue Tacky Surface Mat	Blue, Polyethylene, 30 Tabbed Sheets (24"x 36" 2 mil) per Mat for Easy Removal Adhesive Type: Water-based Acrylic Adhesion Level: 14.0 -18.0 oz/in Sold 4 Mats/Case Surface Shields	
SSTM3636W	White Tacky Surface Mat	White, Polyethylene, 30 Tabbed Sheets (36"x 36" 2 mil) per Mat for Easy Removal Adhesive Type: Water-based Acrylic Adhesion Level: 14.0 -18.0 oz/in Sold 4 Mats/Case Surface Shields	

## Lab Supplies & Equipment

Item ID	Description	Extended Information	Image
234470	Natural HDPE Packer Bottle	8 oz. Natural HDPE Packer with 48-400 Black Phenolic .030 PE Lined Cap Sold 250 Each/Case Berlin Packaging	
1221-60050 Volume: 50 mL	NovaSeptum® Autoclavable Single Sampling Unit	Autoclavable Application, Sterile, Septum Unit with a 1 mm Needle, Male Luer, Quality Level: MQ400, Septum: Medical Grade Platinum-Cured Silicone, Body: Polyester, Cannula: ASTM 316L Stainless Steel, Tubing Material: Silicone Sold 50 Each/Case Millipore Corporation	
1221-60100 Volume: 100 mL	NovaSeptum® Autoclavable Single Sampling Unit	Autoclavable Application, Sterile, Septum Unit with a 1 mm Needle, Male Luer, Quality Level: MQ400, Septum: Medical Grade Platinum-Cured Silicone, Body: Polyester, Cannula: ASTM 316L Stainless Steel, Tubing Material: Silicone Sold 50 Each/Case Millipore Corporation	
1221-60250 Volume: 250 mL	NovaSeptum® Autoclavable Single Sampling Unit	Autoclavable Application, Sterile, Septum Unit with a 1 mm Needle, Male Luer, Quality Level: MQ400, Septum: Medical Grade Platinum-Cured Silicone, Body: Polyester, Cannula: ASTM 316L Stainless Steel, Tubing Material: Silicone Sold 50 Each/Case Millipore Corporation	











### Lab Supplies & Equipment

Item ID	Description	Extended Information	Image
1711-10250 Volume: 250 mL	NovaSeptum® General Sampling Unit, High Purity Applications	Autoclavable Application, Sterile, Septum Unit with a 1 mm Needle, 3-piece Luer, Quality Level: MQ400, Septum: Medical Grade Platinum-Cured Silicone, Body: Polyester, Cannula: ASTM 316L Stainless Steel, Tubing Material: Polyethylene Sold 50 Each/Case Millipore Corporation	
500024-262	Non-Latex Rubber Bands with Antimicrobial Protection	Made with a Non-Latex Synthetic Rubber Compound with Antimicrobia Protection, Size #33 (3 1/2" x 1/8"), Band Gauge: 0.04", Cyan Blue, Sold 180 Each/Box	
9030_8108198555	PTFE Tubing	Sterile, Natural Color, 1.6 x 0.8 (3.2mm) FDA/USP Hose Sold 25 Meters/Case	
A201	NovaSeptum Port Plug	General Application, Non-Sterile, Needle Size: 1.0 mm, Medical Grade, Platinum Cured Silicone Sold 100 Each/Box Millipore Corporation	
PLC-08869	Natural HDPE Wide Mouth Round Bottles with Solid PE Lined Cap	17oz (500ml) Natural HDPE Wide Mouth Round Bottles with 53-400 Black Phenolic Solid PE Lined Cap Attached Sold 180 Each/Case Berlin Packaging	

### Lighting & Batteries

Item ID	Description	Extended Information	Image
60100	Bright Star Razor LED Handheld Flashlight	Intrinsically Safe - Zone 0 Rating, 125 lumens, Peak Beam Intensity: 7,000, Beam Distance: 170 meters, Burn Time: 24 hrs, Watertight Seal, Dust Tight, Takes 3 AA Alkaline Batteries (Not Included) Sold Individually Koehler Bright Star	
XPP-5422G	NightStick® LED Flashlight Intrinsically Safe 120 Lumen Dual-Light™	Intrinsically Rated for All Classes and Div., Green, Flash/Flood/Dual, 120 Lumens, Impact and Water Resistant, Takes 3 AA Batteries (Not Included), Sold Individually Bayco Products	



## Lighting & Batteries

Item ID	Description	Extended Information	Image
XPP-5422GMX	NightStick® LED Flashlight Intrinsically Safe 120 Lumen Dual-Light™ Dual-Magnets	Intrinsically Rated for All Classes and Div., Green, Flash/Flood/Dual, Dual Magnets, 120 Lumens, Impact and Water Resistant, 3 AA Batteries (Not Included), Sold Individually Bayco Products	
XPP-5450G	NightStick® LED Headlamp Intrinsically Safe Dual- Function 60/40 Lumens	Intrinsically Rated All Classes/Div/Groups, Green, Dual High/Low Spotlight, 60/40 Lumens, 3 AAA Batteries (Included), Impact/Water/Chemical Resistant. Elastic and Rubber Strap, Tiltable Head, Sold Individually Bayco Products	
AL9V-12F	9V Batteries: Ultra Pro™ Alkaline	Rayovac, Engineered for Professional Use, Recloseable and Stackable Plastic Storage Box, Sold 12 Each/Pack	
ALAA-24F	AA Batteries: Ultra Pro™ Alkaline	Rayovac, Engineered for Professional Use, Recloseable and Stackable Plastic Storage Box, Sold 24 Each/Pack	
ALAAA-18F	AAA Batteries: Ultra Pro™ Alkaline	Rayovac, Engineered for Professional Use, Recloseable and Stackable Plastic Storage Box, Sold 18 Each/Pack	
ALC-12F	C Batteries: Ultra Pro™ Alkaline	Rayovac, Engineered for Professional Use, Recloseable and Stackable Plastic Storage Box, Sold 12 Each/Pack	
ALD-12F	D Batteries: Ultra Pro™ Alkaline	Rayovac, Engineered for Professional Use, Recloseable and Stackable Plastic Storage Box, Sold 12 Each/Pack	
PC1300	D Batteries: Duracell PROCELL Professional Alkaline	Industrial D Battery, Alkaline, 1.5V DC, 17,000 mAh Capacity Sold 12 Each/Box	

### Lockout/Tagout

Item ID	Description	Extended Information	Image
420	Safety Lockout Hasp - 6 Hole Steel	Padlock Shackle Max. Dia.: 3/8", Width: 1-3/4", Length: 4-1/2", 1" Jaw Clearance, Snap-On Style, OSHA 1910.147 Sold Individually Hodge Products	
KDD109	LOTO Scissor HASP 1.5IN	6 Lock Holes, Red Vinyl Coated, Zinc-Plated Steel Sold Individually Accuform	
KDD160	STOPOUT® 120/240 Single-Pole Circuit Breaker Lockout	Metal Jaws for Optimum Grip, Accommodates up to 9/32-inch dia. Padlock Shackles Sold Individually Accuform	
KDD230	STOPOUT® StopPlug™ Lockout	Lockable, Tamper Resistant, Hinge-Style, Danger Label, Dielectric, Fits Most 110/220/550/600 Vac Up To 2.5" x 2.5" x 5.5" and 1" Diameter Cord Sold Individually Accuform	
KDL712BU	STOPOUT® Plastic Body Aluminum Padlocks with Hardened Steel Shackle <u>Keyed Alike</u> In Sets of 6	Dielectric, 6-Pin Cylinder, Safety Label Reads: Danger Locked Out Do Not Remove, Blue 1.5" Shackle Clearance, 1.75" Body Height Sold 6 Each/Set Accuform	
KDL816RD	STOPOUT® Plastic Body Aluminum Padlocks with Hardened Steel Shackle <u>Keyed Different</u>	Dielectric, 6-Pin Cylinder, Safety Label Reads: Danger Locked Out Do Not Remove, Red 1.5" Shackle Clearance, 1.75" Body Height Sold Individually Accuform	





### Lockout/Tagout

Item ID	Description	Extended Information	Image
MAS1500D	Combination Dial Padlock	1-7/8" (48mm) Wide Sold Individually Master Lock	
TAR404	OSHA Danger Tags Lockout Roll	Text: Do Not Operate Sold 100 Tags/Roll Accuform	


<b>Poly Sheeting</b>			
<b>Item ID</b>	<b>Description</b>	<b>Extended Information</b>	<b>Image</b>
201006SR	String Reinforced Clear Poly Sheeting	20 X 100 6mil Sold By the Roll Midwest Canvas	
S201006R	MaKa® String Reinforced Poly Film	20 X 100 X 6 mil Sold By the Roll Max Katz Bags	
ABT6MILMED	Medium Tac Multipurpose Clear Poly Sheeting	48 X 200 X 6 mil Sold By the Roll Global Plastic Sheeting Inc.	
C8415	Clear Polyethylene Construction Film	8.4' X 200' 1.5 mil Sold By the Roll Polar Plastics	
PR101004	Clear Poly Sheeting	10 X 100 X 4 mil Sold By the Roll TM Poly Film Inc.	
PR101006	Clear Poly Sheeting	10 X 100 X 6 mil Sold By the Roll TM Poly Film Inc.	
PR121004	Clear Poly Sheeting	12 X 100 X 4 mil Sold By the Roll TM Poly Film Inc.	
PR121004B	Black Poly Sheeting	12 X 100 X 4 mil Sold By the Roll TM Poly Film Inc.	
PR201004	Clear Poly Sheeting	20 X 100 X 4 mil Sold By the Roll TM Poly Film Inc.	
PR201006	Clear Poly Sheeting	20 X 100 X 6 mil Sold By the Roll TM Poly Film Inc.	









### Poly Sheeting

Item ID	Description	Extended Information	Image
PR201006B	Black Poly Sheeting	20 X 100 X 6 mil Sold By the Roll TM Poly Film Inc.	
PR31004	Clear Poly Sheeting	3' X 100' X 4 mil Sold 2 Rolls/Box TM Poly Film Inc.	
TM101006F	Clear Poly Sheeting Flame Resistant	10 X 100 X 6 mil Sold By the Roll TM Poly Film Inc.	
TM201006F	Clear Poly Sheeting Flame Resistant	20 X 100 X 6mil Sold By the Roll TM Poly Film Inc.	

### Zippers

ZC02	Zip N Close Zippers® Self Adhesive Zippers	Create Instant Access to Tarps or Plastic Enclosures with Self-Adhesive Zippers, Includes a Single Zipper, 7 ft X 3 in, Blue Sold 2 Each/Pack	
------	---	--	--


### Respiratory Protection

Item ID	Description	Extended Information	Image
<b>Disposable Respiratory Protection</b>			
2200N95	Moldex® N95 Particulate Respirator Mask	Dura-Mesh® shell resists collapsing in heat and humidity, Molded Nose Bridge, Softspun® lining for increased comfort, NIOSH certified to have a filter efficiency of 95% or greater for non-oil based particulates, Certified under 42CFR84, 100% PVC-Free Sold 20 Each/Box Moldex® 	
8210	3M™ N95 Particulate Respirator	Dust Mask, Standard Nose Clip, Nose Foam, Non-Oil, NIOSH Approved Sold 20 Each/Box 3M™ 	
8247	3M™ R95 Particulate Respirator with Nuisance Level Organic Vapor Relief	Dust Mask Oil Resistant, Particulate Respirator with Nuisance Level Organic Vapor Relief, Nose Clip, Braided Headband, NIOSH Approved, Sold 20 Each/Box 3M™ 	

## Respiratory Protection

Item ID	Description	Extended Information	Image
3M8233	3M™ N100 Particulate Respirator with Cool Flow™ Valve	Filter Non-Oil Based Particles, Foam Face Seal, Adjustable Braided Comfort Strap, Individually Packaged, NIOSH Approved, Sold Individually 20 Each/Case 3M™ 	
3M8511	3M™ N95 Particulate Respirator with Cool Flow™ Valve	Filters 95% Particulate Non-Oil, Nose Clip, Braided Headbands Two-Strap Design, NIOSH Approved, Sold 10 Each/Box 3M™ 	
<b>Reusable Respiratory Protection</b>			
3M6800: M 3M6900: L	3M™ Full Facepiece Reusable Respirator 6000 Series	Unique Center Adapter Directs Exhaled Breath and Moisture Downward, Wide Field of View, Includes 3M™ Cool Flow™ Valve, Meets Requirements of ANSI Z87.1-2010 for High Impact, Sold Individually 3M™ 	
3M7502: M 3M7503: L	3M™ Half Facepiece Reusable Respirator 7500 Series	Proprietary 3M™ Coolflow Valve, Dual-Mode (Standard or Drop Down) Head Harness, Adjustable Head Cradle, Unique Exhalation Valve Cover, Silicone Seal, Bayonet Connection Type, Sizes Color Coded, Sold Individually 3M™ 	
6200: M 3M6300: L	3M™ Half Facepiece Reusable Respirator 6000 Series	Standard Head Harness, NIOSH Approved for Negative Pressure Air Purifying and Supplied Air Dual Airline Applications Sold Individually 3M™ 	
770030M N770030L	North™ Half Mask 7700 Series	Silicone, Dual Cartridge Connectors, 100% Medical Grade Silicone, Wide Sealing Area, Cradle Suspension Features Woven Straps, Easily Converts to PAPR or Supplied Air, Sold Individually Honeywell Safety 	

## Respiratory Protection








Item ID	Description	Extended Information	Image
MS815444: M MS815452: L	Advantage® 200 LS Half Mask Respirator	4-Point Yoke, Inhalation/Exhalation Valves, Swept-Back Cartridge and Filter Design Provides for More Stability, Better Weight Distribution, Easy Visibility, 2-Point Suspension, Bayonet Connection, Includes Single Neckstrap, Sold Individually MSA Safety	
<b>Reusable Respiratory Protection: Cartridges/Filters/Accessories</b>			
46727	Airline Organic Vapor Cartridge	Replacement Organic Vapor Filter for 81857 Airline Filter Assembly, NIOSH Approved, Sold Individually MSA Safety	
60923	3M™ Organic Vapor/Acid Gas Cartridge/Filter	For Use with 3M 6000, 7000, and FF-400 Series 1/2 and Full Face Respirators Sold 2 Each/Pack 3M™	
79030	Airline Air Filter Ultra Filter Cartridge H	Features: Confined Space, Oxygen Deficiency, Toxic Atmosphere IDLH, Toxic Atmosphere Non-IDLH, Caution: It does not remove carbon monoxide. Sold Individually MSA Safety	
20RT	Sure-Lock® Ratchet Suspension Headband for Bullard® Airline Respirator Hoods	Fits Any Bullard CC20, GR50, MB30 or PC90 Airline Respirator Hoods, Adjustable Crown Straps for Vertical Fit Sold 10 Each/Case Bullard®	
20TICN	Bullard® Tychem QC Hood	Tychem QC Material, CC20 Series Supplied Air T Series Respirator Hoods, Extra Long Shroud, Duel Bib, Clear Faceshield, No Suspension, Approved by NIOSH for Use in Type C Applications Sold 10 Each/Case, Bullard®	
3M60926	3M™ Multi Gas/Vapor Cartridge/Filter, P100	Organic Vapor Acid Gas Ammonia Methylamine Formaldehyde with P100 Filter, NIOSH Approved, Use with 6000 7000 and FF-400 Respirators, Sold 2 Each/Pack 3M™	

## Respiratory Protection






Item ID	Description	Extended Information	Image
3M7093B	3M™ Particulate Filter	Oil and Non-Oil Based Particles, For Use with 5000 Series Respirators 6000 Cartridges with 502 Adapter 6000 and 7000 Series Respirators, Bayonet Connection Type, NIOSH Approved Sold 2 Each/Pack 3M™	
BT-30	3M™ Versaflo™ Length-Adjusting Breathing Tube	Connects Any Versaflo Headtop to Any Versaflo Air Source, Flexible Helix Adjusts to Appropriate Length for the Individual Wearer. Sold Individually 3M™	
MS815369	Advantage® Low-Profile P100 Filters	Protects against all particulate aerosols including oil-based aerosols. Fits MSA's Advantage 200 LS, and 420 Half-Masks, 1000, 3000, and 4000 Series Full-Facepiece Respirators. Magenta, Connection Type: Bayonet Sold 2 Each/Pack MSA Safety	
N75008L	North Respirator P100 Particulate Filter Cartridge	For Use with 5500 / 7700 Series Half Masks, 5400 / 7600 Series Full Facepieces. Low Profile, Connection Type: Screw-on, All Particulates, Sold 2 Each/Pack Honeywell	
N7581	North N Series Respirator Cartridge OV P100	Organic Vapor and Particulate Filter for Use with 5500, 7700 Half Masks; 5400, 7600 Full Facepieces Sold 2 Each/Pack Honeywell	
S-433L-5: Sz M/L	3M™ Versaflo™ Hood with Integrated Head Suspension	Clear Visor, Features 3M™ Quick Release Swivel (QRS) Connection with Compatible 3M Breathing Tubes, Polypropylene Coated Non-Woven Polypropylene Material, S-Series, V-Series, TDS Required, APF: 1000 Sold 5 Each/Case 3M™	
S-605-10	3M™ Versaflo™ Replacement Hood with Inner Collar	Replacement Hood for the S-655 Hood Assembly, with a 3M™ Premium Head Suspension S-950 Installed Inside, the S-605 Hood is Approved for Use with Certain 3M™ PAPR Systems, Universal Sizing Sold 10 Each/Case 3M™	





## Respiratory Protection

Item ID	Description	Extended Information	Image
S-607-10	<b>3M™ Versaflo™ Replacement Hood with Inner Shroud for Use with Premium Head Suspension</b>	Replacement hood for the S-657 Hood Assembly with a S-950 Premium Head Suspension installed inside, the S-607 hood is approved for use with certain 3M™ PAPR Systems. Universal Sizing Sold 10 Each/Case 3M™	
M-937	<b>3M™ Versaflo Flame Resistant Face Seal, M-Series</b>	Made from Flame Resistant Polyester, Includes Four Point Textile Straps and Visor, Black, Sold 5/Bag 3M™	
SPWIPE1	<b>Personal Safety Equipment Cleaning Pads, Alcohol Free</b>	Individually Packaged Wipes, Non-Woven Cloth, Benzalkonium Chloride, 100 Each/Box Allegro	
SU108044	<b>PAPR High Efficiency Filter</b>	For Face-Mounted PAPRs Sold Individually Honeywell Analytics	
TR-614N	<b>3M™ Versaflo™ Powered Air Purifying Respirator Assembly</b>	Assembly includes Motor/Blower (TR-602N), High Capacity Battery (TR-632) Length Adjusting Breathing Tube (BT-30), Easy Clean Belt (TR-627) Airflow Indicator (TR-971), Headtops, Filters, (Cartridges and Battery Charger Sold Separately) Sold: 1 Each/Case 3M™	
TR-6510N	<b>3M™ Versaflo™ Organic Vapor/HEPA C</b>	For Use With: TR-6800/800 PAPR, Color Code: Black/Magenta, Combination of both a High Efficiency/HE particulate filter and Organic Vapor/OV cartridge, Snap On/Off Connection Sold 5 Each/Case 3M™	
TR-6530N	<b>3M™ Versaflo™ Organic Vapor/Acid Gas/HEPA Cartridge</b>	For Use With TR-600/800 PAPR, Color Code: Magenta/Yellow, Designed for use as a combination cartridge for certain particulates, Organic Vapor/Acid Gas (OV/AG) and is suitable for operations where primary hazards are particulates or certain organic vapors & acid gases. Sold 5 Each/Case 3M™	



### Respiratory Protection

Item ID	Description	Extended Information	Image
TR-6710N-5	3M™ Versaflo™ High Efficiency Filter	High Efficiency (HE) particulate filter for use with TR-600 Series PAPRs, Color Code: Magenta Sold 5 Each/Case 3M™ 	
TR-6710N-40	3M™ Versaflo™ High Efficiency Filter	High Efficiency (HE) particulate filter for use with TR-600 Series PAPRs, Color Code: Magenta Sold 40 Each/Case 3M™ 	
V33	SAR Breathing Tube Assembly Constant Flow	Constant Flow Breathing Tube Assembly for Use with Breathing Air Compressors, 1/4" Industrial Interchange Seal (Hansen Comp) Quick-Disconnect Nipple Sold Individually Bullard®	





### Respiratory Fit Test Supplies

SS500	Fit Test Smoke Kit Standard	Intended for Qualitative Fit Testing of Air-Purifying Respirators, Includes Everything Needed for Meeting OSHA's Protocol for Fit Testing with Smoke, Includes 6 Irritant Smoke Tubes, Aspirator Assembly, and Record Form in a Protective Carry Pouch. Sold Individually Allegro	
SS501	Fit Test Smoke Replacement Tubes	Replacement Tubes for Fit Test Smoke Kit. Includes 6 Tubes and 6 Caps Sold 1 Pack/Box Allegro	







### Shipping & Material Handling

Item ID	Description	Extended Information	Image
10366	Signode Polypropylene Strapping Black	Tape Size: 1/2"x 8000', Core Size Inside Diameter: 16", Coil Width: 6", Break Strength: 500 lbs.	
117221	Stretch Wrap	Maximum Stretch Capability 75 or 70 GAUGE Clear Film 18" x 1500"	




## Shipping & Material Handling

Item ID	Description	Extended Information	Image
153031-Y120	Fiber Drum Y120 UN Stamp	Fiber Drum with HDPE Lid/Loc Rim, 20 Gallon Drum Capacity 300# Packaging Weight Limit Sold 12 Each/Skid	
153034-Y60	Fiber Drum Y60 UN Stamp	Fiber Drums with Top HDPE Lid, Steel Loc Rim, 12 Gallon Capacity, 300# Packaging Weight Limit Sold 32 Each/Skid	
203025-Y102	Fiber Drum Y102 UN Stamp	Fiber Drum HDPE Lid/Loc Rim 41 Gallon Capacity 225# Packaging Weight Limit Sold 8 Each/Skid	
203028-Y143	Fiber Drum Y143 UN Stamp	Fiber Drums HDPE Lid, Steel Loc Rim, 41 Gallon Capacity 300# Packaging Weight Limit Sold 8 Each/Skid	
211357-Y200	Fiber Drum Y200 UN Stamp	Fiber Drums with Steel Lid and Loc Rim, No Liner, 55 Gallon Capacity Sold 8 Each/Skid	
HTT103	Lock-Style Nylon Ties Black	Long-lasting Durable Tag Ties to ensure that tags are secured properly, 10 3/4" long Sold 50 Each/Pack Accuform	
L-24-120-9-L	Catamount® Cable Tie, Heavy duty White	Heavy Duty Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 185° F for Indoor Applications, Length of 24.9", Width of 0.3", Thickness of 2mm (0.08 Inch), Tensile Strength Rating of 120 Pounds Sold 50 Each/Pack ABB Thomas & Betts	
TY523M	Ty-Rap® Cable Tie White	Natural Polyamide (Nylon 6.6) for Temperatures up to 185° F for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 3.6", Width of 0.09", Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 18 Pounds 100/Pack Sold 100 Each/Pack ABB Thomas & Betts	

### Signage & Labels











Item ID	Description	Extended Information	Image
BT5	Yellow Barricade Tape: CAUTION	Yellow with Black Lettering, UV Resistant Ink, Non-Flammable 3" X 1000' X 1.5 mil Sold Individually Cordova	
BT50	Red Barricade Tape: DANGER DO NOT ENTER	Red with Black Lettering, 3" X 1000' X 1.5 mil Sold By The Roll Cordova	
BTR50	Reinforced Bilingual Barricade Tape: DANGER / PELIGRO	Red with Black Lettering, 3" X 500' X 7 mil Sold By The Roll	
D295	Asbestos Dust Hazard Paper Sign English	GHS Compliant Sold 100 Signs/Pack National Marker	
D495	Asbestos Dust Hazard Paper Sign Spanish	Spanish, GHS Compliant Sold 100 Signs/Pack National Marker	
FLX-2767- ASBESTOSDOT	Danger Asbestos Label	GHS Compliant 4X6.5 Black/Red Combo Label Sold 500 Labels/Roll National Marker	

### Signage & Labels








Item ID	Description	Extended Information	Image
LAP484-ASBESTOS	Self-Adhesive Paper Labels: Rectangle	.0045 Vinyl Sticker Danger / Contains Asbestos Fibers Avoid Creating Dust Cancer and Lung Disease Hazard Avoid Breathing Airborne Asbestos Fibers Red/Black/White, Sold 500 Labels/Roll Accuform	
NMPT31	Red Barricade Tape: DANGER ASBESTOS	Red with Black Lettering, DANGER ASBESTOS, 3" X 1000' Sold By The Roll	
NMPT53	Red Barricade Tape: DANGER LEAD REMOVAL AUTHORIZED PERSONNEL ONLY	Red with Black Lettering, 3" X 1000' DANGER LEAD REMOVAL AUTHORIZED PERSONNEL ONLY, Sold By The Roll, National Marker Company	







### Tools & Equipment

Item ID	Description	Extended Information	Image
ACL8	Synthetic Lanyard	Lanyard for Air King Safety Clips, Universal Size for All Coupling Sizes, Sold 25 Each/Pack	
AKSP25	Air King™ Safety Pin	Air and Water Service Only, Use To Secure Couplings Sold 25 Each/Pack	
BG970	Duffle Bag Sport 23' x 12' x 11'	Blue, Zipper and Straps, Sold Individually	
EM440	Wallpaper Stripper	4" Blade, Angle Mounted Ergonomic 13 1/2" Handle Sold 6 Each/Box	
EM442	Replacement Blades for Wallpaper Stripper (#EM440)	5 Blades/Pack Sold 10 Packs/Box	
ENFTSB-35	3.5in Tile Scraper Blade	Heavy Duty Steel, Ground on One End at an Angle, Heat Treated to Ensure Long Life, .3.5" x 7.5" Sold 5 Blades/Pack	
ENFTSB-6	6in Tile Scraper Blade	Heavy Duty Steel, Ground on One End at an Angle, Heat Treated to Ensure Long Life, 6" x 7.5" Sold 5 Blades/Pack	
ENFTSH10D	D-Handle Tile Scraper Heavy Duty Steel	Weight: Approximately 17 Lbs., Bar Shaft: 53.5" Long, Tapered 7.5" Flange, Housing 2 Slots for Blade Insertion. Two Rounded Carriage Bolts/Nuts Hold Scraper Blade In Place. Scraper Blades Sold Separately. Sold Individually	
FL6922R	Flo-Pac® Moss Foam Squeegee	22" Wide Blade, Standard Disposable, Neoprene, Sold Individually	
HA920158	Replacement Stripping Pad	20" Round, Black, Sold 5 Each/Box Bunzl	

## Tools & Equipment

Item ID	Description	Extended Information	Image
JEP35	P-35 STAPLER	Extra Heavy Duty Plier Type Stapler, Includes a Hand Guide Loop, a Cam-Actuated Doubled-Leverage Mechanism, and a 2-1/2" Throat for Increased Reach. Uses 2 Sizes of P35 staples 1/4" & 3/8", Sold Individually Arrow	
JPA1020	Single Thickness Paint or Chip Brush	Low Cost Paint or Chip Brush, 100% White Bristles, Smooth Sanded Handle with Tin Ferrule, 2" w x 1-1/2" Trim Length Sold Individually Magnolia Brush	
KK-101	Klever Kutter Orange	Dual Hook Design with Carbon Steel Recessed Blades Sold Individually	
MA4166	Razorback® Replacement Floor Stripping Pad	The Ultimate Stripping Pad. 4 5/8" x 10" x 1/2" Sold 20 Pads/Case	
MA96	Green Med Duty Scouring Pad	6" x 9" x 1/4" Sold 60 Pads/Case	
NCVT-1	Non-Contact Voltage Tester Pen	CAT IV 1000 Volt safety rating, 50 to 1000 Volt AC power operating range, Auto power-off conserves/extends battery life. 6.6 ft / 2 m drop protection Sold Individually Klein Tools	
OL52010S	Curved Handle Wire Scratch	Set in a Smooth Wax Tumbled Hardwood Block Round Carbon Steel 14" L X 1" W Sold Individually	
ROPLASBR1	Handy Cleaning Brushes	Sold Individually	
SK4	Self-Retracting Safety Knife	Olfa, Slip Resistant Ergonomic Handle Sold 6 Each/Box	
SKB-2/50B	Trapezoid Blades 50 Pack	Dual Edge, Fits SK-4, SK-9 & UTC-1, Sold 50 Each/Pack	









### Tools & Equipment

Item ID	Description	Extended Information	Image
SKB-2/5B	Trapezoid Blades 5 Pack	Dual Edge, Fits SK-4, SK-9 & UTC-1, Sold 5 Each/Pack	
WB1	King Safety Cable	Whip Check Safety Cable for Air Hose Connections, Galvanized Carbon Steel, 1/8" Cable Size, 20 1/4" Cable Length, 1/2 - 1 1/4" Hose Id, Maximum Operating Pressure 200Psi, Sold Individually	
WH8356	Disposable Water Wand Floor Squeegee	22" Wide Blade, Standard Disposable, Sold Individually Essendant	
WH8375	Heavy-Duty Water Wand Squeegee Head	30" Wide Blade, Standard Disposable, Sold Individually Essendant	

### Towels, Rags & Wipers


Item ID	Description	Extended Information	Image
5930	WypALL X80 Cloth Pop-Up Box	Replaces Shop Towels. Absorbs 30% More Water Significantly Faster Than Rags, Leaves 3X Less Lint Than Shop Towels, Red, 9.1" X 16.8" Sold 80 Wipes/Box Kimberly-Clark	
19152	3M™ Doodleduster Cloth	Untreated, Oil-free, Non-Woven Microfiber Cloth Leaves Surface Residue-Free. 7" x 13.8" X 287.5' Sold 250 Sheets/Roll 3M™	
34721	KIMWIPES Delicate Task Wipers Pop-Up Box	Delicate Task Wiper, 2 Ply, Low Lint, Single Wipe Dispenser, 14.7" X 16.6" Sold 90 Wipes/Box, 15 Box/Case Kimberly-Clark	
65007	Nature's Linen White Spunlace Wipers Pop-Up Box	Superior Absorbency. Lint free. Biodegradable. Cloth-Like Feel and Strength. Solvent Resistant - Great for Cleaning Up Chemicals. 9.5" x 17" Sold 125 Sheets/Box, 9 Boxes/Case Midwest Specialty Products	
6-LS7030-PC-24	70% Presat Polyester Cellulose Pouches	70% IPA / DI Water, Resealable Pouch, Recommended for ISO 5-8 Controlled Environments, 30 Wipes/Pouch, 9" X 9" Sold 27 Pouches/Case FG Clean Wipes	

## Towels, Rags & Wipers





Item ID	Description	Extended Information	Image
7-TJ-EEB-00	Lint Free Wipers	Rolled and Hemmed, 100% Cotton; 15" X 15" Sold 25 Wipes/Package FG Clean Wipes	
BLSCRIM2	Nature's Linen 2 Ply Blue Scrim Bath Towel	Perfect for Use in the Remedial Abatement Environment, Allow Containment of Asbestos Clean-Up or Chemical Spills to Remain within the Work Zone, 15" X 32" Sold 300 Towels/Case Midwest Specialty Products	
IWRAG25	Colored Reclaimed Polo Knit Rags - 25 lb Poly Bag	Multi-Purpose General Use, Economical Solution for Wiping Applications That Include Water, Grease, Oil or Paint, Sold 25 Lbs/Case Anchor Wiping Cloth	
KC34790	WypALL X60 Cloth Pop-Up Box	Absorbent/Reinforced to Stay Strong for Light Duty Tasks, Absorbes 2X More Water Than Rags, White, 9.1" X 16.8" Sold 126 Wipes/Box Kimberly-Clark	
KC91371	WypALL Waterless Cleaning Wipes Pop-Up Tub	Premoistured Sheets, One Side Textured/One Side Smooth, Alcohol-Free, Natural Citrus Cleaning Agent, Tough on Grease, 9.5" X 12 Sold 75 Wipes/Tub Kimberly Clark	
MESKRIM2B	Nature's Linen 2 Ply White Scrim Bath Towel	Perfect for Use in the Remedial Abatement Environment, Allow Containment of Asbestos Clean-Up or Chemical Spills to Remain within the Work Zone, 15" x 32" Sold 300 Towels/Case Midwest Specialty Products	
Q55172	Super Sani-Cloth® Surface Disinfectant Germicidal Wipe Pop-Up	Disposable, Saturated with Quaternary/High Alcohol, Effective Against Many Virus, Bacteria, and Micro-Organisms, NonSterile Canister, 6.75" X 6" Wipes Sold 160 Wipes/Canister McKesson	
RAGONROLL	Nature's Linen 4 Ply Rag On A Roll	Economic Wiping Tool with Extra Scrub Strength, High Absorbency, Low Lint, 19.5" W x 275' L Sold 4 Rolls/Case Midwest Specialty Products	



### Towels, Rags & Wipers

Item ID	Description	Extended Information	Image
WR4010B-05	Reclaimed White Huck/Surgical Towel	Extremely absorbent, Hemmed on All Sides, Prewashed, Not a Terry cloth material Low Lint 100% cotton. Sold as 5 lbs. Case	

### Traffic Control

Item ID	Description	Extended Information	Image
1850-00-0-0-LIMEGREEN	Traffic Safety Cone	Flourescent Green, One Prismatic Reflective Collar, Wide Body, PVC, 18" Height, 11.5" Base, 3 lbs., UV Stable, Sold Individually	
LP28255MM	Traffic Safety Cone	Flourescent Orange, Two Prismatic, 28" Height, Reflective Collars, 5 lbs. Sold Individually	
RC815	General Purpose Wheel Chock	For Over-The-Road Trucks and Loading Docks, Weather Resistant, Eyebolt For Chain Capability, Sold Individually Ideal Warehouse Innovations 	

## Partnering with You to Protect Your Workers in Any Environment

All products within the Quest Protective Apparel line have been designed and developed with end-user input, resulting in protective apparel that addresses every-day, real-life challenges in a number of environments. Our primary concerns in producing this line is that

- workers, environments, and all products made are safe at all times
- the apparel is breathable to keep workers comfortable
- we apply real world sizing so workers can move freely while doing their job
- items are reinforced in key areas to avoid blow outs




Quest Protective Apparel



# QPA Comfortwear®

Serged Seams • Dry Particulate • Light Liquid Spray



### Features and Benefits

- Breathable
- Clean Manufactured
- Low Linting
- Meets NFPA 99 Anti-static Standards

**Environment:** Designed to be used in an environment with dry particulates and light-liquid spray where the main goal is to stay clean, comfortable, and protect critical products.

**Applications:** • Industrial Cleaning • Environmental Abatement • Painting •  
• General Maintenance • Pharmaceutical • Manufacturing • Utilities

### Differentiators

- Real-world sizing for additional room and increased productivity
- Material reinforced at knees and elbows to avoid blow-outs



#### Coverall: Hood and Boot

Sizes	Item ID
XL	01144
2XL	01145
3XL	01146
4XL	01147

zipper closure, hood & boot, elastic wrists, ankles, and back white  
Case Qty: 25 Suits



#### Coverall

Sizes	Item ID
XL	QU01104
3XL	QU01106
6XL	QU01109

zipper closure, elastic wrists, ankles, and back white  
Case Qty: 25 Suits



## QPA Barrierwear®

Serged Seams • Dry Particulate • Liquid Spray & Splash



### Features and Benefits

- Breathable
- Clean Manufactured
- Low Linting
- ASTM F1670 Blood Borne Pathogen

**Environment:** Designed to be used in an environment with dry particulates and liquid spray & splash where the main goal is to stay clean, comfortable, and protect critical products.

**Applications:** • Industrial Cleaning • Environmental Abatement • Painting •  
• General Maintenance • Pharmaceutical • Manufacturing • Utilities

### Differentiators

- Real-world sizing for additional room and increased productivity
- Additional material at knees and elbows to avoid blow-outs



### Coverall with Hood and Boot

Sizes	Item ID
XL	30144
2XL	30145
3XL	30146
4XL	30147

zipper closure, hood and boot, elastic wrists, ankles, and back white

Case Qty: 25 Suits



# QPA Chemicalwear™

Chemical Resistant • Serged Seams • Dry Particulate • Light Splash Protection

QPA Chemicalwear™ provides the perfect combination of chemical protection and a design that offers comfort and flexibility – at an economical price.

ASTM F739's test results show that Chemicalwear suits permit no permeation for the duration of the 480 minute test on seven of the challenge chemicals. Our competitors' fabric only stops two or three of those seven chemicals. Should a worker encounter any of the other challenge chemicals in the field, Chemicalwear typically provides more time for the user to escape the area and doff the suit before permeation occurs.

**Environment:** Patented design and enhanced protection features reduces dry particulates & liquid contamination risk while maintaining comfortability.

### Features and Benefits

- ASTM F1670 Blood Borne Pathogen
- ASTM F1671 Viral Penetration
- NFPA 99 Antistatic Standard
- ASTM F739 & F903 Challenge Chemical Tests

### Differentiators

- Real-world sizing to increase comfort
- Reinforced material at arm pits and crotch to prevent blow outs

See data from the ASTM F739 Test Method for Testing the Permeation of Resistance to Protective Material on next page.

Larger than ANSI sizes provide increased fit, comfort, and flexibility for workers

Attached hood includes elastic around the face opening to ensure no blocked vision and reduce the need to constantly readjust the fabric

Serged seams, zipper, and adhesive storm flap help prevent occurrences of solid permeation and liquid splash penetration

Higher stitch count and more material in high-stress areas than industry leaders contributes to decreased tearing and breakthrough

Elastic around ankles provides a snug and secure fit, preventing slips, trips, and falls



### Coveralls

Sizes	Item ID
M	01182
L	01183
XL	01184
2XL	01185
3XL	01186
4XL	01187
5XL	01188
6XL	01189
7XL	011810
8XL	011811

zipper with storm flap, elastic wrist, ankles and back, yellow  
Case Qty: 25 Suits



# How QPA Chemical Compares to Other Suits on the Market

ASTM F739 Test Method for Testing The Permeation Resistance of Protective Clothing Material

Kimberly-Clark Kleenguard A70®  
 DuPont Tychem QC®  
 Quest QPA Chemicalwear  
 Kimberly-Clark Kleenguard A70®  
 DuPont Tychem QC®  
 Quest QPA Chemicalwear

Chemical	CAS #	Avg. Normalized Breakthrough (min)			Avg. Steady State Permeation ( $\mu\text{g}/\text{cm}^2/\text{min}$ )		
		Kimberly-Clark Kleenguard A70®	DuPont Tychem QC®	Quest QPA Chemicalwear	Kimberly-Clark Kleenguard A70®	DuPont Tychem QC®	Quest QPA Chemicalwear
Ammonia, anhydrous	7664-41-7	-	I	I	N/A	3.1	0.74
Dichloromethane	75-09-2	I	I	I	85.1	>50	0.23
Dimethylformamide	68-12-2	I	I	ND	2.54	0.72	N/A
50% Sodium Hydroxide	1310-73-2	ND	ND	ND	-	-	-
93% Sulfuric Acid	7664-93-9	ND	ND	ND	-	-	-
Toluene	108-88-3	I	I	I	HIGH	503	0.12
Acetone	67-64-1	I	I	I	7.9	10	0.15
Acetonitrile	75-05-8	I	I	ND	8.97	16	-
Carbon Disulfide	75-15-0	I	I	I	76.3	HIGH	0.55
Diethylamine	109-89-7	I	I	I	HIGH	64	0.51
Ethyl Acetate	141-78-6	I	I	I	40.3	13	0.4
n-Hexane	110-54-3	I	I	I	HIGH	HIGH	0.37
Methanol	67-56-1	I	I	ND	1.71	2.2	-
Nitrobenzene	98-95-3	I	I	I	97.4	18	0.61
Tetrachloroethylene	127-18-4	I	I	I	HIGH	HIGH	1.38
Tetrahydrofuran	109-99-9	I	I	I	32.8	18.3	0.44
1,3-Butadiene	106-99-0	-	I	I	-	12	-
Chlorine	7782-50-5	-	I	I	-	>50	0.23
Ethylene Oxide	75-21-8	-	I	I	-	167	-
Hydrogen Chloride	7647-01-0	-	I	I	-	9.3	0.64
Methyl Chloride	74-87-3	-	I	I	-	0.23	-
Nitric Acid	7697-37-2	193	-	20	1.77	-	316
Potassium Hydroxide	1310-68-3	-	ND	ND	-	-	-
Hydrofluoric Acid	7664-39-3	-	400	ND	-	-	-

ASTM F903 Test Method for Resistance of Materials Used in Protective Clothing to Penetration by Liquids

Kimberly-Clark Kleenguard A70®  
 Quest QPA Chemicalwear

Chemical	CAS #	Result	
Dichloromethane	75-09-2	PASS	PASS
Dimethylformamide	68-12-2	PASS	PASS
50% Sodium Hydroxide	1310-73-2	PASS	PASS
93% Sulfuric Acid	7664-93-9	PASS	PASS
Toluene	108-88-3	PASS	PASS
Acetone	67-64-1	PASS	PASS
Acetonitrile	75-05-8	PASS	PASS
Carbon Disulfide	75-15-0	PASS	PASS
Diethylamine	109-89-7	PASS	FAIL
Ethyl Acetate	141-78-6	PASS	PASS
n-Hexane	110-54-3	PASS	PASS
Methanol	67-56-1	PASS	PASS
Nitrobenzene	98-95-3	PASS	PASS
Tetrachloroethylene	127-18-4	PASS	PASS
Tetrahydrofuran	109-99-9	PASS	PASS
Nitric Acid	7697-37-2	PASS	PASS
Potassium Hydroxide	1310-68-3	-	PASS
Hydrofluoric Acid	7664-39-3	-	PASS

I = Immediate ND = Not Detected  
 In accordance to ASTM Test Methods by 3rd party



## QPA Q-Stick Shoe Cover

Anti-Slip • Non-Linting • Water Resistant

- Revolutionary coating prevents slipping on virtually any surface
- High Coefficient of Friction allows covers to be used on both wet and dry surfaces
- Shoe cover material is non-linting and water resistant
- Elastic around the bottom and front of cover allows for a wider selection of shoe sizes
- Made from 2-layer material with 10-12 stitches per inch for increased durability



### Non-Linting Properties

Test Particle Shedding (Helmke Drum)  
 Result Level I  
 Standard IEST-RP-CC003.3

Dimensions (in Inches)		
	XL	2XL
Length	16.5	18.5
Height	8.5	9.5
Opening - Relaxed	4	4
Opening - Stretched	11	11

### Q-Stik Shoe Covers: White

XL 20204  
 2XL 20205  
 Case Qty: 100 Pair



## QPA Traction Shoe Cover

Skid Resistance • Chemical Light-Splash Resistant  
 Dry Particulate • ISO Class 5 Compatible • Low-Linting

### Traction Shoe Cover

Sizes	Item ID
S	21201
M	21202
L/Univ.	21203
XL	21204

- traction sole
- elastic ankle
- color coded hem
- white

Case Pack: 100 Pair



### Upper Material

- Polyethylene microporous film adhesive bonded to polypropylene spun bond material
- Low linting and resistant to light
- splashes from non-hazardous liquids

### Sole Material

- Features a proprietary, state of the art sole that provides unparalleled skid resistance
- This sole's High Coefficient of Friction offers superior traction on both wet and dry surfaces

Compare Quest's  
 Traction Sole  
 Against National  
 Competitors

Property	Test Method	Quest Safety QPA Traction	DuPont Tyvek Proclean	Kimberly-Clark Kleenguard
Breaking Strength - Grab	ASTM D5034	MD: 36LB/IN CD: 21LB/IN	MD: 30LB/IN CD: 20LB/IN	MD: 29LB/IN CD: 20LB/IN
Linting - Helmke Drum	IEST-RP-CC003.3	CAT II (1300P/MIN)	CAT II (4760-14800P/MIN)	CAT II
Burst Strength - Mullen	ASTM D774	32 PSI	32PSI	42.5 PSI
Basis Weight	ASTM D3776	1.5 OZ/YD2	1.8 OZ/YD2	-
Resistance to Ignition	16 CFR 1610	CLASS 1	CLASS 1	CLASS 1
Hydrostatic Head	AATCC 127	62	50	88.2



## QPA Traction Boot Cover

Skid Resistance • Meets NFPA 99 Antistatic • Low-Linting  
Light Liquid Spray Resistant • Dry Particulate

### Traction Boot Cover

Sizes	Item ID
S	02301
M	02302
L	02303
XL	02304

- traction sole
- elastic ankle
- color coded hem
- height of boot: 18" blue

Case Pack: 50 Pair

Compare Quest's  
Traction Sole  
Against National  
Competitors



### Upper Material

- Polypropylene SMS antistatic-treated fabric which provides low-linting and a greater resistance to dry particulates
- Serged seams, elastic at ankle and top of boot insures a secure fit. height of boot is 18"

### Sole Material

- Unparalleled skid resistance from the propriety, state of the art
- Sole's High Coefficient of Friction allows shoe covers to be used on both wet and dry surfaces

Property	Test Method	Quest Safety QPA Traction	DuPont Tyvek Proclean	Kimberly-Clark Kleenguard
Breaking Strength - Grab	ASTM D5034	MD: 36LB/IN CD: 21LB/IN	MD: 30LB/IN CD: 20LB/IN	MD: 29LB/IN CD: 20LB/IN
Linting - Helmke Drum	IEST-RP-CC003.3	CAT II (1300P/MIN)	CAT II (4760-14800P/MIN)	CAT II
Burst Strength - Mullen	ASTM D774	32 PSI	32PSI	42.5 PSI
Basis Weight	ASTM D3776	1.5 OZ/YD2	1.8 OZ/YD2	-
Resistance to Ignition	16 CFR 1610	CLASS 1	CLASS 1	CLASS 1
Hydrostatic Head	AATCC 127	62	50	88.2



## QPA Traction Boot Cover / Heel Strap

Skid Resistance • Meets NFPA 99 Antistatic • Low-Linting  
Light Liquid Spray Resistant • Dry Particulate

Unique heel strap allows users to tighten the slack at the toes and heels for a more secure, safe fit.

### Traction Boot Cover with Heel Straps

Sizes	Item ID
S	01301HS
M	01302HS
L	01303HS
XL	01304HS

- traction sole
- heel strap added
- elastic ankle
- color coded hem
- height of boot: 18"
- blue

Compare Quest's  
Traction Sole  
Against National



### Upper Material

- Polypropylene SMS antistatic-treated fabric which provides low-linting and a greater resistance to dry particulates
- Serged seams, elastic at ankle and top of boot insures a secure fit, height of boot is 18"


### Sole Material

- Unparalleled skid resistance from the propriety, state of the art
- Sole's High Coefficient of Friction allows shoe covers to be used on both wet and dry surfaces

Property	Test Method	Quest Safety QPA Traction	DuPont Tyvek Proclean	Kimberly-Clark Kleenguard
Breaking Strength - Grab	ASTM D5034	MD: 36LB/IN CD: 21LB/IN	MD: 30LB/IN CD: 20LB/IN	MD: 29LB/IN CD: 20LB/IN
Linting - Helmke Drum	IEST-RP-CC003.3	CAT II (1300P/MIN)	CAT II (4760-14800P/MIN)	CAT II
Burst Strength - Mullen	ASTM D774	32 PSI	32PSI	42.5 PSI
Basis Weight	ASTM D3776	1.5 OZ/YD2	1.8 OZ/YD2	-
Resistance to Ignition	16 CFR 1610	CLASS 1	CLASS 1	CLASS 1
Hydrostatic Head	AATCC 127	62	50	88.2

## Quest Protective Apparel Sizing Chart

### REAL WORLD SIZING CHART



## Increase Productivity Using Quest's Online Ordering Website



- Customized company shopping lists available
- Immediate access to product info: stocking and pricing
- Users can also create personal shopping list for individual locations or jobs
- Company decides if shoppers can purchase outside shopping list
- View open and previous orders, tracking, invoices, etc.
- Shopper/Manager roles available: Employee enters order, manager approves
- Customer Service Representatives are still available to help with orders





## Arc Protection

Chicago Protective Apparel  
National Safety Apparel (NSA)  
Protective Industrial Products  
Radians  
Revco  
Sellstrom RTC/Safeguard



## Calibration/Gas Instruments/ Instrumentation/Cases

GASCO Affiliates, LLC  
GfG Instrumentation  
Honeywell Analytics  
Portagas



## Cleanroom Wipers and Mats

SC Johnson Professional  
GOJO Industries, Inc.  
Superior NoTrax



## Containment/ Flammable Storage

Brady-SPC  
Complete Environmental Products-CEP  
Justrite Manufacturing  
NPS Corporation



## Cooling/Heating/Drinks

Cordova Safety Products  
Ergodyne  
Protective Industrial Products  
Radians  
Sqwincher



## Ergonomic Matting/ Ergonomics

Cordova Safety Products  
Ergodyne  
MCR Safety  
Radians  
Superior NoTrax  
West Chester Holdings, Inc.



## Eyewash

Fendall By Honeywell  
First Aid Only  
Justrite Manufacturing  
North First Aid By Honeywell  
Sellstrom RTC/Safeguard  
Speakman Company



## Eye Protection

Cordova Safety Products  
Ergodyne  
HOYA Optical Labs of America  
MCR Safety  
Protective Industrial Products  
Radians  
Sellstrom RTC/Safeguard  
Sperian By Honeywell



## Facilities Management, Maintenance & Identification

Accuform Signs  
Brady-SPC  
Complete Environmental Products-CEP  
Ideal Warehouse Innovations, Inc.  
National Marker  
Schaefer Ventilation  
Shurtape Technologies, LLC



## Fall Protection & Prevention /Confined Space

Garlock Safety Systems  
Honeywell Analytics  
Miller By Honeywell  
Reliance Fall Protection  
Sellstrom RTC/Safeguard  
Schaefer Ventilation



## First Aid/Soaps/Creams/AED

SC Johnson Professional  
Ergodyne  
First Aid Only  
GOJO Industries, Inc.  
North First Aid by Honeywell  
Zoll Medical



## Flashlights/Batteries

Rayovac



## Foot Protection

Cordova Safety Products  
DuPont Personal Protection  
Ergodyne  
KEEN, Inc.  
Lakeland Industries  
Servus By Honeywell  
Tingley Rubber  
West Chester Holdings, Inc.



## Hand Protection

Chicago Protective Apparel  
Cordova Safety Products  
Ergodyne  
Honeywell  
MCR Safety  
National Safety Apparel (NSA)

Protective Industrial Products  
Radians  
Revco Industries, Inc.  
The Safety Zone  
West Chester Holdings, Inc.



## Rainwear

Cordova Safety Products  
Ergodyne  
Honeywell Safety Products  
MCR Safety  
National Safety Apparel (NSA)

Protective Industrial Products  
Radians  
Tingley Rubber  
West Chester Holdings, Inc.



## Head Protection

Cordova Safety Products  
Ergodyne  
Fibre Metal By Honeywell  
Honeywell Safety Products  
Protective Industrial Products  
Radians  
Sellstrom RTC/Safeguard



## Respiratory Protection

Cordova Safety Products  
Moldex  
North Safety By Honeywell  
Protective Industrial Products  
Survivair by Honeywell



## Hearing Protection

Cordova Safety Products  
Howard Leight By Honeywell  
Moldex  
Protective Industrial Products  
Radians



## Shipping Logistics/Inventory Services, & Vending

1sourcevend  
Ideal Warehouse Innovations, Inc.  
Motus Logistics  
Zero Down Supply Chain Solutions



## Janitorial Supplies Towels, Tissue & Wipers

SC Johnson Professional  
GOJO Industries, Inc.  
NPS Corporation

ORS Nasco  
Superior NoTrax



## Traffic Safety

Accuform Signs  
Brady-SPC  
Cordova Safety Products  
Cortina Safety Products  
Ergodyne  
MCR Safety

National Marker  
Radians  
Shurtape Technologies, LLC  
Tingley Rubber



## Lens Cleaning

Cordova Safety Products  
Honeywell  
MCR Safety  
Protective Industrial Products  
Radians  
Sellstrom RTC/Safeguard



## Welding

Chicago Protective Apparel  
Fibre Metal by Honeywell  
Moldex  
National Safety Apparel (NSA)  
ORS Nasco  
Protective Industrial Products  
Revco Industries, Inc.  
Sellstrom RTC/Safeguard



## Lockout/Tagout

Accuform Signs  
Honeywell Safety Products  
National Marker



## Wholesalers/Re-Distribution

Logistics Supply  
ORS Nasco  
The Safety Zone



## Protective Clothing

Chicago Protective Apparel  
Cordova Safety Products  
DuPont Personal Protection  
Ergodyne  
Lakeland Fyrepel

Lakeland Industries  
MCR Safety  
National Safety Apparel (NSA)  
Radians  
Tingley Rubber  
West Chester Holdings, Inc.



## Safety Culture Partner

Bowtie Engineering  
Confirm Biosciences  
Epicor  
Motus Logistics  
Safeopedia  
Sarge Knives  
Savings4Members  
Zero Down Supply Chain Solutions

## Customer and Solution-Oriented Approach

- SEE Technically Trained Experts
- Focus on the safety of your workers and business
- Ordering Accuracy Rate of 99.4%
- Inventory Accuracy Rate of 99.5%
- HUBZone Certified and MBE



## Expect Quality Products and Services

- Partnerships with all leading safety manufacturers
- Competitive pricing and cost savings
- Knowledge and demonstrations to strengthen your safety culture
- Supply chain solutions
- Inventory alignment strategy
- Assessments, inspections, and assistance with repairs
- Ease of ordering
  - Ordering methods to fit your needs
  - Customer specific catalogs
  - PunchOut catalogs
- Transparency and reporting
- Cost and time-saving programs

For details visit [www.questsafety.com](http://www.questsafety.com)

## How can Quest help strengthen your company's safety?



Except as stated otherwise herein, Quest makes no warranties, express or implied, including without limitation, those of merchantability or fitness for a particular purpose, and seller shall not be liable for any damages, direct or indirect, including incidental or consequential damages suffered by buyer, any employee of buyer, any end user or other third party arising from breach of any such warranty, breach of contract, negligence or any other legal action.