



CORE PRODUCTS BROCHURE



PYRAMEX



PERFORM AT YOUR PEAK

When a group of entrepreneurs founded Pyramex in 1991, it was rooted in a belief that the business could only grow if the customers were top priority. Nearly 30 years later, that level of intention has earned Pyramex more than 2,500 distributors in 65 countries. Your feedback ensures our product line is not only innovative and stylish, but upholds a high standard of workmanship that reflects your work ethic. Our founders knew that to serve our customers well meant to readily adapt to their business needs. That's why we're constantly evolving to make life easier for you. When you call Pyramex, you'll always talk with a specialist. The same goes for our new non-automated live web chat. We take pride in your safety so you can take pride in your work and Perform at Your Peak.

THE PYRAMEX PROMISE

At Pyramex, our promise to our customers is to provide the best possible products, the best possible service, and most importantly, an attitude of making our customers' lives easier on a day-to-day basis. Our values challenge us toward a commitment to truth and to deliver what we promise.

WHAT YOU NEED TO KNOW

EYEWEAR

The icons below and in the following pages represent some of the most requested features for safety eyewear.



ADJUSTABLE
NOSEPIECE



ADJUSTABLE
TEMPLES



CO-INJECTED
TEMPLES



DIELECTRIC



DUAL PANE
LENS



FOAM
PADDING



INCLUDES
STRAP



LOCKING
TEMPLE



MULTI
LENSES



POLARIZED
OPTION



RATCHETING
TEMPLES



RUBBER
NOSEPIECE



RUBBER
TIPS



VENTED
FRAME



VENTED
LENS

H2MAX Anti-fog Coating


The innovative technology behind the H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.

H2X Anti-fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because, the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. H2X passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

HI-VIS WORK WEAR

The icons below and in the following pages represent some of the most requested features for hi-vis work wear.



HEADGEAR

Ridgeline Hard Hats & Bump Caps

Quality head protection is a staple in a number of work environments. Select a brand you can trust – Pyramex Safety Ridgeline® – for expertly designed, high-performing hard hats and bump caps. Find what you need for everything from general all-purpose work use to conductive fieldwork settings.

SL Series Hard Hats & Baseball Bump Caps

Whether you need head protection with classic safety features or style with a little added protection, you can find what you're looking for with SL Series hard hats. The ultra-customizable SL Series Cap Style has four different suspension and adjustment combinations to meet your specific needs, while the Sleek Shell provides protection for those who prefer safety features at face value with a mold designed to fit tight areas. Baseball Bump Cap's outer cap is fully washable for ultimate longevity.


WELDING

Auto-Darkening Helmets

Auto-darkening helmets are designed for maximum efficiency— and maximum safety. Designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet in order to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries.

HEARING

The icons below and in the following pages represent some of the most requested features for hearing protection.



GLOVES

Dipped Glove Sizing

The sizing of dipped gloves is represented by the colors listed.



Nitrile

Latex alternative // Absorbs oil // Outstanding grip

Latex

Flexibility in extreme temperatures // Tear resistant // Suited for wet and dry conditions

Polyurethane

Excellent value work glove // Low particulate shed // Tactile sensitivity and dexterity

EYEWEAR



Ever-Lite® ANSI • CE • CSA •



RUBBER NOSEPIECE



CO-INJECTED TEMPLES

Soft nosepiece for snug fit //
Slim co-injected temples //
Lightweight spectacle – 22 gm

Black Frame | 19 Variations

	SB8610D ●●●	Clear
	SB8610DT ●●●	Clear H2X AF
	SB8610DTM ●●●	Clear H2MAX AF
	SB8620D ●●●	Gray
	SB8620DT ●●●	Gray H2X AF
	SB8620DTM ●●●	Gray H2MAX AF
	SB8623D ●●●	Dark Gray
	SB8623DT ●●●	Dark Gray H2X AF

	SB8624D ●●●	Photochromic
	SB8625DTM ●●●	Light Gray H2MAX AF
	SB8630D ●●●	Amber
	SB8650SF ●●●	5.0 IR Filter
	SB8660D ●●●	Infinity Blue
	SB8660DT ●●●	Infinity Blue H2X AF
	SB8660DTM ●●●	Infinity Blue H2MAX AF
	SB8660SF ●●●	3.0 IR Filter

	SB8665D ●●●	Ice Blue Mirror
	SB8680D ●●●	I/O Mirror
	SB8680DT ●●●	I/O Mirror AF

i Photochromic lens changes from clear to dark, after exposed to direct UV light. Changes from dark to clear, after removed from UV light. Ever-Lite Readers on page 88.



PMXTREME® ANSI • CE •



RUBBER NOSEPIECE



INCLUDES STRAP



RUBBER TIPS

Built-in rubber nosepiece //
Ventilated flexible temples with rubber temple tips //
Includes black lanyard cord

Black Frame with Cord | 11 Variations

	SB6310SP ●●●	Clear
	SB6310STP ●●●	Clear AF
	SB6320SP ●●●	Gray
	SB6320STP ●●●	Gray AF
	SB6330SP ●●●	Amber
	SB6345SP ●●●	Ice Orange Mirror
	SB6360SP ●●●	Infinity Blue
	SB6370SP ●●●	Silver Mirror
	SB6375SP ●●●	Blue Mirror
	SB6376SP ●●●	Smoke Green Mirror
	SB6380SP ●●●	I/O Mirror

Camo Frame with Cord | 3 Variations

	SCM6310STP ●●●	Clear AF
	SCM6318STP ●●●	Sandstone Bronze AF
	SCM6320STP ●●●	Gray AF

Red Frame with Cord | 1 Variation

	SR6320SP ●●●	Gray
--	--------------	------

i PMXTREME Readers on page 89.



SCM63



SR63



Venture II® ANSI • CE • CSA • Ballistic •



RUBBER NOSEPIECE



ADJUSTABLE TEMPLES

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 15 Variations

	SB1810S ●●●●	Clear
	SB1810ST ●●●●	Clear H2X AF
	SB1820S ●●●●	Gray
	SB1820ST ●●●●	Gray H2X AF
	SB1830S ●●●●	Amber
	SB1835S ●●●●	Sun Block Bronze
	SB1840S ●●●●	Orange
	SB1850SF ●●●●	5.0 IR Filter
	SB1860S ●●●●	Infinity Blue
	SB1860SF ●●●●	3.0 IR Filter
	SB1870S ●●●●	Silver Mirror
	SB1875S ●●●●	Blue Mirror
	SB1880S ●●●●	I/O Mirror
	SB1880ST ●●●●	I/O Mirror AF
	SB1890S ●●●●	Gold Mirror

Realtree Hardwoods HD® Frame | 3 Variations

	SH1810S ●●●●	Clear
	SH1820S ●●●●	Gray
	SH1830S ●●●●	Amber

Metallic Blue Frame | 3 Variations

	SMB1810S ●●●●	Clear
	SMB1820S ●●●●	Gray
	SMB1880S ●●●●	I/O Mirror

Maroon Frame | 1 Variation

	SMM1810S ●●●●	Clear
--	---------------	-------

Slate Gray Frame | 1 Variation

	SSG1810S ●●●●	Clear
--	---------------	-------



SH18



SMB18



SMM18



SSG18

Venture 3® ANSI • CE • CSA • AS • Ballistic •



VENTED FRAME



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



CO-INJECTED TEMPLES

Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Black Frame | 12 Variations

	SB5710D ●●●●	Clear
	PYSB5710D* ●●●●	Clear
	SB5710DT ●●●●	Clear H2X AF
	SB5710DTM ●●●●	Clear H2MAX AF
	SB5720D ●●●●	Gray
	SB5720DT ●●●●	Gray H2X AF
	SB5730D ●●●●	Amber
	PYSB5730D* ●●●●	Amber
	SB5750SFT ●●●●	5.0 IR Filter H2X AF
	SB5760D ●●●●	Infinity Blue
	SB5770D ●●●●	Silver Mirror
	SB5780D ●●●●	I/O Mirror

EYEWEAR

Sitecore™ ANSI • CE • CSA •



RUBBER NOSEPIECE



RATCHETING TEMPLES



ADJUSTABLE TEMPLES

Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths

Black and Gray Frame | 6 Variations

	SBG10110D ●●	Clear
	SBG10110DTM ●●	Clear H2MAX AF
	SBG10120D ●●	Gray
	SBG10120DTM ●●	Gray H2MAX AF
	SBG10130D ●●	Amber
	SBG10180D ●●	I/O Mirror

Gray and Lime Frame | 5 Variations

	SGL10110D ●●●	Clear
	SGL10110DTM ●●●	Clear H2MAX AF
	SGL10120D ●●●	Gray
	SGL10120DTM ●●●	Gray H2MAX AF
	SGL10180D ●●●	I/O Mirror



SGL101

Rendezvous® ANSI • CE • Ballistic •



ADJUSTABLE NOSEPIECE



ADJUSTABLE TEMPLES



RATCHETING TEMPLES

Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 10 Variations

	SB2810S ●●●	Clear
	SB2810ST ●●●	Clear H2X AF
	SB2820S ●●●	Gray
	SB2820ST ●●●	Gray H2X AF
	SB2830S ●●●	Amber
	SB2840S ●●●	Orange
	SB2860S ●●●	Infinity Blue
	SB2860ST ●●●	Infinity Blue H2X AF
	SB2870S ●●●	Silver Mirror
	SB2880S ●●●	I/O Mirror

Crystal Blue Frame | 1 Variation

	SCB2810S ●●●	Clear
--	--------------	-------

Crystal Clear Frame | 2 Variations

	SCC2810S ●●●	Clear
	SCC2810ST ●●●	Clear H2X AF

Crystal Gray Frame | 1 Variation

	SCG2810ST ●●●	Clear H2X AF
--	---------------	--------------



SCB28



SCC28



SCG28

Velar™ ANSI • CSA •



Built-in rubber nosepiece //
Co-injected rubber temples

Black Frame | 3 Variations

- SB10410D •• Clear
- SB10420D •• Gray
- SB10465D •• Ice Blue Mirror

Black and Red Frame | 1 Variation

- SBRF10445D •• Ice Orange Mirror

White and Blue Frame | 1 Variation

- SWBL10465D •• Ice Blue Mirror

White and Red Frame | 1 Variation

- SWR10455D •• Sky Red Mirror



SBRF104



SWBL104



SWR104



Outlander® ANSI •



Dual lens style with wide temples //
Soft nosepiece

Black Frame | 4 Variations

- SB8010D • Clear
- SB8020D • Gray
- SB8065D • Ice Blue Mirror
- SB8070D • Silver Mirror



Furix® ANSI • CE •

Lightweight contemporary frame //
Straight back temples

Black Frame | 4 Variations

- SB8510DT •• Clear AF
- SB8515DT •• Coffee AF
- SB8520DT •• Gray AF
- SB8575DT •• Blue Mirror AF



Goliath® ANSI • CE • CSA • AS •



Co-injected rubber temples

Black Frame | 9 Variations

- SB5610D ••• Clear
- SB5610DT • Clear H2X AF
- SB5620D ••• Gray
- SB5620DT ••• Gray H2X AF
- SB5621D ••• Polarized Gray
- SB5645D ••• Ice Orange Mirror
- SB5665D ••• Ice Blue Mirror
- SB5670D ••• Silver Mirror
- SB5680D ••• I/O Mirror

White Frame | 3 Variations

- SW5620D ••• Gray
- SW5655D ••• Sky Red Mirror
- SW5665D ••• Ice Blue Mirror



SW56

EYEWEAR

Ztek® ANSI • CE • CSA •



RUBBER TIPS

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

Lens and Temples | 18 Variations

	S2510S ●●●	Clear
	S2510ST ●●●	Clear H2X AF
	S2514S ●●●	1.5 IR Filter
	S2515S ●●●	Coffee
	S2520S ●●●	Gray
	S2520ST ●●●	Gray H2X AF
	S2530S ●●●	Amber
	S2540S ●●●	Orange
	S2550SF ●●●	5.0 IR Filter
	S2560S ●●●	Infinity Blue
	S2560SF ●●●	3.0 IR Filter
	S2560ST ●●●	Infinity Blue H2X
	S2565S ●●●	Purple Haze
	S2570S ●●●	Silver Mirror
	S2575S ●●●	Blue Mirror
	S2580S ●●●	I/O Mirror
	S2590S ●●●	Gold Mirror
	S25ARCS ●●●	Arc



Mini Ztek ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

i Mini Ztek is about 6% smaller than the Ztek. S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation. S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

Lens and Temples | 8 Variations

	S2510SN ●●●	Clear
	S2510SNT ●●●	Clear H2X AF
	S2517SN ●●●	Pink
	S2520SN ●●●	Gray
	S2530SN ●●●	Amber
	S2560SN ●●●	Infinity Blue
	S2575SN ●●●	Blue Mirror
	S2580SN ●●●	I/O Mirror

Itek® ANSI • CE • CSA • AS • Ballistic •



RUBBER NOSEPIECE



CO-INJECTED TEMPLES

Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Lens and Temples | 10 Variations

	S5810S ●●●●●	Clear
	S5810ST ●●●●●	Clear H2X AF
	S5810STM ●●●●●	Clear H2MAX AF
	S5820S ●●●●●	Gray
	S5820ST ●●●●●	Gray H2X AF
	S5830S ●●●●●	Amber
	S5860S ●●●●●	Infinity Blue
	S5870S ●●●●●	Silver Mirror
	S5875S ●●●●●	Blue Mirror
	S5880S ●●●●●	I/O Mirror





Intruder® ANSI • CE • CSA •



Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options

Lens and Temples | 14 Variations

	S4110S •••	Clear
	S4110ST •••	Clear AF
	S4110SUC •	Uncoated Clear
	S4120S •••	Gray
	S4120ST •••	Gray AF
	S4130S •••	Amber
	S4160S ••	Infinity Blue
	S4170S ••	Silver Mirror
	S4175S •	Blue Mirror
	S4180S ••	I/O Mirror
	S4180ST •	I/O Mirror AF

Foam Padded Frame | 3 Variations

	S4110STFP •	Clear AF
	S4120STFP •	Gray AF
	S4180STFP •	I/O Mirror AF



SB41



SN41

Black Temples | 1 Variation

	SB4110S ••	Clear
--	------------	-------



SR41

Blue Temples | 1 Variation

	SN4110S ••	Clear
--	------------	-------

Red Temples | 1 Variation

	SR4110S ••	Clear
--	------------	-------

i Mini Intruder is about 8% smaller than the Intruder. Intruder Readers on page 89.

Mini Intruder ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial size

Lens and Temples | 5 Variations

	S4110SN •	Clear
	S4110SNT •	Clear AF
	S4120SN •	Gray
	S4130SN •	Amber
	S4180SN •	I/O Mirror



119 mm



129mm

Provoq® ANSI • CSA •



RUBBER NOSEPIECE



RUBBER TIPS

Soft nosepiece // Rubber temples

Black Temples | 11 Variations

	S7210S ••	Clear
	S7210ST ••	Clear AF
	S7220S ••	Gray
	S7220ST ••	Gray AF
	S7230S ••	Amber
	S7255S •	Multi-Color Mirror
	S7260S •	Infinity Blue
	S7270S ••	Silver Mirror
	S7275S ••	Blue Mirror
	S7280S ••	I/O Mirror
	S7280ST •	I/O Mirror AF



EYEWEAR



I-Force® and I-Force Slim

ANSI • CE • CSA • AS • Ballistic •



Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

I-Force Black Frame | 4 Variations

- SB7010SDT •••• Clear Dual Pane **H2X** AF
- SB7020SDT •••• Gray Dual Pane **H2X** AF
- SB7030SDT •••• Amber Dual Pane **H2X** AF
- SB7080SDT •••• I/O Mirror Dual Pane AF

I-Force Slim Black Frame | 3 Variations

- SB7010SDNT •••• Clear Dual Pane **H2X** AF
- SB7020SDNT •••• Gray Dual Pane **H2X** AF
- SB7080SDNT •••• I/O Mirror Dual Pane AF

i I-Force Slim is about 6% smaller than the I-Force.



WATCH THE VIDEO
Vimeo.com/Pyramex/I-Force

Torser™ ANSI • CE • CSA •



DIELECTRIC

Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test – provides protection from droplets and splashes // Passes D4: Dust Test – provides protection from dust particles

Black Body | 3 Variations

- GB10010TM ••• Clear **H2MAX** AF
- GB10020TM ••• Gray **H2MAX** AF
- GB10025TM ••• Light Gray **H2MAX** AF





Isotope™ ANSI • CE • CSA • Ballistic •



Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Dual frame design features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap



WATCH THE VIDEO
Vimeo.com/Pyramex/Isotope

Black Frame | 4 Variations

- GB9410STM ••••• Clear **H2MAX** AF
- GB9420STM ••••• Gray **H2MAX** AF
- GB9430STM ••••• Amber **H2MAX** AF
- GB9480ST ••••• I/O Mirror AF



V2G® ANSI • CE • CSA • AS • Ballistic •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 8 Variations

- GB1810ST ••••• Clear **H2X** AF
- GB1810STM ••••• Clear **H2MAX** AF
- GB1820ST ••••• Gray **H2X** AF
- GB1820STM ••••• Gray **H2MAX** AF
- GB1830ST ••••• Amber **H2X** AF
- GB1850SFT • 5.0 IR Filter **H2X** AF
- GB1860SFT • 3.0 IR Filter **H2X** AF
- GB1880ST ••••• I/O Mirror AF



Fyxate™ ANSI • CSA •



Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

Lens and Temples | 5 Variations

- SB10210S •• Clear
- SB10210ST •• Clear **H2X** AF
- SB10220S •• Gray
- SB10220ST •• Gray **H2X** AF
- SB10280S •• I/O Mirror

Foam Padded | 2 Variations

- SB10210STMFP •• Clear **H2MAX** AF
- SB10220STMFP •• Gray **H2MAX** AF

EYEWEAR

Proximity® ANSI • CE • CSA •



FOAM PADDING



CO-INJECTED TEMPLES

Removable flame resistant foam padding // Lightweight spectacle – 26.3gm // Slim co-injected temples



Black Frame | 6 Variations

- SB9310ST ••• Clear **H2X** AF
- SB9310STM ••• Clear **H2MAX** AF
- SB9323ST •• Dark Gray **H2X** AF
- SB9323STM •• Dark Gray **H2MAX** AF
- SB9330ST ••• Amber **H2X** AF
- SB9380ST ••• I/O Mirror AF

Capture™ ANSI • CE • CSA •



DIELECTRIC

Dielectric // Fits over prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Rubber gasket is available in select options



Lens and Temples | 4 Variations

- S9910ST ••• Clear **H2X** AF
- PYS9910ST* • Clear **H2X** AF
- S9920ST ••• Gray **H2X** AF
- S9930ST • Amber **H2X** AF

Rubber Gasket | 2 Variations

- S9910STMGRG ••• Clear **H2MAX** AF
- S9920STMGRG •• Gray **H2MAX** AF



PMXTREME Rx ANSI •



RUBBER NOSEPIECE



RUBBER TIPS

Includes RX insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

Black Frame | 2 Variations

- SB6310STRX • Clear AF
- SB6320STRX • Gray AF



PMXTREME LED ANSI • CE •



RUBBER NOSEPIECE



RUBBER TIPS

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temples tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temples (six total) are included // Easy to use push button on/off switches are located at the top of each temple

Black Frame | 2 Variations

- SB6310SPLED • Clear
- SB6310STPLED •• Clear AF



Emerge® ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

i Frame must be presented to your optometrist in order to be fitted with prescription lenses.

Black Frame | 3 Variations

	SB7910DRX ●●●	Clear	
	SB7910D15 ●●●	Clear	+1.5 Mag
	SB7910D20 ●●●	Clear	+2.0 Mag

Translucent Caramel Frame | 2 Variations

	STC7910D15 ●	Clear	+1.5 Mag
	STC7910D20 ●	Clear	+2.0 Mag



SG79



STC79

Translucent Gray Frame | 3 Variations

	SG7910DRX ●●●	Clear	
	SG7910D15 ●●●	Clear	+1.5 Mag
	SG7910D20 ●●●	Clear	+2.0 Mag



Emerge® Plus ANSI • CSA •



RUBBER TIPS



RUBBER NOSEPIECE

Rubber temple tips // Soft nosepiece provides comfort for extended use



Full Readers

Translucent Gray Frame | 7 Variations

	SG9810R15 ●●	Clear	+1.5 Mag
	SG9810R20 ●●	Clear	+2.0 Mag
	SG9810R25 ●●	Clear	+2.5 Mag
	SG9810R30 ●●	Clear	+3.0 Mag
	SG9820R15 ●●	Gray	+1.5 Mag
	SG9820R20 ●●	Gray	+2.0 Mag
	SG9820R25 ●●	Gray	+2.5 Mag

Top Insert Readers

Translucent Gray Frame | 3 Variations

	SG9810TR15 ●●	Clear	+1.5 Mag
	SG9810TR20 ●●	Clear	+2.0 Mag
	SG9810TR25 ●●	Clear	+2.5 Mag

i The top insert reader for the Emerge Plus is strategically placed for applications in which user is frequently looking up.



LCT100 100 Individually Packaged 5x8 Cleaning Towelettes

LCTBULK 100 Individually Packaged 5x8 Cleaning Towelettes in a bag

HI-VIS WORK WEAR



RVZ21 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
1 OUT	1 IN

Hi-vis lightweight polyester mesh material

■ RVZ2110 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL

■ RVZ2120 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RVZ23 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
4 OUT	2 IN

Hi-vis lightweight polyester mesh material // Mic tabs

■ RVZ2310 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL

■ RVZ2320 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RVZ24 Series ANSI •

TYPE R CLASS 2



SOLID & MESH MATERIAL



ZIPPER CLOSURE

POCKETS	
5 OUT	3 IN

Hi-vis lightweight polyester solid material on front, mesh material on back // Mic tabs

■ RVZ2410 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL

■ RVZ2420 • S, M, L, XL, 2XL, 3XL, 4XL, 5XL



RVHLM29 Series ANSI •

TYPE R CLASS 2



MESH MATERIAL



HOOK & LOOP

POCKETS	
0 OUT	0 IN

Hi-vis lightweight polyester mesh material

■ RVHLM2910 • S, M, L, XL, 2XL, 3XL



RTS21B Series ANSI •

TYPE R CLASS 2



SOLID MATERIAL

POCKETS	
1 OUT	0 IN

Hi-vis lightweight polyester moisture-wicking t-shirt with black bottom // UPF30 protection

■ RTS2110B • M, L, XL, 2XL, 3XL, 4XL-5XL

■ RTS2120B • M, L, XL, 2XL, 3XL, 4XL-5XL



RTS21 Series ANSI •

TYPE R CLASS 2



SOLID MATERIAL

POCKETS	
1	0
OUT	IN

Hi-vis lightweight polyester moisture-wicking t-shirt // UPF30 protection

- RTS2110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RTS2120 • M, L, XL, 2XL, 3XL, 4XL, 5XL



RLTS31 Series ANSI •

TYPE R CLASS 3



SOLID MATERIAL

POCKETS	
1	0
OUT	IN

Hi-vis lightweight polyester moisture-wicking long sleeve t-shirt // UPF30 protection

- RLTS3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL



RJ31 Series ANSI •

TYPE R CLASS 3



SOLID MATERIAL



ZIPPER CLOSURE

POCKETS	
5	3
OUT	IN

Weatherproof polyester shell with zip-out polar fleece liner // Weatherproof elastic band at the waist and wrists // Concealed detachable hood // Cell phone/radio chest pocket with clear panel on outside shell // Mic tabs and pencil pocket

- RJ3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RJ3120 • M, L, XL, 2XL, 3XL, 4XL, 5XL



RP31 Series ANSI •

TYPE R CLASS 3



SOLID MATERIAL



ZIPPER CLOSURE

POCKETS	
5	3
OUT	IN

Weatherproof hi-vis parka // Polyester shell with zip out polar fleece liner // Elastic band at the wrists // Concealed detachable hood with drawstring // Zipper front closure // Interior access zipper for print customization // Cell phone/radio chest pocket with clear panel and 2 mic tabs // Drawstring around bottom

- RP3110 • M, L, XL, 2XL, 3XL, 4XL, 5XL
- RP3120 • M, L, XL, 2XL, 3XL, 4XL, 5XL

HEADGEAR



Ridgeline® Cap Style

ANSI • CSA • (with clip only)

ABS material // Low profile design // 4- point ratchet suspension // Swinging hinge points // 4-position harness points // 6½ to 8 adjustable head size // Rear padded suspension // Vented pressure pad // Universal accessory slots // Ridgeline cap style hard hats pass reverse orientation, high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark

4-Point Ratchet



Vented 4-Point Ratchet



Ridgeline® Full Brim

ANSI • CSA •

ABS material // Ratchet suspension // 4-point ratchet suspension // Ridgeline full brim hard hats pass high temperature (HT) and low temperature (LT) // Non-vented options meet Class E, G, and C // Vented options meet Class C // Hi-vis colors have been tested for the HV mark

4-Point Ratchet



WATCH THE VIDEO

Vimeo.com/Pyramex/Ridgeline



Ridgeline® Ratchet Headgear ANSI •

Meets ANSI Z87.1+ // Constructed from durable nylon // Ratchet adjustment for easy fit // Pivoting action allows user to lift face shield while wearing // Adjustable pegs will accommodate a wide variety of face shields

HGBR •



Polyethylene Face Shield ANSI •

Meets ANSI Z87.1 // 8" x 15" | .040" thick // Universal slots will accommodate a wide variety of headgear // Shown with HGBR - sold separately

S1010 •



Ridgeline Hydro Dipped ANSI • CSA •

Cap Style 4-Point Ratchet

HP44117 • Matte Black Graphite Pattern



Full Brim 4-Point Ratchet

HP44117 • Matte Black Graphite Pattern



HEADGEAR/WELDING



SL Series Cap Style ANSI • CSA •

Low profile design // High density polyethylene materials // Rain trough // Universal accessory slots fit cap mounted earmuffs and accessories // Available with 4- and 6-point nylon suspensions – snap lock and ratchet styles // Replaceable ratchet suspensions available // Replaceable sweat band // SL Series cap style hard hats pass for reverse orientation and low temperature [LT] // Options meet Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available

4-Point Ratchet



SL Series Full Brim ANSI • CSA •

High density polyethylene materials // Available with 4- and 6-point ratchet suspensions // Replaceable suspensions and headbands available // SL Series full brim hard hats pass low temperature [LT] // Options meet Class E, G, and C // Hi-vis colors have been tested for the HV mark // Custom imprinting available


4-Point Ratchet | 9 Variations



Baseball Bump Caps NON-RATED

Bump cap and baseball cap in one // Reflective piping adds extra visibility // Soft inner foam cushion // Adjustable size // Polyethylene vented shell is removable and the outer cap is fully washable // Ventilation holes // Ideal for meter readers, food processors, and other industries that don't require full hard hat protection // Not designed to meet the safety standards for industrial head protection // Custom imprinting available


4 Variations



LEADHEAD

WHAM30 Series ANSI • CE • CSA •

4 / 5-8 / 9-13 stepless variable shade // 3.858" x 3.425" [98 x 87 mm] view area // Manual internal controls // Four independent sensors in staggered design // Solar cells and replaceable lithium-battery // Cutting, grinding and welding modes // 1/30,000 second switch speed // 5 amps and below TIG rating // High-impact resistant nylon // Up to shade DIN16 at all times



WHAM3030FM



WHAM3030AE



WHAM3030FL



WHAM3030GB



i Auto-darkening helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG,TIG/WIG, plasma welding, cutting and laser welding [only selected models with two shade ranges, i.e.5-8 and 9-13], except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium-battery for WHAM30 and WHAD60 and Duracell® DL2032 for WHAM10.

HEARING



DP1000 Series ANSI • CE •

NRR 32dB SNR 38dB



DISPOSABLE
EARPLUG

Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

- DP1000 ••
- PYDP1000*• 5 Pair in Blister Card
- PYDP1000BN*• 100 Pair in Bin
- PYDP1000CS*• 5 Pair with case in Blister Card



DPD1001 Series ANSI • CE •

NRR 32dB SNR 37dB



DISPOSABLE
EARPLUG



METAL
DETECTABLE

Iron ball embedded in the plug for metal and magnetic detectability // Eye-catching blue color contrasts with most food products // Expands to fit ear canal // Closed cell foam earplugs are resistant to dirt build up

- DPD1001 ••



RP2001 Series ANSI •

NRR 26dB



REUSABLE
EARPLUG

Three rubber flanges form a secure seal // Reusable earplugs can be cleaned with soap and water

- RP2001 •



Amp BT™ ANSI •

NRR 26dB



Quad microphones // Bluetooth compatible // Noise suppression after 85db // Easy adjust volume and ambient noise controls // Auto shut-off after four hours // 3.5 mm AUX jack cord for use of MP3 and mobile devices // 2 AAA batteries are included // Available in a VG clamshell

- VGPM30BT • Black



PM30 Series ANSI • CE •

NRR 26dB SNR 28dB

Height adjustment to fit all sizes // Fold-away padded headband

- PM3010 ••



PM20 Series ANSI •

NRR 22dB

Dielectric // Lightweight and comfortable // Durable nylon headband

- PM2010 •
- PYPM2010*•



CM60 Series ANSI •

NRR 27dB

Cap mounted earmuff – fits slotted hard hats // Dielectric // Easily accessible while working // Flip down over ears to use or flip up when not in use

- CM6010 •



GLOVES



GL605 Series CE •
 EN388:2016 4131X
 Cat. II

POLYESTER | NITRILE
 SANDY & SMOOTH

15 gauge polyester liner // Full dipped smooth nitrile for liquid protection // Sandy nitrile palm gives outstanding grip in dry, wet and oily conditions // Tear and abrasion resistant

GL605 • S, M, L, XL, 2XL



GL604C5 Series
 ANSI • CE • Cat. II

ANSI CUT LEVEL A4
 EN388:2016 4X43D
 EN388:2003 4543

HPPE | NITRILE | SANDY
 13 gauge cut-resistant HPPE liner // Sandy coating gives outstanding grip in dry, wet and oily conditions // Tear and abrasion resistant

GL604C5 • S, M, L, XL, 2XL



GL603DPC5 Series
 ANSI • CE • Cat. II

ANSI CUT LEVEL A4
 EN388:2016 4X43D

13 gauge cut-resistant HPPE liner // Dotted palm // Reinforced thumb // Tear and abrasion resistant // Black color does not show dirt or grime // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power

GL603DPC5 • S, M, L, XL, 2XL



GL603C5 Series
 ANSI • CE • Cat. II

ANSI CUT LEVEL A4
 EN388:2016 4X43D
 EN388:2003 4543

13 gauge cut-resistant HPPE liner // Tear and abrasion resistant // Black color does not show dirt or grime // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power

GL603C5 • S, M, L, XL, 2XL



GL601 Series CE •
 EN388:2003 4131
 EN388:2016 4131X
 Cat. II

15 gauge nylon and spandex liner (silicone free) // Tear and abrasion resistant // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power // Offers tactile sensitivity and dexterity

GL601 • S, M, L, XL, 2XL



GL601DP Series CE •
 EN388:2016 4131X
 Cat. II

15 gauge nylon and spandex liner (silicone free) // Dotted palm // Reinforced thumb // Tear and abrasion resistant // Foam nitrile absorbs oil to increase grip // Additional foam coating acts like a sponge, helps increase gripping power // Offers tactile sensitivity and dexterity

GL601DP • S, M, L, XL, 2XL



GL502 Series CE •
 EN388:2016 3131X
 Cat. II

13 gauge nylon liner // Waterproof // Tear and abrasion resistant // High elasticity and grip // Full dipped smooth latex for liquid protection // Sandy latex palm suited for wet and dry conditions // Flexible and durable over a wide range of temperatures

GL502 • S, M, L, XL, 2XL



GL402C5 Series
 ANSI • CE • Cat. II

ANSI CUT LEVEL A4
 EN388:2003 4543
 EN388:2016 4X43D

13 gauge cut-resistant HPPE liner // Tear and abrasion resistant // Low particulate shed // Grips well without being sticky // Offers tactile sensitivity and dexterity

GL402C5 • S, M, L, XL, 2XL

