

# SAFETY DATA SHEET

## SECTION 1: Product and Company Identification

Product Name: Recommended Use: TCO-14 Thread cutting and machining oil

Manufacturer Information:

Relton Corporation-Chemical Division 317 Rolyn Place Arcadia, CA 91007-2838 Phone: (800)-423-1505 Emergency Number (24 hours): CHEMTREC 800-424-9300

### SECTION 2: Hazards Identification

GHS Classification:	Not classified
GHS Label Elements:	No symbol
Signal Word:	No signal word
Hazard Statements:	No hazard statements
Precautionary Statements:	Wear appropriate gloves, protective clothing, eye protection, face protection Wash hands thoroughly after handling Dispose of contents/container in accordance with state, local, and federal laws.
Hazards not otherwise classified (HNOC):	Not listed

#### **SECTION 3: Composition/Information on Ingredients**

Chemical Name	CAS#	%
Severely solvent refined heavy naphthenic distillates and Hydrotreated heavy naphthenic petroleum distillates	64741-96-4, 64742-52-5	90-95%*
*The percentage reported may be a mixtur The remaining ingredients are considered The exact percentage of composition has	non hazardous or are below reporting	

Inhalation:	Remove individual to fresh air. If breathing is difficult give oxygen.
Skin Contact:	Flush the affected area with water for 15 minutes minimum. Remove exposed or contaminated clothing and shoes. Wash contaminated clothing before reuse. Seek medical attention if irritation develops.
Eye Contact:	Remove contact lenses if present. Rinse eyes thoroughly with water for 15 minutes minimum. Seek medical attention if eye irritation develops or persists.
Ingestion:	If conscious give one cup of water or milk if available and transport to a medical facility. Do not give anything by mouth to an unconscious person.
TCO 14 SDS	

SECTION 4: First Aid Measures

Most important symptoms acute or delayed:	Not available		
Recommendations for immediate medical care and special treatment:	Not available		
SECTION 5: Fire Fighting Measures			
Suitable extinguishing media:	Slightly combustible. Use carbon dioxide, extinguishing powder or foam. Avoid water spray.		
Unsuitable extinguishing media:	Not available		
Specific hazards arising during fire:	Combustion may generate carbon monoxide, carbon dioxide, hydrogen sulfide and oxides of sulfur and calcium		
Firefighting equipment:	Firefighters should wear suitable protective equipment		
Firefighting instructions:	Evacuate personnel to a safe area. Firefighters should use self contained breathing equipment and protective clothing. Keep containers cool with water spray.		
SECTION 6: Accidental Release Measures			
Personal Precautions:	Wear appropriate protective equipment and clothing during clean up. Keep unprotected persons away.		
Environmental Precautions	Do not allow product to enter sewers, surface or ground waters.		
Methods and materials for containment and cleanup:	Contain and recover liquid when possible. Absorb with suitable absorbent and place in a chemical waste container for proper disposal (see Section 13, Disposal Considerations).		
SECTION 7: Handling and Storage			
Precautions for safe handling:	As with all chemical products, avoid contact and wash thoroughly after handling. Do not eat, drink or smoke while using this product. Use only in well-ventilated areas. Remove contaminated clothing and protective equipment before entering eating areas. Pregnant or breast-feeding women must not handle this product.		
Conditions for safe storage including incompatibilities:	All personnel who handle this product should be trained in its safe handling. Store tightly closed in cool, dry, ventilated area. Keep out of direct sunlight and away from heat and incompatible materials. Avoid contact with acids, oxidizing agents, and caustics.		

## SECTION 8: Exposure Controls/Personal Protection

## **Exposure limit values**

Material	CAS#	List	Туре	Value
Severely solvent refined	64741-96-4	OSHA	PEL	5 mg/m3 (TWA 8h)
heavy naphthenic distillate		ACGIH	TLV	5 mg/m3 (TWA 8h)
Petroleum distillates,	64742-52-5	OSHA	PEL	5 mg/m3 (as oil mist)
hydrotreated heavy naphthenic		ACGIH	TLV	5 mg/m3 (as oil mist)

Appropriate Engineering Controls:		Provide sufficient mechanical (general/and or local exhaust) ventilation to maintain exposure below exposure guidelines, if applicable, or below levels that cause known, suspected, or adverse effects.	
Personal	Protective Measures		
	Eye/face protection:	Use chemical goggles or full face shield.	
Hand protection:		Use chemically-resistant gloves.	
	Respiratory protection:	Not required under normal conditions of use. If airborne concentrations exceed applicable exposure limits, use NIOSH approved respiratory protection.	
Thermal I	nazards:	Not available	
General hygiene considerations:		Handle in accordance with good industrial hygiene and safety practice. Eyewash station and safety shower should be in vicinity of work area.	

# **SECTION 9: Physical and Chemical Properties**

Appearance:	Dark oily liquid		
Odor:	Mild petroleum		
Odor threshold:	Not available		
pH:	Not applicable		
Solubility in water:	Insoluble		
Viscosity:	Not available		
Specific Gravity @ 70F:	0.92		
Melting point:	Not available		
Freezing point:	Not available		
VOC Content (ASTM E-1868-10):	16.9 g/L AQMD SUPER COMPLIANT		
Initial boiling point			
and boiling range:	Not available		
Flash point:	> 360.0 °F ( 182.2 °C) COC		
Evaporation rate:	Not available		
Flammability (solid, gas):	Not available		
Upper/Lower flammability or explosive lin	mits (%)		
Flammability limit-lower:	Not available		
Flammability limit-upper:	Not available		
Explosive limit-lower:	Not available		
Explosive limit-upper: Not available			
Vapor pressure	<0.01 mmHg @ 20°C		
Vapor density	Heavier than air		
Partition coefficient			
(octanol:water)	Not available		
Auto-ignition temperature	Not available		
Decomposition temperature	Not available		
Decomposition temperature	Not available		

## SECTION 10: Stability and Reactivity

Reactivity:	No reactivity hazards are known.
Chemical Stability:	Material is stable under normal conditions of storage and handling.
Possibility of hazardous reactions:	No hazardous reactions are known under normal conditions of use.
Conditions to avoid:	Keep away from heat, sparks, open flames. Protect from freezing.

Materials to avoid:	Do not store with strong oxidizing agents. Keep away from heat, sparks, open flames, or all sources of ignition.			
Hazardous decomposition products:	May include carbon monoxide, carbon dioxide, hydrogen sulfide, oxides of calcium and sulfur.			
SECTION 11: Toxicological Information				
Acute Toxicity:				
Severely solvent refined heavy naphthenic distillate 64741-96-4	Data not available			
Petroleum distillates, hydrotreated heavy naphthenic 64742-52-5	Data not available			
Skin:	Not expected to be a primary skin irritant. Prolonged or repeated contact may cause irritation.			
Eyes:	May cause mild eye irritation.			
Inhalation:	May cause mild irritation of the respiratory tract with prolonged exposure.			
Ingestion:	Ingestion may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.			
Delayed and immediate effects of exposure:	Not available.			
Classification	Category	Hazard Description		
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation) Skin corrosion/irritation STOT -single exposure STOT-repeated exposure Serious eye damage/eye irritation Respiratory sensitization Skin sensitization Carcinogenicity Reproductive toxicity	Not classified Not classified	Not applicable Not applicable		

Carcinogenicity:

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

# SECTION 12: Ecological Information

Ecotoxicity:

Not expected to cause serious aquatic toxicity. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.


Ingredient	CAS No.	Algae	Fish	Crustacea	
severely solvent refined heavy naphthenic distillate 64741-96-4	64741-96-4	Not listed	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50	
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	Not listed	5000: 96 h Oncorhynchus mykiss mg/L LC50	1000: 48 h Daphnia magna mg/L EC50	
64742-52-5					
Bioaccumulation pot	ential:	Not available.			
Mobility:		Not available.			
Other adverse effects:		This material is expected to have adverse effects on marine and plant life. Spills may contaminate drinking water.			
SECTION 13: Dispos	al Considerations				
Disposal instructions:		Waste disposal must be in accordance with appropriate US Federal, State and Local regulations.			
Disposal of contaminated containers or packaging:		Dispose of as unused product.			
SECTION 14: Transp	ortation Information				
DOT					
	Not regulated as dangerous goods				
ΙΑΤΑ					
-	ated as dangerous goo	ods			
IMDG Not regulated as dangerous goo		ods			
SECTION 15: Regulat	tory Information				
Toxic Substances Control Act (TSCA):		All components of this product are on the TSCA Inventory or are exempt from reporting requirements.			
SARA 302 Extremely Hazardous Substances:		No			
SARA 311/312 Classi	fication:				
Immediat	te hazard	No			
Delayed hazard		No			
Fire haza		No			
Reactive		No			
Pressure	nazaro	No			
SARA 313 Componer	nts:	No			

### California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm

#### **HMIS Information:**

**NFPA Information:** 





### **SECTION 16: Other Information**

Issue date:	March 30, 2015
Revision date:	June 11, 2021
Version:	4.1

**Disclaimer:** Relton Corporation products are manufactured for professional and industrial use only. Relton Corporation believes the information contained herein is valid and accurate and makes no representation or warranty, express or implied, including the warranties of merchantability and fitness, for a particular purpose with respect to the information contained herein.