



Filter Out the Risk

RESPIRATORY
PRODUCTS GUIDE

SAFETY WORKS® OFFERS A COMPREHENSIVE LINE OF RESPIRATORY PRODUCTS.

For over 10 years Safety Works has provided the market with high quality reusable and disposable respirators that are comfortable, lightweight and help workers stay safe.

Evaluate Your Need

APPLICATION AND INDUSTRIES	POTENTIAL HAZARDS	CARTRIDGE/FILTER OPTIONS*
Spray Painting, Varnishing, Staining & Coating	Solvent-based Water-based latex	OV**/P95
Sanding and Grinding	Particulate	N95
Welding	Weld fume Stainless steel & Galvanized	N95 Nuisance OV**/P95
Abatement	Lead & Asbestos Mold	P100 Nuisance OV**/N95 – P100
Cement Work	Silica/Dust	N95
Cleaning & Janitorial	Bleach Ammonia General Cleaning Products	AG/P95 AM/MA/P95 OV/P95
Agriculture	Pesticides & Insecticides	OV/AG/P95 – P100
Construction	Particulate	N95
Manufacturing	Solvents Particulate	OV N95
Pharmaceutical manufacturing	Particulate	N95/P100
Chemical Manufacturing	Sulfur Dioxide Chlorine Ammonia	AG/P95 AM/MA/P95

OV = Organic Vapor
AG = Acidic Gas

Respiratory Ratings

LETTER CLASS	DESCRIPTION	NUMBER CLASS	DESCRIPTION
N	Not oil resistant	95	Removes 95% of all particles that are at least 0.3 microns in diameter
R	Resistant to oil	99	Removes 99% of particles that are at least 0.3 microns in diameter
P	Oil proof	100	99.97% of all particles that are 0.3 microns in diameter or larger. HE or HEPA quality filter.

IMPORTANT: Respirator and cartridge type must be chosen based on the contaminant plus airborne concentration and the necessary Assigned Protection Factor (APF). Refer to WARNING below.

WARNING: These respirators help protect against certain airborne contaminants. Misuse may result in sickness or death. For proper use, the wearer must read and understand User Instructions provided as a part of product packaging, see your supervisor. Time use limitations may apply.

Important — Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use. Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.



Half-Mask

- Soft facepiece for enhanced comfort
- Unique hygiene guard keeps mask clean during storage
- Easy-to-adjust, comfortable head strap
- Lightweight, well contoured facepiece for enhanced comfort and fit



➤ SWX00319 TOXIC DUST
 ➤ SWX00321 SAFETY WORKS® PRO MULTI-PURPOSE
 ➤ SWX00320 MULTI-PURPOSE



➤ SWX00318 PAINT & PESTICIDE
 ➤ SWX00386 Medium HALF MASK ONLY
 ➤ SWX00387 Large HALF MASK ONLY

FACE SEAL

Provides comfort with a soft but secure face seal. Forms to shape of face.

ADJUSTABLE STRAPS

Optimize fit and comfort with easy-to-use adjustable straps.



BAYONET CONNECTION

Compatible with all Safety Works bayonet-style cartridges and filters in the "SWX" series

EXHALATION VALVE

Directs exhaled breath and moisture. Easy positive pressure seal check.

PRODUCT NUMBER	CATEGORY	SIZE	NIOSH Particulate Rating		Ammonia	Chlorine	Chlorine Dioxide	Formaldehyde	Hydrogen Chloride	Hydrogen Fluoride	Hydrogen Sulfide	Methylamine	Organic Vapors	Sulfur Dioxide	APF*	EACH/PACK	PACKAGED
			P100	P95													
SWX00319	Half-Mask w/Cartridge	M	●												10	1	Retail
SWX00321	Half-Mask w/Cartridge	M	●		●	●	●	●	●	●	●	●	●	●	10	1	Retail
SWX00320	Half-Mask w/Cartridge	M	●			●			●						10	1	Retail
SWX00318	Half-Mask w/Cartridge	M		●									●		10	1	Retail
SWX00386	Half-Mask Only	M													10	1	Industrial
SWX00387	Half-Mask Only	L													10	1	Industrial

* **APF** (Assigned Protection Factors) and product compatibility are only effective when the employer implements a continuing,

Cartridges & Filters

- Compatible with Safety Works half mask and full facepiece

RETAIL PACKAGED



➤ SWX00324 TOXIC DUST
 ➤ SWX00322 PAINT & PESTICIDE
 ➤ SWX00325 MULTI-PURPOSE
 ➤ SWX00326 SAFETY WORKS® PRO MULTI-PURPOSE
 ➤ SWX00323 PRE-FILTERS

IMPORTANT: Respirator and cartridge type must be chosen

Full Facepiece

- > Higher level of protection covering eye and face
- > Helps protect against liquid splashes and irritating vapors
- > Wrap around lens for excellent field of vision
- > Integral nose cup for reducing fogging
- > Soft facepiece for enhanced comfort



> SWX00328
SAFETY WORKS® PRO MULTI-PURPOSE



> SWX00327
PAINT & PESTICIDE



> SWX00388
FULL FACEPIECE ONLY

ADJUSTABLE STRAPS

Optimize fit and comfort with easy-to-use adjustable straps.

WRAP-AROUND LENS

Wrap-around-lens for excellent field of vision.

NOSE CUP

Reduces lens fogging

BAYONET CONNECTION

Compatible with all Safety Works bayonet-style cartridges and filters in the "SWX" series

EXHALATION VALVE

Directs exhaled breath and moisture. Easy positive pressure seal check.



PRODUCT NUMBER	CATEGORY	SIZE	NIOSH Particulate Rating		Ammonia	Chlorine	Chlorine Dioxide	Formaldehyde	Hydrogen Chloride	Hydrogen Fluoride	Hydrogen Sulfide	Methylamine	Organic Vapors	Sulfur Dioxide	APF*	EACH/PACK	PACKAGED
			P100	P95													
SWX00328	Full Facepiece w/Cartridge	M/L	●		●	●	●	●	●	●	●	●	●	●	**10/50	1	Retail
SWX00327	Full Facepiece w/Cartridge	M/L		●									●		**10/50	1	Retail
SWX00388	Full Facepiece Only	M/L													**10/50	1	Industrial

** 10 - APF 10 with Qualitative Fit Testing / 50 - APF 50 with Quantitative Fit Testing

effective respirator program as required by Section 29 CFR 1910.134, including training, fit testing, maintenance and use requirements.

INDUSTRIAL PACKAGED



> SWX00394
FILTER PAD RETAINER



> SWX00389
ORGANIC VAPOR



> SWX00392
TOXIC DUST



> SWX00395
P100 PANCAKE



> SWX00396
P100 PANCAKE FOR NUISANCE LEVEL ORGANIC VAPORS



> SWX00390
MULTI-PURPOSE



> SWX00391
SAFETY WORKS® PRO MULTI-PURPOSE

based on the contaminant plus airborne concentration and the necessary Assigned

Disposable

- > Designed for easy breathing
- > Adjustable nose-clip improves fit and seal
- > Dual point elastics for extra secure fit
- > Moldable metal noseband helps reduce fogging of glasses



> 817633 2/Pack
N95 HARMFUL DUST DISPOSABLE MASK



> 10102481 20/Pack
N95 HARMFUL DUST DISPOSABLE MASK



> 10103821 1/Pack
N95 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE



> 10102483 10/Pack
N95 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE



> 10102485 1/Pack
N95 HARMFUL DUST DISPOSABLE MASK WITH ODOR FILTER



> SWX00397 3/Pack
N100 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE



> SWX00398 10/Pack
N100 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE



> SWX00399 1/Pack
P100 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE



> SWX00404 5/Pack
P100 HARMFUL DUST DISPOSABLE MASK WITH EXHALATION VALVE

METAL NOSE PIECE

Moldable to the shape of your nose for secure fit.

EXHAUST VALVE

Limits build-up of warm, moist exhaled breath.
* Not offered on all masks

SECURE STRAP

Elastic band for secure fit on head.



NIOSH 42 CFR 84
Odor Filter
Exhalation Valve
Moldable Metal Noseband
Nose Pad
Full Pad
Adjustable Straps

PRODUCT NUMBER	N95	N100	P100	FEATURE										APF*	EACH/PACK	PACKAGED	
817633	●					●	●								10	2	Retail
10102481	●					●	●								10	20	Retail
10103821	●					●	●	●							10	1	Retail
10102483	●					●	●	●							10	10	Retail
10102485	●				●		●	●							10	1	Retail
SWX00397		●				●	●	●							10	3	Industrial
SWX00398		●				●	●	●							10	10	Industrial
SWX00399			●			●	●	●		●	●				10	1	Industrial
SWX00404			●			●	●	●		●	●				10	5	Industrial
10028549							●								0	5	Retail
10059526										●					0	25	Retail
10028560										●					0	50	Retail

PRODUCT NUMBER	CATEGORY	NIOSH Particulate Rating		Ammonia	Chlorine	Chlorine Dioxide	Formaldehyde	Hydrogen Chloride	Hydrogen Fluoride	Hydrogen Sulfide	Methylamine	Organic Vapors	Sulfur Dioxide	EACH/PACK	PACKAGED
		P100	P95												
SWX00324	Replacement Cartridges	●												1 Pair	Retail
SWX00322	Replacement Cartridge & Pre-Filter		●									●		1 Pair	Retail
SWX00325	Replacement Cartridges	●			●			●				●	●	1 Pair	Retail
SWX00326	Replacement Cartridges	●	●	●	●	●	●	●	●	●	●	●	●	1 Pair	Retail
SWX00323	Pre-Filter		●											6 Pair	Industrial/Retail
SWX00394	Pre-Filter Cap													10	Industrial/Retail
SWX00389	Replacement Cartridges											●		1 Pair	Industrial
SWX00392	Replacement Filter	●												1 Pair	Industrial
SWX00395	Replacement Pancake	●												1 Pair	Industrial
SWX00396	Replacement Pancake	●										●		1 Pair	Industrial
SWX00390	Replacement Cartridges	●			●			●				●	●	1 Pair	Industrial
SWX00391	Replacement Cartridges	●		●	●	●	●	●	●	●	●	●	●	1 Pair	Industrial

Protection Factor (APF). Refer to WARNING on backside of brochure.

Fit Testing Supplies

FIT TEST KIT

KIT INCLUDES:


- > 1 Hood
- > 2 Nebulizers
- > 1 Sensitivity Solution
- > 1 Fit Solution
- > 4 Replacement Aerosolizing Nozzles
- > 2 Cleaning Tools
- > 1 Respiratory Compliance Guide



Training Resources

DONNING AND FIT CHECK POSTERS

TRILINGUAL- ENGLISH, FRENCH, AND SPANISH



Safety Works®
a subsidiary of PIP

968 Albany Shaker Road
Latham, New York 12110

1.800.969.7562

www.safetyworks.com



Part # .86407

10/2017



www.pipusa.com

WARNING: These respirators help protect against certain airborne contaminants. Misuse may result in sickness or death. For proper use, the wearer must read and understand User Instructions provided as a part of product packaging, see your supervisor. Time use limitations may apply.

Important — Before using these respirators, you must determine the following:

1. The type of contaminant(s) for which the respirator is being selected.
2. The concentration level of contaminant(s).
3. Whether the respirator can be properly fitted on the wearer's face. All respirator instructions, warnings and use and time limitations must also be read and understood by the wearer before use. Before use of these respirators, a written respiratory protection program must be implemented, meeting all the requirements of OSHA 29 CFR 1910.134, including training and fit testing.