

TABLE OF CONTENTS

Tamper-Resistant Hex Sockets

Button Head Socket Cap, Alloy Steel	1
Button Head Socket Cap, Stainless Steel	2
Flat Head Socket Cap, Alloy Steel	3
Flat Head Socket Cap, Stainless Steel	4
Button Head Sheet Metal Screws, Steel/Black	5
Button Head Sheet Metal Screws, Stainless Steel	5
Flat Head Sheet Metal Screws, Steel/Black	6
Flat Head Sheet Metal Screws, Stainless Steel	6

Tamper-Resistant Hex Tools

Short Arm Hex Keys(Drilled Both Ends)	7
1/4" Drive Insert Bits	7
Hex Driver (Screwdriver Type)	7
Adapter	7
Magnetic Screwdrivers	7
1/4" Square Drive Screwdrivers	7

Tamper-Resistant Torx Sockets

Dimensions	8
Button Head Socket Torx, Alloy Steel	9,10
Button Head Socket Torx, Stainless Steel	9,10
Flat Head Socket Torx, Alloy Steel	11
Flat Head Socket Torx, Stainless steel	11
Button Head Torx Sheet Metal Screws, Steel/Black	12
Button Head Torx Sheet Metal Screws , Stainless Steel	12
Flat Head Torx Sheet Metal Screws , Steel/Black	13
Flat Head Torx Sheet Metal Screws , Stainless Steel	13

Tamper-Resistant Torx Self Drilling Screws

Pan Head Torx Self Drilling Screw 410 Stainless Steel	12
---	----

Tamper-Resistant Torx Tools

Short Arm Keys(Drilled Both Ends)	14
1/4" Drive Insert Bits	14
Adapter	14
Magnetic Screwdrivers	14
1/4" Square Drive Screwdrivers	14

Drilled Spanner Screws

Pan Head Machine Screws,Stainless Steel	15
Flat Head Machine Screws,Stainless Steel	15
Pan Head Sheet Metal,Stainless Steel	16
Flat Head Sheet Metal,Stainless Steel	16
Truss Head Drilled Spanner Machine Screws, Stainless Steel	17

Drilled Spanner Tools

1/4" Drive Insert Bits	18
5/16" Drive Insert Bits	18
Spanner Driver (Screwdriver Type)	18
Adapter	18
Magnetic Screwdrivers	18
1/4" Square Drive Screwdrivers	18

One-Way Screws

Round Head Machine Screws, Zinc Plated	19
Round Head Machine Screws, Stainless Steel	19
Round Head Sheet Metal Screws, Zinc Plated	20
Round Head Sheet Metal Screws,Stainless Steel	20
Oval Head Machine Screws,Zinc Plated	21
Oval Head Sheet Metal Screws,Zinc Plated	21
Oval Sheet Metal Screw, Stainless Steel	21

One-Way Removal Tools

One-Way Driver (Screwdriver Type)	21
-----------------------------------	----

One-Way Sex Bolts

One-Way Barrel Nuts, Chrome Plated	22
One Way Truss Shoulder Screws, Chrome Plated	22

Tamper-Resistant Nuts

Breakaway Nuts	22
----------------	----

Tamper-Resistant Torx-Plus Sockets

Button Head Torx-Plus Sockets, Alloy Steel	23
Button Head Torx-Plus Sockets, Stainless Steel	23
Flat Head Torx-Plus Sockets, Alloy Steel	24
Flat Head Torx-Plus Sockets, Stainless, Steel	24
Button Head Torx-Plus Sheet Metal, Steel/Black	25
Button Head Torx-Plus Sheet Metal, Stainless Steel	25
Flat Head Torx-Plus Sheet Metal, Steel/Black	26
Flat Head Torx-Plus Sheet Metal, Stainless Steel	26

Metric Drilled Spanner Screws

Pan Head Machine Screws, Stainless Steel	27
Flat Head Machine Screws, Stainless Steel	27

Metric Tamper-Resistant Hex Sockets

Button Head Socket Cap, Stainless Steel	28
Flat Head Socket Cap, Stainless Steel	28

Metric Tamper-Resistant Torx Sockets

Button Head Torx, Stainless Steel	29
Flat Head Torx , Stainless Steel	29

Torx (Non-Tamper Resistant)

Button Head Torx, Machine Screws, Zinc Plated	30
Flat Head Torx, Machine Screws, Zinc Plated	30
Pan Head Torx, Sheet Metal Screw, Zinc Plated	

Torx-Plus Plastite (Non-Tamper-Resistant)

Flat Head Torx-Plus Plastite, Zinc Plated	31
Pan Head Torx-Plus Plastite, Zinc Plated	31
Pan Head Torx-Plus Plastite, Stainless Steel	31

Tri-Groove Round Head Screws

Round Head Machine Screws, Zinc Plated	32
Round Head Sheet Metal Screws, Zinc Plated	32

Tamper-Resistant Hex Sockets

Button Head Hex Sockets Alloy Steel



P/N	Size	Drive
20990	4-40X3/16	3/32
21000	4-40X1/4	3/32
21010	4-40X3/8	3/32
21020	4-40X1/2	3/32
21030	4-40X3/4	3/32
21040	4-40X1	3/32
21050	6-32X1/4	1/8
21060	6-32X3/8	1/8
21070	6-32X1/2	1/8
21080	6-32X5/8	1/8
21090	6-32X3/4	1/8
21100	6-32X1	1/8
21110	6-32X1 1/4	1/8
21120	6-32X1 1/2	1/8
21130	8-32X1/4	5/32
21135	8-32X5/16	5/32
21140	8-32X3/8	5/32
21150	8-32X1/2	5/32
21160	8-32X5/8	5/32
21170	8-32X3/4	5/32
21180	8-32X1	5/32
21190	8-32X1 1/4	5/32
21200	8-32X1 1/2	5/32
21210	8-32X2	5/32
21215	8-32X2 1/2	5/32
21220	8-32X1/4	1/8
21230	8-32X3/8	1/8
21240	8-32X1/2	1/8
21250	8-32X5/8	1/8
21260	8-32X3/4	1/8
21270	8-32X1	1/8
21280	8-32X1 1/4	1/8
21290	8-32X1 1/2	1/8
21300	8-32X2	1/8
21310	10-24X1/4	5/32
21320	10-24X3/8	5/32
21325	10-24X7/16	5/32
21330	10-24X1/2	5/32
21340	10-24X5/8	5/32
21350	10-24X3/4	5/32
21360	10-24X1	5/32
21370	10-24X1 1/4	5/32
21380	10-24X1 1/2	5/32
21384	10-24X1 3/4	5/32
21386	10-24X2	5/32

P/N	Size	Drive
21390	10-32X1/4	5/32
21400	10-32X3/8	5/32
21410	10-32X1/2	5/32
21420	10-32X5/8	5/32
21430	10-32X3/4	5/32
21440	10-32X1	5/32
21450	10-32X1 1/4	5/32
21460	10-32X1 1/2	5/32
21463	10-32X2	5/32
21470	12-24X1/2	5/32
21475	12-24X5/8	5/32
21480	12-24X3/4	5/32
21490	12-24X1	5/32
21500	1/4-20X1/4	5/32
21503	1/4-20X5/16	5/32
21510	1/4-20X3/8	5/32
21520	1/4-20X1/2	5/32
21530	1/4-20X5/8	5/32
21540	1/4-20X3/4	5/32
21550	1/4-20X1	5/32
21560	1/4-20X1 1/4	5/32
21570	1/4-20X1 1/2	5/32
21580	1/4-20X1 3/4	5/32
21590	1/4-20X2	5/32
21593	1/4-20X2 1/4	5/32
21595	1/4-20X2 1/2	5/32
21596	1/4-20X2 3/4	5/32
21597	1/4-20X3	5/32
21600	5/16-18X1/2	3/16
21610	5/16-18X5/8	3/16
21620	5/16-18X3/4	3/16
21630	5/16-18X1	3/16
21640	5/16-18X1 1/4	3/16
21650	5/16-18X1 1/2	3/16
21660	5/16-18X2	3/16
21670	3/8-16X1/2	7/32
21680	3/8-16X5/8	7/32
21690	3/8-16X3/4	7/32
21700	3/8-16X1	7/32
21710	3/8-16X1 1/4	7/32
21720	3/8-16X1 1/2	7/32
21730	3/8-16X2	7/32
21735	3/8-16X2 1/4	7/32
21740	3/8-16X2 1/2	7/32

Tamper-Resistant Hex Sockets

Button Head Hex Sockets 18-8 Stainless Steel



P/N	Size	Drive
21750	4-40X1/4	3/32
21760	4-40X3/8	3/32
21770	4-40X1/2	3/32
21780	4-40X3/4	3/32
21790	4-40X1	3/32
21800	6-32X1/4	1/8
21803	6-32X5/16	1/8
21810	6-32X3/8	1/8
21820	6-32X1/2	1/8
21830	6-32X5/8	1/8
21840	6-32X3/4	1/8
21850	6-32X1	1/8
21860	6-32X1 1/4	1/8
21870	6-32X1 1/2	1/8
21880	8-32X1/4	5/32
21890	8-32X3/8	5/32
21900	8-32X1/2	5/32
21910	8-32X5/8	5/32
21920	8-32X3/4	5/32
21930	8-32X1	5/32
21940	8-32X1 1/4	5/32
21950	8-32X1 1/2	5/32
21960	8-32X2	5/32
21970	8-32X1/4	1/8
21980	8-32X3/8	1/8
21990	8-32X1/2	1/8
22000	8-32X5/8	1/8
22010	8-32X3/4	1/8
22020	8-32X1	1/8
22030	8-32X1 1/4	1/8
22040	8-32X1 1/2	1/8
22050	8-32X2	1/8
22060	10-24X1/4	5/32
22070	10-24X3/8	5/32
22080	10-24X1/2	5/32
22090	10-24X5/8	5/32
22100	10-24X3/4	5/32
22110	10-24X1	5/32
22120	10-24X1 1/4	5/32
22130	10-24X1 1/2	5/32
22140	10-32X1/4	5/32
22145	10-32X5/16	5/32
22150	10-32X3/8	5/32
22153	10-32X7/16	5/32
22160	10-32X1/2	5/32
22170	10-32X5/8	5/32
22180	10-32X3/4	5/32
22190	10-32X1	5/32
22200	10-32X1 1/4	5/32
22210	10-32X1 1/2	5/32
22215	10-32X2	5/32

P/N	Size	Drive
22220	1/4-20X1/4	5/32
22225	1/4-20X5/16	5/32
22230	1/4-20X3/8	5/32
22240	1/4-20X1/2	5/32
22250	1/4-20X5/8	5/32
22260	1/4-20X3/4	5/32
22270	1/4-20X1	5/32
22280	1/4-20X1 1/4	5/32
22290	1/4-20X1 1/2	5/32
22295	1/4-20X1 3/4	5/32
22300	1/4-20X2	5/32
22304	1/4-20X2 1/4	5/32
22305	1/4-20X2 1/2	5/32
22307	1/4-20X2 3/4	5/32
22310	5/16-18X1/2	3/16
22320	5/16-18X5/8	3/16
22330	5/16-18X3/4	3/16
22340	5/16-18X1	3/16
22350	5/16-18X1 1/4	3/16
22360	5/16-18X1 1/2	3/16
22370	5/16-18X2	3/16
22380	3/8-16X1/2	7/32
22390	3/8-16X5/8	7/32
22400	3/8-16X3/4	7/32
22410	3/8-16X1	7/32
22420	3/8-16X1 1/4	7/32
22430	3/8-16X1 1/2	7/32
22440	3/8-16X2	7/32
22445	3/8-16X2 1/4	7/32
22450	3/8-16X2 1/2	7/32

Tamper-Resistant Hex Sockets

Flat Head Hex Socket Alloy Steel



P/N	Size	Drive
41001	* 4-40X3/16	3/32
41003	* 4-40X1/4	3/32
41010	4-40X3/8	3/32
41020	4-40X1/2	3/32
41030	4-40X3/4	3/32
41040	4-40X1	3/32
41050	* 6-32X1/4	1/8
41055	* 6-32X5/16	1/8
41060	6-32X3/8	1/8
41070	6-32X1/2	1/8
41080	6-32X5/8	1/8
41090	6-32X3/4	1/8
41100	6-32X1	1/8
41110	6-32X1 1/4	1/8
41120	6-32X1 1/2	1/8
41130	6-32X2	1/8
41140	* 8-32X1/4	5/32
41150	8-32X3/8	5/32
41160	8-32X1/2	5/32
41170	8-32X5/8	5/32
41180	8-32X3/4	5/32
41190	8-32X1	5/32
41200	8-32X1 1/4	5/32
41210	8-32X1 1/2	5/32
41220	8-32X2	5/32
41230	8-32X1/4	1/8
41240	8-32X3/8	1/8
41250	8-32X1/2	1/8
41260	8-32X5/8	1/8
41270	8-32X3/4	1/8
41280	8-32X1	1/8
41290	8-32X1 1/4	1/8
41300	8-32X1 1/2	1/8
41310	8-32X2	1/8
41315	10-24X1/4	5/32
41320	10-24X3/8	5/32
41330	10-24X1/2	5/32
41340	10-24X5/8	5/32
41350	10-24X3/4	5/32
41360	10-24X1	5/32
41370	10-24X1 1/4	5/32
41380	10-24X1 1/2	5/32
41384	10-24X2	5/32
41390	10-32X3/8	5/32
41400	10-32X1/2	5/32
41410	10-32X5/8	5/32
41420	10-32X3/4	5/32
41430	10-32X1	5/32
41440	10-32X1 1/4	5/32
41450	10-32X1 1/2	5/32
41455	10-32X2	5/32

* Undercut

P/N	Size	Drive
41460	* 12-24X1/2	5/32
41470	12-24X3/4	5/32
41480	12-24X1	5/32
41490	12-24X1 1/4	5/32
41500	12-24X1 1/2	5/32
41510	* 1/4-20X3/8	5/32
41520	* 1/4-20X1/2	5/32
41530	1/4-20X5/8	5/32
41540	1/4-20X3/4	5/32
41550	1/4-20X1	5/32
41560	1/4-20X1 1/4	5/32
41570	1/4-20X1 1/2	5/32
41572	1/4-20X1 3/4	5/32
41580	1/4-20X2	5/32
41582	1/4-20X2 1/4	5/32
41585	1/4-20X2 1/2	5/32
41610	5/16-18X3/4	3/16
41620	5/16-18X1	3/16
41630	5/16-18X1 1/4	3/16
41640	5/16-18X1 1/2	3/16
41645	5/16-18X1 3/4	3/16
41650	5/16-18X2	3/16
41660	3/8-16X5/8	7/32
41670	3/8-16X3/4	7/32
41680	3/8-16X1	7/32
41690	3/8-16X1 1/4	7/32
41700	3/8-16X1 1/2	7/32
41705	3/8-16X1 3/4	7/32
41710	3/8-16X2	7/32
41720	3/8-16X2 1/2	7/32

* Undercut

Tamper-Resistant Hex Sockets

Flat Head Hex Socket 18-8 Stainless Steel



P/N	Size	Drive
41728	4-40x1/4	3/32
41730	4-40X3/8	3/32
41740	4-40X1/2	3/32
41750	4-40X3/4	3/32
41760	4-40X1	3/32
41770	* 6-32X1/4	1/8
41780	6-32X3/8	1/8
41790	6-32X1/2	1/8
41800	6-32X5/8	1/8
41810	6-32X3/4	1/8
41820	6-32X1	1/8
41825	6-32X1 1/4	1/8
41830	6-32X1 1/2	1/8
41840	6-32X2	1/8
41850	* 8-32X1/4	5/32
41860	8-32X3/8	5/32
41870	8-32X1/2	5/32
41880	8-32X5/8	5/32
41890	8-32X3/4	5/32
41900	8-32X1	5/32
41910	8-32X1 1/4	5/32
41920	8-32X1 1/2	5/32
41930	8-32X2	5/32
42025	* 10-24X1/4	5/32
42030	10-24X3/8	5/32
42040	10-24X1/2	5/32
42050	10-24X5/8	5/32
42060	10-24X3/4	5/32
42070	10-24X1	5/32
42080	10-24X1 1/4	5/32
42090	10-24X1 1/2	5/32
42095	10-24X2	5/32
42099	* 10-32X1/4	5/32
42100	10-32X3/8	5/32
42110	10-32X1/2	5/32
42120	10-32X5/8	5/32
42130	10-32X3/4	5/32
42140	10-32X1	5/32
42150	10-32X1 1/4	5/32
42160	10-32X1 1/2	5/32
42165	10-32X2	5/32

P/N	Size	Drive
42170	* 12-24X1/2	5/32
42180	12-24X3/4	5/32
42190	12-24X1	5/32
42200	12-24X1 1/4	5/32
42210	12-24X1 1/2	5/32
42220	* 1/4-20X3/8	5/32
42230	* 1/4-20X1/2	5/32
42240	1/4-20X5/8	5/32
42250	1/4-20X3/4	5/32
42260	1/4-20X1	5/32
42270	1/4-20X1 1/4	5/32
42280	1/4-20X1 1/2	5/32
42285	1/4-20X1 3/4	5/32
42290	1/4-20X2	5/32
42310	5/16-18X5/8	3/16
42320	5/16-18X3/4	3/16
42330	5/16-18X1	3/16
42340	5/16-18X1 1/4	3/16
42350	5/16-18X1 1/2	3/16
42360	5/16-18X2	3/16
42380	3/8-16X3/4	7/32
42390	3/8-16X1	7/32
42400	3/8-16X1 1/4	7/32
42410	3/8-16X1 1/2	7/32
42420	3/8-16X2	7/32

*Undercut

Tamper-Resistant Hex Sockets

Button Head Hex Socket, Type AB Steel Black, Sheet Metal Screws



P/N	Size	Drive
30090	6X1/4	1/8
31000	6X3/8	1/8
31010	6X1/2	1/8
31020	6X5/8	1/8
31030	6X3/4	1/8
31040	6X1	1/8
31050	6X1 1/2	1/8
31055	6X2	1/8
31060	8X3/8	5/32
31070	8X1/2	5/32
31080	8X5/8	5/32
31090	8X3/4	5/32
31100	8X1	5/32
31110	8X1 1/4	5/32
31120	8X1 1/2	5/32
31130	8X2	5/32
31139	10X3/8	5/32
31140	10X1/2	5/32
31150	10X5/8	5/32
31160	10X3/4	5/32
31170	10X1	5/32
31180	10X1 1/4	5/32
31190	10X1 1/2	5/32
31200	10X2	5/32
31210	12X1/2	5/32
31220	12X3/4	5/32
31230	12X1	5/32
31235	12X1 1/2	5/32
31240	14X1/2	5/32
31250	14X5/8	5/32
31260	14X3/4	5/32
31270	14X1	5/32
31280	14X1 1/4	5/32
31290	14X1 1/2	5/32
31300	14X2	5/32

Button Head Socket, Type AB 18-8 Stainless Steel, Sheet Metal Screws



P/N	Size	Drive
31310	6X3/8	1/8
31320	6X1/2	1/8
31330	6X5/8	1/8
31340	6X3/4	1/8
31350	6X1	1/8
31360	6X1 1/2	1/8
31370	8X3/8	5/32
31380	8X1/2	5/32
31390	8X5/8	5/32
31400	8X3/4	5/32
31410	8X1	5/32
31420	8X1 1/4	5/32
31430	8X1 1/2	5/32
31440	8X2	5/32
31448	10X3/8	5/32
31450	10X1/2	5/32
31460	10X5/8	5/32
31470	10X3/4	5/32
31480	10X1	5/32
31490	10X1 1/4	5/32
31495	10X1 3/8	5/32
31500	10X1 1/2	5/32
31510	10X2	5/32
31512	10X2 1/2	5/32
31513	12X1/2	5/32
31515	12X3/4	5/32
31516	12X1	5/32
31517	12X1 1/4	5/32
31518	12X1 1/2	5/32
31520	14X1/2	5/32
31530	14X5/8	5/32
31540	14X3/4	5/32
31550	14X1	5/32
31560	14X1 1/4	5/32
31570	14X1 1/2	5/32
31580	14X2	5/32

Tamper-Resistant Hex Sockets

Flat Head Socket Sheet Metal Screws Type AB, Steel Black



P/N	Size	Drive
51000	6X3/8	1/8
51010	6X1/2	1/8
51020	6X5/8	1/8
51030	6X3/4	1/8
51040	6X1	1/8
51045	6X1 1/4	1/8
51050	6X1 1/2	1/8
51052	6X2	1/8
51060	8X1/2	5/32
51070	8X5/8	5/32
51080	8X3/4	5/32
51090	8X1	5/32
51100	8X1 1/4	5/32
51110	8X1 1/2	5/32
51120	8X2	5/32
51130	10X1/2	5/32
51140	10X5/8	5/32
51150	10X3/4	5/32
51160	10X1	5/32
51170	10X1 1/4	5/32
51180	10X1 1/2	5/32
51190	10X2	5/32
51200	12X1/2	5/32
51210	12X3/4	5/32
51220	12X1	5/32
51230	12X1 1/4	5/32
51240	12X1 1/2	5/32
51250	14X5/8	5/32
51260	14X3/4	5/32
51270	14X1	5/32
51280	14X1 1/4	5/32
51290	14X1 1/2	5/32
51300	14X2	5/32

Flat Head Socket Sheet Metal Screws Type AB, 18-8 Stainless Steel



P/N	Size	Drive
51310	6X3/8	1/8
51320	6X1/2	1/8
51330	6X5/8	1/8
51340	6X3/4	1/8
51350	6X1	1/8
51360	6X1 1/2	1/8
51370	8X1/2	5/32
51380	8X5/8	5/32
51390	8X3/4	5/32
51400	8X1	5/32
51410	8X1 1/4	5/32
51420	8X1 1/2	5/32
51430	8X2	5/32
51440	10X1/2	5/32
51450	10X5/8	5/32
51460	10X3/4	5/32
51470	10X1	5/32
51480	10X1 1/4	5/32
51490	10X1 1/2	5/32
51500	10X2	5/32
51505	10X2 1/2	5/32
51510	12X1/2	5/32
51520	12X3/4	5/32
51530	12X1	5/32
51540	12X1 1/4	5/32
51550	12X1 1/2	5/32
51559	14X1/2	5/32
51560	14X5/8	5/32
51570	14X3/4	5/32
51580	14X1	5/32
51590	14X1 1/4	5/32
51600	14X1 1/2	5/32
51610	14X2	5/32

Security Hex Socket Tools

Tamper-Resistant Short Arm Hex Keys



**Drilled on Both Ends*

P/N	Size	Net Price
61000	3/32	
61010	1/8	
61020	9/64	
61030	5/32	
61040	3/16	
61050	7/32	
61060	1/4	
61070	5/16	
61072	3/8	

Tamper-Resistant Hex Bits



P/N	Size	Net Price
61140	3/32	
61150	1/8	
61160	9/64	
61170	5/32	
61180	3/16	
61190	7/32	
61200	1/4	
61210	5/16	
61212	3/8	

Adapters



**Bits not included*

P/N	Size	Net Price
61218	1/4" Drive	

Hex Drivers



P/N	Size	Net Price
61080	3/32	
61090	1/8	
61100	5/32	

Replacement Bits



**Drilled on Both Ends*

P/N	Size	Net Price
61110	3/32	
61120	1/8	
61130	5/32	

Magnetic Drivers



P/N	Size	Net Price
61300	1/4	
61310	5/16	

1/4" Square Drive




P/N	Size	Net Price
61215	1/4" Drive	

DIMENSIONS

Button Head Sockets


(Dimensions for Hex and Torx Screws)
with exception to the Drive Size



Nominal Size or Basic Screw Diameter		A		H		J
		Head Diameter		Head Height		Hex Size
Max	Min	Min	Max			
4	0.1120	0.213	0.201	0.059	0.051	3/32
6	0.1380	0.262	0.250	0.073	0.063	1/8
8	0.1640	0.312	0.298	0.087	0.077	5/32
10	0.1900	0.361	0.347	0.101	0.091	5/32
1/4	0.2500	0.437	0.419	0.132	0.122	5/32
5/16	0.3125	0.547	0.527	0.166	0.152	3/16
3/8	0.3750	0.656	0.636	0.199	0.185	7/32

Flat Head Sockets

(Dimensions for Hex and Torx Screws)
with exception to the Drive Size



Nominal Size or Basic Screw Diameter		A		H		J
		Head Diameter		Head Height		Hex Size
		Theoretical Sharp Max	Absolute Min	Reference	Flushness Tolerance	
4	0.1120	0.255	0.218	0.083	0.011	3/32
6	0.1380	0.307	0.263	0.097	0.013	1/8
8	0.1640	0.359	0.311	0.112	0.014	5/32
10	0.1900	0.411	0.359	0.127	0.015	5/32
1/4	0.2500	0.531	0.480	0.161	0.016	5/32
5/16	0.3125	0.656	0.600	0.198	0.017	3/16
3/8	0.3750	0.781	0.720	0.234	0.018	7/32

Hex Keys

(Short Arm Series)



Nominal Key or Bit and Socket Size	W		B		C		Hole Size
	Hexagon Width Across Flats		Length of Short Arm		Length of Long Arm		
	Max	Min	Max	Min	Max	Min	
1/16 0.062	0.0625	0.0615	0.656	0.469	1.844	1.656	0.038
3/32 0.094	0.0937	0.0927	0.750	0.562	2.094	1.906	0.050
1/8 0.125	0.1250	0.1235	0.844	0.656	2.344	2.156	0.075
9/64 0.141	0.1406	0.1391	0.891	0.703	2.469	2.281	0.084
5/32 0.156	0.1562	0.1547	0.938	0.750	2.594	2.406	0.097
3/16 0.188	0.1875	0.1860	1.031	0.844	2.844	2.656	0.102
7/32 0.219	0.2187	0.2172	1.125	0.938	3.094	2.906	0.123
1/4 0.250	0.2500	0.2485	1.219	1.031	3.344	3.156	0.123
5/16 0.312	0.3125	0.3110	1.344	1.156	3.844	3.656	0.201



Tamper-Resistant

Button Head Socket Torx Screws Alloy Steel



P/N	Size	Drive
80995	6-32X1/4	T-10
81000	6-32X3/8	T-10
81010	6-32X1/2	T-10
81020	6-32X3/4	T-10
81030	6-32X1	T-10
81040	6-32X1 1/2	T-10
81048	8-32X1/4	T-15
81050	8-32X3/8	T-15
81060	8-32X1/2	T-15
81065	8-32X5/8	T-15
81070	8-32X3/4	T-15
81080	8-32X1	T-15
81090	8-32X1 1/4	T-15
81100	8-32X1 1/2	T-15
81105	8-32X2	T-15
81110	10-24X3/8	T-25
81120	10-24X1/2	T-25
81130	10-24X3/4	T-25
81140	10-24X1	T-25
81150	10-24X1 1/4	T-25
81160	10-24X1 1/2	T-25
81170	10-32X3/8	T-25
81180	10-32X1/2	T-25
81190	10-32X3/4	T-25
81200	10-32X1	T-25
81210	10-32X1 1/4	T-25
81220	10-32X1 1/2	T-25
81222	10-32X1 3/4	T-25
81224	12-24X1/2	T-25
81225	12-24X3/4	T-25
81227	12-24X1	T-25
81229	1/4-20X1/4	T-27
81230	1/4-20X3/8	T-27
81240	1/4-20X1/2	T-27
81250	1/4-20X5/8	T-27
81260	1/4-20X3/4	T-27
81270	1/4-20X1	T-27
81280	1/4-20X1 1/4	T-27
81282	1/4-20X1 1/2	T-27
81285	1/4-20X2	T-27
81287	1/4-20X2 1/2	T-27
81288	1/4-20X3	T-27

Button Head Socket Torx Screws 18-8 Stainless Steel



P/N	Size	Drive
90000	4-40X1/4	T-8
90010	4-40X3/8	T-8
90020	4-40X1/2	T-8
90040	4-40X3/4	T-8
90045	4-40X1	T-8
90995	6-32X1/4	T-10
91000	6-32X3/8	T-10
91010	6-32X1/2	T-10
91015	6-32X5/8	T-10
91020	6-32X3/4	T-10
91030	6-32X1	T-10
91040	6-32X1 1/2	T-10
91042	8-32X1/4	T-15
91045	8-32X5/16	T-15
91050	8-32X3/8	T-15
91060	8-32X1/2	T-15
91070	8-32X3/4	T-15
91080	8-32X1	T-15
91090	8-32X1 1/4	T-15
91100	8-32X1 1/2	T-15
91102	8-32X1 3/4	T-15
91105	8-32X2	T-15
91110	10-24X3/8	T-25
91120	10-24X1/2	T-25
91125	10-24X5/8	T-25
91130	10-24X3/4	T-25
91140	10-24X1	T-25
91150	10-24X1 1/4	T-25
91160	10-24X1 1/2	T-25
91169	10-32X3/16	T-25
91170	10-32X3/8	T-25
91180	10-32X1/2	T-25
91185	10-32X5/8	T-25
91190	10-32X3/4	T-25
91200	10-32X1	T-25
91210	10-32X1 1/4	T-25
91220	10-32X1 1/2	T-25
91229	1/4-20X1/4	T-27
91230	1/4-20X3/8	T-27
91240	1/4-20X1/2	T-27
91250	1/4-20X5/8	T-27
91260	1/4-20X3/4	T-27
91270	1/4-20X1	T-27
91273	1/4-20X1 1/4	T-27
91275	1/4-20X1 1/2	T-27
91277	1/4-20X1 3/4	T-27
91278	1/4-20X2	T-27
91280	1/4-20X2 1/2	T-27



Tamper-Resistant

Button Head Socket Torx Screws Alloy Steel



P/N	Size	Drive
75002	5/16-18X1/2	T-40
75004	5/16-18X5/8	T-40
75006	5/16-18X3/4	T-40
75010	5/16-18X1	T-40
75014	5/16-18X1 1/4	T-40
75018	5/16-18X1 1/2	T-40
75022	5/16-18X1 3/4	T-40
75026	5/16-18X2	T-40
75202	3/8-16X1/2	T-45
75204	3/8-16X5/8	T-45
75206	3/8-16X3/4	T-45
75210	3/8-16X1	T-45
75214	3/8-16X1 1/4	T-45
75218	3/8-16X1 1/2	T-45
75226	3/8-16X2	T-45
75234	3/8-16X2 1/2	T-45

Button Head Socket Torx Screws 18-8 Stainless Steel



P/N	Size	Drive
75102	5/16-18X1/2	T-40
75104	5/16-18X5/8	T-40
75106	5/16-18X3/4	T-40
75110	5/16-18X1	T-40
75114	5/16-18X1 1/4	T-40
75118	5/16-18X1 1/2	T-40
75122	5/16-18X1 3/4	T-40
75126	5/16-18X2	T-40
75402	3/8-16X1/2	T-45
75404	3/8-16X5/8	T-45
75406	3/8-16X3/4	T-45
75410	3/8-16X1	T-45
75414	3/8-16X1 1/4	T-45
75418	3/8-16X1 1/2	T-45
75426	3/8-16X2	T-45
75434	3/8-16X2 1/2	T-45

Flat Head Socket Torx Screws Alloy Steel



P/N	Size	Drive
76004	5/16-18X5/8	T-40
76006	5/16-18X3/4	T-40
76010	5/16-18X1	T-40
76014	5/16-18X1 1/4	T-40
76018	5/16-18X1 1/2	T-40
76026	5/16-18X2	T-40
76030	5/16-18X2 1/4	T-40
76034	5/16-18X2 1/2	T-40
76206	3/8-16X3/4	T-45
76210	3/8-16X1	T-45
76214	3/8-16X1 1/4	T-45
76218	3/8-16X1 1/2	T-45
76226	3/8-16X2	T-45
76230	3/8-16X2 1/4	T-45
76234	3/8-16X2 1/2	T-45

Flat Head Socket Torx Screws 18-8 Stainless Steel



P/N	Size	Drive
76104	5/16-18X5/8	T-40
76106	5/16-18X3/4	T-40
76110	5/16-18X1	T-40
76114	5/16-18X1 1/4	T-40
76118	5/16-18X1 1/2	T-40
76126	5/16-18X2	T-40
76130	5/16-18X2 1/4	T-40
76134	5/16-18X2 1/2	T-40
76306	3/8-16X3/4	T-45
76310	3/8-16X1	T-45
76314	3/8-16X1 1/4	T-45
76318	3/8-16X1 1/2	T-45
76326	3/8-16X2	T-45
76330	3/8-16X2 1/4	T-45
76334	3/8-16X2 1/2	T-45



Tamper-Resistant

Flat Head Socket Torx Screws Alloy Steel



P/N	Size	Drive
81486	* 6-32X1/4	T-10
81490	6-32X3/8	T-15
81500	6-32X1/2	T-15
81510	6-32X3/4	T-15
81520	6-32X1	T-15
81530	6-32X1 1/2	T-15
81535	* 8-32X1/4	T-15
81540	8-32X3/8	T-20
81550	8-32X1/2	T-20
81552	8-32X5/8	T-20
81560	8-32X3/4	T-20
81570	8-32X1	T-20
81580	8-32X1 1/4	T-20
81590	8-32X1 1/2	T-20
81600	10-24X3/8	T-25
81610	10-24X1/2	T-25
81620	10-24X3/4	T-25
81630	10-24X1	T-25
81640	10-24X1 1/4	T-25
81650	10-24X1 1/2	T-25
81660	10-32X3/8	T-25
81670	10-32X1/2	T-25
81680	10-32X3/4	T-25
81690	10-32X1	T-25
81700	10-32X1 1/4	T-25
81710	10-32X1 1/2	T-25
81720	* 12-24X1/2	T-20
81730	12-24X3/4	T-25
81740	12-24X1	T-25
81750	* 1/4-20X3/8	T-27
81760	* 1/4-20X1/2	T-27
81770	1/4-20X5/8	T-30
81780	1/4-20X3/4	T-30
81790	1/4-20X1	T-30
81800	1/4-20X1 1/4	T-30
81804	1/4-20X1 1/2	T-30
81807	1/4-20X2	T-30

* Undercut

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

Flat Head Socket Torx Screws 18-8 Stainless Steel



P/N	Size	Drive
91485	* 6-32X1/4	T-10
91490	6-32X3/8	T-15
91500	6-32X1/2	T-15
91510	6-32X3/4	T-15
91520	6-32X1	T-15
91530	6-32X1 1/2	T-15
91538	* 8-32X1/4	T-15
91540	8-32X3/8	T-20
91550	8-32X1/2	T-20
91555	8-32X5/8	T-20
91560	8-32X3/4	T-20
91570	8-32X1	T-20
91580	8-32X1 1/4	T-20
91590	8-32X1 1/2	T-20
91595	8-32X2	T-20
91600	10-24X3/8	T-25
91605	10-24X1/2	T-25
91608	10-24X5/8	T-25
91610	10-24X3/4	T-25
91615	10-24X1	T-25
91620	10-24X1 1/4	T-25
91625	10-24X1 1/2	T-25
91630	10-32X3/8	T-25
91635	10-32X1/2	T-25
91640	10-32X3/4	T-25
91645	10-32X1	T-25
91650	10-32X1 1/4	T-25
91655	10-32X1 1/2	T-25
91660	* 12-24X1/2	T-20
91670	12-24X3/4	T-25
91680	12-24X1	T-25
91690	* 1/4-20X3/8	T-27
91700	* 1/4-20X1/2	T-27
91710	1/4-20X5/8	T-30
91720	1/4-20X3/4	T-30
91730	1/4-20X1	T-30
91740	1/4-20X1 1/4	T-30
91742	1/4-20X1 1/2	T-30
91744	1/4-20X1 3/4	T-30
91745	1/4-20X2	T-30
91750	1/4-20X2 1/2	T-30

* Undercut



Tamper-Resistant

**Button Head Sheet Metal Screws,
Type AB, Steel Black**



P/N	Size	Drive
81302	6X1/2	T-10
81310	6X3/4	T-10
81320	6X1	T-10
81330	6X1 1/2	T-10
81335	6X2	T-10
81337	8X3/8	T-15
81340	8X1/2	T-15
81350	8X3/4	T-15
81360	8X1	T-15
81370	8X1 1/4	T-15
81380	8X1 1/2	T-15
81390	10X1/2	T-25
81395	10X5/8	T-25
81400	10X3/4	T-25
81410	10X1	T-25
81420	10X1 1/4	T-25
81430	10X1 1/2	T-25
81435	10X2	T-25
81440	14X1/2	T-27
81450	14X3/4	T-27
81460	14X1	T-27
81470	14X1 1/4	T-27
81480	14X1 1/2	T-27

**Button Head Sheet Metal Screws,
Type AB, 18-8 Stainless Steel**



P/N	Size	Drive
91300	6X1/2	T-10
91310	6X3/4	T-10
91320	6X1	T-10
91330	6X1 1/2	T-10
91335	6X2	T-10
91337	8X3/8	T-15
91340	8X1/2	T-15
91350	8X3/4	T-15
91360	8X1	T-15
91370	8X1 1/4	T-15
91380	8X1 1/2	T-15
91390	10X1/2	T-25
91395	10X5/8	T-25
91400	10X3/4	T-25
91410	10X1	T-25
91420	10X1 1/4	T-25
91430	10X1 1/2	T-25
91433	12X1/2	T-25
91435	12X3/4	T-25
91436	12X1	T-25
91437	12X1 1/4	T-25
91438	12X1 1/2	T-25
91440	14X1/2	T-27
91450	14X3/4	T-27
91460	14X1	T-27
91470	14X1 1/4	T-27
91480	14X1 1/2	T-27
91482	14X2	T-27

Tamper-Resistant Self Drilling Screws

Pan Head 410 Stainless Steel, #2 Drill Pt.



P/N	Size	Drive
490000	8-18X1/2	T-20
490030	8-18X3/4	T-20
490040	8-18X1	T-20
490050	8-18X1 1/4	T-20
490300	10-16X1/2	T-25
490320	10-16X3/4	T-25
490340	10-16X1	T-25
490350	10-16X1 1/4	T-25
490360	10-16X1 1/2	T-25

TORX® is a registered trademark of Acument Intellectual Properties, LLC.



Tamper-Resistant

Flat Head Torx Sheet Metal Screws Type AB, Steel Black



P/N	Size	Drive
81830	6X1/2	T-15
81840	6X3/4	T-15
81850	6X1	T-15
81860	6X1 1/2	T-15
81870	8X1/2	T-20
81875	8X5/8	T-20
81880	8X3/4	T-20
81890	8X1	T-20
81900	8X1 1/4	T-20
81910	8X1 1/2	T-20
81915	8X1 3/4	T-20
81917	8X2	T-20
81930	10X3/4	T-25
81940	10X1	T-25
81950	10X1 1/4	T-25
81960	10X1 1/2	T-25
81970	14X5/8	T-30
81990	14X1	T-30
82000	14X1 1/4	T-30
82010	14X1 1/2	T-30

Flat Head Torx Sheet Metal Screws, Type AB, 18-8 Stainless Steel



P/N	Size	Drive
91773	6X1/2	T-15
91774	6X5/8	T-15
91776	6X3/4	T-15
91780	6X1	T-15
91790	6X1 1/2	T-15
91800	8X1/2	T-20
91805	8X5/8	T-20
91810	8X3/4	T-20
91820	8X1	T-20
91830	8X1 1/4	T-20
91840	8X1 1/2	T-20
91845	8X2	T-20
91850	10X1/2	T-25
91860	10X3/4	T-25
91870	10X1	T-25
91880	10X1 1/4	T-25
91890	10X1 1/2	T-25
91900	14X5/8	T-30
91910	14X3/4	T-30
91920	14X1	T-30
91930	14X1 1/4	T-30
91940	14X1 1/2	T-30

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

Security Torx Tools

<u>Tamper-Resistant Torx Insert Bits</u>	P/N	Size
	101000	T-10
	101010	T-15
	101020	T-20
	101030	T-25
	101040	T-27
	101050	T-30
	101060	T-40

<u>Adapter</u>	P/N	Description
 <i>*bits not included</i>	61218	1/4" Drive

<u>Tamper-Resistant Keys</u>	P/N	Size	Net Price
 <i>*Drilled on Both Ends</i>	101140	T-10	
	101150	T-15	
	101160	T-20	
	101170	T-25	
	101180	T-27	
	101190	T-30	
	101200	T-40	

<u>Magnetic Drivers</u>	P/N	Description
	61300	1/4" Magnetic Driver
	61310	5/16" Magnetic Driver

<u>1/4" Square Driver</u>	P/N	Description
	61215	1/4" Square Driver

Drilled Spanner Machine Screws

Pan Head Drilled Spanners 18-8 Stainless Steel



P/N	Size	Drive
120900	4-40X1/4	#4
120910	4-40X3/8	#4
120920	4-40X1/2	#4
120930	4-40X5/8	#4
120940	4-40X3/4	#4
120950	4-40X1	#4
120960	4-40X1 1/4	#4
120970	4-40X1 1/2	#4
121000	6-32X1/4	#6
121010	6-32X3/8	#6
121020	6-32X1/2	#6
121030	6-32X5/8	#6
121040	6-32X3/4	#6
121050	6-32X1	#6
121060	6-32X1 1/4	#6
121070	6-32X1 1/2	#6
121080	6-32X2	#6
121087	6-32X3	#6
121090	8-32X1/4	#8
121100	8-32X3/8	#8
121110	8-32X1/2	#8
121120	8-32X5/8	#8
121130	8-32X3/4	#8
121140	8-32X1	#8
121150	8-32X1 1/4	#8
121160	8-32X1 1/2	#8
121170	8-32X2	#8
121185	10-24X3/8	#10
121190	10-24X1/2	#10
121195	10-24X5/8	#10
121200	10-24X3/4	#10
121205	10-24X1	#10
121210	10-24X1 1/4	#10
121215	10-24X1 1/2	#10
121218	10-24X1 3/4	#10
121220	10-24X2	#10
121225	10-24X2 1/2	#10
121227	10-24X4	#10
121230	10-32X1/4	#10
121235	10-32X3/8	#10
121240	10-32X1/2	#10
121245	10-32X5/8	#10
121250	10-32X3/4	#10
121255	10-32X1	#10
121260	10-32X1 1/4	#10
121265	10-32X1 1/2	#10
121267	10-32X2	#10
121269	10-32X2 1/2	#10
121270	10-32X4	#10
121273	12-24X1/2	#12
121275	12-24X3/4	#12
121276	12-24X1	#12
121277	12-24X1 1/4	#12
121278	12-24X1 1/2	#12
121280	1/4-20X3/8	#14
121290	1/4-20X1/2	#14
121300	1/4-20X5/8	#14
121310	1/4-20X3/4	#14
121320	1/4-20X1	#14
121330	1/4-20X1 1/4	#14
121340	1/4-20X1 1/2	#14
121350	1/4-20X2	#14
121360	1/4-20X2 1/2	#14
121361	1/4-20X3	#14
121362	1/4-20X4	#14

Flat Head Drilled Spanners 18-8 Stainless Steel



P/N	Size	Drive
121682	* 4-40X1/4	#4
121683	4-40X3/8	#4
121684	4-40X1/2	#4
121685	4-40X5/8	#4
121686	4-40X3/4	#4
121687	4-40X1	#4
121688	4-40X1 1/4	#4
121689	4-40X1 1/2	#4
121690	6-32X1/4	#6
121700	6-32X3/8	#6
121710	6-32X1/2	#6
121720	6-32X5/8	#6
121730	6-32X3/4	#6
121740	6-32X1	#6
121750	6-32X1 1/4	#6
121760	6-32X1 1/2	#6
121770	6-32X2	#6
121790	8-32X3/8	#8
121800	8-32X1/2	#8
121810	8-32X5/8	#8
121820	8-32X3/4	#8
121830	8-32X1	#8
121840	8-32X1 1/4	#8
121850	8-32X1 1/2	#8
121860	8-32X2	#8
121875	10-24X3/8	#10
121880	10-24X1/2	#10
121885	10-24X5/8	#10
121890	10-24X3/4	#10
121893	10-24X7/8	#10
121895	10-24X1	#10
121900	10-24X1 1/4	#10
121905	10-24X1 1/2	#10
121910	10-24X2	#10
121925	10-32X3/8	#10
121930	10-32X1/2	#10
121935	10-32X5/8	#10
121940	10-32X3/4	#10
121942	10-32X7/8	#10
121945	10-32X1	#10
121950	10-32X1 1/4	#10
121955	10-32X1 1/2	#10
121957	10-32X2	#10
121959	10-32X2 1/2	#10
121961	12-24X1/2	#12
121963	12-24X3/4	#12
121964	12-24X1	#12
121965	12-24X1 1/4	#12
121966	12-24X1 1/2	#12
121970	* 1/4-20X3/8	#14
121980	* 1/4-20X1/2	#14
121990	1/4-20X5/8	#14
122000	1/4-20X3/4	#14
122010	1/4-20X1	#14
122020	1/4-20X1 1/4	#14
122030	1/4-20X1 1/2	#14
122040	1/4-20X2	#14
122050	1/4-20X2 1/2	#14

* Undercut

Drilled Spanner Sheet Metal Screws

Pan Head Drilled Spanners 18-8 Stainless Steel, Type AB



P/N	Size
121363	4X3/8
121364	4X1/2
121365	4X5/8
121366	4X3/4
121367	4X1
121369	4X1 1/2
121370	6X3/8
121380	6X1/2
121390	6X5/8
121400	6X3/4
121410	6X1
121420	6X1 1/4
121430	6X1 1/2
121440	6X2
121450	8X3/8
121460	8X1/2
121470	8X5/8
121480	8X3/4
121490	8X1
121500	8X1 1/4
121510	8X1 1/2
121515	8X1 3/4
121520	8X2
121530	10X3/8
121540	10X1/2
121550	10X5/8
121560	10X3/4
121570	10X1
121580	10X1 1/4
121590	10X1 1/2
121600	10X2
121602	10X2 1/2
121603	12X1/2
121605	12X3/4
121607	12X1
121609	12X1 1/4
121611	12X1 1/2
121614	12X2
121620	14X1/2
121630	14X5/8
121640	14X3/4
121650	14X1
121660	14X1 1/4
121670	14X1 1/2
121680	14X2

Flat Head Drilled Spanners 18-8 Stainless Steel, Type AB



P/N	Size
122052	4X1/4
122053	4X3/8
122054	4X1/2
122056	4X3/4
122057	4X1
122058	4X1 1/4
122059	4X1 1/2
122060	6X3/8
122070	6X1/2
122080	6X5/8
122090	6X3/4
122100	6X1
122110	6X1 1/4
122120	6X1 1/2
122130	6X2
122140	8X3/8
122150	8X1/2
122160	8X5/8
122170	8X3/4
122180	8X1
122190	8X1 1/4
122200	8X1 1/2
122210	8X2
122225	10X3/8
122230	10X1/2
122240	10X5/8
122250	10X3/4
122260	10X1
122270	10X1 1/4
122280	10X1 1/2
122290	10X2
122292	10X2 1/2
122295	12X1/2
122296	12X5/8
122297	12X3/4
122299	12X1
122301	12X1 1/4
122302	12X1 1/2
122304	12X2
122310	14X5/8
122320	14X3/4
122330	14X1
122340	14X1 1/4
122350	14X1 1/2
122360	14X2

Drilled Spanner Machine Screws

Truss Head, 18-8 Stainless Steel



P/N	Size	Drive
6000600	6-32X3/8	#6
6000610	6-32X1/2	#6
6000620	6-32X3/4	#6
6000630	6-32X1	#6
6000800	8-32X1/2	#8
6000810	8-32X5/8	#8
6000820	8-32X3/4	#8
6000840	8-32X1	#8
6000860	8-32X1 1/4	#8
6000900	8-32X1 1/2	#8
6000950	8-32X2	#8
6001000	8-32X2 1/2	#8
6001040	10-24X1/2	#10
6001060	10-24X3/4	#10
6001070	10-24X1	#10
6001080	10-24X1 1/2	#10
6001480	10-32X1/2	#10
6001490	10-32X5/8	#10
6001500	10-32X3/4	#10
6001510	10-32X1	#10
6001520	10-32X1 1/2	#10
6001640	1/4-20X1/2	#14
6001650	1/4-20X3/4	#14
6001800	1/4-20X1	#14
6001810	1/4-20X1 1/4	#14
6001820	1/4-20X1 1/2	#14
6001830	1/4-20X2	#14
6002040	5/16-18X3/4	#14
6002060	5/16-18X1	#14
6002080	5/16-18X1 1/4	#14
6002100	5/16-18X1 1/2	#14
6002120	5/16-18X2	#14
6002160	5/16-18X2 1/2	#14
6002540	3/8-16X1/2	#14
6002550	3/8-16X5/8	#14
6002560	3/8-16X3/4	#14
6002580	3/8-16X1	#14
6002600	3/8-16X1 1/4	#14
6002620	3/8-16X1 1/2	#14
6002640	3/8-16X2	#14
6002700	3/8-16X2 1/2	#14
6002740	3/8-16X3	#14

Drilled Spanner Tools

1/4 Drive Spanner Bits



P/N	Size
131000	#4
131010	#6
131020	#8
131030	#10
131040	#12
131050	#14

5/16 Drive Spanner Bits



P/N	Size
131060	#4
131070	#6
131080	#8
131090	#10
131100	#12
131110	#14

Adapters



**Bits not included*

P/N	Size
61218	1/4 Drive

Spanner Drivers



P/N	Size
131180	#4
131190	#6
131200	#8
131210	#10
131220	#12
131230	#14

Magnetic Drivers



P/N	Size
61300	1/4" Drive
61310	5/16" Drive

1/4" Square Drivers



P/N	Size
61215	1/4" Drive

One Way Round Head Machine Screws

Machine Screws,

Zinc Plated



P/N	Size
140984	4-40X1/4
140990	4-40X3/8
141000	4-40X1/2
141010	4-40X3/4
141020	4-40X1
141025	6-32X1/4
141030	6-32X3/8
141040	6-32X1/2
141050	6-32X3/4
141060	6-32X1
141070	6-32X1 1/2
141080	8-32X3/8
141090	8-32X1/2
141095	8-32X5/8
141100	8-32X3/4
141110	8-32X1
141120	8-32X1 1/2
141130	8-32X2
141139	10-24X3/8
141140	10-24X1/2
141150	10-24X3/4
141160	10-24X1
141169	10-24X1 1/4
141170	10-24X1 1/2
141180	10-24X2
141185	10-32X3/8
141190	10-32X1/2
141191	10-32X5/8
141200	10-32X3/4
141210	10-32X1
141219	10-32X1 1/4
141220	10-32X1 1/2
141230	10-32X2
141240	12-24X1/2
141250	12-24X3/4
141260	12-24X1
141270	12-24X1 1/2
141278	1/4-20X3/8
141279	1/4-20X7/16
141280	1/4-20X1/2
141290	1/4-20X3/4
141300	1/4-20X1
141301	1/4-20X1 1/4
141310	1/4-20X1 1/2
141320	1/4-20X2
141330	1/4-20X2 1/2
141340	1/4-20X3
141350	* 5/16-18X1/2
141360	* 5/16-18X3/4
141370	* 5/16-18X1
141375	* 5/16-18X1 1/4
141380	* 5/16-18X1 1/2
141390	* 5/16-18X2
141400	* 5/16-18X2 1/2
141402	* 5/16-18X3

Machine Screws, 18-8 Stainless Steel



P/N	Size
141403	4-40X3/8
141404	4-40X1/2
141405	4-40X3/4
141406	4-40X1
141407	6-32X3/16
141408	6-32X1/4
141409	6-32X3/8
141410	6-32X1/2
141420	6-32X3/4
141430	6-32X1
141432	6-32X1 1/2
141433	8-32X1/4
141435	8-32X3/8
141440	8-32X1/2
141450	8-32X3/4
141460	8-32X1
141470	8-32X1 1/2
141480	10-24X1/2
141490	10-24X3/4
141500	10-24X1
141501	10-24X1 1/4
141503	10-24X1 1/2
141507	10-32X1/4
141509	10-32X3/8
141512	10-32X1/2
141513	10-32X5/8
141514	10-32X3/4
141515	10-32X1
141516	10-32X1 1/4
141517	10-32X1 1/2
141520	1/4-20X1/2
141530	1/4-20X3/4
141540	1/4-20X1
141545	1/4-20X1 1/4
141550	1/4-20X1 1/2
141560	1/4-20X2

One Way Removal Tools

P/N	10.00 each	Size
151440	For Removal of 6 & 8 Screws	#410
151450	For Removal of 8 & 10 Screws	#510
151460	For Removal of 12 & 14 Screws	#610



* All 5/16 Dia. Screws Are Stocked with a Truss Head

One Way Round Head

Sheet Metal Screws, Type AB, Zinc Plated



P/N	Size
150120	4X1/2
150130	4X3/4
150135	4X1
150190	6X3/8
151000	6X1/2
151005	6X5/8
151010	6X3/4
151020	6X1
151028	6X1 3/8
151030	6X1 1/2
151035	8X3/8
151040	8X1/2
151050	8X5/8
151060	8X3/4
151070	8X1
151080	8X1 1/4
151090	8X1 1/2
151100	8X2
151101	8X2 1/2
151110	10X1/2
151120	10X3/4
151130	10X1
151140	10X1 1/4
151150	10X1 1/2
151160	10X2
151170	10X2 1/2
151180	12X1/2
151190	12X3/4
151200	12X1
151210	12X1 1/2
151220	14X1/2
151230	14X3/4
151240	14X1
151245	14X1 1/4
151250	14X1 1/2
151260	14X2
151270	14X2 1/2
151280	14X3

Sheet Metal Screws, 18-8 Stainless Steel



P/N	Size
151282	4X1/2
151283	4X3/4
151284	4X1/2
151285	6X1/4
151287	6X3/8
151290	6X1/2
151300	6X3/4
151310	6X1
151315	6X1 1/4
151317	6X1 1/2
151318	8X3/8
151320	8X1/2
151330	8X3/4
151340	8X1
151345	8X1 1/4
151350	8X1 1/2
151355	8X2
151360	10X1/2
151370	10X3/4
151380	10X1
151385	10X1 1/4
151390	10X1 1/2
151391	10X2
151393	12X1/2
151394	12X3/4
151395	12X1
151396	12X1 1/4
151397	12X1 1/2
151398	12X2
151400	14X1/2
151410	14X3/4
151420	14X1
151425	14X1 1/4
151430	14X1 1/2



One Way Removal Tools

P/N	10.00 each	Size
151440	For Removal of 6 & 8 Screws	#410
151450	For Removal of 8 & 10 Screws	#510
151460	For Removal of 12 & 14 Screws	#610

ONE WAY OVAL HEAD SCREWS

Machine Screws, Zinc Plated



P/N	Size
160000	6-32X3/8
160997	6-32X1/2
161010	6-32X3/4
161020	6-32X1
161030	6-32X1 1/2
161035	8-32X3/8
161040	8-32X1/2
161045	8-32X5/8
161050	8-32X3/4
161060	8-32X1
161065	8-32X1 1/4
161070	8-32X1 1/2
161080	10-24X1/2
161085	10-24X5/8
161090	10-24X3/4
161100	10-24X1
161110	10-24X1 1/2
161120	1/4-20X1/2
161130	1/4-20X3/4
161140	1/4-20X1
161150	1/4-20X1 1/2
161160	1/4-20X2



One Way Removal Tools

P/N	10.00 each	Size
151440	For Removal of 6 & 8 Screws	#410
151450	For Removal of 8 & 10 Screws	#510
151460	For Removal of 12 & 14 Screws	#610

Sheet Metal Screws, Zinc Plated, Type AB



P/N	Size
161170	6X1/2
161180	6X3/4
161190	6X1
161195	6X1 1/4
161200	6X1 1/2
161210	8X1/2
161220	8X3/4
161230	8X1
161235	8X1 1/4
161240	8X1 1/2
161245	8X2
161250	10X1/2
161260	10X3/4
161270	10X1
161275	10X1 1/4
161280	10X1 1/2
161290	10X2
121292	10X2 1/4
161295	10X2 1/2
161300	14X1/2
161310	14X3/4
161320	14X1
161330	14X1 1/2
161340	14X2

One Way Oval 18-8 Stainless Steel Sheet Metal Screws

P/N	Size
165510	6X1/2
165520	6X5/8
165530	6X3/4
165540	6X1
165550	6X1 1/4
165560	6X1 1/2
165570	8X3/8
165580	8X1/2
165590	8X5/8
165595	8X3/4
165600	8X1
165610	8X1 1/4
165620	8X1 1/2
165630	8X2
165640	10X1/2
165650	10X5/8
165655	10X3/4
165660	10X1
165670	10X1 1/4
165680	10X1 1/2
165685	10X2
165690	14X1/2
165700	14X5/8
165710	14X3/4
165720	14X1
165730	14X1 1/4
165740	14X1 1/2

One Way Truss Head Barrel Nuts, Chrome Plated



P/N	Size
171050	10-24X1/2
171060	10-24X5/8

One Way Truss Head Shoulder Screws, Chrome Plated



P/N	Size
171000	10-24X3/4
171010	10-24X15/16
171020	10-24X1 1/16
171030	10-24X1 3/16
171040	10-24X1 5/16

Aluminum Break Away Nuts



P/N	Size
171070	10-24
171080	1/4-20
171090	5/16-18
171100	3/8-16
171110	* 1/2-13

* Zinc die cast

**Button Head Torx-Plus Socket Screws,
Alloy Steel**



P/N	Size	Drive
181000	6-32X3/8	10IPR
181020	6-32X1/2	10IPR
181040	6-32X3/4	10IPR
181060	6-32X1	10IPR
181080	6-32X1 1/2	10IPR
181100	8-32X3/8	15IPR
181120	8-32X1/2	15IPR
181140	8-32X3/4	15IPR
181160	8-32X1	15IPR
181180	8-32X1 1/4	15IPR
181200	8-32X1 1/2	15IPR
181220	10-24X3/8	25IPR
181240	10-24X1/2	25IPR
181260	10-24X3/4	25IPR
181280	10-24X1	25IPR
181300	10-24X1 1/4	25IPR
181320	10-24X1 1/2	25IPR
181340	10-32X3/8	25IPR
181360	10-32X1/2	25IPR
181380	10-32X3/4	25IPR
181400	10-32X1	25IPR
181420	10-32X1 1/4	25IPR
181440	10-32X1 1/2	25IPR
181460	1/4-20X3/8	27IPR
181480	1/4-20X1/2	27IPR
181500	1/4-20X5/8	27IPR
181520	1/4-20X3/4	27IPR
181540	1/4-20X1	27IPR
181560	1/4-20X1 1/4	27IPR
181580	1/4-20X1 1/2	27IPR

**Button Head Torx-Plus Socket Screws,
18-8 Stainless Steel**



P/N	Size	Drive
191000	6-32X3/8	10IPR
191020	6-32X1/2	10IPR
191040	6-32X3/4	10IPR
191060	6-32X1	10IPR
191080	6-32X1 1/2	10IPR
191100	8-32X3/8	15IPR
191120	8-32X1/2	15IPR
191140	8-32X3/4	15IPR
191160	8-32X1	15IPR
191180	8-32X1 1/4	15IPR
191200	8-32X1 1/2	15IPR
191220	10-24X3/8	25IPR
191240	10-24X1/2	25IPR
191260	10-24X3/4	25IPR
191280	10-24X1	25IPR
191300	10-24X1 1/4	25IPR
191320	10-24X1 1/2	25IPR
191340	10-32X3/8	25IPR
191360	10-32X1/2	25IPR
191380	10-32X3/4	25IPR
191400	10-32X1	25IPR
191420	10-32X1 1/4	25IPR
191440	10-32X1 1/2	25IPR
191460	1/4-20X3/8	27IPR
191480	1/4-20X1/2	27IPR
191500	1/4-20X5/8	27IPR
191520	1/4-20X3/4	27IPR
191540	1/4-20X1	27IPR
191560	1/4-20X1 1/4	27IPR
191580	1/4-20X1 1/2	27IPR

**Flat Head Torx-Plus Socket Screws,
Alloy Steel**



P/N	Size	Drive
182980	6-32X3/8	15IPR
183000	6-32X1/2	15IPR
183020	6-32X3/4	15IPR
183040	6-32X1	15IPR
183060	6-32X1 1/2	15IPR
183065	* 8-32X1/4	15IPR
183070	8-32X3/8	20IPR
183080	8-32X1/2	20IPR
183090	8-32X3/4	20IPR
183100	8-32X1	20IPR
183120	8-32X1 1/4	20IPR
183160	8-32X1 1/2	20IPR
183170	* 10-24X1/4	20IPR
183180	10-24X3/8	25IPR
183200	10-24X1/2	25IPR
183220	10-24X3/4	25IPR
183240	10-24X1	25IPR
183260	10-24X1 1/4	25IPR
183280	10-24X1 1/2	25IPR
183300	10-32X3/8	25IPR
183320	10-32X1/2	25IPR
183340	10-32X3/4	25IPR
183360	10-32X1	25IPR
183380	10-32X1 1/2	25IPR
183420	* 12-24X1/2	20IPR
183440	12-24X3/4	25IPR
183460	12-24X1	25IPR
183480	* 1/4-20X3/8	27IPR
183500	* 1/4-20X1/2	27IPR
183540	1/4-20X3/4	30IPR
183560	1/4-20X1	30IPR
183580	1/4-20X1 1/4	30IPR
183600	1/4-20X1 1/2	30IPR

* Undercut

TORX PLUS[®] is a registered trademark of Acument Intellectual Properties, LLC.

**Flat Head Torx-Plus Socket Screws,
18-8 Stainless Steel**



P/N	Size	Drive
192970	* 6-32X1/4	10IPR
192980	6-32X3/8	15IPR
193000	6-32X1/2	15IPR
193020	6-32X3/4	15IPR
193040	6-32X1	15IPR
193060	6-32X1 1/2	15IPR
193070	* 8-32X1/4	15IPR
193080	8-32X3/8	20IPR
193100	8-32X1/2	20IPR
193120	8-32X3/4	20IPR
193140	8-32X1	20IPR
193160	8-32X1 1/4	20IPR
193180	8-32X1 1/2	20IPR
193200	10-24X3/8	25IPR
193220	10-24X1/2	25IPR
193240	10-24X3/4	25IPR
193260	10-24X1	25IPR
193280	10-24X1 1/4	25IPR
193300	10-24X1 1/2	25IPR
193320	10-32X3/8	25IPR
193340	10-32X1/2	25IPR
193360	10-32X3/4	25IPR
193380	10-32X1	25IPR
193400	10-32X1 1/4	25IPR
193420	10-32X1 1/2	25IPR
193440	* 12-24X1/2	20IPR
193460	12-24X3/4	25IPR
193480	12-24X1	25IPR
193500	* 1/4-20X3/8	27IPR
193520	* 1/4-20X1/2	27IPR
193540	1/4-20X5/8	30IPR
193560	1/4-20X3/4	30IPR
193580	1/4-20X1	30IPR
193600	1/4-20X1 1/4	30IPR
193620	1/4-20X1 1/2	30IPR

* Undercut



Tamper-Resistant

Button Head Torx-Plus Sheet Metal Screws, Type AB

Steel, Black Oxide



P/N	Size	Drive
182600	6X1/2	10IPR
182620	6X3/4	10IPR
182640	6X1	10IPR
182660	6X1 1/2	10IPR
182680	8X1/2	15IPR
182700	8X3/4	15IPR
182720	8X1	15IPR
182740	8X1 1/4	15IPR
182760	8X1 1/2	15IPR
182780	10X1/2	25IPR
182800	10X3/4	25IPR
182820	10X1	25IPR
182840	10X1 1/4	25IPR
182860	10X1 1/2	25IPR
182880	14X1/2	27IPR
182900	14X3/4	27IPR
182920	14X1	27IPR
182940	14X1 1/4	27IPR
182960	14X1 1/2	27IPR

18-8 Stainless Steel



P/N	Size	Drive
192600	6X1/2	10IPR
192620	6X3/4	10IPR
192640	6X1	10IPR
192660	6X1 1/2	10IPR
192680	8X1/2	15IPR
192700	8X3/4	15IPR
192720	8X1	15IPR
192740	8X1 1/4	15IPR
192760	8X1 1/2	15IPR
192780	10X1/2	25IPR
192800	10X3/4	25IPR
192820	10X1	25IPR
192840	10X1 1/4	25IPR
192860	10X1 1/2	25IPR
192880	14X1/2	27IPR
192900	14X3/4	27IPR
192920	14X1	27IPR
192940	14X1 1/4	27IPR
192960	14X1 1/2	27IPR

TORX PLUS[®] is a registered trademark of Acument Intellectual Properties, LLC.

Flat Head Torx-Plus Sheet Metal Screws, Type AB

Steel, Black



P/N	Size	Drive
184640	6X1/2	15IPR
184660	6X3/4	15IPR
184680	6X1	15IPR
184700	6X1 1/2	15IPR
184720	8X1/2	20IPR
184740	8X3/4	20IPR
184760	8X1	20IPR
184780	8X1 1/4	20IPR
184800	8X1 1/2	20IPR
184810	8X2	20IPR
184820	10X1/2	25IPR
184840	10X3/4	25IPR
184860	10X1	25IPR
184880	10X1 1/4	25IPR
184900	10X1 1/2	25IPR
184920	14X5/8	30IPR
184940	14X3/4	30IPR
184960	14X1	30IPR
184980	14X1 1/4	30IPR
185000	14X1 1/2	30IPR

18-8 Stainless Steel



P/N	Size	Drive
194640	6X1/2	15IPR
194660	6X3/4	15IPR
194680	6X1	15IPR
194700	6X1 1/2	15IPR
194720	8X1/2	20IPR
194740	8X3/4	20IPR
194760	8X1	20IPR
194780	8X1 1/4	20IPR
194800	8X1 1/2	20IPR
194820	10X1/2	25IPR
194840	10X3/4	25IPR
194860	10X1	25IPR
194880	10X1 1/4	25IPR
194900	10X1 1/2	25IPR
194906	12X5/8	25IPR
194907	12X3/4	25IPR
194908	12X1	25IPR
194909	12X1 1/4	25IPR
194910	12X1 1/2	25IPR
194920	14X5/8	30IPR
194940	14X3/4	30IPR
194960	14X1	30IPR
194980	14X1 1/4	30IPR
195000	14X1 1/2	30IPR

Metric Drilled Spanner Machine Screws

Pan Head Drilled Spanner Machine Screws, 18-8 Stainless Steel



Flat Head Drilled Spanner Machine Screws, 18-8 Stainless Steel



P/N	Size	Driver
201000	M3-0.5X10MM	#4
201010	M3-0.5X12MM	#4
201020	M3-0.5X16MM	#4
201022	M3-0.5X20MM	#4
201023	M3-0.5X25MM	#4
201024	M3-0.5X30MM	#4
201025	M4-0.7X6MM	#8
201030	M4-0.7X10MM	#8
201040	M4-0.7X12MM	#8
201050	M4-0.7X16MM	#8
201060	M4-0.7X20MM	#8
201070	M4-0.7X25MM	#8
201080	M5-0.8X12MM	#10
201090	M5-0.8X16MM	#10
202000	M5-0.8X20MM	#10
202010	M5-0.8X25MM	#10
202020	M5-0.8X30MM	#10
202030	M6-1.0X12MM	#14
202040	M6-1.0X14MM	#14
202045	M6-1.0X16MM	#14
202050	M6-1.0X20MM	#14
202060	M6-1.0X25MM	#14
202070	M6-1.0X30MM	#14
202080	M6-1.0X40MM	#14

P/N	Size	Driver
202095	M3-0.5X8MM	#4
203000	M3-0.5X10MM	#4
203010	M3-0.5X12MM	#4
203020	M3-0.5X16MM	#4
203024	M3-0.5X20MM	#4
203027	M3-0.5X25MM	#4
203030	M3-0.5X30MM	#4
203035	M3-0.5X35MM	#4
203040	M4-0.7X10MM	#8
203050	M4-0.7X12MM	#8
203060	M4-0.7X16MM	#8
203070	M4-0.7X20MM	#8
203080	M4-0.7X25MM	#8
203085	M4-0.7X30MM	#8
203090	M4-0.7X35MM	#8
203100	M4-0.7X40MM	#8
204000	M5-0.8X12MM	#10
204010	M5-0.8X16MM	#10
204020	M5-0.8X20MM	#10
204030	M5-0.8X25MM	#10
204040	M5-0.8X30MM	#10
204050	M5-0.8X35MM	#10
204060	M6-1.0X12MM	#14
204065	M6-1.0X16MM	#14
204070	M6-1.0X20MM	#14
204080	M6-1.0X25MM	#14
204090	M6-1.0X30MM	#14
205000	M6-1.0X40MM	#14

Metric Tamper-Resistant Hex Sockets

Button Head Hex Socket 18-8 Stainless Steel



Flat Head Hex Socket 18-8 Stainless Steel



P/N	Size	Drive
209980	M3-0.5X6MM	3/32
209990	M3-0.5X8MM	3/32
210000	M3-0.5X10MM	3/32
210010	M3-0.5X12MM	3/32
210020	M3-0.5X16MM	3/32
210025	M4-0.7X6MM	5/32
210028	M4-0.7X8MM	5/32
210030	M4-0.7X10MM	5/32
210040	M4-0.7X12MM	5/32
210050	M4-0.7X16MM	5/32
210060	M4-0.7X20MM	5/32
210070	M4-0.7X25MM	5/32
210080	M4-0.7X30MM	5/32
210085	M4-0.7X35MM	5/32
210090	M4-0.7X40MM	5/32
210092	M5-0.8X6MM	5/32
210093	M5-0.8X8MM	5/32
210095	M5-0.8X10MM	5/32
210100	M5-0.8X12MM	5/32
210130	M5-0.8X16MM	5/32
210140	M5-0.8X20MM	5/32
210150	M5-0.8X25MM	5/32
210160	M5-0.8X30MM	5/32
210170	M5-0.8X40MM	5/32
210180	M5-0.8X50MM	5/32
210190	M5-0.8X60MM	5/32
210193	M6-1.0X6MM	5/32
210194	M6-1.0X8MM	5/32
210195	M6-1.0X10MM	5/32
210200	M6-1.0X12MM	5/32
210210	M6-1.0X16MM	5/32
210220	M6-1.0X20MM	5/32
210030	M6-1.0X22MM	5/32
210240	M6-1.0X25MM	5/32
210242	M6-1.0X30MM	5/32
210250	M6-1.0X40MM	5/32
210260	M6-1.0X50MM	5/32
210270	M6-1.0X60MM	5/32

P/N	Size	Drive
210475	M3-0.5X8MM	3/32
210480	M3-0.5X10MM	3/32
210490	M3-0.5X12MM	3/32
210500	M3-0.5X16MM	3/32
210505	M4-0.7X6MM	5/32
210510	M4-0.7X10MM	5/32
210520	M4-0.7X12MM	5/32
210540	M4-0.7X16MM	5/32
210550	M4-0.7X20MM	5/32
210560	M4-0.7X25MM	5/32
210570	M4-0.7X30MM	5/32
210580	M4-0.7X40MM	5/32
210582	M5-0.8X8MM	5/32
210585	M5-0.8X10MM	5/32
210590	M5-0.8X12MM	5/32
210600	M5-0.8X16MM	5/32
210610	M5-0.8X20MM	5/32
210620	M5-0.8X25MM	5/32
210630	M5-0.8X30MM	5/32
210640	M5-0.8X40MM	5/32
210650	M5-0.8X50MM	5/32
210660	M5-0.8X60MM	5/32
210670	M6-1.0X12MM	5/32
210680	M6-1.0X16MM	5/32
210690	M6-1.0X20MM	5/32
210700	M6-1.0X25MM	5/32
210710	M6-1.0X30MM	5/32
210720	M6-1.0X40MM	5/32
210730	M6-1.0X50MM	5/32
210740	M6-1.0X60MM	5/32

***SPECIAL ITEM PLEASE CALL FOR QUOTE



Tamper-Resistant- METRIC

Button Head Torx 18-8 Stainless Steel



P/N	Size	Drive
230000	M3-0.5X10MM	T-8
230020	M3-0.5X12MM	T-8
230040	M3-0.5X16MM	T-8
230060	M4-0.7X10MM	T-15
230080	M4-0.7X12MM	T-15
230100	M4-0.7X16MM	T-15
230120	M4-0.7X20MM	T-15
230140	M4-0.7X25MM	T-15
230160	M4-0.7X30MM	T-15
230180	M4-0.7X40MM	T-15
230190	M5-0.8X10MM	T-25
230200	M5-0.8X12MM	T-25
230220	M5-0.8X16MM	T-25
230240	M5-0.8X20MM	T-25
230260	M5-0.8X25MM	T-25
230280	M5-0.8X30MM	T-25
230300	M5-0.8X40MM	T-25
230310	M5-0.8X50MM	T-25
230320	M5-0.8X60MM	T-25
230360	M6-1.0X12MM	T-27
230380	M6-1.0X16MM	T-27
230400	M6-1.0X20MM	T-27
230440	M6-1.0X25MM	T-27
230460	M6-1.0X30MM	T-27
230480	M6-1.0X40MM	T-27
230500	M6-1.0X50MM	T-27
230510	M6-1.0X60MM	T-27

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

Flat Head Torx 18-8 Stainless Steel



P/N	Size	Drive
230520	M3-0.5X6MM	T-10
230530	M3-0.5X8MM	T-10
230540	M3-0.5X10MM	T-10
230560	M3-0.5X12MM	T-10
230580	M3-0.5X16MM	T-10
230586	M3.5-0.6X8MM	T-15
230588	M3.5-0.6X10MM	T-15
230590	M3.5-0.6X12MM	T-15
230592	M3.5-0.6X20MM	T-15
230594	M3.5-0.6X25MM	T-15
230596	M3.5-0.6X30MM	T-15
230600	M4-0.7X10MM	T-20
230620	M4-0.7X12MM	T-20
230640	M4-0.7X16MM	T-20
230660	M4-0.7X20MM	T-20
230680	M4-0.7X25MM	T-20
230700	M4-0.7X30MM	T-20
230720	M4-0.7X40MM	T-20
230730	M5-0.8X10MM	T-25
230740	M5-0.8X12MM	T-25
230760	M5-0.8X16MM	T-25
230780	M5-0.8X20MM	T-25
230800	M5-0.8X25MM	T-25
230820	M5-0.8X30MM	T-25
230840	M5-0.8X40MM	T-25
230850	M5-0.8X50MM	T-25
230860	M5-0.8X60MM	T-25
230900	M6-1.0X12MM	T-30
230920	M6-1.0X16MM	T-30
230940	M6-1.0X20MM	T-30
230960	M6-1.0X25MM	T-30
230980	M6-1.0X30MM	T-30
231000	M6-1.0X40MM	T-30
231020	M6-1.0X50MM	T-30
231030	M6-1.0X60MM	T-30



Machine Screws, Zinc Plated, Non-Tamper-Resistant

Button Head



P/N	Size	Drive
400000	6-32X3/8	T-10
400005	6-32X1/2	T-10
400007	6-32X3/4	T-10
400008	6-32X1	T-10
400020	6-32X1 1/4	T-10
400040	6-32X1 1/2	T-10
400060	6-32X2	T-10
400080	8-32X1/2	T-15
400100	8-32X3/4	T-15
400120	8-32X1	T-15
400140	8-32X1 1/4	T-15
400160	8-32X1 1/2	T-15
400180	8-32X2	T-15
400200	10-24X1/2	T-25
400220	10-24X3/4	T-25
400240	10-24X1	T-25
400260	10-24X1 1/4	T-25
400280	10-24X1 1/2	T-25
400300	10-24X2	T-25
400320	10-24X2 1/2	T-25
400330	1/4-20X1/2	T-27
400340	1/4-20X3/4	T-27
400360	1/4-20X1	T-27
400380	1/4-20X1 1/4	T-27
400400	1/4-20X1 1/2	T-27
400420	1/4-20X2	T-27
400440	1/4-20X2 1/2	T-27
400460	1/4-20X3	T-27

Flat Head



P/N	Size	Drive
400480	4-40X1/2	T-8
400490	4-40X5/8	T-8
400500	4-40X3/4	T-8
400520	4-40X1	T-8
400530	6-32X3/8	T-10
400540	6-32X1/2	T-10
400560	6-32X3/4	T-10
400580	6-32X1	T-10
400585	6-32X1 1/4	T-10
400590	6-32X1 1/2	T-10
400595	6-32X2	T-10
400600	8-32X1/2	T-15
400620	8-32X3/4	T-15
400640	8-32X1	T-15
400645	8-32X1 1/4	T-15
400650	8-32X1 1/2	T-15
400660	10-24X1/2	T-20
400680	10-24X3/4	T-20
400700	10-24X1	T-20
400705	10-24X1 1/4	T-20
400710	10-24X1 1/2	T-20
400715	10-24X2	T-20
400718	10-24X2 1/2	T-20
400720	1/4-20X3/4	T-27
400740	1/4-20X1	T-27
400760	1/4-20X1 1/4	T-27
400770	1/4-20X1 1/2	T-27
400772	1/4-20X2	T-27
400775	1/4-20X2 1/2	T-27
400776	1/4-20X3	T-27

Pan Head Torx Type AB Sheet Metal Screws, Zinc Plated

(Non -Tamper-Resistant)



P/N	Size	Drive
400780	4X1/4	T-10
400800	4X3/8	T-10
400820	4X1/2	T-10
400840	4X5/8	T-10
400860	6X3/8	T-15
400880	6X1/2	T-15
400900	6X5/8	T-15
400920	6X3/4	T-15
400940	6X7/8	T-15
400960	6X1	T-15
400980	6X1 1/4	T-15
401000	8X1/2	T-20
401020	8X3/4	T-20
401040	8X7/8	T-20
401060	8X1	T-20
401080	8X1 1/4	T-20
401100	8X1 1/2	T-20

P/N	Size	Drive
401120	10X1/2	T-25
401140	10X5/8	T-25
401160	10X3/4	T-25
401180	10X7/8	T-25
401200	10X1	T-25
401220	10X1 1/4	T-25
401240	10X1 1/2	T-25
401260	10X1 3/4	T-25
401280	10X2	T-25
401290	12X1/2	T-27
401320	12X3/4	T-27
401360	12X1	T-27
401380	12X1 1/4	T-27

TORX® is a registered trademark of Acument Intellectual Properties, LLC.

TORX^{plus}® Plastite (Non-Tamper-Resistant)

Flat Head Torx-Plus Plastite

Steel, Zinc Plated



P/N	Size	Drive
440000	0-42X3/16	3IP
440050	0-42X1/4	3IP
440100	0-42X3/8	3IP
440300	2-28X1/4	6IP
440350	2-28X1/2	6IP
440500	4-20X1/4	6IP
440550	4-20X3/8	6IP
440600	4-20X1/2	6IP
440800	6-19X1/4	10IP
440900	6-19X1/2	10IP
440950	6-19X3/4	10IP
441300	8-16X1/4	15IP
441350	8-16X1/2	15IP
441400	8-16X3/4	15IP
441600	10-14X1/2	20IP
441650	10-14X3/4	20IP
441750	10-14X1 1/4	20IP
441800	10-14X1 1/2	20IP



Pan Head Torx-Plus Plastite

18-8 Stainless Steel

P/N	Size	Drive
450000	0-42X1/4	5IP
450050	0-42X3/8	5IP
450300	2-28X1/4	7IP
450350	2-28X3/8	7IP
450400	2-28X1/2	7IP
450600	4-20X1/4	10IP
450650	4-20X3/8	10IP
450700	4-20X1/2	10IP
450750	4-20X3/4	10IP
451000	6-19X1/4	15IP
451150	6-19X3/8	15IP
451200	6-19X1/2	15IP
451250	6-19X3/4	15IP
451400	8-16X3/8	20IP
451450	8-16X1/2	20IP

Pan Head Torx-Plus Plastite

Steel, Zinc Plated



P/N	Size	Drive
460000	0-42X3/16	3IP
460050	0-42X1/4	3IP
460100	0-42X3/8	3IP
460300	2-28X1/4	7IP
460350	2-28X3/8	7IP
460400	2-28X1/2	7IP
460600	4-20X1/4	10IP
460650	4-20X3/8	10IP
460700	4-20X1/2	10IP
460750	4-20X3/4	10IP
460900	6-19X1/4	15IP
460950	6-19X1/2	15IP
461050	6-19X3/4	15IP
461300	8-16X1/4	20IP
461400	8-16X1/2	20IP
461500	8-16X3/4	20IP
461550	8-16X1	20IP
461700	10-14X1/2	25IP
461800	10-14X3/4	25IP
461850	10-14X1	25IP
461900	10-14X1 1/4	25IP
461950	10-14X1 1/2	25IP
462200	1/4-10X1/2	30IP
462300	1/4-10X3/4	30IP
462350	1/4-10X1	30IP
462400	1/4-10X1 1/4	30IP
462450	1/4-10X1 1/2	30IP

Tri-Groove Round Head Screws

Machine Screws, Zinc Plated



P/N	Size	Drive
100	4-40X3/8	#4
105	4-40X1/2	#4
107	4-40X3/4	#4
109	6-32X3/8	#6
110	6-32X1/2	#6
115	6-32X5/8	#6
120	6-32X3/4	#6
125	8-32X3/8	#6
130	8-32X1/2	#6
133	8-32X5/8	#6
135	8-32X3/4	#6
140	8-32X1	#6
145	8-32X1 1/4	#6
148	8-32X1 1/2	#6
150	10-32X3/8	#10
155	10-32X1/2	#10
156	10-32X5/8	#10
160	10-32X3/4	#10
165	10-32X1	#10
167	10-32X1 1/4	#10
169	10-32X1 1/2	#10
170	10-24X3/8	#10
172	10-24X1/2	#10
175	10-24X5/8	#10
180	10-24X3/4	#10
185	10-24X1	#10
187	10-24X1 1/4	#10
189	10-24X1 1/2	#10
192	1/4-20X1/2	#10
194	1/4-20X5/8	#10
195	1/4-20X3/4	#10
197	1/4-20X1	#10
205	1/4-20X1 1/4	#10
207	1/4-20X1 1/2	#10
210	1/4-20X2	#10
220	1/4-20X2 1/2	#10
223	5/16-18X5/8	#20
225	5/16-18X3/4	#20
230	5/16-18X1	#20
232	5/16-18X1 1/4	#20
234	5/16-18X1 1/2	#20

Type AB, Sheet Metal Screws



P/N	Size	Drive
240	6X1/2	#6
245	6X5/8	#6
250	6X3/4	#6
255	6X1	#6
260	8X1/2	#6
262	8X3/4	#6
265	8X1	#6
266	8X1 1/2	#6
270	10X1/2	#10
275	10X3/4	#10
280	10X1	#10
285	10X1 1/4	#10
290	10X1 1/2	#10
295	10X2	#10
400	14X3/4	#10
410	14X1	#10
420	14X1 1/4	#10
425	14X1 1/2	#10
430	14X2	#10

Weights of Machine Screws and Tapping Screws

(Approximate weight of 100 steel screws in pounds)

Screw Size	2-56	3-48	4-40	5-40	6-32	8-32	10-24	10-32	12-24	1/4-20	5/16-18	3/8-16
Length (inches)												
3/16	.05	.07	.09	.12	.15	.25	.38	.39	-	-	-	-
1/4	.06	.08	.10	.14	.17	.28	.41	.43	.56	.85	-	-
5/16	.06	.09	.12	.15	.19	.31	.44	.46	.61	.91	1.67	-
3/8	.07	.09	.13	.17	.21	.34	.48	.50	.65	.98	1.77	2.92
7/16	.08	.10	.15	.19	.22	.36	.51	.54	.69	1.04	1.88	3.07
1/2	.08	.11	.16	.20	.24	.39	.54	.58	.74	1.11	1.98	3.22
9/16	.09	.12	.17	.22	.26	.42	.58	.62	.78	1.17	2.09	3.36
5/8	.10	.13	.18	.23	.28	.45	.62	.66	.83	1.24	2.19	3.51
3/4	.11	.15	.21	.26	.32	.50	.69	.73	.92	1.36	2.40	3.80
7/8	.13	.17	.23	.30	.35	.56	.76	.81	1.01	1.49	2.61	4.10
1	.14	.19	.25	.34	.39	.62	.83	.89	1.10	1.61	2.82	4.40
1 1/8	-	-	.28	.38	.43	.67	.90	.96	1.19	1.74	3.02	4.70
1 1/4	-	-	.30	.41	.46	.73	.97	1.04	1.28	1.87	3.23	4.98
1 1/2	-	-	.35	.47	.53	.83	1.11	1.19	1.47	2.12	3.65	5.58
1 3/4	-	-	-	.53	.61	.94	1.25	1.35	1.65	2.37	4.07	6.17
2	-	-	-	.60	.68	1.06	1.38	1.50	1.83	2.62	4.48	6.76
2 1/4	-	-	-	-	.76	1.18	1.52	1.66	2.01	2.88	4.90	7.35
2 1/2	-	-	-	-	.83	1.29	1.66	1.81	2.15	3.01	5.15	7.75
2 3/4	-	-	-	-	.91	1.39	1.80	1.97	2.38	3.39	5.73	8.53
3	-	-	-	-	.98	1.50	1.94	2.12	2.56	3.64	6.15	9.13
3 1/4	-	-	-	-	-	1.62	2.08	2.27	2.74	3.90	6.57	9.70
3 1/2	-	-	-	-	-	1.74	2.22	2.42	2.92	4.15	7.00	10.30
3 3/4	-	-	-	-	-	-	2.36	2.58	3.10	4.40	7.40	10.90
4	-	-	-	-	-	-	2.50	2.73	3.28	4.66	7.82	11.50
4 1/2	-	-	-	-	-	-	2.77	3.04	3.66	5.16	8.65	12.70
5	-	-	-	-	-	-	3.05	3.35	4.02	5.67	9.50	13.90
5 1/2	-	-	-	-	-	-	3.33	3.66	4.38	6.18	10.33	15.10
6	-	-	-	-	-	-	3.60	3.96	4.75	6.70	11.17	16.30

TERMS:

Net 30 upon verification of credit references

DROP SHIPMENT:

We drop ship with no additional charge

MINIMUMS:

Invoice - \$20.00

Screws - 100 pieces

F.O.B.:

Shipping Point

PRICES:

Per Hundred

PLATING:

Special plating available upon request

RETURNS:

No returns on special or semi-standard items.

All standard returns that are shipped as ordered will be subject to 20% restocking charge. No returns without the permission of Tamper-Pruf Screws, Inc. Parts must be returned as sold by Tamper-Pruf Screws, Inc.

PAYMENTS:

We accept Visa, Master Card and American Express