

Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
SECTION 1. PRODUCT A	AND COMPANY IDENTIFICATION	

Material name	:	A07332 ZEP TRUE BLITZ 003801_12CS 20N14
Material number	:	0000000000003801
Manufacturer or supplier's d	eta	ils
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Degreaser

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Compressed gas
Colour	colourless, clear
Odour	solvent-like

GHS Classification

Flammable aerosols Gases under pressure Eye irritation Specific target organ toxicity - single exposure	: Category 1 : Compressed gas : Category 2A : Category 3 (Central nervous system)
GHS label elements	
Hazard pictograms	
Signal word	: Danger



Version 4.0		Revision Date 07/12/2018	Print Date 11/29/2022
Hazard statements	:	H222 Extremely flammable aerosol. H280 Contains gas under pressure; ma H319 Causes serious eye irritation. H336 May cause drowsiness or dizzine	
Precautionary statements		 Prevention: P210 Keep away from heat, hot surface and other ignition sources. No smoking P211 Do not spray on an open flame of P251 Pressurized container: Do not pieruse. P261 Avoid breathing dust/ fume/ gas/ P264 Wash skin thoroughly after handlii P271 Use only outdoors or in a well-vertility of the protection of the protect of the protect	n other ignition source. erce or burn, even after mist/ vapours/ spray. ng. ntilated area. tion. nove person to fresh air ill a POISON e cautiously with water inses, if present and Get medical advice/ place. Keep container not expose to

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 70 - < 90
carbon dioxide	124-38-9	>= 5 - < 10
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 5 - < 10
ethanol	64-17-5	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice

: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
If inhaled	: Remove person to fresh air. If sig medical attention. If unconscious, place in recovery advice.	
In case of skin contact	: Take off contaminated clothing a Get medical attention if irritation of Wash contaminated clothing befor Wash off immediately with plenty minutes.	develops and persists. ore re-use.
In case of eye contact	: Remove contact lenses. Protect unharmed eye. Rinse thoroughly with plenty of w and consult a physician. Keep eye wide open while rinsing	
If swallowed	: Keep respiratory tract clear. DO NOT induce vomiting unless physician or poison control cente Take victim immediately to hospit	er.
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayers Symptoms may include irritation, Symptoms may include central neresulting in headache, nausea ar Effects are dependent on exposure contact time). Causes serious eye irritation. May cause drowsiness or dizzine Review section 2 of SDS to see a 	redness, pain, and rash. ervous system depression, nd/or dizziness. ure (dose, concentration, ess.
Notes to physician	: Treat symptomatically. Symptom	ns may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information	: Standard procedure for chemical fires.



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
Special protective equipment for firefighters	: Wear self-contained breathing apparain necessary.	us for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent further leakage or spillage. Prevent product from entering drains. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours or spray mist. Dispose of rinse water in accordance with local and national regulations. Always replace cap after use.
Conditions for safe storage :	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards. Keep in a dry, cool and well-ventilated place.
Materials to avoid :	Oxidizing agents Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



Version	40
VEISION	4.0

Revision Date 07/12/2018

Print Date 11/29/2022

Componente			Control	Desis
Components	CAS-No.	Value type (Form of	Control	Basis
		·	parameters / Permissible	
		exposure)	concentration	
acetone	67-64-1	TWA	250 ppm	ACGIH
acetone	07-04-1	STEL	500 ppm	ACGIH
		TWA	250 ppm	NIOSH REL
		IWA	590 mg/m3	NIOSH KEL
		TWA	1,000 ppm	OSHA Z-1
		T 4/ 4	2,400 mg/m3	
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm	OSHA P0
		•••==	2,400 mg/m3	
		STEL	750 ppm	CAL PEL
			1,780 mg/m3	
		С	3,000 ppm	CAL PEL
		PEL	500 ppm 1,200 mg/m3	CAL PEL
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
	124-30-3	STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm	NIOSH REL
		IWA	9,000 mg/m3	NIOSH KEL
		ST	30,000 ppm	NIOSH REL
			54,000 mg/m3	
		TWA	5,000 ppm	OSHA Z-1
			9,000 mg/m3	
		TWA	10,000 ppm	OSHA P0
			18,000 mg/m3	
		STEL	30,000 ppm	OSHA P0
			54,000 mg/m3	
		PEL	5,000 ppm	CAL PEL
			9,000 mg/m3	
		STEL	30,000 ppm 54,000 mg/m3	CAL PEL
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	NIOSH REL
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA Z-1
			1,900 mg/m3	
		TWA	1,000 ppm	OSHA P0
			1,900 mg/m3	
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm	CAL PEL
			1,900 mg/m3	

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
Engineering measures	: effective ventilation in all process	sing areas
Personal protective equip	nent	
Respiratory protection	: Use respiratory protection unless ventilation is provided or exposu that exposures are within recom	re assessment demonstrates
Hand protection Remarks	: The suitability for a specific work with the producers of the protect	
Eye protection	: Safety glasses	
Skin and body protection	: Impervious clothing Choose body protection accordin concentration of the dangerous s	0
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and	at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Compressed gas
Colour	: colourless, clear
Odour	: solvent-like
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: Not applicable
Boiling point	: No data available
Flash point	: <-18 °C
Evaporation rate	: 8 n-Butyl Acetate = 1.0
Flammability (solid, gas)	: Extremely flammable aerosol.
Upper explosion limit	: 6.7 %(V)
Lower explosion limit	: 1.2 %(V) No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.772 g/cm3



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: not determined	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. Stable under recommended storage conditions.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time).

Carcinogenicity:

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022
ACGIH	Confirmed animal carcinogen with unkn humans	
OSHA	ethanol No component of this product present a	
NTP	equal to 0.1% is on OSHA's list of regu No component of this product present a equal to 0.1% is identified as a known by NTP.	at levels greater than or
Acute toxicity		
Components:		
acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h	
	LC50 Rat: 50.1 mg/l	
Acute dermal toxicity	: LD50 Guinea pig: > 7,426 mg/kg	
	LD50 Rabbit: > 7,426 mg/kg	
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
kin corrosion/irritation		
Product:		
Remarks: May cause skin irri	tation and/or dermatitis.	
Serious eye damage/eye irritati	on	
Product:		
Remarks: Severe eye irritatio	n	
Respiratory or skin sensitisatior	1	
No data available		
Germ cell mutagenicity		
No data available		
Carcinogenicity		
No data available		

Reproductive toxicity



Version 4.0	Revision Date 07/12/2018	Print Date 11/29/2022

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water <u>Components:</u> ethanol :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Remarks: No data available
Mobility in soil	
No data available	
Other adverse effects	
No data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: No data available



Version 4.0

Revision Date 07/12/2018

Print Date 11/29/2022

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act



Version 4.0

Revision Date 07/12/2018

Print Date 11/29/2022

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
acetone	67-64-1	5000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Flammable (gases, aerosols, liquids, or solids) Gases under pressure Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure)	
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis reporting levels established by SARA Title III, Section 313.	
California Prop. 65		
\wedge	WARNING: This product can expose you to chemicals including toluene, which is/are known to the State of Califo to cause birth defects or other reproductive harm. For more	

information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION




Version 4.0

Revision Date 07/12/2018

Print Date 11/29/2022





HMIS III:

HEALTH	2
FLAMMABILITY	4
PHYSICAL HAZARD	3

0 = not significant, 1 =Slight,

OSHA - GHS Label Information:

Hazard pictograms	
Signal word	: Danger:
Hazard statements	: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	 Prevention: Keep aw ay from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash skin thoroughly after handling. Use only outdoors or in a w ell-ventilated area. Wear eye protection/face protection. Response: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unw ell. IF IN EYES: Rinse cautiously with waterfor several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Storage: Store in a w ell-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation.

Version:	4.0
Revision Date:	07/12/2018
Print Date:	11/29/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension[™], Petro[®], i-Chem[®], TimeMist[®], TimeWick[™], MicrobeMax[®], Country Vet[®],

^{2 =} Moderate, 3 = High 4 = Extreme, * = Chronic



Version 4.0

Revision Date 07/12/2018

Print Date 11/29/2022

Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.