

Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
SECTION 1. PRODUCT ANI	D COMPANY IDENTIFICATION	
Material name	: A00390 MISTY PENETRATING LU	BE_12CS 20N19
Material number	: 0000000001002456	
Manufacturer or suppl	ier's details	
Company	: Zep Inc.	

Address : 350 Joe Frank Harris Parkway, SE Emerson, GA 30137

Telephone : 404-352-1680

Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

Recommended use : Lubricant

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a compressed gas
Colour	opaque, brown
Odour	solvent-like

GHS Classification

Gases under pressure	:	Compressed gas
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Carcinogenicity	:	Category 1B
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

GHS label elements

Hazard pictograms

Signal word

: Danger



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
Hazard statements	 H280 Contains gas under pressu H315 Causes skin irritation. H319 Causes serious eye irritation H336 May cause drowsiness or H350 May cause cancer. 	on.
Precautionary statements	 Prevention: P201 Obtain special instructions P202 Do not handle until all safe and understood. P261 Avoid breathing dust/ fume P264 Wash skin thoroughly after P271 Use only outdoors or in a w P280 Wear protective gloves/ pro protection/ face protection. P251 Pressurized container: Do use. Response: P302 + P352 IF ON SKIN: Wash P304 + P340 + P312 IF INHALEI and keep comfortable for breathin CENTER/doctor if you feel unwel P305 + P351 + P338 IF IN EYES for several minutes. Remove cor easy to do. Continue rinsing. P308 + P313 IF exposed or cond attention. P332 + P313 If skin irritation occ attention. P337 + P313 If eye irritation pers attention. P362 Take off contaminated clot Storage: P410 + P403 Protect from sunlig place. P410 + P412 Protect from sunlig temperatures exceeding 50 °C/ ~ Disposal: P501 Dispose of contents/contai regulation. 	ety precautions have been read e/ gas/ mist/ vapours/ spray. handling. well-ventilated area. otective clothing/ eye not pierce or burn, even after n with plenty of soap and water. D: Remove person to fresh air ng. Call a POISON II. S: Rinse cautiously with water ntact lenses, if present and cerned: Get medical advice/ curs: Get medical advice/ sists: Get medical advice/ thing and wash before reuse. ght. Store in a well-ventilated ght. Do not expose to 122 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
tetrachloroethylene	127-18-4	>= 50 - < 70
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 10 - < 20
trichloroethylene	79-01-6	>= 5 - < 10
Distillates (petroleum), hydrotreated heavy	64742-52-5	>= 5 - < 10



	Print Date 12/08/202	
124-38-9	>= 1 - < 3	
95-63-6	>= 1 - < 3	
-		

The exact percentages of disclosed substances are withheld as trade secrets

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.	
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.	
In case of skin contact	:	Wash off with soap and water. Wash off immediately with plenty of water for at least 15 minutes. If on clothes, remove clothes. Wash contaminated clothing before re-use.	
In case of eye contact	:	Rinse immediately with plenty of water for at least 15 minutes. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.	
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.	
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Chronic effects are delayed and symptoms may not be observed during an exposure. Effects are dependent on exposure (dose, concentration, contact time). Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. May cause cancer. Review section 2 of SDS to see all potential hazards.	
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
	Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during firefighting	: Do not allow run-off from fire fight courses.	ing to enter drains or water
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	Chlorine compounds : Use extinguishing measures that circumstances and the surroundin	
Further information	: Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fi be disposed of in accordance with	s. re extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing ap necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Sweep up or vacuum up spillage and collect in suitable container for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Provide sufficient air exchange and/or exhaust in work rooms. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
	Dispose of rinse water in accordanc regulations. Always replace cap after use.	e with local and national
Conditions for safe storage	 BEWARE: Aerosol is pressurized. K exposure and temperatures over 50 or throw into fire even after use. Do red-hot objects. Keep in a dry, cool and well-ventilate Containers which are opened must kept upright to prevent leakage. Observe label precautions. Electrical installations / working mat the technological safety standards. 	°C. Do not open by force not spray on flames or ed place. be carefully resealed and
Materials to avoid	: Strong oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tetrachloroethylene	127-18-4	TWA	25 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2
		TWA	25 ppm 170 mg/m3	OSHA P0
		STEL	100 ppm 685 mg/m3	CAL PEL
		С	300 ppm	CAL PEL
		PEL	25 ppm 170 mg/m3	CAL PEL
trichloroethylene	79-01-6	TWA	10 ppm	ACGIH
		STEL	25 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2
		TWA	50 ppm 270 mg/m3	OSHA P0
		STEL	200 ppm 1,080 mg/m3	OSHA P0
		STEL	100 ppm 537 mg/m3	CAL PEL
		С	300 ppm	CAL PEL
		PEL	25 ppm 135 mg/m3	CAL PEL
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable	5 mg/m3	ACGIH



Version 3.0	Revision	Date 04/20/2018	Print [Date 12/08/2022
	1	fraction)	1	
carbon dioxide	124-38-9	TWA	5,000 ppm	ACGIH
		STEL	30,000 ppm	ACGIH
		TWA	5,000 ppm 9,000 mg/m3	NIOSH REL
		ST	30,000 ppm 54,000 mg/m3	NIOSH REL
		TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
		TWA	10,000 ppm 18,000 mg/m3	OSHA P0
		STEL	30,000 ppm 54,000 mg/m3	OSHA P0
		PEL	5,000 ppm 9,000 mg/m3	CAL PEL
		STEL	30,000 ppm 54,000 mg/m3	CAL PEL
1,2,4-trimethylbenzene	95-63-6	TWA	25 ppm 125 mg/m3	NIOSH REL

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling		Basis
		parameters	specimen	time	concentration	
TETRACHLOROE THE N	127-18-4	Tetrachloroe	In blood	Prior to	0.5 mg/l	ACGIH BEI
E		thylene		shift (16		
				hours		
				after		
				exposure		
				ceases)	-	
TETRACHLOROETHEN		Tetrachloroe	In end-	Prior to	3.ppm	ACGIH BEI
E		thylene	exhaled air	shift (16		
				hours		
				after		
				exposure		
	70.04.0	Tricklands	L Inina a	ceases)	45	
TRICHLOROETHENE	79-01-6	Trichloroace	Urine	End of shift at	15 mg/l	ACGIH BEI
		tic acid		end of		
				workwee		
				k		
TRICHLOROE THE NE		Trichloroeth	In blood	End of	0.5 mg/l	ACGIH BEI
		anol		shift at	0.5 mg/i	
		anoi		end of		
				workwee		
				k		
TRICHLOROE THE NE		Trichloroeth	In end-	End of		ACGIH BEI
		ylene	exhaled air	shift at		
		,	ernaloa un	end of		
				workwee		
				k		
				ĸ		

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
	ventilation is provided or exposure a that exposures are within recommendation	
Hand protection Material Remarks	Protective glovesThe suitability for a specific workpla with the producers of the protective	
Eye protection	: Ensure that eyewash stations and s the workstation location. Safety glasses	afety showers are close to
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sub	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at t	he end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: opaque, brown
Odour	: solvent-like
Odour Threshold	: No data available
рН	: Not applicable
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	:
	No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: The product is not flammable.
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.210 g/cm3
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: not determined



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, kinematic	: No data available	
Heat of combustion	: 18.53 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	Stable	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	No decomposition if stored and applied as direct	cted.
Conditions to avoid	Heat, flames and sparks. Extremes of temperature and direct sunlight.	
Incompatible materials	Strong oxidizing agents	
Hazardous decomposition products	Carbon oxides Chlorine Phosgene Hydrogen fluoride	

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Chronic effects are delayed and symptoms may not be observed during an exposure. Effects are dependent on exposure (dose, concentration, contact time). 	
Carcinogenicity:		
IARC	Group 1: Carcinogenic to humans	
	trichloroethylene 79-01-6	



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
	Group 2A: Probably carcinogenic to humar	۱S
	tetrachloroethylene	127-18-4
ACGIH	Suspected human carcinogen trichloroethylene	79-01-6
	Confirmed animal carcinogen with unknow	
	humans tetrachloroethylene	127-18-4
OSHA	No component of this product present at le	evels greater than or
NTP	equal to 0.1% is on OSHA's list of regulate Known to be human carcinogen	d carcinogens.
	trichloroethylene	79-01-6
	Reasonably anticipated to be a human car	cinogen 127-18-4
	tetrachloroethylene	127-10-4
Acute toxicity		
Product:		
Acute oral toxicity	: Acute toxicity estimate : 4,421 mg/kg Method: Calculation method	
Acute inhalation toxicity	: Acute toxicity estimate : 149.66 mg/l	
,	Exposure time: 4 h	
	Test atmosphere: dust/mist Method: Calculation method	
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method	
Components:		
tetrachloroethylene:		
Acute oral toxicity	: LD50 Oral Rat: 2,629 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 34,200 mg/l	
, , , , , , , , , , , , , , , , , , ,	Exposure time: 8 h	
Acute dermal toxicity	: LD50 Dermal Rabbit: 5,000 mg/kg	
Acule definal loxicity	EDS0 Demar Rabbit. 5,000 mg/kg	
trichloroethylene:		
Acute oral toxicity	: LD50 Oral Rat: 4,920 mg/kg	
Acute inhalation toxicity	: LC50 Mouse: 8450 ppm	
/ lotto initiation toxiony	Exposure time: 4 h	
Acute dermal toxicity	: LD50 Dermal Rabbit: > 20,000 mg/kg	
	otreated heavy naphthenic:	
Acute oral toxicity	: LD50 Rat: > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 Rat: > 5 mg/l	
Addie mindiation toxicity	Exposure time: 4 h	



00390 MISTY PENETRATING LUBE_12CS 20N19
Yersion 3.0Revision Date 04/20/2018Print Date 12/08/20
Acute dermal toxicity : LD50 Rabbit: > 5,000 mg/kg
kin corrosion/irritation
Product:
Remarks: Irritating to skin.
erious eye damage/eye irritation
Product:
Remarks: Irritating to eyes.
espiratory or skin sensitisation
o data available
erm cell mutagenicity
o data available
arcinogenicity
o data available
eproductive toxicity
o data available
TOT - single exposure
o data available
TOT - repeated exposure
o data available
spiration toxicity
o data available
urther information
Product:
Remarks: No data available
Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential



Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> tetrachloroethylene :	: Remarks: No data available	
Partition coefficient: n- octanol/water trichloroethylene :	: log Pow: 3.40	
Partition coefficient: n- octanol/water	: log Pow: 2.29	
Mobility in soil		
No data available		
Other adverse effects		
No data available Product:		
Regulation	40 CFR Protection of Environmen Stratospheric Ozone - CAA Section Substances	
Remarks	This product neither contains, nor with a Class I or Class II ODS as Clean Air Act Section 602 (40 CF + B).	defined by the U.S.
Additional ecological information	: An environmental hazard cannot l event of unprofessional handling of aquatic life.	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Do not dispose of waste into sewer.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel):

SAFETY DATA SHEET



A00390 MISTY PENETRATING LUBE_12CS 20N19

Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022

UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

The following substance(s) is/are subject to TSCA 12(b) export notification requirements: trichloroethylene 79-01-6

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
tetrachloroethylene	127-18-4	100	181

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Gases under pressure Serious eye damage or eye irritation Carcinogenicity Specific target organ toxicity (single or repeated exposure) Skin corrosion or irritation		osure)
SARA 302	: No chemicals in this material are su requirements of SARA Title III, Sec	•	ting
SARA 313	: The following components are subjected by SARA Title III, Section tetrachloroethylene trichloroethylene 1,2,4-trimethylbenzene		vels 54.99 % 8.385 % 1.0023 %



Version 3.0

Revision Date 04/20/2018

Print Date 12/08/2022

California Prop. 65



WARNING: This product can expose you to chemicals including tetrachloroethylene, trichloroethylene, ethylbenzene, benzene, naphthalene, which is/are known to the State of California to cause cancer, and trichloroethylene, toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:


DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION



OSHA - GHS Label Information:





Version 3.0	Revision Date 04/20/2018	Print Date 12/08/2022
	Prevention: Obtain special instructions before use. Do precautions have been read and understood. Avoid breve vapours/spray. Wash skin thoroughly after handling. Uventilated area. Wear protective gloves/protective clot protection. Pressurized container: Do not pierce or burn Response: IF ON SKIN: Wash with plenty of soap and person to fresh air and keep comfortable for breathing. if you feel unw ell. IF IN EYES: Rinse cautiously with w contact lenses, if present and easy to do. Continue rins Get medical advice/attention. If skin irritation occurs: C eye irritation persists: Get medical advice/attention. Ta w ash before reuse. Storage: Protect from sunlight. Store in a w ell-ventilate Do not expose to temperatures exceeding 50 °C/ 122 ° Disposal: Dispose of contents/container in accordance	eathing dust/fume/gas/mist/ se only outdoors or in a w ell- hing/eye protection/face h, even after use. w ater. IF INHALED: Remove Call a POISON CENTER/doctor ater for several minutes. Remove ing. IF exposed or concerned: Get medical advice/attention. If ke off contaminated clothing and ed place. Protect from sunlight. F.

Version:	3.0
Revision Date:	04/20/2018
Print Date:	12/08/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.