


CONSUMER CARTON SEALING TAPES



Premium Packing
with Corrugrip Technology



Moving



Storage




Shipping



Carton Sealing Tapes

IPG®'s Carton Sealing Tapes are versatile and specially-designed for a variety of applications, featuring a holding power formulated for consistent, reliable closures. Each grade of tape featured below embodies specific properties, making them the ideal choice for packing, shipping, storing, or moving applications. Our new Corrugrip™ adhesive technology is the first carton sealing tape to adhere to up to 100% recycled corrugate boxes! Simply choose the tape for your application and we guarantee your satisfaction!



Scan here to learn about our products!

PREMIUM PACKING TAPE



- Premium biaxially-oriented polypropylene (BOPP) film with pressure-sensitive hot melt adhesive
- For extra heavy boxes, up to 70lbs
- Now featuring Corrugrip™ Adhesive Technology, the ideal choice for recycled corrugate boxes!
- Provides excellent performance, superior adhesion properties, holding force, tensile strength, and easy unwind
- Perfect for demanding box sealing applications, under or over stuffed boxes, package repair and bundling applications, and packages exposed to more challenging shipping hazards and stress. Ideal application temperature 35°F to 120°F.



SHIPPING TAPE



- Durable BOPP film with high grade acrylic adhesive
- For heavy boxes, up to 50lbs
- Excellent clarity, superior quick-stick performance, controlled unwind
- Reliable performance, even works under 40°F and over 120°F! Resists aging, weathering, UV light, and yellowing. Stands up to rougher shipping hazards and stress.

STORAGE TAPE



- Impact resistant BOPP film with acrylic adhesive
- For mid-weight boxes, up to 35lbs
- Excellent clarity, superior quick-stick performance, controlled unwind
- Reliable performance, even works under 40°F and over 120°F! Resists aging, weathering, UV light, and yellowing. Use for non-critical box sealing applications exposed to minimal shipping hazards and stress.

MOVING TAPE



- General purpose BOPP film with hot melt adhesive (exception: 170C600 product)**
- For light boxes, up to 25lbs
- Superior adhesion, holding force, tensile strength, and easy unwind
- Perfect for general purpose box sealing, package repair and bundling applications. Reliable seals to a variety of corrugated and linerboard boxes. Ideal application temperature 40°F to 120°F.

Carton Sealing Tapes

TECHNICAL DATA

Style	Total Thickness	Adhesive	Tensile Strength	Elongation	Adhesion to Steel	Colors
Corrugrip™ Premium Packing Tape	3.0 mil (0.076 mm)	Synthetic Rubber/Resin	32 lbs/in of width (560 N/100mm)	120% at break	58 oz/in of width (63.5 N/100mm)	Clear
Premium Packing Kraft Flatback	7.2 mil (0.18 mm)	Natural/Synthetic Rubber	40 lbs/in of width (700 N/100mm)	7% at break	50 oz/in of width (54.8 N/100mm)	Brown
Shipping Tape	2.7 mil (0.0635 mm)	Acrylic	28 lbs/in of width (490 N/100mm)	135% at break	20 oz/in of width (22 N/100mm)	Clear
Storage Tape	1.85 mil (0.047 mm)	Emulsion Acrylic	25 lbs/in of width (438 N/100mm)	70% at break	17 oz/in of width (19 N/100mm)	Clear, Tan
Moving Tape	1.6 mil (0.041 mm)	Synthetic Rubber/Resin	25 lbs/in of width (438 N/100mm)	70% at break	32 oz/in of width (35 N/100mm)	Clear
Iron Grip™ Hot Melt	3.0 mil (0.076 mm)	Synthetic Rubber/Resin	32 lbs/in of width (560 N/100mm)	150% at break	46 oz/in of width (50.3 N/100mm)	Clear
Clear To The Core®	3.0 mil (0.076 mm)	Emulsion Acrylic	28 lb/in width (490 N/100mm)	150% at break	21 oz/in (23.0 N/100 mm)	Clear

Carton Sealing Tapes

IPG®'s Carton Sealing Tapes are versatile and specially-designed for a variety of applications, featuring a holding power formulated for consistent, reliable closures. Each tape embodies specific properties, making them the ideal choice for packing, shipping, storing, or moving applications.



PSC50



PSD50



PDD50



9341*

PREMIUM PACKING TAPE <i>3 mil Hot Melt & Flatback</i>							
Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
<i>1 mil Hot Melt</i>							
PSC50	1.88in x 60.1yds	48mm x 55m	0-77922-99494-6	99494	1	16	Y
PSD50	1.88in x 60.1yds	48mm x 55m	0-77922-99495-3	99495	1	12	Y
PDD50	1.88in x 60.1yds	48mm x 55m	0-77922-99496-0	99496	2/6	12	Y
<i>Kraft Paper Flatback</i>							
9341*	1.88in x 60yds	48mm x 54.8m	0-77922-76200-2	89276	1	12	N



Kraft Paper Flatback

- Non-repulpable, natural rubber adhesive on a moisture resistant flatback kraft
- Excellent adhesion to minimize carton sealing failures and prevent pilferage
- Use for applications where reduced weight can provide packaging material savings

3 Mil Hot Melt

- Corru-Grip™ Adhesive Technology allows tape to adhere to recycled corrugate materials
- Expanded temperature & humidity range



9851



9852



SDP50



STORAGE TAPE <i>1.85 mil Acrylic</i>							
Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
9851 (Tan)	1.88in x 54.6yds	48mm x 50m	0-77922-76194-4	91380	1	16	Y
9852 (Clear)	1.88in x 54.6yds	48mm x 50m	0-77922-76195-1	91381	1	16	Y
SDP50 (Clear)	1.88in x 54.6yds	48mm x 50m	0-77922-99491-5	99491	1	12	Y



- General purpose hot melt carton sealing tape
- Provides secure holding power to a variety of corrugated and linerboard boxes, for consistent, reliable closures
- Use for light to medium weight box sealing, package repair and bundling applications

Carton Sealing Tapes



610C



2892



2662

MOVING TAPE *1.6 mil Hot Melt*



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
610C	1.88in x 54.6yds	48mm x 50m	0-77922-84120-2	91390	1	16	Y
2892	1.88in x 54.6yds	48mm x 50m	0-77922-82892-0	91372	2/6	12	Y
2662	1.88in x 54.6yds	48mm x 50m	0-77922-82662-9	91415	6/6	36	Y

- Tough, impact resistant BOPP film and acrylic adhesive that provides reliable all-temperature box sealing performance in freezer cold or summer heat
- Use for reliable quick stick and fiber tear
- Has excellent resistance to aging, weathering, UV light degradation and yellowing
- Can be used in light weight, non-critical box sealing applications exposed to minimal shipping hazards and stress



4367



4368



3196

SHIPPING TAPE *2.7 mil Acrylic*



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
4367	1.88in x 54.6yds	48mm x 50m	0-77922-84367-1	91378	1	12	Y
4368	1.88in x 54.6yds	48mm x 50m	0-77922-84368-8	91374	2/6	12	Y
3196	2.00in x 17.5yds	50.8mm x 16m	0-77922-83196-8	3196	1	24	N


- Durable acrylic adhesive/BOPP film designed as a high performance, heavy-duty, box sealing tape
- Provides reliable all-temperature box sealing performance in arctic cold or tropical heat, with controlled unwind
- Excellent resistance to aging, weathering, UV light and yellowing
- Clear to the core





PREMIUM PACKING TAPE

According to recent studies, more than 90% of boxes contain recycled content. Changes in the fiber and composition of cartons may impact the ability of your tape to adhere to it. **IRON GRIP™** Premium Packing Tape was designed specifically for optimal closure of highly recycled corrugate, including 100% recycled boxes. Its adhesive formulation also successfully seals boxes in wide ranges of temperature and humidity.



FOR USE ON ALL BOXES, INCLUDING RECYCLED CORRUGATE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
IG1100	1.88in x 60yds	48mm x 54.8m	0-77922-99690-2	99690	1	6	Y

CLEAR TO THE CORE[®] PREMIUM PACKING TAPE



Durable 3.2 mil BOPP film with high grade acrylic adhesive. Excellent clarity, superior quick-stick performance, controlled unwind. Reliable performance, even works under 40°F and over 120°F! Resists aging, weathering, UV light, and yellowing.



CLEAR TO THE CORE[®] 3 MIL PREMIUM PACKING TAPE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
CTTC24	1.88in x 60yds	48mm x 54.8m	0-77922-99670-4	99657	1	12	N
341CTTC-6PK	1.88in x 60yds	48mm x 54.8m	0-77922-99644-5	99644	6	36	N

Packaging Products



HAND WRAP *STRETCH FILM*



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Gauge	Rolls/Pack	Rolls/Case	Display Tray
4349	20in x 1000ft	508mm x 304.8m	0-77922-84349-7	HG2032000-RT	80	1	4	N
SF1515MA	15in x 1500ft	381mm x 457.2m	0-77394-91205-5	SF1515MA	80	1	4	N
SF1815MA	18in x 1500ft	457mm x 457.2m	0-77394-91168-4	SF1815MA	80	1	4	N
4349DIS	20in x 1000ft	508mm x 304.8m	5-00779-22994-194	99419	80	9	9	SS
<i>With Brake Handle</i>								
2010BH	20in x 1000ft	508mm x 304.8m	0-77922-99583-7	99583	80	1	4	N

- Great for wrapping items in groupings
- Sticks only to itself

SS = Self-Shipper



SMALL STRETCH WRAP *5" STRETCH FILM*



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Gauge	Rolls/Pack	Rolls/Case	Display Tray
4348	5in x 1000ft	127mm x 304.8m	0-77922-84348-0	HG2030500-RT	80	1	6	N
4348DIS	5in x 1000ft	127mm x 304.8m	5-00779-2994-187	99418	80	12	36	SS
4348-50G	5in x 1000ft	127mm x 304.8m	0-77922-99674-2	99674	50	1	6	N
50G2PK-2	5in x 1000ft	127mm x 304.8m	0-77922-99676-6	99677	50	2	12	Y
<i>With Brake Handle</i>								
5100BH	5in x 1000ft	127mm x 304.8m	0-77922-99586-8	99586	80	1	6	N

- Great for wrapping items in groupings
- Sticks only to itself

SS = Self-Shipper



BUNDLE WRAP *2" STRETCH FILM*



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
TS2178	2in x 178ft	50.8mm x 54.25m	0-77922-99507-3	99507	1	12	Y
TS2650	2in x 650ft	50.8mm x 198.12m	0-77922-99572-1	99572	1	12	N
TS2650B	2in x 650ft	50.8mm x 198.12m	0-77922-99572-1	99506	1	24	N

Packaging Products



PREMIUM STRAPPING TAPE



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
9715	0.70in x 60.1yds	18mm x 55m	0-77922-76191-3	89265	1	24	N
9716	0.94in x 60.1yds	24mm x 55m	0-77922-76192-0	91404	1	32	N
9717	1.41in x 60.1yds	36mm x 55m	0-77922-77065-6	89297	1	12	N
9718	1.88in x 60.1yds	48mm x 55m	0-77922-77066-3	89298	1	12	N

- Fiberglass reinforced tape designed for the majority of packaging, palletizing and unitizing applications
- Polypropylene backing and aggressive adhesive provides excellent adhesion to corrugated cartons and exhibits outstanding holding power



PACK AND SHIP™ CORRUGATED COHESIVE PAPER



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case	Display Tray
CP3018	30in x 18ft	76.2cm x 5.4m	0-77922-99682-7	99682	1	4	N
CP1825	18in x 25ft	45.7cm x 7.6m	00-77922-00678-0	99678	1	4	N

- Cold seal cohesive sticks only to itself — not to your products



CARTON SEALING TAPE DISPENSERS

Item Number	Color	Description	Unit UPC	Resource Number	Units/Pack	Units/Case	Display Tray
PG2DISP	Gray	2in Pistol Grip	0-77922-85925-2	1969	1	24	N
PG3DISP	Gray	3in Pistol Grip	0-77922-01970-0	1970	1	24	N

i tape with



888-898-7834

www.itape.com | info@itape.com

©2018 Intertape Polymer Group® • CONSUMER CST BR • RV053118

i protect with



EZ AIR™ PACKAGING PILLOWS

FOR CLEAN AND SECURE PACKAGING



Securely brace your products during transit and ship clean, professional-looking packages using EZ Air™ Packaging Pillows! Air Pillows are lightweight, perforated for easy separation and made of nonabrasive poly which will not scratch the surface of your product. They are reusable and recyclable, with disposal requiring a low volume in landfills when deflated.

FEATURES & BENEFITS

- **Transparent, allowing products to be seen while secured**
- **Securely braces items during transit**
- **Lightweight and perforated for easy separation**
- **No messy loose fill to contend with**
- **Easy dispensing from box**



TECHNICAL DATA


Item Number	UPC	Film Gauge	Imperial Size		Pillows/Box	Box Weight
			Box Size	Air Pillow Size		
AP150	5-00779-22995-993	1.2 mils	19.5in x 19.5in x 9in	8in x 4in	150	1.9 lbs



i tape with

CORPORATE PROFILE

Intertape Polymer Group® Inc. (IPG®) is a recognized leader in the development, manufacture and sale of a variety of paper- and film-based pressure sensitive and water-activated tapes, polyethylene and specialized polyolefin films, protective packaging, woven coated fabrics and complementary packaging systems for industrial and retail use. Headquartered in Montreal, Quebec and Sarasota, Florida, the Company employs approximately 3,400 employees with operations in 27 locations, including 20 manufacturing facilities in North America, two in Asia and one in Europe.



NORTH AMERICA

- 1. Ansonia, CT ■
- 2. Atlanta, GA ●
- 3. Bardstow, KY (2) ●
- 4. Blythewood, SC ●
- 5. Brighton, CO ●
- 6. Carbondale, IL ●
- 7. Carlstadt, NJ ●
- 8. Carrollton, TX ●
- 9. Chicago, IL ●
- 10. Corona, CA ●
- 11. Cornwall, ON ●

NORTH AMERICA

- 12. Danville, VA ●▲
- 13. Delta, BC ●
- 14. Marysville, MI ●
- 15. Menasha, WI ●
- 16. Midland, NC ●
- 17. Montreal, QC (2) ●★
- 18. Salisbury, NC ●
- 19. Sarasota, FL ☆
- 20. Springfield, OH ●
- 21. Toronto, ON ●
- 22. Tremonton, UT ●
- 23. Truro, NS ●

EUROPE

- 24. Flensburg, Germany ▲
- 25. Porto, Portugal ●

ASIA

- 26. Chopanki, India ●
- 27. Daman, India ●

●	Manufacturing
■	Machine Assembly
▲	Distribution
★	Corporate Headquarters
☆	Executive Headquarters

888-898-7834

www.itape.com | Tech Help: 877-447-4832 | info@itape.com

